




BEST Precision Exit Devices & Trims Price List

PL77 | August 2025



BEST: Setting the Standard for Security

What's New

BEST Precision Exit Devices

- Update page numbering
- p. 6 - Installation Warranty Update to: In addition to the standard product warranty, products installed by the dormakaba Field Services team are covered by a one (1)-year installation warranty on materials to be free from manufacturer defects and on installation labor performed.
- p. 10 - Price changes to Lever/Knob Trim: 10 3941.00, 4424.00, 4424.00, 4,220.00

Contents

General Information

Terms and Conditions of Sale	5
How to Order	8
Finishes	9

Wide Stile Devices

PRECISION 2100 – Rim – Reversible, Wide Stile	10
PRECISION 2200 – Surface Vertical Rod – Reversible, Wide Stile	11
PRECISION 2300 – Mortise - Handed, Wide Stile	12

Narrow Stile Devices

PRECISION 2400 – Rim - Non Handed, Narrow Stile	13
PRECISION 2600 – Concealed Vertical Rod - Non Handed, Narrow Stile	14

Wide Stile Devices

PRECISION 2700 – Wood Door Concealed Vertical Rod - Reversible, Wide Stile	15
PRECISION 2800 – Concealed Vertical Rod - Reversible, Wide Stile	16

Decorative Levers list Price

2900/4900 Series Trims	17
------------------------	----

PRECISION 5000 Series

PRECISION 5100 – Precision Rim - Non Handed	18
PRECISION 5200 – Surface Vertical Rod - Reversible	19

PRECISION 100; 200; 300 Series

PRECISION 100 – Rim - 100 Handed, R100 Reversible, Crossbar	20
PRECISION 200 – Surface Vertical Rod - Non Handed, Crossbar	21
PRECISION 300 – Mortise - Handed, Crossbar	22

Arm-A Dor®

7R0 – Arm-A-Dor® – Security Exit Hardware	23
---	----

Trims

Precision Wide & Narrow Stile, & Trim	24
---------------------------------------	----

Mullions

Mullions	25
Strikes	26

Strikes & Accessories

Accessories	26
Electrical Products	27

Component Assemblies

Precision Component Assemblies - Wide Stile	29
Precision Component Assemblies - Narrow Stile	31
Precision Component Assemblies	32
Precision Component Assemblies - Crossbar	33
Precision Component Assemblies - Crossbar	34
Trim Components Assemblies	34

Miscellaneous

Weight Chart	35
Quoting & Ordering	36
BEST Cylinder and Precision Exit Device Orders	37
Returned Authorization (RA) Non-Warranty	38
Fulfillment Issues	38

Forms

Order Form	39
Return Authorization Form Request	40

NOTE: AS A RESULT OF BRAND MIGRATION FROM PRECISION TO BEST, PRECISION WILL BECOME THE PRODUCT NAME.

- APEX 2000 SERIES WILL NOW BE KNOWN AS BEST PRECISION 2000 SERIES
- RELIANT 5000 WILL NOW BE KNOWN AS BEST PRECISION 5000 SERIES
- OLYMPIAN 100; OLYMPIAN 200 AND OLYMPIAN 300 SERIES' WILL NOW BE KNOWN AS BEST PRECISION 100; 200 & 300 SERIES

1. Acceptance. The following Terms and Conditions of sale are applicable to all Quotations, Contract, Purchase Orders, Order Acknowledgement Forms, and sales of Seller's services and products, and are the only applicable terms and conditions thereto, except for terms establishing prices, quantities, delivery schedules, terms of payment, invoicing, shipping instructions, and the identification of the products associated with each transaction. If any conflict exists between the Terms and Conditions and a Quotation, Purchase Order, Order Acknowledgment form, or sale, these Terms and Conditions shall prevail BY REQUESTING A QUOTATION OF ORDERING ANY PRODUCTS OR SERVICES FROM SELLER, BUYER AGREES TO ALL THE FOLLOWING TERMS AND CONDITIONS. If a written contract signed by both parties is in existence covering the sale of the goods and services, the terms and conditions of the contract shall control to the extent they are inconsistent with these Terms and Conditions.

1. Order Procedure. Buyer may or may not request the preparation of a Quotation prior to ordering any products or services from Seller. Buyer then shall place a Purchase Order with Seller. By placing a Purchase Order, Buyer makes an offer to purchase products or services from Seller pursuant to these Terms and Conditions. Seller, in its discretion, may accept or reject the Purchase Order. If Seller accepts the Purchase Order, Seller shall issue an Order Acknowledgement Form confirming Buyer's order. No Purchase Order is binding on Seller unless accepted by Seller as provided in these Terms and Conditions.

2. Quotations. All Quotations by Seller are subject to change or withdrawal without prior notice to Buyer unless otherwise specifically stated in the Quotation. Quotation prices are valid on Purchase Orders placed within 90 days of the quote being issued, unless otherwise specifically stated in the quotation. If no order is placed within the stated time frame, prices may be adjusted to reflect the then-current published prices, surcharges, escalators, or other pricing adjustment due to, among other things, costs of materials, labor, transportation, taxes, duties, and other cost increases to Seller. All resulting Purchase Orders become effective only if and when approved and accepted in writing by Seller by the issuance of its Order Acknowledgement Form. Seller reserves the right to discontinue manufacture of any products or change products materials, design, or specifications without notice.

Quotation prices are valid on Purchase Orders placed within 90 days of the quote being issued, unless otherwise specifically stated in this quotation. If no order is placed within the stated time frame, prices may be adjusted to reflect the then-current published prices, surcharges, escalators, or other pricing adjustment due to, among other things, costs of materials, labor, transportation, taxes, duties, and other cost increases to Seller. All resulting Purchase Orders become effective only if and when approved and accepted in writing by Seller by the issuance of its Order Acknowledgement Form. All Quotations and resulting orders are subject to Seller's Terms and Conditions set forth in the price book.

3. Site Requirements.

- a. The Quotation is contingent upon all work being performed during normal business hours unless otherwise negotiated and a mutually agreeable schedule. The Quotation is calculated on one continuous installation engagement based on acceptable site conditions where other dependent scopes have completed preparation for proposed materials [i.e. electrical work, floor work, adjacent construction]. When Buyer has given authorization for work to begin, no other scopes may impede Seller's ability to complete installation in agreed upon area. Seller reserves the right to invoice for costs that are incurred due to unacceptable site conditions or delays by others resulting in additional installation visits.
- b. Signed acceptance by Buyer of shop drawings and/or submittals shall be interpreted as acceptance that proposed scope is the correct interpretation of construction documents. Any field verification and/or work required by others as detailed in the submittal will be provided and coordinated by Buyer. Work shall not begin nor shall orders be placed for any projects until all shop drawings and submittals have been approved in writing by Buyer.

4. Warranty. Seller warrants only that all products sold pursuant to a Quotation or Purchase Order will conform to the description in the Price Book and will be free from defects in workmanship and materials. The duration of each product warranty is dependent on the particular product. Refer to EAD & DHW warranty statement. Extended warranties may be available for an additional cost. Seller is not responsible for defects or damages caused by wear and tear, consumable materials, vandalism, fires, storms, floods, acts of God, misuse, abuse or alteration by any company other than Seller. Seller further warrants that Buyer will receive good and valid title to the products. Any claim on account of nonconforming or defective products or for any other cause whatsoever shall conclusively be deemed waived by Buyer unless written notice thereof is given to Seller promptly after discovery but no later than sixty (60) days from date of shipment. Seller shall have the right either to replace or repair any nonconforming or defective products, to refund the purchase price upon return of the products, or to grant a reasonable allowance on account of such nonconformance or defect Seller's liability and Buyer's exclusive remedy for nonconforming or defective products shall be limited solely to replacement, repair, refund, or allowance as Seller may elect. Seller shall be given reasonable opportunity to investigate all claims and no materials shall be returned to Seller until after inspection and approval by Seller and receipt by Buyer of written shipping instructions from Seller. Buyer acknowledges and agrees that the remedies set forth in this paragraph are Buyer's exclusive remedies for the delivery of nonconforming or defective products.

Additional Warranties

- a) No credit will be provided for any work completed by others during warranty term.
- b) Warranty work will be performed during normal business hours with our standard response times. Any warranty work taking place beyond normal business hours or with expedited response time may be billable.
- c) Products repaired or replaced under the warranty are warranted only through the remainder of the original warranty period.

DISCLAIMER OF FURTHER WARRANTIES. EXCEPT AS SET FORTH ABOVE, THERE IS NO WARRANTY, REPRESENTATION, OR CONDITION OF ANY KIND, EXPRESS OR IMPLIED (INCLUDING NO WARRANTY OF MERCHANTABILITY OR FITNESS OF THE PRODUCTS FOR ANY USE CONTEMPLATED BY BUYER) CONCERNING

SELLER'S PRODUCTS OR SERVICES AND NONE SHALL BE IMPLIED BY LAW.

5. LIMITATION OF LIABILITY AND REMEDIES. SELLER SHALL NOT BE LIABLE, AND BUYER WAIVES ALL CLAIMS AGAINST SELLER FOR ANY INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES, INCLUDING WITHOUT LIMITATION, LOST REVENUES AND PROFITS EVEN IF SELLER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. BUYER'S EXCLUSIVE REMEDY FOR ANY CAUSE OF ACTION UNDER THESE TERMS AND CONDITIONS IS A CLAIM FOR DAMAGES AND IN NO EVENT WILL DAMAGES OR ANY OTHER RECOVERY OF ANY KIND AGAINST SELLER EXCEED THE PURCHASE PRICE OF THE SPECIFIC PRODUCTS OR SERVICES AS TO WHICH THE CLAIM IS MADE. SELLER WILL NOT BE LIABLE TO BUYER FOR ANY LOSS, DAMAGE, OR INJURY TO PERSONS OR PROPERTY RESULTING FROM THE HANDLING, STORAGE, TRANSPORTATION, RESALE, OR USE OF THE PRODUCTS IN MANUFACTURING PROCESSES, OR IN COMBINATION WITH OTHER SUBSTANCES, OR OTHERWISE.

6. Intellectual Property Indemnification. (a) Seller agrees to defend, indemnify and hold Buyer harmless against any claims, costs, damages, liability and expenses resulting from actual or alleged patent, trademark, or copyright infringement, misappropriation of confidential information, or violation of any other intellectual property right, domestic or foreign, in the selling or use of any part or product that is owned by Seller and that pertains to the subject matter of a Quotation, Purchase Order, or sale of products or services [provided that the product is not modified in anyway by Buyer or any other party, and that the product is used in the manner intended by Seller]. If a suit or claim results in any injunction or

any other order that would prevent Seller from supplying any product falling under a Quotation, Purchase Order, or sale, or if the result of such a suit or claim would, in the reasonable opinion of Seller, otherwise cause Seller to be unable to supply such products, Seller shall have the right, at its option, if it so chooses, to do one or more of the following: (i) secure an appropriate license to permit Seller to continue supplying the products to Buyer; (ii) modify the relevant product so that it becomes non-infringing, provided that any modification does not cause any material change to the operation or performance of the product; or (iii) replace the relevant product with a non-infringing but practically equivalent product. (b) Buyer agrees to defend, indemnify, and hold Seller harmless against any claims, costs, damages, liability and expenses resulting from actual or alleged patent, trademark, or copyright infringement, misappropriation of confidential information, or violation of any other intellectual property right, domestic or foreign, in the making, using or selling of any product or using any process that is owned by Buyer or is designed or specified by Buyer and that pertains to the subject matter of a Quotation, Purchase Order, or sale.

7. Ownership of Inventions. All drawings, know-how, designs, confidential information, and the like disclosed to Buyer by Seller and all rights therein will remain the property of Seller. Buyer shall have no claim to, ownership interest in, no license to, or no rights to any information provided or communicated by Seller.

8. Lead Times. If applicable, lead times are based on standard requirements by factory to provide materials proposed. Ship dates will be provided as estimate only once order is placed with the factory. Adequate packaging will be provided for any normal shipping circumstance such that materials will be protected and labeled as required. Special packaging may be provided for an additional expense. Shipping will be cost effective unless expedited fees are accepted by Buyer. If materials are to be provided to job site or Buyer location, Seller will make an informed decision as to the best instruction to provide the shipping company. If materials are not required to have direct delivery, materials will be brought to branch for pickup by Buyer. All freight terms shall be FOB. Any claims for damage in transit or lost freight, receiving, and inspection of materials is the responsibility of Buyer. It is a requirement of Buyer to inspect and review all materials prior to accepting shipment.

9. Title/Risk of Loss. All products shall be shipped FOB Seller's manufacturing facility to Buyer's designated delivery location. Unless otherwise agreed by the parties, Seller shall select the method of and carrier for the products. Seller reserves the right to ship items in a single or in multiple shipments. Title and risk of loss to products ordered passes to Buyer upon delivery of the products to the freight carrier. Unless mutually agreed upon in writing, shipping dates are approximate and are based upon prompt receipt of all necessary information.

10. Prices. Quoted price is valid for 90 days. Seller reserve the right to revise quotations after the 90 days. All accepted Purchase Orders are subject to Seller's price in effect at time of shipment. Buyer shall be responsible for any increase in freight rates or transportation charges occurring after Seller prepared the Order Acknowledgment Form. on the Order Acknowledgment Form. Buyer shall pay to Seller in addition to the purchase price the amount of all fees, duties, licenses, and all sales, use, privilege, occupation, excise, or other taxes, federal, state, local, or foreign which Seller is required to pay or collect in connection with products or services sold to Buyer.

11. Payments. Unless otherwise agreed in writing between the parties, all Seller's invoices are payable within thirty (30) days of their date. Time is of the essence. Interest on past due amounts will be assessed at the rate of 2% per month (24% per annum), or the maximum allowable by law.

Seller reserves the right to full payment upon completion of work unless credit is pre-established. For any work requiring materials purchase or scheduling, a 50% deposit is due at time of proposal acceptance. Twenty percent (20%) of the Quotation, Purchase Order value may be billed after job award. Joint check agreements may be requested at the discretion of Seller. If payment is outstanding for any one account,

work may be stopped and outstanding orders cancelled until account is restored. Should Seller require the use of collection, attorney's fees, or fees for insufficient funds, Buyer agrees that these funds will be repaid to Seller. Seller retains the right to file a lien against all or part of the property being improved. Seller reserves the right to add a 2.5% charge if invoice becomes delinquent beyond terms.

12. Cancellation. In the event a Buyer's Purchase Order and the issuance of an Order Acceptance Form is cancelled, it will be subject to standard 35% restocking fees, cancellation fees, engineering fees, materials & freight costs incurred, and administrative fees. Standard cancellation is 20% of order as long as no materials have been ordered. Should Buyer release material orders, Buyer will be liable for that portion of the job and 20% of the remaining amount of work unperformed/unordered.

13. Storage. If applicable, Seller reserves the right to implement a storage fee if delivery is delayed after agreed upon date. Should project timeline require storage of materials, Seller reserves the right to bill for those materials at the time they have been received at a Seller location, Buyer location, or at job site. Certificate of insurance for stored materials can be provided to Buyer upon request. Signed acceptance by Buyer of shop drawings and/or submittals shall be interpreted as acceptance that proposed scope is the correct interpretation of construction documents. Any field verification and/or work required by others as detailed in the submittal will be provided and coordinated by Buyer.

14. Insolvency. Seller may, at any time or times, suspend performance of any order or require payment in cash, security, or other adequate assurance satisfactory to Seller when, in Seller's opinion, the financial condition of Buyer or other grounds for insecurity, including the filing of a petition for bankruptcy, warrant such action.

15. Force Majeure. Seller shall not be liable for any delay in fulfilling any order due to (a) fires, floods, strikes, or other labor disputes, accidents to machinery, acts of sabotage, riots, precedence or priorities granted at the request or for the benefit, directly or indirectly, of the federal or any state government or any subdivision or agency thereof, delays in transportation or lack of transportation facilities, restrictions imposed by federal or state legislation or rules of regulations thereunder; or (b) any cause beyond the control of Seller.

16. Ownership of Equipment. Unless otherwise agreed in a writing, all material, equipment, facilities, and special tooling, which term includes but is not limited to jigs, dies, fixtures, molds, patterns, special taps, special gauges, special test equipment, and manufacturing aids and replacements thereof, used in the manufacture of the products covered by any order shall remain the property of Seller. Any material, tooling, and equipment furnished to Seller by Buyer shall be and remain the personal property of Buyer with the title to and right of possession remaining in Buyer.

17. Confidential Information. All information furnished or made available by Seller to Buyer in connection with a transaction shall be held in confidence by Buyer. Buyer agrees not to use such information or disclose such information to others without Seller's prior written consent. The obligations of this paragraph does not apply to any information which (a) at the time of disclosure was, or thereafter becomes, generally available to the public by publication or otherwise through no breach by Buyer of any obligation herein, (b) Buyer can show by written records was in Buyer's possession prior to disclosure by the disclosing party, (c) is legally made available to Buyer by or through a third party having no direct or indirect confidentiality obligation to Seller with respect to such information, (d) was independently developed by Buyer without use of any of Seller's confidential information, or (e) is required to be disclosed pursuant to applicable law.

18. Waiver. No waiver by Seller of any of these Terms and Conditions shall be effective unless explicitly set forth in writing and signed by Seller. No failure to exercise, or delay in exercising, any rights, remedy, power, or privilege arising from these Terms and Conditions shall operate or be construed as a waiver thereof, nor shall any single or partial exercise of any right, remedy, power, or privilege hereunder preclude any other or

Terms and Conditions of Sale (con't)

General Information

further exercise thereof or the exercise of any other right, remedy, power or privilege.

19. Assignment. No assignment of any right or interest or delegation of any obligation or performance of Buyer under this order may be made without the prior written consent of Seller. Any attempted assignment or delegation will be wholly void and totally ineffective for all purposes.


20. Choice of Law. All sales, agreements for sale, offers to sell, proposals, acknowledgments and contracts of sale, including, but not limited to, Purchase Orders accepted by Seller, shall be considered a contract under the laws of the State of Delaware, and the rights and duties of all persons, and the construction and effect of all provisions hereof, shall be governed by and construed according to the laws of the State of Delaware.

21. Integration Clause. These Terms and Conditions constitute the entirety of terms and conditions, except as set forth in paragraph one, governing the sale and purchase of products and services sold by Seller. No modification of these Terms and Conditions shall be of any force or effect unless in writing and signed Seller and Buyer. Buyer may desire to utilize its own form of acknowledgment or acceptance of these Terms and Conditions. However, the use of any such form shall be for convenience only. No modification of these Terms and Conditions shall be affected by the acknowledgment or acceptance of purchase orders, shipping instruction forms, bills of lading or any other document containing terms or conditions at variance with or in addition to those set forth herein, all such varying or additional terms being hereby objected to and rejected by Seller and deemed to be waived by Buyer.

22. Installation Projects. Communication: Buyer shall communicate all of these installation terms to any end-user receiving installation services from dormakaba. Work Execution: Any installation quote is prepared with the understanding that openings within the scope of work ("Work") have doors and frames in good working order. dormakaba will perform the Work in the order set forth in a field survey conducted by an end-user, an end-user consultant, or Buyer prior to beginning the installation. Work shall occur weekdays during normal business hours (M-F, 8am – 5pm, local time). Work performed outside of normal business hours is available at a rate of 135% of the normal base rate. Any Work requested to be performed outside of normal business hours will require start and stop time confirmation with installation site, such start and stop time to be obtained by the Buyer or the end-user. Installation Projects are performed as one continuous installation event, from commencement until the completion of the installation. Unless specifically noted otherwise in writing, there will be additional charges for delays or additional trips not caused by dormakaba. Commencement of installation is conditioned on acceptable site conditions, including the completion of dependent scopes of work (e.g., electrical work, keying meetings, distribution of credentials). When Buyer or end-user has given authorization for work to begin, Buyer or end-user shall ensure no other scopes may impede dormakaba's ability to complete installation in agreed upon area. dormakaba reserves the right to assess a fee for costs incurred due to unacceptable site conditions or delays by others resulting in additional installation visits. Union labor, prevailing wage, and certified payroll are excluded from the installation quote unless otherwise set forth in writing. Insurance certificates will be provided upon request. Coverage is limited to the types and amounts set forth on the insurance certificate. Includes execution of materials only as detailed within proposal. Additional Charges: Additional charges may be assessed for delays or additional install time to correct any deficiencies or discrepancies between scope of work and actual jobsite. Any dormakaba materials delivered to Buyer but missing from installation site will be reordered at customer's expense. Any hardware changes or change orders shall be quoted on a separate proposal and timeline. Storage: dormakaba reserves the right to assess a storage fee if Buyer or end-user causes delivery to be delayed after the agreed upon delivery date. Should project timeline require storage of materials after delivery to Buyer or end-user, through no act or omission of dormakaba, dormakaba reserves the right to assess a storage fee, Buyer location, or at job site. Certificate of insurance for stored materials can be provided to Buyer upon request. Exclusions: Unless explicitly included in the installation quote, these are excluded: Distribution to staff of any form of keys, fobs or cards or credentials; any temporary security, barricades, or signage; all carpentry work outside of this specification including drywall, paint, framing, patching of existing holes, etc.; union labor, prevailing wage & certified payroll

unless noted otherwise; permits are the responsibility of the end-user; Any special consideration for asbestos and lead paint hazards; any bonds; any NFPA or other certification of tolerances or rating concerning product, door, and frame configuration; disposal of material and packaging; damage from negligence, vandalism or Force Majeure; cleaning of site beyond broom clean; cost for special insurance requirements; consumable materials (e.g., batteries); any electrical work including 120v connections and low voltage wiring pulls; and other similar categories of labor and materials not included in the installation quote.

23. Installation Warranty. In addition to the standard product warranty, products installed by the dormakaba Field Services team are covered by a one (1)-year installation warranty on materials to be free from manufacturer defects and on installation labor performed. Extended warranties are available for an additional cost. dormakaba is not responsible for defects or damages caused by wear and tear, consumable materials (e.g., batteries), vandalism, fires, storms, floods, acts of God, misuse, abuse, or alteration on by any company other than dormakaba. No credit will be provided for any work completed by others during warranty term. dormakaba reserves the right to withhold the performance of warranty work if Buyer payments have become past due. Warranty work will be performed during normal business hours with our standard response times. Any warranty work taking place beyond normal business hours or with expedited response time may be billable. In the event that Buyer, its agents, employees, successors, and/or assigns tampers with, misuses, removes any parts, or adds any parts or equipment, Buyer agrees to indemnify, save and hold harmless dormakaba, its agents, employees, successors, and/or assigns, from any and all liability, damages, or losses, including reasonable attorney's fees, arising out of, or incidental to, the aforementioned conduct. dormakaba warrants that all goods manufactured by dormakaba and all services provided by dormakaba hereunder will be free from defects in workmanship and materials for twelve (12) months from the date of final project invoice to the carrier, unless sold as "With All Faults", "Shop", "As Is", "As They Stand" or other similar designation. Products repaired or replaced under the warranty are warranted only through the remainder of the original warranty period.



DEVICE ONLY: List quantity, device model w/function, hand, finish, strike, and door size including thickness.
Note: For greater exit device mounting heights, see extended bottom rods.

FINISHES

For standard finishes in each series, see individual product pages. For other finishes, consult factory.

BHMA	US	DESCRIPTION
600*	USP	Primed for Paint
605	US3	Bright Brass, Clear Coated
606	US4	Satin Brass, Clear Coated
612	US10	Satin Bronze, Clear Coated
613	US10B	Satin Bronze, Oxidized, Oil Rubbed
622		Powder Coat Black
625	US26	Bright Chrome Plated
626W		Weatherized Satin Chrome
628	US28	Satin Aluminum, Clear Anodized
630	US32D	Satin Stainless Steel
630AM		Satin Stainless Steel with UltraShield™ Antimicrobial coating
689*	---	Aluminum Paint / Powder Coat
690		Powder Coat Dark Bronze
695*	---	Dark Bronze Paint / Powder Coat

UltraShield™ Antimicrobial finish coating option available to Precision & Precision Exit Devices & Trims. 630AM list price add \$90.00 Exit Devices, \$37.00 Trims

SPLIT FINISHES

When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price (see specific device page), to appropriate "Trim" price. *Mullion finishes 689 & 695 finishes for Precision series exit devices.

DEVICES FOR DOOR WIDTHS

Stock Size for 3'-0" or 4'-0" wide door is available for all series of devices. Stock Size for 2'-0" to 2'-6" wide door is also available for Precision wide stile only. For factory cutting add \$23.00 list per device cutting charge (FC). Please provide cut required details. Factory cuts limit product option capability.

DOOR THICKNESS

Rim and Surface Vertical Rod exit device accommodates doors ranging from 1-3/4" – 2-1/4" Mortise and Concealed Vertical Rod exit devices accommodate 1-3/4" thick doors. For applications exceeding the door thickness referenced above, please consult Product Support. Additional charges will apply.

FASTENERS

Furnished standard with machine screws and full thread wood/sheet metal screws. Specify Sex Nuts and Bolts "SNB" where recommended or required by the door manufacturer.

SEX NUTS & BOLTS (Not furnished standard)

1/4-20 Thread – When used with top & bottom surface vertical rod latches: (Part # 02399-91 x Finish).

10-24 Thread – When used with end cap bracket, active case and rod guides: (Part # 02408-91 x Finish). If Sex Nuts and Bolts are required, see individual device pages for quantity required and pricing. To order separately, specify "SNB" x Finish. See exit device page for sex bolt pricing.

SECURITY SCREWS

All exposed screws will be Torx® pin tamper resistant machine screws. Specify "SEC" Security Screws. If Security Screws are specified see individual device pages for the price.

2100 – Precision Rim – Reversible, Wide Stile

Wide Stile Devices



Pull Trim



Lever/Knob Trim

Outside Function		Device × Trim	628	606, 612 613, 622, 630, 690	626W Weatherized	605, 625
Pull Trim:						
01	Exit only, cover plate	2101 × 1701	2,302.00	2,650.00	2,897.00	2,961.00
02	Exit only, dummy trim	2102 × 1702A	2,578.00	2,926.00	3,173.00	3,251.00
03	Key retracts latchbolt	2103 × 1703A				
05	Key controls thumb piece	2105 × 1705A	2,765.00	3,113.00	3,360.00	3,442.00
15	Thumb piece always active	2115 × 1715A				

(Devices with 2000C Series Trim are the same price)

Lever/Knob Trim:						
01	Exit only, cover plate	2101 × 4901	2,361.00	2,709.00	2,956.00	3,015.00
02	Exit only, dummy trim	2102 × 4902A	2,872.00	3,220.00	3,467.00	3,467.00
03	Key retracts latchbolt	2103 × 4903A or 4903X				
08	Key controls lever/knob	2108 × 4908A	3,064.00	3,412.00	3,659.00	3,659.00
08	Key controls lever	2108 × V4908A				
14	Lever/knob always active	2114 × 4914A				
10*	Inside key controls lever/knob Outside key retracts latchbolt	2110 × 4908A 2110 × V4908A	3,590.00	3,941.00	4,424.00	4,424.00
10VI*	Inside key controls lever/knob, Includes Visual Lock/Unlock Indicator, Outside key retracts latchbolt	2110VI × 4908A or V4908A	3,886.00	4,220.00	4,775.00	4,775.00

Lock/Unlock Indicator, Outside key retracts latchbolt

Device Only:						
	01, 02, 03, 05, 08, 14, 15	21, 2101, 2102, 2103*, 2105, 2108, 2114, 2115	2,103.00	2,451.00	2,698.00	2,698.00

*2103 Device × Cylinder Only Application includes Cylinder Attachment Kit "CA-03"

* Double cylinder 10 & 10VI function is handed. Rim cylinder or thumb-turn sold separately. Hex or cylinder dogging not recommended for use with 2110 & 2110VI double cylinder function.

E	Elec. Device Electric Lock/Unlock Outside Trim	E2103 × 4908A E2103 × V4908A	3,985.00	4,333.00	4,580.00	4,580.00
---	---	---------------------------------	----------	----------	----------	----------

FL	Fire Rated Hardware Specify prefix "FL" (e.g. FL2103) Dogging option NOT available				Add 261.00	
----	---	--	--	--	-------------------	--

Options

Prefix	(add to device #)	Add	Suffix	(add to device #)	Add
C	Pre-Terminated Quick Connect Plug **	N/C	ALK	Exit Alarm: battery operated kit (9V battery included)	862.00
DE	Delayed Egress: REQUIRES PSI61-6 Power Supply	2,441.00	ALW	Exit Alarm: remote power kit (12 or 24 VDC)	862.00
E	Electric Lock/Unlock with Lock/Unlock monitoring (see above)	-	BRL	Braille Touchbar	148.00
ELR	Electric Latch Retraction: REQUIRES ELR150 Series Power Supply	1,199.00	CD	Cylinder Dogging: 1-1/4" Mortise Cylinder not included	132.00
HC	Hurricane Code Device	60.00	DS	Door Position Monitoring Switch	183.00
LDS	Latchbolt Monitoring Double Switch	406.00	FC	Factory Cut	24.00
LS	Latchbolt Monitoring Switch	333.00	LD	Less Dogging	-
MLR	Motorized Latch Retraction	1,414.00	SEC	Security Screws	77.00
Q	Wireless Access Management System	728.00	SNB	Sex Nut and Bolt (6 req'd) without Trim	118.00
TDS	Touchbar Monitoring Double Switch	419.00	SNB	Sex Nut and Bolt (2 req'd) with Trim	40.00
TS	Touchbar Monitoring Switch	344.00	WALW	Weatherized Exit Alarm: Remote power (24 VDC)	1,118.00
WTDS	Weatherized Touchbar Monitoring Double Switch	606.00			
WTS	Weatherized Touchbar Monitoring Switch	484.00			

NOTES: • UltraShield™ Antimicrobial finish coating option available to Precision Exit Devices & Trims.

- 630AM list price for Exit Devices Add 94.00
- 630AM list price for Trims Add 39.00

• Devices for Retrofit Applications prefix Trim with the letter "R" (e.g. R4908A).
• Devices are priced less cylinders. If cylinder is required please see cylinders.

• Devices for 3'-0" door are furnished standard.

• Devices for 2'-6" & 4'-0" doors are available at **no extra charge**.

** See Hinges & Door Accessories price book for Wire Harness product

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

To Order: Specify: Device No. with options × Trim × Hand × Finish × Door Width, Height and Thickness.

2200 – Precision Surface Vertical Rod – Reversible, Wide Stile

Wide Stile Devices



Pull Trim



Lever/Knob Trim

Outside Function		Device × Trim	628	606, 612 613, 622, 630, 690	626W Weatherized	605, 625
Pull Trim:						
01	Exit only, cover plate	2201 × 1701	3,224.00	3,589.00	3,873.00	3,873.00
02	Exit only, dummy trim	2202 × 1702A	3,500.00	3,865.00	4,149.00	4,149.00
03	Key retracts latchbolt	2203 × 1703A				
05	Key controls thumb piece	2205 × 1705A				
15	Thumb piece always active	2215 × 1715A	3,687.00	4,052.00	4,336.00	4,336.00
(Devices with 2000C Series Trim are the same price)						
Lever/Knob Trim:						
01	Exit only, cover plate	2201 × 4901	3,283.00	3,648.00	3,932.00	3,932.00
02	Exit only, dummy trim	2202 × 4902A	3,794.00	4,159.00	4,443.00	4,443.00
03	Key retracts latchbolt	2203 × 4903A or 4903X				
08	Key controls lever/knob	2208 × 4908A				
08	Key controls lever	2208 × V4908A	3,986.00	4,351.00	4,635.00	4,635.00
14	Lever/knob always active	2214 × 4914A				
Device Only:						
	01, 02, 03, 05, 08, 14, 15	22, 2201, 2202, 2203*, 2205, 2208, 2214, 2215	3,025.00	3,390.00	3,674.00	3,674.00
*2203 Device × Cylinder Only Application includes Cylinder Attachment Kit "CA-03"						
E	Elec. Device [see above]	E2203 × 4908A	5,251.00	5,616.00	5,900.00	6,092.00
FL	Fire Rated Hardware Specify prefix "FL" (e.g. FL2103) Dogging option NOT available					Add 261.00

Options

Prefix	(add to device #)	Add	Suffix	(add to device #)	Add
C	Pre-Terminated Quick Connect Plug **	N/C	ALK	Exit Alarm: battery operated kit (9V battery included)	862.00
DE	Delayed Egress: REQUIRES PS161-6 Power Supply	2,441.00	ALW	Exit Alarm: remote power kit (12 or 24 VDC)	862.00
ELR	Electric Latch Retraction: REQUIRES ELR150 Series Power Supply	1,199.00	BRL	Braille Touchbar	148.00
HC	Hurricane Code Device (SNB required - see notes below)	60.00	CD	Cylinder Dogging: 1-1/4" Mortise Cylinder not included	132.00
LS	Latchbolt Monitoring Switch	333.00	DS	Door Position Monitoring Switch	183.00
MLR	Motorized Latch Retraction	1,414.00	FC	Factory Cut	24.00
Q	Wireless Access Management System	728.00	LBR	Less Bottom Rod (no extra charge)	-
TDS	Touchbar Monitoring Double Switch	419.00	LD	Less Dogging	-
TS	Touchbar Monitoring Switch	344.00	SEC	Security Screws	77.00
WTDS	Weatherized Touchbar Monitoring Double Switch	606.00	SNB	SNB Sex Nut and Bolt (10 req'd - not including rod guides) without Trim	197.00
WTS	Weatherized Touchbar Monitoring Switch	484.00	SNB	SNB Sex Nut and Bolt (8 req'd - not including rod guides) LBR Device without Trim	157.00
			SNB	SNB Sex Nut and Bolt (6 req'd - not including rod guides) with Trim	118.00
			SNB	SNB Sex Nut and Bolt (4 req'd - not including rod guides) LBR Device with Trim	79.00
			TMB	Transom Bracket	95.00
			WALW	Weatherized Exit Alarm: remote power (24 VDC)	1,118.00

NOTES:

- UltraShield™ Antimicrobial finish coating option available to Precision Exit Devices & Trims.
 - 630AM list price for Exit Devices Add 94.00
 - 630AM list price for Trims Add 39.00
- Devices for Retrofit Applications prefix Trim with the letter "R" (e.g. R4908A).
- HC 2200 only Sex Nut and Bolts – SNB are required for Top and Bottom Latches.
- Devices are priced less cylinders. If cylinder is required please see cylinders.
- Devices for 3'-0" door are furnished standard.
- Devices for 2'-6" & 4'-0" doors are available at **no extra charge**.
- Top Rod for 7'-0" high door is furnished standard.
- Top Rod for 8'-0" to 12'-0" high door is available at **no extra charge**. (See catalog for fire rating).


* Rod and Latch Guards provided by others
 ** See Hinges & Door Accessories price book for Wire Harness product

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

To Order: Specify: Device No. with options × Trim × Hand × Finish × Door Width, Height and Thickness.

2300 – Precision Mortise - Handed, Wide Stile

Wide Stile Devices



Pull Trim



Lever/Knob Trim

Outside Function		Device × Trim	628	606, 612 613, 622, 630, 690	626W Weatherized	605, 625
Pull Trim:						
01	Exit only, cover plate	2301 × 1701	3,172.00	3,540.00	3,877.00	3,877.00
02	Exit only, dummy trim	2302 × 1702A	3,448.00	3,816.00	4,167.00	4,167.00
03	Key retracts latchbolt	2303 × 1703A				
05	Key controls thumb piece (A grip only)	2305 × M1705A	3,635.00	4,003.00	4,358.00	4,358.00
15	Thumb piece always active (A grip only)	2315 × M1715A				
(Devices with M2000C Series Trim are the same price) (Note: B & C grip pull handles are not available in the 05 and 15 functions)						
Lever/Knob Trim:						
01	Exit only, cover plate	2301 × 4901	3,231.00	3,599.00	3,872.00	3,931.00
02	Exit only, dummy trim	2302 × 4902A	3,742.00	4,110.00	4,383.00	4,575.00
03	Key retracts latchbolt	2303 × M4903A or M4903X				
08	Key controls lever/knob	2308 × M4908A				
08	Key controls lever	2308 × VM4908A	3,934.00	4,302.00	4,575.00	4,767.00
14	Lever/knob always active	2314 × M4914A				
10	Inside key controls lever/knob Outside key retracts latchbolt	2310 × M4908A 2310 × VM4908A	4,459.00	4,830.00	5,147.00	5,339.00
10	Inside key controls lever/knob	2310 × M4914A				
Device Only:						
	01, 02, 03, 05, 08, 14, 15	2301, 2302, 2303, 2305, 2308, 2314, 2315	2,973.00	3,341.00	3,614.00	3,614.00
*2103 Device × Cylinder Only Application includes Cylinder Attachment Kit "CA-03"						
E	Elec. Device Electric Lock/Unlock Outside Trim	E2303 × M4908A E2303 × VM4908A	4,938.00	5,306.00	5,579.00	5,771.00
FL	Fire Rated Hardware Specify prefix "FL" (e.g. FL2303) Dogging option NOT available					Add 261.00

Options

Prefix	(add to device #)	Add	Suffix	(add to device #)	Add
C	Pre-Terminated Quick Connect Plug ** (available to one electrical feature for the 2300 panic exit device)	N/C	ALK	Exit Alarm: battery operated kit (9V battery included)	862.00
DE	Delayed Egress: REQUIRES PS161-6 Power Supply	2,441.00	ALW	Exit Alarm: remote power kit (12 or 24 VDC)	862.00
E	Electric Lock/Unlock with Lock/Unlock monitoring (see above)	–	BRL	Braille Touchbar	148.00
ELR	Electric Latch Retraction: REQUIRES ELR150 Series Power Supply	1,199.00	CD	Cylinder Dogging: 1-1/4" Mortise Cylinder not included	132.00
HC	Hurricane Code Device	60.00	DS	Door Position Monitoring Switch	183.00
LS	Latchbolt Monitoring Switch	333.00	FC	Factory Cut	24.00
MLR	Motorized Latch Retraction	1,414.00	LD	Less Dogging	–
TDS	Touchbar Monitoring Double Switch	419.00	SEC	Security Screws	77.00
TS	Touchbar Monitoring Switch	344.00	SNB	Sex Nut and Bolt (6 req'd) without Trim	118.00
WTDS	Weatherized Touchbar Monitoring Double Switch	606.00	SNB	Sex Nut and Bolt (2 req'd) with Trim	40.00
WTS	Weatherized Touchbar Monitoring Switch	484.00	WALW	Weatherized Exit Alarm: Remote power (24 VDC)	1,118.00

NOTES:

- UltraShield™ Antimicrobial finish coating option available to Precision Exit Devices & Trims.
- 630AM list price for Exit Devices Add 94.00
- 630AM list price for Trims Add 39.00
- Devices are priced less cylinders. If cylinder is required please see cylinders.
- Devices for 3'-0" door are furnished standard.


• For mortise lock body ONLY.
• For 2'-6" & 4'-0" doors are available at **no extra charge**.
** See Hinges & Door Accessories price book for Wire Harness product.

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

To Order: Specify: Device No. with options × Trim × Hand × Finish × Door Width, Height and Thickness.

2400 – Precision Rim - Non Handed, Narrow Stile

Narrow Stile Devices



Pull Trim



Lever/Knob Trim

Outside Function		Device × Trim	628	606, 612 613, 622, 630, 690	626W Weatherized	605, 625
Pull Trim:						
01	Exit only, cover plate	2401 × 2001	2,503.00	2,856.00	3,110.00	3,174.00
02	Exit only, dummy trim	2402 × 2002C	2,779.00	3,132.00	3,386.00	3,464.00
03	Key retracts latchbolt	2403 × 2003C				
Lever/Knob Trim:						
01	Exit only, cover plate	2401 × 2901	2,562.00	2,915.00	3,169.00	3,228.00
02	Exit only, dummy trim	2402 × 2902A	3,073.00	3,426.00	3,680.00	3,872.00
03	Key retracts latchbolt	2403 × 2903A				
08	Key controls lever	2408 × 2908A	3,265.00	3,618.00	3,872.00	4,064.00
14	Lever always active	2414 × 2914A				
Device Only:						
	01, 02, 03, 08, 14	2401, 2402, 2403*, 2408, 2414	2,304.00	2,657.00	2,911.00	2,911.00

*2403 Device × Cylinder Only Application includes Cylinder Attachment Kit "NCA-03".

FL	Fire Rated Hardware Specify prefix "FL" [e.g. FL2403] Dogging option NOT available	Add 261.00
----	---	-------------------

Options

Prefix	(add to device #)	Add	Suffix	(add to device #)	Add
C	Pre-Terminated Quick Connect Plug **	N/C	ALK	Exit Alarm: battery operated kit (9V battery included)	862.00
DE	Delayed Egress: REQUIRES PSI61-6 Power Supply	2,441.00	ALW	Exit Alarm: remote power kit (12 or 24 VDC)	862.00
ELR	Electric Latch Retraction: REQUIRES ELR150 Series Power Supply	1,199.00	BRL	Braille Touchbar	148.00
MLR	Motorized Latch Retraction	1,414.00	CD	Cylinder Dogging: 1-1/4" Mortise Cylinder not included	132.00
TDS	Touchbar Monitoring Double Switch	419.00	DS	Door Position Monitoring Switch	183.00
TS	Touchbar Monitoring Switch	344.00	FC	Factory Cut	24.00
WTDS	Weatherized Touchbar Monitoring Double Switch	606.00	LD	Less Dogging	–
WTS	Weatherized Touchbar Monitoring Switch	484.00	SEC	Security Screws	77.00
NOTES: • UltraShield™ Antimicrobial finish coating option available to Precision Exit Devices & Trims. • 630AM list price for Exit Devices Add 94.00 • 630AM list price for Trims Add 39.00 • Devices are priced less cylinders. If cylinder is required please see cylinders. • 2403 × 2903A Device uses Rim Cylinder, 2408 × 2908A Device uses Mortise Cylinder. • Devices for 3'-0" door are furnished standard. • Devices for 4'-0" doors are available at no extra charge .			SNB	SNB Sex Nut and Bolt (4 req'd) without Trim	79.00
			SNB	SNB Sex Nut and Bolt (2 req'd) with Trim	40.00
			WALW	Weatherized Exit Alarm: Remote power (24 VDC)	1,118.00
			** See Hinges & Door Accessories price book for Wire Harness product		

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

To Order: Specify: Device No. with options × Trim × Hand × Finish × Door Width, Height and Thickness.

2600 – Precision Concealed Vertical Rod - Non Handed, Narrow Stile

Narrow Stile Devices



Pull Trim

Outside Function		Device × Trim	628	606, 612 613, 622, 630, 690	626W Weatherized	605, 625
Pull Trim:						
01	Exit only, cover plate	2601 × 2901	3,688.00	4,073.00	4,362.00	4,426.00
02	Exit only, dummy trim	2602 × 2902A	3,964.00	4,349.00	4,638.00	4,716.00
03	Key retracts latchbolt	2603 × 2903A				
08	Key controls lever	2608 × 2908A	4,450.00	4,835.00	5,124.00	5,316.00
14	Lever always active	2614 × 2914A				
Device Only:						
	01, 02, 03, 08, 14	2601, 2602, 2603*, 2608, 2614	3,489.00	3,874.00	4,163.00	4,163.00

*2603 Device × Cylinder Only Application includes Cylinder Attachment Kit "NCA-03"

FL	Fire Rated Hardware Specify prefix "FL" (e.g. FL2603) Dogging option NOT available	Add 261.00
----	---	-------------------

Options

Prefix	(add to device #)	Add	Suffix	(add to device #)	Add
C	Pre-Terminated Quick Connect Plug **	N/C	ALK	Exit Alarm: battery operated kit (9V battery included)	862.00
DE	Delayed Egress: REQUIRES PSI61-6 Power Supply	2,441.00	ALW	Exit Alarm: remote power kit (12 or 24 VDC)	862.00
ELR	Electric Latch Retraction: REQUIRES ELR150 Series Power Supply	1,199.00	BRL	Braille Touchbar	148.00
MLR	Motorized Latch Retraction	1,414.00	CD	Cylinder Dogging: 1-1/4" Mortise Cylinder not included	132.00
TDS	Touchbar Monitoring Double Switch	419.00	DS	Door Position Monitoring Switch	183.00
TS	Touchbar Monitoring Switch	344.00	FC	Factory Cut	24.00
WTDS	Weatherized Touchbar Monitoring Double Switch	606.00	LBR	Less Bottom Rod (no extra charge)	–
WTS	Weatherized Touchbar Monitoring Switch	484.00	LD	Less Dogging	–
NOTES: <ul style="list-style-type: none">• UltraShield™ Antimicrobial finish coating option available to Precision Exit Devices & Trims.<ul style="list-style-type: none">- 630AM list price for Exit Devices Add 94.00- 630AM list price for Trims Add 39.00• Devices are priced less cylinders. If cylinder is required please see cylinders.• 2603 × 2903A Device uses Rim Cylinder; 2608 × 2908A Device uses Mortise Cylinder.• Devices for 3'-0" door are furnished standard.• Devices for 4'-0" doors are available at no extra charge.			SEC	Security Screws	77.00
			SNB	SNB Sex Nut and Bolt (4 req'd) without Trim	79.00
			SNB	SNB Sex Nut and Bolt (2 req'd) with Trim	40.00
			WALW	Weatherized Exit Alarm: Remote power (24 VDC)	1,118.00
			<ul style="list-style-type: none">• Top Rod for 6'-8" to 8'-0" high door is furnished standard.• Top Rod for 8'-0" to 10'-0" high door is available at no extra charge [See catalog for fire rating].		
** See Hinges & Door Accessories price book for Wire Harness product					

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

To Order: Specify: Device No. with options × Trim × Hand × Finish × Door Width, Height and Thickness.

2700 – Precision Wood Door Concealed Vertical Rod - Reversible, Wide Stile

Wide Stile Devices



Pull Trim



Lever/Knob Trim

Outside Function		Device × Trim	628	606, 612 613, 622, 630, 690	626W Weatherized	605, 625
Pull Trim:						
01	Exit only, cover plate	2701 × 1701	3,941.00	4,325.00	4,631.00	4,695.00
02	Exit only, dummy trim	2702 × 1702A	4,217.00	4,601.00	4,907.00	4,985.00
03	Key retracts latchbolt	2703 × 1703A				
05	Key controls thumb piece	2705 × 1705A	4,404.00	4,788.00	5,094.00	5,176.00
15	Thumb piece always active	2715 × 1715A				
Lever/Knob Trim:						
01	Exit only, cover plate	2701 × 4901	4,000.00	4,384.00	4,690.00	4,749.00
02	Exit only, dummy trim	2702 × 4902A	4,511.00	4,895.00	5,201.00	5,393.00
03	Key retracts latchbolt	2703 × 4903A or 4903X				
08	Key controls lever/knob	2708 × 4908A	4,703.00	5,087.00	5,393.00	5,585.00
08	Key controls lever	2708 × V4908A				
14	Lever/knob always active	2714 × 4914A				
Device Only:						
	01, 02, 05, 08, 14, 15 For best possible structural support on wood door applications use of Precision outside trim is recommended	2701, 2702, 2705, 2708, 2714, 2715	3,742.00	4,126.00	4,432.00	4,432.00
*2703 & FL2703 cylinder only not recommended without 1703, 2003, or 4903 trims providing structural support for wood doors.						
E	Elec. Device Electric Lock/Unlock Outside Trim	E2703 × 4908A E2703 × V4908A	5,957.00	6,341.00	6,647.00	6,839.00
FL	Fire Rated Hardware Specify prefix "FL" (e.g. FL2703) Dogging option NOT available					Add 261.00

Options

Prefix	(add to device #)	Add	Suffix	(add to device #)	Add
C	Pre-Terminated Quick Connect Plug **	N/C	ALK	Exit Alarm: battery operated kit (9V battery included)	862.00
DE	Delayed Egress: REQUIRES PSI61-6 Power Supply	2,441.00	ALW	Exit Alarm: remote power kit [12 or 24 VDC]	862.00
ELR	Electric Latch Retraction: REQUIRES ELR150 Series Power Supply	1,199.00	BRL	Braille Touchbar	148.00
LS	Latchbolt Monitoring Switch	333.00	CD	Cylinder Dogging: 1-1/4" Mortise Cylinder not included	132.00
MLR	Motorized Latch Retraction	1,414.00	DS	Door Position Monitoring Switch	183.00
Q	Wireless Access Management System	728.00	FC	Factory Cut	24.00
TDS	Touchbar Monitoring Double Switch	419.00	LBR	Less Bottom Rod (no extra charge)	–
TS	Touchbar Monitoring Switch	344.00	LD	Less Dogging	–
WTDS	Weatherized Touchbar Monitoring Double Switch	606.00	SEC	Security Screws	77.00
WTS	Weatherized Touchbar Monitoring Switch	484.00	SNB	Sex Nut and Bolt (6 req'd) without Trim	118.00
NOTES:			SNB	Sex Nut and Bolt (2 req'd) with Trim	40.00
			WALW	Weatherized Exit Alarm: Remote power (24 VDC)	1,118.00
• UltraShield™ Antimicrobial finish coating option available to Precision Exit Devices & Trims.			• Top Rod for 6'-8" to 8'-0" high door is furnished standard.		
• 630AM list price for Exit Devices Add 94.00			• Top Rod for 8'-1" to 10'-0" high door is available at no extra charge .		
• 630AM list price for Trims Add 39.00			[See catalog for fire rating].		
• Devices for Retrofit Applications prefix Trim with the letter "R" e.g. R4908A.			** See Hinges & Door Accessories price book for Wire Harness product		
• Devices are priced less cylinders. If cylinder is required please see cylinders.					
• Devices for 3'-0" door are furnished standard.					
• Devices for 2'-6" & 4'-0" doors are available at no extra charge					

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

To Order: Specify: Device No. with options × Trim × Hand × Finish × Door Width, Height and Thickness.

2800 – Precision Concealed Vertical Rod - Reversible, Wide Stile

Wide Stile Devices



Pull Trim



Lever/Knob
Trim



Cast Plate

Outside Function		Device × Trim	628	606, 612 613, 622, 630, 690	626W Weatherized	605, 625
Pull Trim:						
01	Exit only, cover plate	2801 × 1701	3,488.00	3,867.00	4,156.00	3,957.00
02	Exit only, dummy trim	2802 × C1702A	3,764.00	4,143.00	4,432.00	3,957.00
03	Key retracts latchbolt	2803 × C1703A				
05	Key controls thumb piece	2805 × C1705A				
15	Thumb piece always active	2815 × C1715A	3,951.00	4,330.00	4,619.00	3,957.00
Lever/Knob Trim:						
01	Exit only, cover plate	2801 × 4901	3,547.00	3,926.00	4,215.00	3,957.00
02	Exit only, dummy trim	2802 × 4902A	4,058.00	4,437.00	4,726.00	3,957.00
03	Key retracts latchbolt	2803 × 4903A or 4903X				
08	Key controls lever/knob	2808 × 4908A	4,250.00	4,629.00	4,918.00	3,957.00
08	Key controls lever	2808 × V4908A				
14	Lever/knob always active	2814 × 4914A				
Cast Plate:						
03	Key Retracts Latch Bolt (pull by others)	2803 × C03	3,596.00	3,975.00	4,264.00	4,264.00
Device Only:						
	01, 02, 03, 05, 08, 14, 15	2801, 2802, 2803*, 2805, 2808, 2814, 2810	3,289.00	3,668.00	3,957.00	3,957.00
*2803 Device x Cylinder Only Application requires C03 Trim, see page 22						
E	Elec. Device Electric Lock/Unlock Outside Trim	E2803 x 4908A E2803 x V4908A	5,504.00	5,883.00	6,172.00	6,172.00
FL Fire Rated Hardware Specify prefix "FL" [e.g. FL2803] Dogging option NOT available Add 261.00						

Options

Prefix	(add to device #)	Add	Suffix	(add to device #)	Add
C	Pre-Terminated Quick Connect Plug **	N/C	ALK	Exit Alarm: battery operated kit (9V battery included)	862.00
DE	Delayed Egress: REQUIRES PSI61-6 Power Supply	2,441.00	ALW	Exit Alarm: remote power kit (12 or 24 VDC)	862.00
ELR	Electric Latch Retraction: REQUIRES ELR150 Series Power Supply	1,199.00	BRL	Braille Touchbar	148.00
HC	Hurricane Code Device	60.00	CD	Cylinder Dogging: 1-1/4" Mortise Cylinder not included	132.00
LS	Latchbolt Monitoring Switch	333.00	DS	Door Position Monitoring Switch	183.00
MLR	Motorized Latch Retraction	1,414.00	FC	Factory Cut	24.00
TDS	Touchbar Monitoring Double Switch	419.00	LBR	Less Bottom Rod (no extra charge)	–
TS	Touchbar Monitoring Switch	344.00	LD	Less Dogging	–
WTDS	Weatherized Touchbar Monitoring Double Switch	606.00	SEC	Security Screws	77.00
WTS	Weatherized Touchbar Monitoring Switch	484.00	SNB	SNB Sex Nut and Bolt (6 req'd) without Trim	118.00
NOTES:			SNB	SNB Sex Nut and Bolt (2 req'd) with Trim	40.00
			WALW	Weatherized Exit Alarm: remote power (24 VDC)	1,118.00

• UltraShield™ Antimicrobial finish coating option available to Precision Exit Devices & Trims.

- 630AM list price for Exit Devices Add 94.00

- 630AM list price for Trims Add 39.00

• Devices for Retrofit Applications prefix Trim with the letter "R" e.g. R4908A.

• Devices are priced less cylinders. If cylinder is required please see cylinders.

• Devices for 3'-0" door are furnished standard.

• Devices for 2'-6" & 4'-0" doors are available at **no extra charge**.

• Top Rod for 6'-8" to 8'-0" high door is furnished standard.

• Top Rod for 8'-1" to 10'-0" high door is available at **no extra charge**.
[See catalog for fire rating].

** See Stanley Hinges & Door Accessories price book for Wire Harness product

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.







To Order: Specify: Device No. with options × Trim × Hand × Finish × Door Width, Height and Thickness.






2900/4900 Series Trims

\$173 Per Trim (One Lever)

Decorative Levers List Price



Lever Styles	List Price Add
12	188.00
	
17	188.00
	
51	188.00
	
52	188.00
	
60	188.00
	
62	188.00
	

Lever Styles	List Price Add
65	188.00
	
69	188.00
	
75	188.00
	
79	188.00
	
89	188.00
	
92 Lever option also available	

To Order: Specify: Device No. with options × Trim × Hand × Finish × Door Width, Height and Thickness.

5100 – Precision Rim - Non Handed

Precision 5000 Series



Plate



Pull Trim



Lever Trim

Outside Function		Device × Trim	689, 695	689, 695 Trim Only
Plate:				
01	Exit only, cover plate	5101 × 501	883.00	91.00
Pull Trim:				
02	Exit only, dummy trim	5102 × 602	912.00	120.00
03	Key retracts latchbolt	5103 × 603		
02	Exit only, dummy trim	5102 × 702A	997.00	205.00
03	Key retracts latchbolt	5103 × 703A		
Lever Trim:				
08	Key controls lever	5108 × 808A	1,243.00	451.00
14	Lever always active	5114 × 814A		
Device Only:				
	01, 02, 03, 08, 14	5101, 5102, 5103*, 5108, 5114	792.00	–

*5103 Device × Cylinder Only Application includes Cylinder Attachment Kit "CA-03"

FL	Fire Rated Hardware Specify prefix "FL" (e.g. FL5103) Dogging option NOT available	Add 261.00
-----------	---	-------------------

Options

Prefix	(add to device #)	Add	Suffix	(add to device #)	Add
TDS	Touchbar Monitoring Double Switch	419.00	ALK	Exit Alarm: battery operated kit (9V battery included)	862.00
TS	Touchbar Monitoring Switch	344.00	ALW	Exit Alarm: remote power kit (12 or 24 VDC)	862.00
WTDS	Weatherized Touchbar Monitoring Double Switch	606.00	CD	Cylinder Dogging: 1-1/4" Mortise Cylinder not included	132.00
WTS	Weatherized Touchbar Monitoring Switch	484.00	LD	Less Dogging	–
NOTES:			SNB	SNB Sex Nut and Bolt (4 req'd) without Trim	76.00
			SNB	SNB Sex Nut and Bolt (2 req'd) with Trim	38.00
			WALW	Weatherized Exit Alarm: remote power (12 or 24 VDC)	1,118.00

- Devices are priced less cylinders. If cylinder is required please see cylinders.
- Devices for 3'-0" door are furnished standard.
- Weatherized Exit Alarm: remote power (24 VDC)
- Devices for 4'-0" doors are available at **no extra charge**.
- 603 and 703 Trims use a Rim Cylinder; 808A Trims use a Mortise Cylinder.
- Factory cutting of custom sizes for Precision series exit devices not available.

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

To Order: Specify: Device No. with options × Trim × Hand × Finish × Door Width, Height and Thickness.

5200 – Precision Surface Vertical Rod - Reversible

Precision 5000 Series



Plate



Pull Trim



Lever Trim

Outside Function		Device × Trim	689, 695	689, 695 Trim Only
Plate:				
01	Exit only, cover plate	5201 × 501	1,455.00	91.00
Pull Trim:				
02	Exit only, dummy trim	5202 × 602	1,484.00	120.00
03	Key retracts latchbolt	5203 × 603		
02	Exit only, dummy trim	5202 × 702A	1,569.00	205.00
03	Key retracts latchbolt	5203 × 703A		
Lever Trim:				
08	Key controls lever	5208 × 808A	1,815.00	451.00
14	Lever always active	5214 × 814A		
Device Only:				
	01, 02, 03, 08, 14	5201, 5202, 5203*, 5208, 5214	1,364.00	–
*5103 Device × Cylinder Only Application includes Cylinder Attachment Kit "CA-03"				
FL	Fire Rated Hardware Specify prefix "FL" [e.g. FL5103] Dogging option NOT available			Add 261.00

*5103 Device × Cylinder Only Application includes Cylinder Attachment Kit "CA-03"

FL	Fire Rated Hardware Specify prefix "FL" (e.g. FL5103) Dogging option NOT available	Add 261.00
-----------	---	-------------------

Options

Prefix	(add to device #)	Add	Suffix	(add to device #)	Add
TDS	Touchbar Monitoring Double Switch	419.00	ALK	Exit Alarm: battery operated kit (9V battery included)	862.00
TS	Touchbar Monitoring Switch	344.00	ALW	Exit Alarm: remote power kit (12 or 24 VDC)	862.00
WTDS	Weatherized Touchbar Monitoring Double Switch	606.00	CD	Cylinder Dogging: 1-1/4" Mortise Cylinder not included	132.00
WTS	Weatherized Touchbar Monitoring Switch	484.00	LBR	Less Bottom Rod (no extra charge)	–
NOTES: <ul style="list-style-type: none"> • Devices are priced less cylinders. If cylinder is required please see cylinders. • Devices for 3'-0" door are furnished standard. • Devices for 4'-0" doors are available at no extra charge. • 603 and 703 Trims use a Rim Cylinder; 808A Trims use a Mortise Cylinder • Top Rod for 7'-0" high door is furnished standard. • Top Rod for 8'-0" to 10'-0" high door is available at no extra charge. (See catalog for fire rating). • Factory cutting of custom sizes for Precision series exit devices not available. 			LD	Less Dogging	–
			SNB	SNB Sex Nut and Bolt (8 req'd - not including rod guides) without Trim	157.00
			SNB	SNB Sex Nut and Bolt (6 req'd - not including rod guides) LBR Device w/o Trim.	118.00
			SNB	SNB Sex Nut and Bolt (6 req'd - not including rod guides) with Trim	118.00
			SNB	SNB Sex Nut and Bolt (4 req'd - not including rod guides) LBR Device with Trim	79.00
			WALW	Weatherized Exit Alarm: remote power (24 VDC)	1,118.00

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

To Order: Specify: Device No. with options × Trim × Hand × Finish × Door Width, Height and Thickness.

100 – Precision Rim - 100 Handed, R100 Reversible, Crossbar

Precision 100 Series



Pull Trim:



Lever/Knob Trim:

Outside Function		Device × Trim	606, 612, 613, 630	605, 625
Pull Trim:				
01	Exit only, cover plate	101, R101 × 1701	2,643.00	2,958.00
02	Exit only, dummy trim	102, R102 × 1702A	2,919.00	3,248.00
03	Key retracts latchbolt	103, R103 × 1703A		
05	Key controls thumb piece	105, R105 × Y1705A	3,106.00	3,439.00
15	Thumb piece always active (Devices with 2000C Series Trim are the same price)	115, R115 × Y1715A		
Lever/Knob Trim:				
01	Exit only, cover plate	101, R101 × 4901	2,702.00	3,012.00
02	Exit only, dummy trim	102, R102 × 4902A	3,213.00	3,656.00
03	Key retracts latchbolt	103, R103 × 4903A		
08	Key controls lever/knob	108, R108 × Y4908A	3,405.00	3,848.00
08	Key controls lever	108, R108 × VY4908A		
14	Lever/knob always active	114, R114 × Y4914A		
Device Only:				
	01, 02, 03, 05, 08, 14, 15	101, R101, 102, R102, 103*, R103*, 105, R105, 108, R108, 114, R114, 115, R115	2,444.00	2,695.00
*103 or R103 Device × Cylinder Only Application includes Cylinder Attachment Kit "CA-03"				
UltraShield™ Antimicrobial finish coating option available Precision Exit Devices & Trims. 630AM list price add \$90.00 Exit Devices, \$37.00 Trims				
FL	Fire Rated Hardware Specify prefix "FL" (e.g. FL203) Dogging option NOT available			Add 261.00

Options

Suffix	(add to device #)	Add
CBR	Reinforced Crossbar	87.00
FC	Factory Cut	24.00
LD	Less Dogging	–
SEC	Security Screws (crossbar arm screws are hex socket head)	77.00
SNB	SNB Sex Nut and Bolt (8 req'd) without Trim	157.00
SNB	SNB Sex Nut and Bolt (4 req'd) with Trim	79.00

NOTES:

- UltraShield™ Antimicrobial finish coating option available to Precision Exit Devices & Trims.
 - 630AM list price for Exit Devices Add 94.00
 - 630AM list price for Trims Add 39.00
- Devices are priced less cylinders. If cylinder is required please see cylinders.
- Devices for 3'-0" door are furnished standard.
- Devices for 4'-0" doors are available at no extra charge.
- Trim No. with prefix "Y" is for Precision Device only.

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

To Order: Specify: Device No. with options × Trim × Hand × Finish × Door Width, Height and Thickness.

200 – Precision Surface Vertical Rod - Non Handed, Crossbar

Precision 200 Series



Pull Trim:



Lever/Knob Trim:

Outside Function		Device × Trim	606, 612, 613, 630	605, 625
Pull Trim:				
01	Exit only, cover plate	201 × 1701	3,600.00	3,940.00
02	Exit only, dummy trim	202 × 1702A	3,876.00	4,230.00
03	Key retracts latchbolt	203 × 1703A		
05	Key controls thumb piece	205 × Y1705A	4,063.00	4,421.00
15	Thumb piece always active (Devices with 2000C Series Trim are the same price)	215 × Y1715A		
Lever/Knob Trim:				
01	Exit only, cover plate	201 × 4901	3,659.00	3,994.00
02	Exit only, dummy trim	202 × 4902A	4,170.00	4,638.00
03	Key retracts latchbolt	203 × 4903A		
08	Key controls lever/knob	208 × Y4908A	4,362.00	4,830.00
08	Key controls lever	208 × VY4908A		
14	Lever/knob always active	214 × Y4914A		
Device Only:				
	01, 02, 03, 05, 08, 14, 15	201, 202, 203*, 205, 208, 214, 215	3,401.00	3,677.00
*203 Device × Cylinder Only Application includes Cylinder Attachment Kit "CA-03"				
UltraShield™ Antimicrobial finish coating option available Precision Exit Devices & Trims 630AM list price add \$90.00 Exit Devices, \$37.00 Trims				
FL	Fire Rated Hardware Specify prefix "FL" [e.g. FL203] Dogging option NOT available			Add 261.00

*203 Device × Cylinder Only Application includes Cylinder Attachment Kit "CA-03"

UltraShield™ Antimicrobial finish coating option available Precision Exit Devices & Trims. 630AM list price add \$90.00 Exit Devices, \$37.00 Trims

FL **Fire Rated Hardware** Specify prefix "FL" [e.g. FL203] Dogging option NOT available **Add 261.00**

Options

Suffix	{add to device #}	Add
CBR	Reinforced Crossbar	87.00
FC	Factory Cut	24.00
LBR	Less Bottom Rod (no extra charge)	–
LD	Less Dogging	–
SEC	Security Screws (crossbar arm screws are hex socket head)	77.00
SNB	SNB Sex Nut and Bolt (12 req'd - not including rod guides) without Trim	235.00
SNB	SNB Sex Nut and Bolt (10 req'd - not including rod guides) LBR Device without Trim	197.00
SNB	SNB Sex Nut and Bolt (8 req'd - not including rod guides) with Trim	157.00
SNB	SNB Sex Nut and Bolt (6 req'd - not including rod guides) LBR Device with Trim	118.00
TMB	Transom Bracket	95.00

NOTES: • UltraShield™ Antimicrobial finish coating option available to Precision Exit Devices & Trims.

- 630AM list price for Exit Devices Add 94.00
- 630AM list price for Trims Add 39.00

- Devices are priced less cylinders. If cylinder is required please see cylinders.
- Devices for 3'-0" door are furnished standard.
- Devices for 4'-0" doors are available at **no extra charge**.
- Top Rod for 7'-0" high door is furnished standard.
- Top Rod for 8'-0" to 12'-0" high door is available at **no extra charge**. (See catalog for fire rating).
- Trim No. with prefix "Y" is for Precision Device only.

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

To Order: Specify: Device No. with options × Trim × Hand × Finish × Door Width, Height and Thickness.

300 – Precision Mortise - Handed, Crossbar

Precision 300 Series



Pull Trim:



Lever/Knob Trim:

Outside Function		Device × Trim	606, 612, 613, 630	605, 625
Pull Trim:				
01	Exit only, cover plate	301 × 1701	3,547.00	3,889.00
02	Exit only, dummy trim	302 × 1702A	3,823.00	4,179.00
03	Key retracts latchbolt	303 × 1703A		
05	Key controls thumb piece	305 × M1705A	4,010.00	4,370.00
15	Thumb piece always active (Devices with M2000C Series Trim are the same price)	315 × M1715A		
Lever/Knob Trim:				
01	Exit only, cover plate	301 × 4901	3,606.00	3,943.00
02	Exit only, dummy trim	302 × 4902A	4,117.00	4,587.00
03	Key retracts latchbolt	303 × M4903A		
08	Key controls lever/knob	308 × M4908A	4,309.00	4,779.00
08	Key controls lever	308 × VM4908A		
14	Lever/knob always active	314 × M4914A		
Device Only:				
	01, 02, 03, 05, 08, 14, 15	301, 302, 303, 305, 308, 314, 315	3,348.00	3,626.00
FL	Fire Rated Hardware Specify prefix "FL" (eg FL203) Dogging option NOT available			Add 261.00

UltraShield™ Antimicrobial finish coating option available Precision Exit Devices & Trims. 630AM list price add \$90.00 Exit Devices, \$37.00 Trims

Options

Suffix	(add to device #)	Add
CBR	Reinforced Crossbar	87.00
FC	Factory Cut	24.00
LD	Less Dogging	–
SEC	Security Screws [crossbar arm screws are hex socket head]	77.00
SNB	SNB Sex Nut and Bolt (8 req'd) without Trim	157.00
SNB	SNB Sex Nut and Bolt (4 req'd) with Trim	79.00

NOTES: • UltraShield™ Antimicrobial finish coating option available to Precision Exit Devices & Trims.

- 630AM list price for Exit Devices Add 94.00
- 630AM list price for Trims Add 39.00

- Devices are priced less cylinders. If cylinder is required please see cylinders.
- Devices for 3'-0" door are furnished standard.
- Devices for 4'-0" doors are available at no extra charge.
- For mortise lock body ONLY.

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

To Order: Specify: Device No. with options × Trim × Hand × Finish × Door Width, Height and Thickness.

7R0 – Arm-A-Dor® – Security Exit Hardware

Arm-A Dor®



Complete Product Assemblies

Product Number	Description	Alarm	Fits Door Widths	Fits Jamb's Up To	US28/628
A101-001	Automatic Relock	No	3' TO 4'	6 3/4"	2,111.00
A101-002	Automatic Relock	Yes*	3' TO 4'	6 3/4"	2,355.00
A101-012	Automatic Relock	No	3' ONLY	5 1/4" - 5 3/4"	1,863.00
A101-013	Automatic Relock	Yes*	3' ONLY	5 1/4" - 5 3/4"	2,111.00
A101-014	Automatic Relock	No	4' ONLY	5 1/4" - 5 3/4"	2,035.00
A101-015	Automatic Relock	Yes*	4' ONLY	5 1/4" - 5 3/4"	2,279.00
A102-001	Manual Relock	No	3' TO 4'	6 3/4"	2,035.00
A102-002	Manual Relock	Yes*	3' TO 4'	6 3/4"	2,279.00
A101-F01	Automatic-Fire Rated	No	3' TO 4'	6 3/4"	2,355.00
A101-F02	Automatic-Fire Rated	Yes*	3' TO 4'	6 3/4"	2,600.00

* ALARM MODELS A101-002, A101-013, and A101-F02 require two 9 volt batteries (INCLUDED) and a Standard 1-1/8" mortise cylinder (NOT INCLUDED).

Optional Kits: (A/C Adapter, Alarm, Double Door, Low Profile)

Kit Number	Description	US28/628
A103-002	Switch - For wiring to existing system (one individual kit)	115.00
A103-003	Alarm Sub - Assembly	968.00
A104-001	Low Profile Installation Kit - For door jamb's greater than 6 3/4"	293.00
A106-001	Standard Double Door Kit - For all models	434.00
A106-002	Low Profile Installation Kit - For jamb depths greater than 6 3/4"	464.00
A107-001	A/C Adapter Kit - For plug in battery back-up	495.00
A107-002	A/C Adapter Hard Wire Kit - Wiring to electrical system w/battery back-up	681.00
DROP SHIP	Drop Ship Fee For Items Shipped Under \$300	115.00

Deadbolts (Required) For Double Door Applications:

Model	Description	US28/628
1881-003	Sliding Deadbolt w/Padlock locking Hasp & Strike	310.00
1883-003	Sliding Deadbolt Keylocking with Strike	355.00

To Order: Specify: 7R-A101-001 x US28/628.

Precision Wide & Narrow Stile, Precision Trim

Trims



Trim Number	606, 612, 613, 622, 630, 690	605, 625	Trim Number	606, 612, 613, 622, 630, 690	605, 625
1701, R1701, 2001 (cover plate)	199.00	263.00	4901, R4901, 2901 (cover plate)	258.00	317.00
1702A, R1702A, 1703A, R1703A, C1702A, C1703A, 2002C, 2003C	475.00	553.00	4902A, R4902A, 4903A, 4903X, R4903A, M4903A, M4903X, RM4903A, 2902A, 2903A	769.00	961.00
1705A, R1705A, 1715A, R1715A, C1705A, C1715A, Y1705A, Y1715A, M1705A, M1715A, RM1705A, RM1715A, 2005C, 2015C, Y2005C, Y2015C, M2005C, M2015C	662.00	744.00	4908A, R4908A, 4914A, R4914A, Y4908A, Y4914A, M4908A, M4914A, RM4908A, RM4914A, 2908A, 2914A	961.00	1,153.00
NOTES: <ul style="list-style-type: none"> • 630 Trim furnished for 628 Devices. Grip Style "A" and "B" are furnished 626 for 630 Trim. • Specify No. C03 Cylinder Attachment Trim for 2803 Device when Pull by Others is specified. • Available in 605, 606, 612, 613, 625 and 626 finishes. • Add \$ 307.00 to the price of the device 			V4908A, RV4908A, VM4908A, VY4908A, RVM4908A <ul style="list-style-type: none"> • Lever Trims are shipped handed. Specify Hand. • 626 Trim is furnished for 628 and 630 Devices. • 2900 Series Trims are available for Precision Narrow Stile only. • Knurled Knob/Lever, Grip "KNR" add \$152.00 		
				961.00	1,153.00

How to Order:

Style: 17, 20, 49, 29	Function
Prefix designates:	Specify: Grip Design (A,B,C) Lever or Knob Design (A,B,C,D,K) , 4903X-X=Less lever Decorative Levers (P) w/corresponding number
"C" Concealed Vertical Rod Trim	
"M" Mortise Trim	
"R" Retrofit Trim	
"V" Vandal Resistant (4908 Lever Trim only)	
"Y" Precision Trim	Suffix: "KNR" Knurled Lever or Grip
Product Series	
	3R0V4908AKNR * RHRB * 630 * 1-3/4"
	Trim No. Hand Finish Door Thickness

- NOTES:**
- UltraShield™ Antimicrobial finish coating option available to Precision Trims.
 - 630AM list price for Trims Add 37.00
 - For pricing on trims for the 5100 and 5200 series devices.
 - Devices are priced less cylinders. If cylinder is required please see cylinders.
 - Trims with "M" prefix require 1-1/4" Mortise Type Cylinder.
 - 2900 Series Trim - Rim Type Cylinder for "03" function and Mortise Type Cylinder for "08" function, not furnished standard. Use 1-1/4" long standard Mortise Cylinder . Specify when required.
 - All other Trims require Rim Type Cylinder.
 - Trim No. with prefix "Y" is for Precision Device only.
 - **No extra charge** for different Lever or Grip styles. A Lever/Grip Standard.

Description	Product No.	Primer 600	Aluminum 689 or Dark Bronze 695
Complete Mullion Assemblies			
Removable Mullion - 2" x 2" x 8'-0"			
Standard	811	845.00	999.00
Removable Mullion - 2" x 3" x 8'-0"			
Standard	822	1,078.00	1,226.00
Fire Labeled (Includes Stabilizers)	FL822	1,382.00	1,533.00
Hurricane Code	HC822	1,533.00	1,683.00
Fire Labeled Hurricane Code	FLC822	1,840.00	1,988.00
Key Removable Mullion - 2" x 3" x 8'-0"			
Standard	KR822	1,840.00	2,066.00
Fire Labeled (Includes Stabilizers)	FLKR822	2,214.00	2,370.00
Hurricane Code	HCKR822	2,370.00	2,525.00
Fire Labeled Hurricane Code (Includes Stabilizers)	FLHCKR822	2,582.00	2,680.00
*Key Removable Mullion Storage Kit			
Storage solution for all KR mullions Note: Kit includes (1) KMC822 Top Fitting, (1) MB822 Bottom Fitting and (1) AB822SK Angle Bracket	KMCB822SK	1,205.00	1,282.00
Individual Mullion Fittings			
Mullion Cap	MC811	179.00	205.00
Bottom Fitting-flat sill	MB811	131.00	167.00
Mullion Cap	MC822	287.00	315.00
Bottom Fitting-flat sill	MB822	232.00	271.00
Mullion Storage Kit Individual Angle Bracket			
Storage Kit Angle Bracket	AB822SK	128.00	128.00
Key Removable Mullion Cap Kit			
Mullion Cap Assembly	KMC822	845.00	883.00
Fire Labeled Mullion Cap Assembly	KMC822F	1,219.00	1,187.00
Mullion Fitting Combination Kits			
811 Mullion Top & Bottom Fitting Kit (MC811 & MB811)	MCB811	310.00	372.00
822 Mullion Top & Bottom Fitting Kit (MC822 & MB822)	MCB822	519.00	586.00
FL 822 Mullion Top & Bottom Fitting Kit (MC822 & MB822)	MCB822F	519.00	586.00
KR 822 Mullion Top & Bottom Fitting Kit (KMC822 & MB822)	KMCB822	1,077.00	1,154.00
FL KR 822 Mullion Top & Bottom Fitting Kit (MB822 & KMC822F)	KMCB822F	1,451.00	1,458.00
HC 822 Mullion Top & Bottom Fitting Kit (MB822 & MC822 & Mullion adapters (A,B,D))	MCB822HC	873.17	940.17
FL HC 822 Mullion Top & Bottom Fitting Kit (MB822 & MC822 & Mullion adapters (A,B,D))	MCB822HCF	873.17	940.17
HC KR 822 Mullion Top & Bottom Fitting Kit (KMC822 & MB822 & mullion adapter)	KMCB822HC	1,431.17	1,508.17
FL HC KR 822 Mullion Top & Bottom Fitting Kit (KMC822F & MB822 & mullion adapter)	KMCB822HCF	1,805.17	1,812.17
822 Mullion Accessories			
**Mullion Cap Spacer	MCS822	128.00	153.00
Stabilizers (2 per mullion) - Dull Black	ST989	141.00 Dull Black	
Interlock - Dull Black	SI447	112.00 Dull Black	

NOTES:

- For greater heights add \$19.00 for each additional 12" or less
- Removable Mullion and Key Removable Mullion prices include top and bottom Fittings.
- Fire Labeled (FL) and Hurricane Code (HC) mullions 8'0" high maximum
- For individual kit or combination kits please see sections above
- *Rim Cylinder not included
- ** MCS822 mullion cap spacer available as suffix option for 822 series mullions (e.g. 822MCS x 600 x 8')

Strikes

Strikes & Accessories

Description	Series	Strike No.	Dull Black	605, 606, 612 613, 625, 626W, 630
Strikes - Rim Devices				
Standard	2100, 5100, 100, R100, FL2100, FL5100, FL100, FR100	S300	118.00	–
	2400, FL2400-Pair of Doors with Mullion			
	2400, FL2400-Single Door (Roller Strike)	S988	150.00	–
Optional	2100, 2400, 5100, 100, R100, FL2100, FL2400, FL5100, FL100, FLR100 (Roller Strike)	S301	150.00	–
	2100, 2400, 5100, 100, R100, FL2100, FL2400, FL5100, FL100, FLR100 (Roller Strike)	S458	150.00	–
	2100, 5100, 100, R100 (Roller Strike)	S988	151.00	–
	2100 × 2200, 5100 × 5200, 100 × 200	S459	84.00	–
Strikes - Vertical Rod Devices				
Top Strike	2200, FL2200, 5200, FL5200, 200, FL200	S300	118.00	–
Optional	2200, FL2200, 5200, FL5200, 200, FL200	S301	150.00	–
Bottom Strike	2200, FL2200, 5200, FL5200, 200, FL200	S460	101.00	–
Strikes - Mortise Devices				
Standard	Std Curved Lip Single Door ANSI (handed)	S982	–	118.00
Optional	Flat 7/8" Lip ANSI (handed)	S983	–	118.00
	Open Back ANSI (handed)	S984	–	221.00
	Open Back 8" × 1-1/4" (handed)	S985	–	230.00
Strikes - Concealed Vertical Rod Devices				
Top Strike	2700, FL2700, 2800, FL2800, 2600, FL2600	S519	118.00	–
Bottom Strike	2700, FL2700, 2800, FL2800, 2600, FL2600	S460	101.00	–

Accessories

Series	Description	Product No.	628	606, 612, 613 622, 630, 690	626W, 605, 625
Rigid Dummy Touchbar					
Precision	Wide Stile Rigid	671DR-3, 671DR-4	1,082.00	1,367.00	1,579.00
	Narrow Stile Rigid	N673DR-3, N673DR-4			
Active Dummy Touchbar With Micro Switch					
Precision	Wide Stile Active	TS672DA-3, TS672DA-4	1,836.00	1,862.00	2,083.00
	Narrow Stile Active	TSN674DA-3, TSN674DA-4			
Options For Active Dummy Touchbar					
ALK	Exit Alarm: battery operated kit (9V battery included)				862.00
ALW	Exit Alarm: remote power kit (12 or 24 VDC)				862.00
CD	Cylinder Dogging: 1-1/4" Mortise Cylinder not included				132.00
DS	Door Position Monitoring Switch				183.00
TDS	Touchbar Monitoring Double Switch				419.00

Series	Description	Product No.	All Finishes
Mortise Lock - Handed			
Precision & Precision	Functions 01, 02, 03	M303, M303F	1,067.00
	Functions 05, 08, 14, 15	M308, M308F	
	Functions 10	M310, M310F	

NOTES: • For Electric Mortise Lock see page 26.

• 1-1/4" mortise cylinder not included. If cylinder is required please see cylinders below.

• Lock front furnished beveled.

• Available in 605, 606, 612, 613, 625, 630 Finishes.

• When ordering specify: model no., hand and finish. (e.g. M303 × RHRB × 630)

Fire Bolt Assembly			
Precision & Precision	Fire Bolt Assembly	FB277	267.00
Transom Bracket			
Precision & Precision	Transom Bracket	TMB453 (Use Strike No. S300)	116.00

Accessories (continued)

Strikes & Accessories

Series	Description	Product No.	628	606, 612, 613 622, 630, 690	626W, 605, 625
Tools					
All Devices	7/32" Dogging Key	DK220	36.00	-	-
	5/32" Hex Wrench*	HW996			
Cylinders					
	Rim Cylinder	IE72	See BEST Price Book for more detail		
	Mortise Cylinder	IE74 C4			

NOTE: Rim and mortise cylinders (housings) as well as interchangeable cores are available from our BEST product line. Please ask your local BEST sales representative about the many options available to fit your specific requirements including patented keying systems such as BEST CORMAX™.

Electrical Products

Description	Product No.	List Price
Power Supply - Series ELR150 (Required For ELR Devices)		
Power Supply including (1) control module for (1) device	ELR151	1,050.00
Power Supply including (2) control modules for (2) devices	ELR152	1,432.00
Power Supply including (3) control modules for (3) devices	ELR153	1,820.00
Power Supply including (4) control modules for (4) devices	ELR154	2,204.00
Power Supply, no control modules	ELR150	667.00
Control Module		
Control Module card (on/off adjustable Time Delay standard)	CM150-08	395.00
Battery Back-Up		
Battery back-up card (batteries not included)	BT150-07	718.00
Power Supply - Series PS160-6 (Required For DE Devices)		
Power Supply (6 amp) operates up to (4) DE Devices (wire run permitting)	PS161-6	1,094.00
Power Supply - RPSMLR (RPSMLR Models Can Power Up To (2) Two MLR Exit Devices)		
Small enclosure, no battery storage	RPSMLR2	705.00
Large enclosure for battery storage (Batteries not included)	RPSMLR2BB	831.00

Conversion Kits

Description	Product No.	List Price
Electric Latch Retraction*		
For 3'-0", 4'-0" Precision Wide Stile Device	ELRK-3, ELRK-4, ELRKF-3, ELRKF-4	1,385.00
For 3'-0", 4'-0" Precision Narrow Stile Device	NELRK-3, NELRK-4, NELRKF-3, NELRKF-4	1,385.00

NOTES: • ELR Conversion Kits are ONLY available for Precision 2000 Series Devices.

* Requires PHI ELR150 Power Supply (see above).

Motorized Latch Retraction		
Motorized Latch Retraction Retrofit Kit	RPMLR-K	1,479.00

NOTE: When RPMLR-K is ordered for existing exit devices using Hex or Cylinder Dogging, it is recommended to include a blank hinge filler.
See PRECISION Precision 2000 illustrated parts catalog www.precisionhardware.com

Monitoring			
All Precision Devices	Touchbar Monitoring Switch	TSK309	344.00
All Precision Devices	Touchbar Monitoring Double Switch	TDSK310	419.00
Precision Wide Rim Device Only	Latchbolt Monitoring Switch	LSRK298	333.00
Precision Wide Rim Device Only	Latchbolt Monitoring Double Switch	LDSRK299	406.00
Precision Wide SVR or CVR Devices Only	Latchbolt Monitoring Switch	LSVK910	333.00

Electrical Products (continued)

Strikes & Accessories

Description	Product No.	List Price
Q Option Retrofit Kits		
Wireless Access Management System	OSRK5267 – 2103 Rim OSVK5268 – 2203, 2703 Surface and Concealed Vertical Rod Surface and Concealed Vertical Rod	838.00

NOTES:

- For additional product details see Precision 2000 series catalog section.
- Latchbolt Monitoring for Precision Mortise Devices, specify LSM303 or LSM308 Electric Mortise Lock.

Electric Rim Device			
2103, FL2103 Rim Devices	Electric Lock/Unlock Outside Trim	E2103K	921.00

Description	Product No.	All Finishes
Electric Mortise Lock		
Latchbolt monitoring, "03" Function	LSM303, LSM303F	1,422.00
Latchbolt monitoring, "08" Function	LSM308, LSM308F	
Electric lock/unlock with switch to monitor outside trim (locked/unlocked)	EM303, EM303F	1,983.00
Electric lock/unlock with switches to monitor the outside trim (locked or unlocked) and to monitor the latchbolt	LSEM303, LSEM303F	2,071.00

NOTES:

- Fail Secure "FSE" is furnished standard. When Fail Safe is required specify "FS".
- Electric lock/unlock option specify 24V.
- Price does not include 1-1/4" mortise cylinder. If cylinder is required please see cylinders.
- Lock front furnished beveled.
- When ordering specify: model no., voltage (24V), Fail Safe/Fail Secure, hand and finish. (e.g. EM303 × 24V × FS × RHRB × 630)

Device Series	Description	Device Size	Kit No.	All Finishes
Exit Alarm Kit				
Precision Wide Stile	Battery Operated*	3'-0"	ALK-3	982.00
		4'-0"	ALK-4	
	Remote Power	3'-0"	ALW-3	
		4'-0"	ALW-4	
Precision Narrow Stile	Battery Operated*	3'-0"	NALK-3	982.00
		4'-0"	NALK-4	
	Remote Power	3'-0"	NALW-3	
		4'-0"	NALW-4	
Precision**	Battery Operated*	3'-0"	RALK-3	898.00
		4'-0"	RALK-4	
	Remote Power	3'-0"	RALW-3	
		4'-0"	RALW-4	
WH495 Wiring Harness - Required for Remote Arming/Disarming the Alarm				69.00

NOTES:

- Narrow and Wide Stile, kits are available in 605, 606, 612, 613, 625, 628, 630 Finishes.
- To order specify Kit No. and Finish (e.g. ALK-3 × 630).
- * For Battery operated kits a 9 Volt Battery is included.
- ** Precision Series, kits are available in 689 or 695 Finishes.

Device Series	Description	Device Size	Kit No.	All Finishes
Door Position Monitoring Switch*				
Precision Wide Stile	Door Position Switch Kit	All	DS880	212.00
Precision Narrow Stile	Door Position Switch Kit	All	NDS986	

* Kit includes Endcap and Endcap Mounting Bracket, specify finish.

Power Transfer				
Conc Power Transfer - accepts 5/16" wire bundle - max. 120° degree swing	EPT-5			372.00
Door Loop - Armored Flex Conduit (less wires) 18" long - max. 120° degree swing	EPT-2			115.00
Electric Power Transfer	EPT-12C			834.00

Precision Component Assemblies - Wide Stile

Component Assemblies

Description	Function/ Device Type	Assembly No.	Steel Plated	628	606, 612, 613, 622 630, 690	626W, 605, 625
Active Case (Includes Lock Side Filler)						
Rim - Reversible	01, 02, 03	A2103	-	945.00	943.00	1,001.00
	05, 08, 14, 15	A2108				
Rim - Reversible (Fire Rated)	01, 02, 03	A2103F	-	1,178.00	1,171.00	1,244.00
	05, 08, 14, 15	A2108F				
Surface Vertical Rod - Reversible	01, 02, 03	A2203, A2203F	-	945.00	943.00	1,001.00
	05, 08, 14, 15	A2208, A2208F				
Mortise - Reversible	01, 02, 03, 05	A2303				
	08, 14, 15	A2303F				
Concealed Vertical Rod (metal) - Reversible	01, 02, 03	A2803, A2803F				
	05, 08, 14, 15	A2808, A2808F				
Concealed Vertical Rod (wood) - Reversible	01, 02, 03	A2703, A2703F				
	05, 08, 14, 15	A2708, A2708F				
Top Latch						
Surface Vertical Rod (630 furnished for 628, includes Latch Cover)	2200, FL2200	TL22, TL22F	-	-	560.00	636.00
Concealed Vertical Rod (metal, includes Top Latch & Rod Assembly)	2800, FL2800	TL28-8, TL28-10, TL28F-8, TL28F-10	385.00	-	-	-
Concealed Vertical Rod (wood, includes Top Latch & Rod Assembly)	2700, FL2700	TL27-8, TL27-10, TL27F-8	587.00	-	-	-
Bottom Latch						
Surface Vertical Rod (630 furnished for 628, includes Latch Cover)	2200, FL2200	BL22, BL22F	-	-	500.00	571.00
Concealed Vertical Rod (metal, includes Top Latch & Rod Assembly)	2800, FL2800	BL28, BL28F	272.00	-	-	-
Concealed Vertical Rod (wood, includes Top Latch & Rod Assembly)	2700, FL2700	BL27, BL27F	457.00	-	-	-
Covers						
Active Case						
Rim	2100, FL2100	AC21	-	195.00	272.00	355.00
Rim "10" Function - Handed	2110, FL2110	AC2110				
Surface Vertical Rod	2200, FL2200	AC22				
Mortise	2300, FL2300	AC23				
Mortise "10" Function - Handed	2310, FL2310	AC2310				
Concealed Vertical Rod	2700, FL2700, 2800, FL2800	AC23	-			
Rim "10VI" Function With Visual Lock/Unlock Indicator Window	2110VI, FL2110VI	AC2110VI	-	227.00	317.00	365.00
SVR Latch Case						
(Top or Bottom) (630 furnished for 628)	2200, FL2200	LC22	-	-	245.00	299.00

NOTES: • Assembly Nos. with Suffix "F" designate Assemblies for Fire Exit Hardware.
• Specify Hand for all reversible Active Case Assemblies.

Precision Component Assemblies - Wide Stile

Component Assemblies

Description	Function/ Device Type	Assembly No.	Steel Plated	628	606, 612, 613, 622 630, 690	626W, 605, 625
Touchbar Components						
Touchbar Assembly (less active case, end cap & brkt.)	All Devices	TBA-3, FLTBA-3, TBA-4, FLTBA-4, TBA-26, FLTBA-26	–	1,410.00	1,630.00	1,816.00
Device Endcap						
Endcap	All Devices	EC992	–	–	132.00	172.00
Mounting Bracket	All Devices	MB305	93.00	–	–	–
Center Chassis						
Concealed Vertical Rod (metal)	2800, FL2800	CCH344	570.00	–	–	–
Top Rod						
Surface Vertical Rod	7'-0"	TRI854	–	–	151.00	195.00
(Includes Rod Pin, Clip & Rod Guide)	8'-0"	TRI855				
(630 furnished for 626 and 628)	10'-0"	TRI857				
(12'-0" is not available on Fire Rated Devices)	12'-0"	TR5197				
Concealed Vertical Rod (metal)	6'-8" to 8'-0"	TR551	214.00	–	–	–
	8'-1" to 10'-0"	TR552				
Concealed Vertical Rod (wood)	6'-8"to 8'-0"	TR554	349.00	–	–	–
	8'-1" to 10'-0"	TR555				
Bottom Rod						
Surface Vertical Rod (Includes Rod Pin, Clip & Rod Guide) (630 furnished for 626 and 628)	All Devices	BR1859	–	–	151.00	195.00
Concealed Vertical Rod (metal) (Includes Bottom bolt)	All Devices	BR553	214.00	–	–	–
Concealed Vertical Rod (wood) (Includes Bottom bolt)	All Devices	BR556	349.00	–	–	–
Extended Bottom Rod						
Surface Vertical Rod	All Devices	BR5247-09	–	–	245.00	299.00
Concealed Vertical Rod (metal) (Bottom bolt NOT included)	All Devices	BR5244-09	180.00	–	–	–
Concealed Vertical Rod (wood) (Bottom bolt NOT included)	All Devices	BR5246-09	180.00	–	–	–
Rod Guide, Pin & Clip						
Surface Vertical Rod	2200, FL2200	RG124	–	–	80.00	81.00
Cylinder Dogging Kit						
Cylinder Dogging Kit (1-1/4" Mortise Cylinder not included)	All Devices	CDK-3, CDK-4	–	267.00	267.00	272.00
Double Cylinder Kit - "10" Function - Handed (Cylinders not included)						
Rim Device (Includes locking/cylinder assy, cylinder collar and active case cover)		RDC-10	-	694.00	771.00	894.00
Double Cylinder With Visual Lock/Unlock Indicator Kit – "10VI" Function – Handed						
Rim Device (Includes locking cylinder assy, cylinder collar, flag assembly and active case cover		RDC-10VI	–	1,049.00	1,125.00	1,241.00
Fire Rated Rim Device (Includes locking cylinder assy, cylinder collar, flag assembly and FL active case cover		FRDC-10VI	–	1,309.00	1,383.00	1,500.00
Mortise Device (Includes M310 Mortise Lock, extension assy, cylinder bracket/collar and active case cover)		MDC-10	–	1,787.00	1,867.00	1,994.00
Shim Kit						
One set of 1/8" shims	All Devices	SMK994 (Dull Black)	108.00	–	–	–
Back Plate						
Access Control Trim Center Driven Cam	All Devices	BP21	105.00	–	–	–

NOTE: Converts 2101, 2102, 2103, 2108 to 21 Center driven cam exit device

Precision Component Assemblies - Narrow Stile

Component Assemblies

Description	Function/ Device Type	Assembly No.	Steel Plated	628	606, 612, 613, 622 630, 690	626W, 605, 625
Active Case (Includes Lock Side Filler)						
Rim - Non Handed	All Functions	A24	–	1,040.00	1,035.00	1,034.00
		A24F	–	1,270.00	1,266.00	1,344.00
Concealed Vertical Rod (metal) - Non Handed	All Functions	A26, A26F	–	1,040.00	1,035.00	1,106.00
Cover						
Active Case						
Rim	2400, FL2400	AC24	–	195.00	272.00	355.00
Concealed Vertical Rod	2600, FL2600	AC26				
Touchbar Components						
Touchbar Assembly (less active case, end cap & bracket)	All Devices	NTBA-3, FLNTBA-3, NTBA-4, FLNTBA-4	–	1,412.00	1,643.00	1,816.00
Device Endcap						
Endcap	All Devices	NEC993	–	–	132.00	172.00
Mounting Bracket	All Devices	NMB591	93.00	–	–	–
Center Chassis						
Concealed Vertical Rod (metal)	2600, FL2600	CCH343	618.00	–	–	–
Top Latch						
Concealed Vertical Rod (metal, includes Top Latch & Rod Assembly)	2600	TL28-8, TL28-10	385.00	–	–	–
	FL2600	TL28F-8, TL28F-10				
Bottom Latch						
Concealed Vertical Rod (metal, includes Bottom Bolt & Rod Assembly)	2600	BL28	272.00	–	–	–
	FL2600	BL28F				
Top Rod						
Concealed Vertical Rod (metal)	6'-8" to 8'-0"	TR551	214.00	–	–	–
	8'-1" to 10'-0"	TR552				
Bottom Rod						
Concealed Vertical Rod (metal) (Includes Bottom Bolt)	All Devices	BR553	214.00	–	–	–
Extended Bottom Rod						
Concealed Vertical Rod (metal) (Bottom bolt NOT included)	All Devices	BR5244-09	180.00	–	–	–
Cylinder Dogging Kit						
Narrow Cylinder Dogging Kit (1-1/4" Mortise Cylinder Not Included, see pg.30)	All Devices	NCDK-3, NCDK-4	–	267.00	267.00	272.00
Shim Kit						
Kit consists of: one set of 1/8" shims	All Devices	NSMK995 (Dull Black)	108.00	–	–	–

NOTE: Assembly Nos. with Suffix "F" designate Assemblies for Fire Exit Hardware.

Precision Component Assemblies

Component Assemblies

Description	Device Type	Assembly No.	Steel Plated	689, 695	Black
Covers					
Active Case					
Rim	5100, FL5100	AC5100	–	–	139.00
Surface Vertical Rod	5200, FL5200	AC5200			
SVR Latch Case (Top or Bottom)	5200, FL5200	LC5200	–	–	105.00
Device Endcap					
Endcap	All Devices	REC999	91.00	–	93.00
Mounting Bracket	All Devices	MB305			
Top Latch					
Surface Vertical Rod (Includes Latch Cover)	5200, FL5200	TL52, TL52F	–	–	384.00
Bottom Latch					
Surface Vertical Rod (Includes Latch Cover)	5200, FL5200	BL52, BL52F	–	–	320.00
Top Rod					
Surface Vertical Rod (Includes Rod Pin, Clip & Rod Guide)	7'-0"	RTR1860	–	108.00	–
	8'-0"	RTR1861			
	10'-0"	RTR1863			
Bottom Rod					
Surface Vertical Rod (metal) (Includes Rod Pin, Clip & Rod Guide)	All Devices	RBR1864	–	108.00	–
Extended Bottom Rod					
Surface Vertical Rod	All Devices	BR5248-09	–	179.00	–
Rod Guide, Pin & Clip					
Surface Vertical Rod	5200, FL5200	RRG123	–	–	65.00
Cylinder Dogging Kit					
Precision Cylinder Dogging Kit (1-1/4" Mortise Cylinder Not Included)		RCDK-3, RCDK-4	–	214.00	–

NOTES: • Assembly Nos. with Suffix "F" designate Assemblies for Fire Exit Hardware.
• Top and Bottom Latch assemblies are priced with covers, deduct cover price if not required.

Precision Component Assemblies - Crossbar

Component Assemblies

Description	Function/Device Type	Assembly No.	606, 612 613, 630	605, 625
Active Case				
Rim - Handed	01, 02, 03	A103	1,315.00	1,468.00
	05, 08, 14, 15	A108		
Rim - Reversible	01, 02, 03	ARI03	1,315.00	1,468.00
	05, 08, 14, 15	ARI08		
Rim - Handed	01, 02, 03	A103F	1,549.00	1,707.00
	05, 08, 14, 15	A108F		
Rim - Reversible	01, 02, 03	ARI03F	1,549.00	1,707.00
	05, 08, 14, 15	ARI08F		
Surface Vertical Rod - Reversible	01, 02, 03	A203, A203F	1,315.00	1,468.00
	05, 08, 14, 15	A208, A208F		
Mortise - Handed	All Functions	A303, A303F	1,315.00	1,468.00
Inactive Case				
All - Reversible	All Devices	BI23, BI23F	948.00	1,095.00
Top Latch				
Surface Vertical	200	TL22	560.00	636.00
Rod	FL200	TL22F		
Bottom Latch				
Surface Vertical	200	BL22	500.00	571.00
Rod	FL200	BL22F		
Covers				
Active Case				
Rim - Handed	100, FL100	AC10, AC10F	275.00	358.00
Rim - Reversible	R100, FLR100	ACR10, ACR10F		
Surface Vertical Rod	200, FL200	AC20, AC20F		
Mortise	300, FL300	AC30, AC30F		
Inactive Case				
Panic Exit Hardware	All Devices	HS123	275.00	358.00
Fire Exit Hardware	All Devices	HS123F		
SVR Latch Case				
(Top or Bottom)	200, FL200	LC22	245.00	299.00

NOTES:

- Assembly Nos. with Suffix "F" designate Assemblies for Fire Exit Hardware.
- Assemblies are priced with covers, deduct cover price if not required.
- * Specify Hand for all reversible or handed Active Case Assemblies.

Precision Component Assemblies - Crossbar

Component Assemblies

Description	Function/ Device	Assembly No.		Steel Plated	606, 612 613, 630	605, 625
Crossbar*		3' Door	4' Door			
Standard	All Devices	CB123-3	CB123-4	–	189.00	229.00
Reinforced	All Devices	CBR123-3	CBR123-4	–	225.00	264.00
Knurled	All Devices	CBK123-3	CBK123-4	–	460.00	504.00
Crossbar Plug						
	All Devices	CPI23		–	50.00	54.00
Top Rod*						
Surface Vert Rod	7'-0"	TRI854		–	151.00	195.00
	8'-0"	TRI855				
	10'-0"	TRI857				
	12'-0"	TRI5197				
Bottom Rod*						
Surface Vertical Rod	All Devices	BRI859		–	151.00	195.00
Extended Bottom Rod						
Surface Vertical Rod	All Devices	BR5247-09		–	245.00	288.00
Rod Guide, Pin & Clip						
Surface Vertical Rod	200, FL200	RGI24		–	81.00	78.00
Back Plate Assemblies - Rim Devices						
Rim	01, 02, 03	BPI03		108.00	–	–
	05, 08, 14, 15	BPI08				
Surface Vert Rod	01, 02, 03	BP203		108.00	–	–
	05, 08, 14, 15	BP208				

* 630 furnished for 626

Trim Components Assemblies

Series	Description	Kit No.			
Trim Function Conversion Kits					
4900 Trim	From "03" to "08" or "02" to "14"	FC-08	YFC-08	Precision	267.00
V4900 Trim	From "03" to "08" or "02" to "14"	VFC-08	YVFC-08	Precision	267.00
	From 4900 Trim to V4900 Trim	B-49-01	YB-49-01	Precision	
M4900 Trim	From "03" to "08" or "02" to "14"	MFC-08	MYFC-08	Precision	
2900 Trim	From "08" to "03" [** specify Lever Style and finish]	NFC-03			267.00
	From "03" to "08" [** specify Lever Style and finish]	NFC-08			
Cylinder Attachment Kits (Cylinders not included)					
Wide Stile	1700, 2000, 4900, V4900, 603 and 703A Series Trim	CA-03T			61.00
	Device, "03" function, no outside Trim	CA-03			36.00
Narrow Stile	Device, "03" function, no outside Trim	*NCA-03			58.00
	2900 Trim - for "03" function	CA-2903			67.00
	2900 Trim - for "08" function	CA-2908			67.00
Precision	808A Trim (specify finish 689 or 695)	RCA-08			67.00

** Please see specific catalog pages for finish designation.

* Specify finish

Weight Chart

Miscellaneous

Weights are to the nearest 0.25 Lb. and for estimating purposes only.	628		605, 606, 612, 613, 622, 625, 626W, 630, 690			689, 695 Precision
	Wide	Narrow	Wide	Narrow	Precision	
Devices - Less Trim						
Rim	15.00	14.25	18.50	18.00	14.00	15.00
Surface Vertical Rod	18.00	—	23.25	—	19.00	18.50
Less Bottom Rod	17.25	—	21.25	—	18.00	16.75
Mortise	17.00	—	20.00	—	16.00	—
Concealed Vertical Rod (metal)	19.25	18.75	22.50	22.00	—	—
Less Bottom Rod	18.25	17.50	21.50	21.00	—	—
Concealed Vertical Rod (wood)	18.75	—	22.50	—	—	—
Less Bottom Rod	17.00	—	21.00	—	—	—
Device with DE option: add 13.00						
Trims						
1700A	3.00	—	3.00	—	3.00	—
2000A	3.25	—	3.25	—	3.25	—
2900A	—	3.00	—	3.00	—	—
4900A, 4900K	5.50	—	5.50	—	5.50	—
V4908A	6.00	—	6.00	—	6.00	—
C03	2.00	—	2.00	—	2.00	—
501	—	—	—	—	—	0.75
602, 603	—	—	—	—	—	1.00
702, 703	—	—	—	—	—	1.75
808A, 814A	—	—	—	—	—	3.25
Active Case Assembly						
Rim Device	2.50	2.00	2.50	2.00	6.00	1.25
Vertical Rod Device	3.00	—	3.00	—	6.00	1.25
Mortise Device	2.25	—	2.25	—	5.50	—
Concealed Vertical Rod (metal)	3.00	1.75	3.00	1.75	—	—
Concealed Vertical Rod (wood)	3.00	—	3.00	—	—	—
Touchbar Assembly						
3'- 0" Device	10.25	10.25	13.75	13.75	—	10.25
4'- 0" Device	11.50	11.50	15.00	15.00	—	11.00
ELR Device	12.50	12.50	15.00	15.00	—	—
Dummy Touchbar	8.75	8.75	14.50	14.50	—	—
Inactive Case Assembly						
3'- 0" Device	—	—	—	—	3.00	—
Top Latch Assembly						
Surface Vertical Rod	2.50	—	2.50	—	2.50	2.00
Concealed Vertical Rod	2.75	2.75	2.75	2.75	—	—
Bottom Latch Assembly						
Surface Vertical Rod	2.00	—	2.00	—	2.00	1.75
Concealed Vertical Rod	2.50	2.50	2.50	2.50	—	—

* 630 furnished for 626

Mullions	
811	24.00
Mullion Fittings	
MC811	0.50
MB811	0.50
MB822	1.00
Mortise Lock	
M303, M308, M310	2.75
Low Energy Operator	
D-4990	4.00
D-4990T	4.00

Electronics	
PS-161	1.00
EPT-5	1.00
822	30.00
MC822	2.25
MC822F	2.25
FL822	30.00
KMC822	3.75
KMC822F	3.75

Quoting & Ordering

Price quotations are based on one (1) shipment to one (1) location, and are valid as identified in the quote but in no case longer than one year from the date of the quote. All exceptions will be evaluated on an individual basis.

All quotation requests will be provided by the dormakaba USA Inc. ("dormakaba USA") Representative where the project is located.

QUOTING PROCESS AND PROCEDURES: The following information is necessary to secure a price quotation from dormakaba USA.

- | | |
|------------------------------|---------------------------|
| • Distributor Name | • Architects Name, Phone |
| • Distributor Location | Number and Architects |
| • Distributor Contact Name | Location |
| • and Phone Number | • Specification Writer |
| • Distributor e-mail contact | Name, Phone |
| • Project Name | • Number and Location |
| • Project Location | • Competitive Influence / |
| • Bid Date | Specification |

LIST OF MATERIALS TO BE QUOTED: Every attempt will be made by dormakaba USA to provide the price quotation in a timely manner. Upon completion, you will receive a copy of the quotation which will also include a valid quotation number. Once the project is secured, a copy of the quotation must accompany your purchase order and be forwarded to dormakaba USA Customer Service Department in Indianapolis for processing.

NON-STANDARD PRODUCT REQUEST: Please contact your dormakaba USA Representative to complete a Non-Standard Product Request Form.

All requests should be submitted to the following email address:
Email: product.request.us@dormakaba.com

Upon receipt of a special order request, dormakaba USA will review the configuration and determine if dormakaba USA is capable of making the special order product and will provide a response to the customer. If dormakaba USA is able to make the special order product, dormakaba USA will provide a specific sku/configuration to the customer for the special order product. This sku/configuration must be identified on all Purchase Orders. In addition, the Purchase Order must be marked as a "Special Order".

ORDERING: The following information is required for dormakaba USA to successfully process any order:

- Itemized Purchase Order (PO)
- dormakaba USA Approved Quote

Please send all orders to BAS-orderentry.us@dormakaba.com or by fax to 877-835-1030

NOTE: For detailed information on how to place an order for dormakaba USA products as well as BEST masterkey services please see the detailed section regarding "Best Ordering".

ADD ON ORDERS FOR QUOTED PROJECTS: To place an add-on order from a quoted project the Distributor must include the original quote, PO number and/or dormakaba USA's original order number. Add-On orders will be accepted for a period one (1) year from the original order date. Add-On orders received that are outside of the aforementioned period will be forwarded to the dormakaba USA Representative for re-quote.

STOCKING ORDERS: All orders for stock replenishment should be marked as "Stock" and indicate a "Ship To" address that coincides with the stocking Distributor warehouse location.

INCOMPLETE ORDER PROCESS: All orders are screened upon receipt for complete information. If an order is received incomplete, dormakaba USA Customer Service will make one (1) attempt to contact a Distributor directly for the missing requirements. If the information is not made available to dormakaba USA at that time the order will be referred to the local dormakaba USA Representative for resolution. All incomplete orders will be cancelled if not resolved after fourteen (14) calendar days.

PRICE DISCREPANCY PROCESS: All entered orders are reviewed by dormakaba USA Customer Service for accuracy and pricing consistency between the Distributor and dormakaba USA. Any order determined by dormakaba USA, in its sole and absolute discretion, to have a value greater than the Total Price shown on the Distributor purchase order will be held by dormakaba USA for a Price Discrepancy. dormakaba USA quotes are also reviewed to ensure that they are complete, approved, and match the PO. Due to pricing sensitivity, all price discrepancies must be resolved exclusively by your dormakaba USA Representative.

ORDER CANCELLATION/CHANGES: All requests for Order Cancellations and Changes (Quantity, Shipping, Finish, Function, etc) should be sent directly to dormakaba USA Customer Service. Requests via phone will be accepted, but must be accompanied by a written request. Factory Order Number, PO Number, Account Info, and Detailed Changes must be clearly indicated. Change requests can be submitted via the following methods:

Email: BAS-cshelp.us@dormakaba.com
Fax: 1-877-835-1030

All order cancellations or changes will be subject to a cancellation fee as defined in dormakaba USA's Terms and Conditions of Sale.

PRODUCTION SCHEDULING AND "DO NOT SHIP BEFORE" REQUESTS: All orders are scheduled for production and shipping based on current production lead times and availability. Scheduling is completed only when an order is released from both credit and pricing review.

Exceptions to this policy are made only when the PO is clearly marked: "Do Not Ship Before" followed by the date. (Required Date, Expected Date, etc. do not apply) These orders will be scheduled to ship on or after the date listed.

Changes to "Do Not Ship Before" dates are required in writing and should be sent to: BAS-cshelp.us@dormakaba.com.

Be advised, orders not clearly marked with a "Do Not Ship Before" designation will be payable within normal terms from the actual shipment date.

EXPEDITE REQUESTS:

- Expedite requests will be reviewed and accommodated by dormakaba USA based on production lead times and availability.
Email: BAS-expediterequest.us@dormakaba.com
- See the then current dormakaba USA Quick Ship Program for details.

WHOLESALE PURCHASE: Distributors are also free to utilize dormakaba USA's Authorized Wholesalers to purchase product. dormakaba USA does not make any guarantee of availability or pricing for purchases from an Authorized Wholesaler and the discounts afforded to Distributor by dormakaba USA shall not apply to purchases from an Authorized Wholesaler. The terms and conditions and price of product shall be as mutually agreed between Distributor and Wholesaler.

BEST Cylinder and Precision Exit Device Orders

For current pricing and ordering information associated with Best cylinders please see the Best Price Catalog.

Returned Authorization (RA) Non-Warranty

RA POLICY: A Return Authorization Form ("RA") must be utilized to return products that are not defective and otherwise in a resalable condition. Only goods with an invoice date of less than one (1) year will be considered for a non-warranty related return. All materials returned to dormakaba USA Inc. ("dormakaba USA") for any reason (other than warranty), must have a correct RA number applied to the outside of the shipping carton. A standard re-stocking charge (of the purchase price) will be applied to the Distributor's account for orders returned, including orders that were placed by customer in error. Transportation charges of returned goods must be prepaid by the Distributor. All goods must be returned within sixty (60) calendar days of RA issue date. All goods must be returned in original packaging and be in resalable condition. Product not returned in saleable condition is subject to disposal by dormakaba USA with no credit issued. Commercial Hardware items that are special made to order items will not be returned under any circumstances.

RA PROCESS: Requests for non-warranty related returns can be initiated by submitting an e-mail to
BAS-rgacreditgrp.us@dormakaba.com.

The RA Request Form must be completed entirely to process an RA. The following information will be needed:

- Company Name
 - Account Number
 - Contact Name
 - Purchaser Order Number
 - Sales Order Number
 - Item Number
 - Item Quantity
 - Phone Number
 - Description of the Problem
1. Upon review and approval of the submitted RA request, a claim number is logged and provided back to the requestor by a dormakaba USA Team member:
 2. Once a claim number is issued, this number should be noted on all references and communications concerning said RA.
 3. Product should be returned to the address below. The shipment must be marked with the approved RA claim number to ensure prompt processing and attention. All shipping charges prepaid by customer:

dormakaba USA Inc.
Attn: Returns Department
6161 East 75th Street
Indianapolis, IN 46250
 4. The RA will be processed once material is received at dormakaba USA's factory provided it is received in its original packaging and is in saleable condition.
 5. Credit is issued to the Distributor account and a credit memo is mailed to the Distributor.

Fulfillment Issues

Any quality issues (missing parts, wrong parts, handling, finish, etc) should be submitted electronically to: BAS-rgacreditgrp.us@dormakaba.com or your Local dormakaba USA Representative.

Please reference your original Purchase Order (PO) Number, Factory Order Number, Distributor Account, Contact Information (E-mail/Fax), and include a detailed description of the issue.

1) ITEMS MISSING FROM A SHIPMENT: If you have signed your shipment short, dormakaba USA Customer Service will promptly issue a No Charge replacement order for the missing products.

If the shipment was not signed short but after review, dormakaba USA Customer Service determines (based on shipping weights, packing lists, etc) that the order was indeed shipped short, a No Charge replacement will be issued.

If dormakaba USA Customer Service cannot verify a shipping error, an advance replacement order will be entered, charged, and expedited to the Distributor. The quality issue will be forwarded to the Return Authorization Credit Group for resolution.

If it is determined that the item was omitted from the order due to a dormakaba USA order entry error, a change order will be entered and expedited for the missing products.

Please see price book for further detail.

2) WRONG ITEMS RECEIVED (parts, handling, function, finish, etc):
Advanced replacements will be issued for any wrong items received. **Such orders will be charged based on pricing/discounts from the original order.** The issue will be forwarded to dormakaba USA's Return Authorization Credit Group for resolution.

Any quality issue that is determined to be either a dormakaba USA order entry and/or manufacturing error will have an advanced replacement order entered and will be expedited. An RA will be issued to return the incorrect products. No re-stock fee will apply for dormakaba USA order entry and/or manufacturing errors.

Return Authorization Form Request

☐ Return for Replacement ☐ Return for Credit

Date of Request: _____
Original Order: _____
Date of Request: _____
Original P.O.: _____
Invoice #: _____
Customer Name: _____
Account Number: _____
Address: _____
City: _____
State: _____ Zip: _____
Contact Name: _____
E-mail: _____
Phone: _____

NATURE OF PROBLEM

- ☐ Manufacturing Defect
- ☐ Warranty Evaluation
- ☐ Missing Parts
- ☐ Wrong Material Received
- ☐ Wrong Material Ordered
- ☐ Wrong Quantity
- ☐ Return Inventory
- ☐ Other: _____

NOTE: All returns shall be subject to dormakaba USA Inc.'s current Terms of Sale and Warranty as outlined in the price catalog.

☐ Ship Replacement Material to Address Above ☐ Ship Replacement Material to Address on Order

DETAILED DESCRIPTION OF DEFECT OR REASON FOR RETURN

RETURN MATERIAL			
Line Item #	Quantity	Product Nomenclature	Product Description
Please e-mail completed form to BAS-rgacreditgrp.us@dormakaba.com or Fax to 1-877-835-1030			

[illegible]

[illegible]

[illegible]



CORPORATE HEADQUARTERS

6161 EAST 75TH STREET
INDIANAPOLIS, IN 46250 USA

Phone 855-365-2407

bestaccess.com

ONEdormakaba@dormakaba.com

For questions about ordering and to be sure you get the right configuration for your needs, [contact your BEST sales representative](#).