

PRICE LIST 23.0



Table of Contents



| Lifetime Warranty | 3 |
|---|----|
| Terms and Conditions | 4 |
| | |
| Electromechanical Locks & Hardware | |
| 1300 Series Electric Deadbolt | 5 |
| 1400 Series Dual Voltage Cabinet Locks | 5 |
| | |
| | _ |
| ECL-1 Electrified Cylindrical Lock | 6 |
| EML Series Electrified Mortise Locks | 6 |
| ETH-1/ETM-1 Series Transfer Hinges | 7 |
| EMK-VON Motorized Latch Pullback Kit | 7 |
| Electromagnetic Locks | |
| 2000 Series 1200 Lbs. HF | 8 |
| 2013 Series, 2513 Series Gate Locks | 8 |
| 2050 Series 1200 Lbs. HF | 9 |
| 2101 Series Early Warning 1200 Lbs. HF | 9 |
| 2511 Series Early Warning 650 Lbs. HF | 9 |
| 2268 Series Low Profile 1200 Lbs. HF | 10 |
| 2600 Series Mortise 650 Lbs. HF | 11 |
| 2280 Series Slimline 1200 Lbs. HF | 11 |
| 2500 Series Mini-Mag 650 Lbs. HF | 10 |
| 2585 Series Bantam 650 Lbs. HF | 10 |
| 2800 Series Door Holders | 12 |
| Custom Length Housings | 12 |
| 3000 Series 1500 Lbs. HF | 13 |
| 3101C Series Delay Egress 1500 Lbs. HF | 14 |
| 3101C-TJ101 Inswing Delay Egress Lock | 14 |
| 3101C-ES Series Delay Egress Controller | 14 |
| 3101C-R Series Delay Egress Controller | 14 |
| TJ Conversion Kits | 15 |
| | 10 |
| Mounting Accessories | |
| Specialty Brackets, Hardware & Spacers | 15 |
| 4000 Series Fillers & Angle Brackets | 16 |
| Power Supplies | |
| Power Supplies 5725 Series 1 5 Amp | 17 |
| 5725 Series 1.5 Amp | |
| 5800/5850 Series 3 Amp | 17 |
| 5900/5950 Series 6 Amp | 17 |
| 5200/5300 Series Transformers | 17 |
| 5400 Series Battery Back-Up | 17 |

| Access/Egress Controls | |
|---|-------|
| 6000 Series Pushbuttons | 18 |
| 6200 Series Pushbuttons | 18-19 |
| 6170 Series Weatherproof Pushbuttons | 19 |
| 6300 Series Audible | 19 |
| 6335/6336 Concealed Pushbuttons | 22 |
| 6350 4 Zone Delay Egress Monitor | 22 |
| 6370 Monitor/Reset Station | 22 |
| 6420 Series PIR REX Sensor | 22 |
| 6451 Series Exit Sensor Bar | 22 |
| NTB Series No-Touch Buttons | 22 |
| 6500 Series High Visibility Pushplates | 19 |
| 6600 Series Halo Lighted Push Buttons | 20 |
| 6700/6800 Series Pushplates | 20 |
| 6705/6805 Series Handicapped Pushplates | 21 |
| 6901 Series Specialty Pushplates | 21 |
| 7000 Series Keyswitches | 23 |
| 7075 Series Break Glass Exit Stations | 22 |
| 7300/7400 Series Digital Keypads | 24 |
| 7500 Stand Alone Pin & Proximity Controller | 24 |
| 8000SF Series Consoles | 24 |
| 8500 Communicating Bathroom Systems | 25 |
| Time Controllers | |
| 7080 Series Time Delay Module | 23 |
| 7086 Series Programmable Timer | 23 |
| Accessories | |
| 7088 Rectifiers - Prewired | 23 |
| 9200 Series Door Status Switches | 25 |
| 9300 Series Door Cords | 25 |
| Special Finishes | 26 |
| Notes | 27 |

Warranty Support





Except where specifically stated, a lifetime warranty applies to all standard DynaLock Corporation products.

A customer may return any DynaLock branded product, for any reason, at any time, by requesting a DynaLock Return Authorization (RMA). At RMA issuance, DynaLock Technical Support may contact the customer, in an effort to diagnose and resolve a product issue, without necessitating a return. Should the RMA proceed, DynaLock will make its best effort to, within 24 hours of receipt of the customer's item (excluding special finishes and custom products), send a replacement product, via next day freight, at no-charge (within the contiguous United States only).

A customer may order an advance replacement product, if they have an open account with DynaLock, or valid credit card. DynaLock will issue an RMA and bill the customer up-front, for the full price of the replacement, plus next day freight. Upon receipt of the customer's original product, DynaLock will credit the advance replacement order in-full, including the outbound freight. Inbound freight and insurance charges are exclusively the customer's responsibility.

DynaLock Corporation reserves the sole right to send a replacement product, which may be identical, or a newer product, which serves as a direct, functional replacement. In the event the customer's original product is a model or version for which a functional replacement is no longer available in DynaLock's product line, or has been found to be damaged beyond normal wear and tear, abused and/or vandalized this DynaLife® PLUS warranty shall not apply.

This DynaLife® PLUS warranty does not apply to non-standard, custom-built products. These products will be repaired, if possible, at no-charge. Custom length housings and special finished products will be replaced only if found to be factory-defective.

This DynaLife® PLUS warranty also does not apply to returns for payment, distributor stock reductions/liquidations, product removal and installation/re-installation costs, or products installed outside of the United States and Canada.

This DynaLife® PLUS warranty shall be considered null and void on any product which has not been installed or maintained per manufacturer's instructions, and/or has been electrically or mechanically altered, without specific written consent, instructions, and/or component parts supplied by DynaLock Corp.

DynaLock Corporation will assume no responsibility, nor be liable to the customer, purchaser, or anyone else, for incidental or consequential damages arising from defects, or malfunctions of its products, damage or injury to person(s) or property, caused by improper storage, handling, care, maintenance, abuse, misuse, or an act of God. EXCEPT FOR THE WARRANTY PROVIDED HEREIN, WE EXPRESSLY DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDED BUT NOT LIMITED TO ANY IMPLIED WARRANTIES, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR WARRANTIES RELATING TO THE CONDITION OF OUR PRODUCTS.

Emergency Technical Support

Routine technical support is available Monday - Friday, 8:00AM - 5:00PM (EST) by calling the factory toll-free at 1-877-DynaLock, within the US. For all other locations please dial (860) 582-4761.

Emergency technical support is available Monday - Friday, 5:00PM - 8:00PM (EST) by dialing either of the following After-Hours Tech Support mobile phones:

Ph: (860) 878-9085

Ph: (860) 916-4805

Terms and Conditions



Terms: NET 30 days from date of invoice. No minimum order requirements and no additional surcharges imposed for drop

shipments. A late charge of 1.5% per month on any balance which remains unpaid after 60 days from date of invoice.

Prices:Unless firm prices have been quoted in writing for specific projects, all prices are subject to change and prices in effect on the date of shipment will apply. Prices apply to standard domestic packaging. Errors and omissions in pricing are subject

to correction.

Domestic Shipments: All domestic shipments are F.O.B. DynaLock factory, unless otherwise agreed to in writing by DynaLock. Purchaser

assumes risk of loss upon tender of goods to carrier.

International Shipments:

International shipments will only be made to those customers who utilize a carrier and/or freight forwarder with whom they maintain a direct-billing account. Following acceptance of the customer's order, upon request DynaLock will inform the customer of the weight(s) and dimension(s) of the shipment. It is the customer's responsibility to inform DynaLock of the carrier/forwarder they wish to utilize for the shipment, by whom they will be direct-billed for the international shipping

charges.

Routing, Receipt & Order Acceptance:

Electronically-transmitted customer orders must be routed via fax (860-585-0338) or via e-mail (orders@dynalock.com), and are subject to final acceptance by the DynaLock Customer Service/Order Entry Department. Accepted orders are normally acknowledged within 24 hours. Its the purchaser's responsibility to confirm successful electronic transmission and receipt of their orders by DynaLock Corp. and verify the accuracy of the order acknowledgment. DynaLock assumes no

liability for lost or incorrectly routed, electronically-transmitted orders.

ACH & Wire Transfer Service Fees:

Service fees will apply to all orders where customer payment is made by ACH or Wire Transfer. For more information on specific fees, please contact the DynaLock Customer Service Department.

Claim and Notice of Non-Conformity:

Goods must be inspected promptly. Claims relating to nonconformity of goods or shipments must be reported within (10) business days following receipt of goods. All notices and claims must include Purchaser's order number and DynaLock's invoice number. Unless written notice of a claim of nonconformity is given within such 10-day period, the claim may be disregarded. DynaLock's liability for any nonconformity in goods or shipment is expressly limited to replacement of the goods or goods of equal value, together with transportation charges, if any, incurred by Purchaser. PURCHASER SHALL NOT BE ENTITLED TO CLAIM CONSEQUENTIAL DAMAGES FOR ANY NONCONFORMITY OR DEFECT IN THE GOODS.

Cancellation Charges:

Purchase orders and/or items cancelled more than 48 hours after factory acknowledgement are subject to a **35%** cancellation charge.

Product Changes:

DynaLock continuously endeavors to improve and update its products. It reserves the right to discontinue models and/or features, change design specifications, materials, components, manufacturing processes, etc., at any time, without prior notice and without incurring any obligations for products/models manufactured prior to any changes.

Returns:

Returns will not be accepted without prior approval and a RMA number (Return Authorization) issued by DynaLock's Customer Service Department. Products returned for credit are subject to a **restocking charge of 35%**. Additional charges may be imposed if return is damaged. Purchaser must provide invoice number and information regarding original date of shipment with all returned goods. Any credit issued must be applied to open or future invoices. **Cash refunds will not be issued**. Credits not redeemed within one calendar year of issuance will be written-off. Acceptance of products returned for credit, which are more than one year-old, will be solely at DynaLock's discretion. Custom products, e.g. consoles, custom length housings, special finished products cannot be returned for credit. Electrically or mechanically altering any product(s) without specific written consent, instructions and/or component parts supplied by DynaLock Corp. voids the DynaLife® *PLUS* Lifetime Warranty and renders such returned product(s) ineligible for credit.

Engineering Charges:

Engineering charges will be discussed, negotiated and estimated prior to any actual engineering services being performed. DynaLock will not be responsible or bound for estimates or preliminary discussions by telephone. Firm estimates will only be given after submittal of specifications, drawings and theory of operation.

Taxes:

Purchaser is responsible for all taxes or charges in lieu of taxes now or hereafter imposed on the sale or transportation of goods purchased, except for income or similar taxes imposed on DynaLock.

Governing Law:

The rights and obligations of DynaLock and Purchaser shall be governed by and construed in accordance with the laws of the State of Connecticut.

No Modification:

These terms and conditions of sale cannot be modified or amended without DynaLock's consent. DynaLock shall not be bound by the terms or conditions of any purchase order, order acknowledgment or other form submitted by Purchaser unless DynaLock has consented in writing to such terms.

Electromagnetic Lock Performance:

DynaLock electromagnetic lock holding force ratings are stated at peak performance ($\pm 10\%$), under proper mounting and optimum input power conditions.

Cost and Expenses:

In the event DynaLock incurs any expenses in connection with the enforcement of the Purchaser's obligations under this order, DynaLock shall be entitled to collect such costs, including reasonable attorney's fees from the Purchaser in connection therewith.

Prices Effective June 1, 2023 Tel: 1.877.DYNALOCK Page 4 Fax: 1.860.585.0338 © 2023 DynaLock Corp.

Electromechanical Locks



| 1300 SERIES | 1300 SERIES MORTISE ELECTRIC DEADBOLT | | | | |
|-------------|---------------------------------------|---|------------|--|--|
| Part # | Options | Description | List Price | | |
| 1300 | | Mortise Electric Deadbolt, 12/24 VAC/VDC | \$527.00 | | |
| | ARSB | Auto-Relock Switch, Ball Type | \$69.00 | | |
| | ARSM | Auto-Relock Switch, Concealed | \$69.00 | | |
| | BPS | Bolt Position Switch | \$69.00 | | |
| | DPSB | Door Position Switch, Ball Type | \$69.00 | | |
| | DPSM | Door Position Switch, Concealed | \$69.00 | | |
| | MB | Mounting Brackets (4 Pcs.) | 32.00 | | |
| 1400 SERIES | CABINET LO | CKS | | | |
| 1410 | | Cabinet Lock, 12/24 VDC | \$129.00 | | |
| 1420 | | Cabinet Lock, 12/24 VDC, Dual Monitoring Output | \$183.00 | | |
| | | | | | |

Electrified Locksets



| Options | | | |
|-------------|---|--|---|
| Options | Description | | List Price |
| | Lockset, Storeroom Function, 12/24 VAC/VDC, 626 (US26D) Finish | | 430.0 |
| EL | Electrically Locked (Fail-Safe) Lock Mode | | N/ |
| EU | Electrically Unlocked (Fail-Secure) Lock Mode | | N/ |
| REX | Request to Exit Monitor Switch | | \$76.0 |
| 613 | Dark Bronze (US10B) Special Finish ¹ | | N/ |
| 625 | , , , | | N/ |
| 605 | Bright Brass (US3) Special Finish ¹ | | N/ |
| Accessory | | | + |
| <u> </u> | Request to Exit Monitor Switch Field Upgrade Kit - Cylindrical | | \$108.0 |
| TAZZA GITO | request to Externolition officer richa opgrade file offiniaried | | 1 4100.0 |
| Notes: | 1. Not stocked. Consult factory for availability & lead time. | | |
| ELECTRIFIED | MORTISE LOCKSETS | | |
| | Lockset, Storeroom Function, 12/24 VAC/VDC, 626 (US26D) Finish | | \$589.0 |
| | Lockset, Institutional Function, 12/24 VAC/VDC, 626 (US26D) Finish | | \$635.0 |
| | Lockset, Classroom Function, 12/24 VAC/VDC, 626 (US26D) Finish | | \$615.0 |
| | Lockset, Privacy w/Deadbolt Function, 12/24 VAC/VDC, 626 (US26D) Finish | | \$685.0 |
| | Lockset, Entry w/Deadbolt Function, 12/24 VAC/VDC, 626 (US26D) Finish | | \$635.0 |
| EL | Electrically Locked (Fail-Safe) Lock Mode ² | | N, |
| EU | Electrically Unlocked (Fail-Secure) Lock Mode | | N, |
| CH | Chassis/Only (No Trim) | Deduct | (\$220.0 |
| REX | Request to Exit Monitor Switch | | \$76.0 |
| LBM | Latchbolt Monitor Switch ¹ | | \$96.0 |
| DPS | Door Position Sensor Switch 1 | | \$96.0 |
| DBM | Deadbolt Monitor Switch 1,3 | | \$96.0 |
| 613 | Dark Bronze (US10B) Special Finish 1,4 | | N, |
| 625 | Bright Chrome (US26) Special Finish 1,4 | | N, |
| 605 | Bright Brass (US3) Special Finish 1, 4 | | N, |
| <u> </u> | | | |
| | | | 1 100 |
| REXKITM | Request to Exit Monitor Switch Field Upgrade Kit - Mortise | | \$96.0 |
| Notes: | Not stocked. Consult factory for availability & lead time. | | + |
| | 2. EL (Fail Safe) Locking Mode not available on EML-4. | | 1 |
| | 3. DBM Option available on EML-4 & EML-5 Models only. | | |
| | 4. Not available with CH Option. | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | EU REX 613 625 605 Accessory REXKITC Notes: ELECTRIFIED EL EU CH REX LBM DPS DBM 613 625 | EL Electrically Locked (Fail-Safe) Lock Mode EU Electrically Unlocked (Fail-Secure) Lock Mode REX Request to Exit Monitor Switch 613 Dark Bronze (US10B) Special Finish ¹ 625 Bright Chrome (US26) Special Finish ¹ 605 Bright Brass (US3) Special Finish ¹ Accessory REXKITC Request to Exit Monitor Switch Field Upgrade Kit - Cylindrical Notes: 1. Not stocked. Consult factory for availability & lead time. ELECTRIFIED MORTISE LOCKSETS Lockset, Storeroom Function, 12/24 VAC/VDC, 626 (US26D) Finish Lockset, Institutional Function, 12/24 VAC/VDC, 626 (US26D) Finish Lockset, Privacy w/Deadbolt Function, 12/24 VAC/VDC, 626 (US26D) Finish Lockset, Privacy w/Deadbolt Function, 12/24 VAC/VDC, 626 (US26D) Finish Lockset, Entry w/Deadbolt Function, 12/24 VAC/VDC, 626 (US26D) Finish Lockset, Entry w/Deadbolt Function, 12/24 VAC/VDC, 626 (US26D) Finish Lockset, Entry w/Deadbolt Function, 12/24 VAC/VDC, 626 (US26D) Finish Lockset, Entry w/Deadbolt Function, 12/24 VAC/VDC, 626 (US26D) Finish Lockset, Entry w/Deadbolt Function, 12/24 VAC/VDC, 626 (US26D) Finish Lockset, Institutional Function, 12/24 VAC/VDC, 626 (US26D) Finish Lockset, Privacy w/Deadbolt Function, 12/24 VAC/VDC, 626 (US26D) Finish Lockset, Institutional Function, 12/24 VAC/VDC, 626 (US26D) Finish Lockset, Privacy w/Deadbolt Function, 12/24 VAC/VDC, 626 (US26D) Finish Lockset, Institutional Function, 12/24 VAC/VDC, 626 (US26D) Finish Lockset, Privacy w/Deadbolt Function, 12/24 VAC/VDC, 626 (US26D) Finish Lockset, Privacy w/Deadbolt Function, 12/24 VAC/VDC, 626 (US26D) Finish Lockset, Privacy w/Deadbolt Function, 12/24 VAC/VDC, 626 (US26D) Finish Lockset, Privacy w/Deadbolt Function, 12/24 VAC/VDC, 626 (US26D) Finish Lockset, Privacy w/Deadbolt Function, 12/24 VAC/VDC, 626 (US26D) Finish Lockset, Privacy w/Deadbolt Function, 12/24 VAC/VDC, 626 (US26D) Finish Lockset, Privacy w/Deadbolt F | EL Electrically Locked (Fail-Safe) Lock Mode EU Electrically Unlocked (Fail-Secure) Lock Mode REX Request to Exit Monitor Switch 613 Dark Bronze (US10B) Special Finish ¹ 625 Bright Chrome (US26) Special Finish ¹ 605 Bright Brass (US3) Special Finish ¹ Accessory REXKITC Request to Exit Monitor Switch Field Upgrade Kit - Cylindrical Notes: 1. Not stocked. Consult factory for availability & lead time. ELECTRIFIED MORTISE LOCKSETS Lockset, Storeroom Function, 12/24 VAC/VDC, 626 (US26D) Finish Lockset, Institutional Function, 12/24 VAC/VDC, 626 (US26D) Finish Lockset, Classroom Function, 12/24 VAC/VDC, 626 (US26D) Finish Lockset, Privacy w/Deadbolt Function, 12/24 VAC/VDC, 626 (US26D) Finish Lockset, Firmy w/Deadbolt Function, 12/24 VAC/VDC, 626 (US26D) Finish EL Electrically Locked (Fail-Safe) Lock Mode EU Electrically Unlocked (Fail-Secure) Lock Mode CH Chassis/Only (No Trim) Deduct REX Request to Exit Monitor Switch LBM Latchbolt Monitor Switch ¹ DPS Door Position Sensor Switch ¹ DPS Door Position Sensor Switch ¹ DBM Deadbolt Monitor Switch ¹ DBA Deadbolt Monitor Switch ¹ DBA Dark Bronze (US10B) Special Finish ¹.⁴ 625 Bright Chrome (US26) Special Finish ¹.⁴ 605 Bright Brass (US3) Special Finish ¹.⁴ Accessory REXKITM Request to Exit Monitor Switch Field Upgrade Kit - Mortise Notes: 1. Not stocked. Consult factory for availability & lead time. 2. EL (Fail Safe) Locking Mode not available on EML-4. 3. DBM Option available on EML-4 & EML-5 Models only. |

Electrified Hardware



| ETU 1 / ETM | 1 ENERGY TE | DANICED LINCES | | |
|---------------------|-------------|---|----------------|------------------|
| | | RANSFER HINGES | | Duine |
| Part # ETH-1 | Options | Description Energy Transfer Hinge, 626 (US26D) Finish | | Price |
| ETM-1 | | Energy Transfer Monitor Hinge, 626 (US26D) Finish ¹ | | 190.00 317.00 |
| C11 _M -1 | | Energy transfer Monitor Hinge, 626 (0326D) Finish - | , p3 | 317.00 |
| | 2W | 2 Wires (20 Ga.) For Electric Locks, Exit Trim & Strikes | | N/C |
| | 4W | 4 Wires (26 Ga.) For Electric Locks, Exit Trim & Strikes | | N/C |
| | 613 | Dark Bronze (US10B) Special Finish ¹ | | N/C |
| | 625 | Bright Chrome (US26) Special Finish ¹ | | N/C |
| | 605 | Bright Brass (US3) Special Finish ¹ | | N/C |
| | Notoci | 1. Not stocked Consult factors for availability & load time | | |
| EMV_VON M | | 1. Not stocked. Consult factory for availability & lead time. TCH PULLBACK KIT | | |
| EMK-VON M | | | | 192.00 |
| EIMK-VOIN | | Motorized Latch Pullback Kit, For Von Duprin33/35 & 98/99 Series | \$1 | 182.00 |
| | Accessory | | | |
| | EMKREX | Request to Exit Monitor Switch Upgrade Kit | \$1 | 108.00 |
| | | | | |
| | | | | |
| | İ | | | |
| | İ | | | |
| | İ | | | |
| | | | | |
| | İ | | | |
| | 1 | | | |
| | i | | | |
| | İ | | | |
| | 1 | | | |
| | i | | | |
| | İ | | | |
| | İ | | | |
| | 1 | | | |
| | İ | | | |
| | i | | | |
| | i | | | |
| | 1 | | | |
| | 1 | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |



| 000 SEKTES | 1200 LB. ELE | CTROMAGNETIC LOCKS | | |
|------------|--------------|---|---------------|-----------|
| Part # | Options | Description | | List Pric |
| 2011 | | Single/Outswing Lock, 12/24 VAC/VDC | | \$550. |
| 2012 | | Single Pair/Outswing Lock, 12/24 VAC/VDC | | \$613. |
| 2011-390 | | Locknetics 390+ Exact Retrofit, 12/24 VAC/VDC | | \$550.0 |
| 2022 | | Double/Outswing Lock, 12/24 VAC/VDC | | \$1,100. |
| 2022-392 | | Locknetics 392+ Exact Retrofit, 12/24 VAC/VDC | | \$1,100. |
| 2011TJ20 | | Single/Inswing Lock, 12/24 VAC/VDC | | \$705. |
| 2012TJ21 | | Single Pair/Inswing Lock, 12/24 VAC/VDC | | \$848. |
| 2022TJ22 | | Double/Inswing Lock, 12/24 VAC/VDC | | \$1,410. |
| | DSM | Door Status Switch ¹ | | \$74. |
| | DSM2 | Door Status Switch - 2022 Series | | \$147. |
| | HSM | High Security Monitor - Includes DSM and Dynastat Force Sensor ¹ | | \$124.0 |
| | HSM2 | High Security Monitor - 2022 Series | | \$249. |
| | VOP | Value Option Package - Includes DSM, Dynastat and Anti-tamper Switch ¹ | | \$210. |
| | VOP2 | Value Option Package - 2022 Series | | \$420. |
| | CLH | Custom Length Housing - See page 12 | İ | |
| | LCB | Basic Lock / Less Circuit Board ² | Single Deduct | (\$27.0 |
| | | | Double Deduct | (\$50.0 |
| | LED | Bi-Color LED - For local signaling of lock status. Requires HSM or VOP 1,4 | İ | \$47. |
| | LED2 | Bi-Color LED's (2) - 2022 Series. Requires HSM2 or VOP2 4 | | \$95. |
| | LP | Low Power Coil - 12V only @ .16 Amps (Single Lock) 3 | | \$18. |
| | LP2 | Low Power Coils - 12V only @ .32 Amps (Double Lock) | İ | \$35.0 |
| | OFA | Offset Armature - For narrow stile storefront doors. Ordered with lock. | İ | N |
| | SF | Special Finish - Standard finish US28. Special finishes see page 26 | | |
| | | | İ | |
| | Notes: | 1. DSM, HSM, VOP and LED Options not available on the 2012 Series. | İ | |
| | | 2. DSM, HSM, VOP and LED Options not available with the LCB Option. | | |
| | | 3. LP Option may not be combined with the HSM or VOP Options. | İ | |
| | İ | 4. LED/LED2 Options not unavailable on TJ Models. | | |
| 013 SERIES | 1200 LB. ELE | CTROMAGNETIC GATE LOCK | | |
| 2013 | | Single Gate Lock, 12/24 VDC | | \$577. |
| | DYN | Dynastat Force Sensor - Indicates efficient magnetic bond. | İ | 88. |
| | GLB | Gate Lock Bracket - Adjustable "Z" bracket for swinging gate applications. | İ | \$152. |
| | GLB2 | Gate Lock Bracket - "L" brackets for sliding gate applications. | | \$187. |
| | RWE | Rear Wire Exit - Lock wiring exits from back of housing. | İ | N |
| | SF | Special Finish - Standard finish US28. Special finishes see page 26 | | |
| | 7088 | Pre-Wired Rectifier Bridge, for 12/24 VAC operation. | | \$31. |
| 513 SERIES | | -MAG GATE LOCK | | |
| 2513 | | Single Mini Gate Lock - 12/24 VDC | | \$501. |
| | DYN | Dynastat Force Sensor - Indicates efficient magnetic bond. | | \$88. |
| | GLBM | Mini Gate Lock Bracket - Adjustable "Z" bracket for most gate applications. | | \$160. |
| | SF | Special Finish - Standard finish US28. Special finishes see page 26 | <u> </u> | 1 |
| | 7088 | Pre-Wired Rectifier Bridge, for 12/24 VAC operation. | | \$31. |



| Part # | Options | Description | | List Price |
|-------------|--|---|---------------|------------|
| 2050 | Орсіонз | Locknetics 350+ Exact Retrofit | | \$645.0 |
| 2250 | | Locknetics 352+ Exact Retrofit | + | \$1,287.0 |
| | DSM | Door Status Switch ¹ | 1 | \$74.0 |
| | DSM2 | Door Status Switch - 2250 Series | | \$147.0 |
| | HSM | High Security Monitor - Includes DSM and Dynastat Force Sensor ¹ | | \$124.0 |
| | HSM2 | High Security Monitor - 2250 Series | İ | \$249.0 |
| | LCB | Basic Lock / Less Circuit Board | Single Deduct | (\$27.00 |
| | | | Double Deduct | (\$50.00 |
| | LED | Bi-Color LED - For local signaling of lock status. Requires HSM or VOP 1 | İ | \$47.0 |
| | LED2 | Bi-Color LED's (2) - 2250 Series. Requires HSM2 or VOP2 | | \$95.0 |
| | SF | Special Finish - Standard finish US28. Special finishes see page 26 | | |
| | ĺ | | | |
| | Notes: | 1. DSM, HSM and LED Options not available with the LCB Option. | | |
| 2101 SERIES | 1200 LB. EAR | LY WARNING LOCK | · | |
| 2101 | | Single/Outswing Early Warning Lock, 12/24 VDC | | \$717.0 |
| | SF | Special Finish - Standard finish US28. Special finishes see page 26 | | |
| | 7088 | Pre-Wired Rectifier Bridge, for 12/24 VAC operation. | | \$31.00 |
| 2511-EWT 65 | 0 LB. EARLY \ | WARNING LOCK | | |
| 2511-EWT | | Single/Outswing Early Warning Mini Lock, 12/24 VDC | | \$630.0 |
| | DYN | Dynastat Force Sensor - Indicates efficient magnetic bond. | | \$88.0 |
| | LED | Bi-Color LED - For local signaling of lock status. Requires DYN | | \$47.0 |
| | SF | Special Finish - Standard finish US28. Special finishes see page 26 | | |
| | 7088 | Pre-Wired Rectifier Bridge, for 12/24 VAC operation. | | \$31.0 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | 1 | |



| 2300 SEKIES (| DOU LD. MITHI | AND BANTAM MINI ELECTROMAGNETIC LOCKS | |
|---------------|---------------|--|-----------|
| Part # | Options | Description | List Pric |
| 2511 | | Single/Outswing Mini Lock, 12/24 VDC | \$458.0 |
| 2522 | | Double/Outswing Mini Lock, 12/24 VDC | \$916.0 |
| 2511TJ | | Single/Inswing Mini Lock, 12/24 VDC | \$566.0 |
| 2522TJ2 | | Double/Inswing Mini Lock, 12/24 VDC | \$1,132.0 |
| 2585 | | Single/Outswing Bantam Mini Lock, 12/24 VDC | \$445.0 |
| 2585-TJ85 | | Single/Inswing Bantam Mini Lock, 12/24 VDC | \$553.0 |
| | ATS | Anti-Tamper Switch - Signals removal of housing cover. (N/A on 2585 Series) | \$60.0 |
| | CLH | Custom Length Housing - See page 9. (N/A on 2585 Series) | |
| | DSM | Door Status Switch | \$74.0 |
| | DSM2 | Door Status Switch - 2522 Series. | \$147.0 |
| | DYN | Dynastat Force Sensor - Indicates efficient magnetic bond. | \$88.0 |
| | DYN2 | Dynastat Force Sensor - 2522 Series. | \$178.0 |
| | LED | Bi-Color LED - 2511 Series, for local signaling of lock status. Requires DYN | \$47.0 |
| | LED2 | Bi-Color LED's (2) - 2522 Series. Requires DYN2 | \$95.0 |
| | SF | Special Finish - Standard finish US28. Special finishes see page 26 | |
| | 7088 | Pre-Wired Rectifier Bridge, for 12/24 VAC operation. | \$31.0 |
| | | | |
| | Notes: | 1. LED/LED2 Options not unavailable on 2585 Series and TJ Models. | |
| 2268 SERIES 1 | 1200 LB. CLA | SSIC LOW PROFILE LOCKS | |
| 2268-10 | | Single/Outswing Lock, 12/24 VDC | \$670.0 |
| 2268-10-DSE | | Single/Outswing Lock, 24 VDC, With DYN Option | \$759.0 |
| 2268-15 | | Single Pair/Outswing Lock, 12/24 VDC | \$737.0 |
| 2268-20-DSE | | Double/Outswing Lock, 24 VDC, With DYN2 Option | \$1,530.0 |
| 2268-20 | | Double/Outswing Lock, 12/24 VDC | \$1,340.0 |
| 2268-TJ10 | | Single/Inswing Lock, 12/24 VDC | \$815.0 |
| 2268-TJ20 | | Double/Inswing Lock, 12/24 VDC | \$1,629.0 |
| | ATS | Anti-Tamper Switch - Signals removal of housing cover. | \$60.0 |
| | DSM | Door Status Switch ¹ | \$74.0 |
| | DSM2 | Door Status Switch - 2268-20 Series | \$147.0 |
| | DYN | Dynastat Force Sensor - Indicates efficient magnetic bond. ¹ | \$88.0 |
| | DYN2 | Dynastat Force Sensor - 2268-20 Series | \$178.0 |
| | LED | Bi-Color LED - For local signaling of lock status. Requires DYN ¹ | \$47.0 |
| | LED2 | Bi-Color LED's (2) - 2268-20 Series. Requires DYN | \$95.0 |
| | SF | Special Finish - Standard finish US28. Special finishes see page 26 | |
| | TD | Relock Time Delay, 1-60 seconds. 2268-10 and 2268-15 only. | \$95.0 |
| | TD2 | Relock Time Delay, 1-60 seconds. 2268-20 only. | \$178.0 |
| | 7088 | Pre-Wired Rectifier Bridge, for 12/24 VAC operation. | \$31.0 |
| | | | l |



| Daret # | Ontions | Description | | List Pric |
|--------------------|------------|--|---------------|-------------------|
| Part # 2280 | Options | Description Single/Outswing Lock, 12/24 VAC/VDC | | \$710.0 |
| 2282 | | Double/Outswing Lock, 12/24 VAC/VDC | <u> </u> | \$1,418.0 |
| 2282 2280TJ80 | | | - | \$1,410. |
| 2282TJ82 | | Single/Inswing Lock, 12/24 VAC/VDC Double/Inswing Lock, 12/24 VAC/VDC | - | \$1,737. |
| 22021302 | DSM | Door Status Switch ¹ | - | \$1,737. \$74. |
| | DSM2 | Door Status Switch - 2282 Series | | \$147. |
| | HSM | High Security Monitor - Includes DSM and Dynastat Force Sensor ¹ | - | \$147. |
| | HSM2 | High Security Monitor - 2282 Series | | \$249. |
| | LCB | Basic Lock / Less Circuit Board | Single Deduct | (\$27.0 |
| | LCB | basic Lock / Less Circuit Board | Double Deduct | |
| | LED | Bi-Color LED - For local signaling of lock status. Requires HSM or VOP ^{1, 2} | Double Deduct | (\$50.0 \$47. |
| | LED2 | Bi-Color LED's (2) - 2250 Series. Requires HSM2 or VOP2 2 | <u> </u> | \$95 |
| | SF | Special Finish - Standard finish US28. Special finishes see page 26 | |) \$93 |
| | 35 | Special Fillish - Standard Illish 0526. Special Illishes see page 20 | - | |
| | Notes: | DSM, HSM and LED Options not available with the LCB Option. | 1 | |
| | Notes. | 2. LED/LED2 Options unavailable on TJ Models. | + | |
| OU CEDIEC | 650 LR MOD | TISE MINI LOCK | | |
| 2600 | | Mortise Mini Lock | T | \$469 |
| 2000 | AMB | Armature Mounting Block | | \$73 |
| | DYN | Dynastat Force Sensor - Indicates efficient magnetic bond. | | \$88 |
| | MB | Mounting Brackets (2 pcs.) | | \$31 |
| | SF | Special Finish - Standard finish US28. Special finishes see page 26 | | \$31 |
| | 7088 | Pre-Wired Rectifier Bridge, for 12/24 VAC operation. | + | \$31 |
| | 7000 | Pre-wired Rectifier Bridge, for 12/24 VAC operation. | | \$31 |
| | | | | |
| | | | | |
| | | | | |
| | ļ | | ļ | |
| | | | | |
| | | | | |
| | ļ | | ļ | |
| | | | | |
| | ļ | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Electromagnetic Door Holders Custom Length Housings



| Part # | Options | Description | List Price |
|---------|-------------|---|------------|
| 2801 | | Floor Mount, Single Door | \$358. |
| 2802 | | Floor Mount, Double Door | \$450. |
| 2803 | | Flush Wall Mount, 1" Extended Armature | \$210. |
| 2804 | | Flush Wall Mount, Standard Armature | \$193. |
| 2805 | | Surface Wall Mount | \$220. |
| 2806 | | Low-Profile Wall Mount | \$210. |
| 2810 | | Surface Wall Mount, 400 Lb. Holding Force | \$555. |
| 2860 | | Accessory, Replacement Door Armature & Base | \$93 |
| 2861 | | Accessory, Armature Extension, 1/2" | \$17 |
| 2862 | | Accessory, Armature Extension, 3/4" | \$17 |
| 2863 | | Accessory, Armature Extension, 1" | \$17 |
| 2864 | | Accessory, Armature Extension, 2" | \$27 |
| 2865 | | Accessory, Armature Extension, 4" | \$41 |
| 2866 | | Accessory, Armature Extension, 6" | \$58 |
| 2870 | | Accessory, Armature Swivel Extension | \$35 |
| TOM LEN | GTH HOUSING | GS FOR ELECTROMAGNETIC LOCKS | |
| 3500 | | CLH - LHR 30" to 48" Single Horizontal Lock - Single Door. Full Size. | \$783 |
| 3550 | | CLH - LHR 30" to 48" Single Horizontal Lock - Single Door. Mini. | \$783 |
| 3600 | | CLH - RHR 30" to 48" Single Horizontal Lock - Single Door. Full Size. | \$783 |
| 3650 | | CLH - RHR 30" to 48" Single Horizontal Lock - Single Door. Mini. | \$783 |
| 3700 | | CLV to 96" Two Vertical Locks - Single Door. Full Size. | \$970 |
| 3750 | | CLV to 96" Two Vertical Locks - Single Door. Mini. | \$970 |
| 3800 | | CLV to 96" Two Horizontal Locks - Double Door. Full Size. | \$970 |
| 3850 | | CLV to 96" Two Horizontal Locks - Double Door. Mini. | \$970 |
| | 1 | | |
| | Notes: | 1. Pricing is for Housing only. Lock(s) must be ordered separately. | |
| | | 2. Standard Finish US28. For special finishes see page 26 | |
| | | 3. Consult factory for special lengths or modifications to standard housings. | |
| | 1 | | |
| | | | |
| | 1 | | |
| | 1 | | |
| | | | |
| | | | |
| | İ | | |
| | | | |
| | | | |
| | <u> </u> | | <u> </u> |
| | <u> </u> | | |
| | | | |



| 000 SERIES | 1500 LB. ELE | CTROMAGNETIC LOCKS | | |
|------------|--------------|---|---------------|------------|
| Part # | Options | Description | | List Price |
| 3000 | | Single/Outswing Lock, 12/24 VAC/VDC | | \$597.0 |
| 3001 | | Single Pair/Outswing Lock, 12/24 VAC/VDC | | \$658.0 |
| 3002 | | Double/Outswing Lock, 12/24 VAC/VDC | | \$1,193.0 |
| 3000TJ30 | | Single/Inswing Lock, 12/24 VAC/VDC | | \$721.0 |
| 3001TJ31 | | Single Pair/Inswing Lock, 12/24 VAC/VDC | | \$782.0 |
| 3002TJ32 | | Double/Inswing Lock, 12/24 VAC/VDC | | \$1,441.0 |
| | DSM | Door Status Switch ¹ | | \$74.0 |
| | DSM2 | Door Status Switch - 3002 Series | | \$147.0 |
| | HSM | High Security Monitor - Includes DSM and Dynastat Force Sensor ¹ | | \$124.0 |
| | HSM2 | High Security Monitor - 3002 Series | | \$249.0 |
| | VOP | Value Option Package - Includes DSM, Dynastat and Anti-tamper Switch 1 | | \$210.0 |
| | VOP2 | Value Option Package - 3002 Series | | \$420.0 |
| | CLH | Custom Length Housing - See page 12 | | |
| | LC | A 3000 Series coil assembly supplied in a 2000 Series multi-piece housing. | | N/0 |
| | | Specify "LC" after any 3000 Series model number. | | |
| | LCB | Basic Lock / Less Circuit Board ² | Single Deduct | (\$27.00 |
| | | | Double Deduct | (\$50.00 |
| | LED | Bi-Color LED - For local signaling of lock status. Requires HSM or VOP 1, 4 | | \$47.0 |
| | LED2 | Bi-Color LED's (2) - 3002 Series. Requires HSM2 or VOP2 ⁴ | | \$95.0 |
| | LP | Low Power Coil - 12V only @ .16 Amps (Single Lock) ³ | | \$18.0 |
| | LP2 | Low Power Coils - 12V only @ .32 Amps (Double Lock) | | \$35.0 |
| | OFA | Offset Armature - For narrow stile storefront doors. Ordered with lock. | | N/ |
| | SF | Special Finish - Standard finish US28. Special finishes see page 26 | | |
| | Notes: | 1. DSM, HSM, VOP and LED Options not available on the 3001 Series. | | |
| | | 2. DSM, HSM, VOP and LED Options not available with the LCB Option. | | |
| | | 3. LP Option may not be combined with the HSM or VOP Options. | | |
| | | 4. LED/LED2 Options unavailable on TJ Models. | | |

Delayed Egress Systems



| 3101C SERIES | 1500 LB. DE | LAYED EGRESS SYSTEM (GENERATION II) | |
|----------------|-------------|---|------------|
| Part # | Options | Description | List Price |
| 3101C-G2 | | Single/Outswing Delayed Egress Lock (Gen II) | \$1,530.00 |
| 3121C-G2 | | Double/Outswing Delayed Egress lock (Gen II) | \$2,420.00 |
| 3121C2-G2 | | Tandem Pair Double/Outswing Delayed Egress Lock (Gen II) | \$2,455.00 |
| 3101C-TJ101-G2 | | Single/Inswing Delayed Egress Lock Kit (Gen II) | \$1,944.00 |
| | AAO | Auxiliary Alarm Output - Secondary delayed egress alarm output. SPDT | \$88.00 |
| | ATS | Anti-Tamper Switch - Signals removal of housing cover. | \$60.00 |
| | ATS2 | Anti-Tamper Switch - For the 3121C and 3121C2. | \$121.00 |
| | BPM | Bypass Monitor - Signals bypass keyswitch activation ¹ | \$74.00 |
| | DSM | Door Status Switch | \$74.00 |
| | DSM2 | Door Status Switch - For the 3121C & 3121C2. | \$147.00 |
| | DYN | Dynastat Force Sensor - Indicates efficient magnetic bond. | \$88.00 |
| | DYN2 | Dynastat Force Sensor - For the 3121C and 3121C2. | \$178.00 |
| | ETR | Egress Sensor Omitted - For externally triggered egress. | N/C |
| | KSO | Keyswitch Omitted - Suggested for door heights over 8 ft ³ | \$29.00 |
| | LP | Low Power Coil - 12V only @ .40 Amps (Single Lock) ² | \$18.00 |
| | LP2 | Low Power Coils - 12V only @ .72 Amps (Double Lock) | \$35.00 |
| | SF | Special Finish - Standard finish US28. Special finishes see page 26 | |
| | | BUILDING CODE SOFTWARE OPTIONS (FACTORY INSTALLED) | |
| | BOCA | For operation in compliance with BOCA Code. | N/C |
| | UBC | For operation in compliance with UBC Code. | N/C |
| | CHGO | For operation in compliance with Chicago Building Code. | N/C |
| | | | |
| | Notes: | BPM Option may not be combined with the KSO Option. | |
| | | 2. LP Option may not be combined with the DYN Option. | |
| | | 3. KSO is standard on the 3101C-TJ101. | |
| 3101C SERIES | 1500 LB DEI | LAYED EGRESS SYSTEM (FIRST GENERATION LEGACY VERSION) | |
| 3101C | | Single/Outswing Delayed Egress Lock | \$1,653.00 |
| 3121C | | Double/Outswing Delayed Egress lock | \$2,542.00 |
| 3121C2 | | Tandem Pair Double/Outswing Delayed Egress Lock | \$2,577.00 |
| 3101C-TJ101 | | Single/Inswing Delayed Egress Lock Kit | \$2,066.00 |
| | | **All above are available with same Options as in GENERATION II** | |
| 3101C-ES SER | IES REMOTE | DELAYED EGRESS CONTROLLERS | |
| 3101C-ES | | Indoor Delayed Egress Controller, in 15"x12"x4" Steel Enclosure | \$946.00 |
| 3101C-R | | Outdoor/Weatherproof Delayed Egress Controller, in 12"x12"x4" | \$1,297.00 |
| | | Weatherproof Enclosure, with External Weatherproof Horn | |
| COMMON REP | LACEMENT IT | | , |
| 300477 | | 'PUSH' Door Sign, 15 second delay verbiage | \$45.00 |
| 300478 | | 'PUSH' Door Sign, 30 second delay verbiage | \$45.0 |
| 301393 | | Egress Sensor Adjustment Wheel Kit | \$48.00 |
| 301424 | | 'PULL' Door Sign, 15 second delay verbiage (3101C-TJ101/3101C-TJ101-G2) | \$45.00 |
| 301556 | | Mounting Hardware Kit, 3101C-G2 | \$81.00 |

Mounting Accessories



| GATE LOCK BRACKETS | | | | | |
|--------------------|------------|--|------------|--|--|
| Part # | Options | Description | List Price | | |
| GLB | | Two-piece "Z" Bracket for Swinging Gates, 2013 Series | \$152.00 | | |
| GLB2 | | Two "L" Brackets for Sliding Gates, 2013 Series | \$187.00 | | |
| GLBM | | Two-piece "Z" Bracket, 2513 Series | \$160.00 | | |
| GLASS DOOR | BRACKETS | | | | |
| 4850 | | For Use With 2011, 2022*, 3000, 3002* | \$179.00 | | |
| 4852 | | For Use With 2012, 3001 | \$358.00 | | |
| 4854 | | For Use With 2511, 2522* | \$179.00 | | |
| 4855 | | For Use With 2585 | \$179.00 | | |
| 4856 | | For Use With 22268-10, 2268-20* | \$179.00 | | |
| 4858 | | For Use With 2268-15 | \$358.00 | | |
| 4880 | 1 | For Use With 2280, 2282* | \$179.00 | | |
| 4801 | ĺ | For Use With 3101 Series | \$179.00 | | |
| | 1 | * For Double Locks Order Two/Ea. | | | |
| MISCELLANE | ous | | · | | |
| 301000 | | 180 Piece Hardware Kit - 2000/3000 Series Commonly Used Hardware | \$179.00 | | |
| 301238 | | Hardware Kit, 3101 Series | \$163.00 | | |
| 4920 | | Metal Template for Model 2011 | \$195.00 | | |
| 4930 | İ | Metal Template for Model 3000 | \$340.0 | | |
| 4940 | | Metal Template for 3101B/3101C | \$212.00 | | |
| 4951 | | Concrete/Wood Bracket, For 2011/3000LC, 1-1/2"D x 1/2"H x 11"L | \$105.00 | | |
| TOP JAMB CO | NVERSION K | ITS | | | |
| TJ20 | | Converts 2011 to 2011TJ20 | \$195.00 | | |
| TJ21 | | Converts 2012 to 2012TJ21 | \$237.0 | | |
| TJ22 | ĺ | Converts 2012 to 2022TJ22 | \$372.0 | | |
| TJ25 | Ī | Converts 2511 to 2511TJ | \$157.0 | | |
| TJ27 | | Converts 2522 to 2522TJ2 | \$370.00 | | |
| TJ30 | 1 | Converts 3000 to 3000TJ30 | \$177.00 | | |
| TJ31 | | Converts 3001 to 3001TJ31 | \$210.00 | | |
| TJ32 | | Converts 3002 to 3002TJ32 | \$298.00 | | |
| TJ80 | | Converts 2280 to 2280TJ80 | \$164.0 | | |
| TJ82 | 1 | Converts 2280 to 2280TJ82 | \$331.0 | | |
| SPACER PLAT | ΓES | | | | |
| 4301 | 1 | For Use With 2011, 3000, 3101C | \$86.00 | | |
| 4302 | İ | For Use With 2511 | \$73.0 | | |
| 4303 | 1 | For Use With 2522 | \$82.0 | | |
| 4304 | 1 | For Use With 2585 | \$73.0 | | |
| 4305 | <u> </u> | For Use With 2268-10, 2268-15 | \$73.0 | | |
| 4306 | 1 | For Use With 2268-20 | \$82.0 | | |
| 4307 | 1 | For Use With 2280 | \$73.0 | | |
| 4308 | 1 | For Use With 2282 | \$82.0 | | |
| · · | Note: | | 1,1,1,1,1 | | |
| | 1 | All Spacer Plates are 1/2" thick and proper hardware packs are included. | | | |

Mounting Accessories



| FILLER PLATES / | SINGLE MAGLOCKS | | | | | |
|-----------------------|--------------------------|------------------------|-----------------------|----------------------|-----------------------|------------|
| Size Thk. x Length | 2000/3000/3101C (11") | 2268-10 / -15 (14") | 2511 (10-1/2") | 2585 (8-1/2") | 2280 (12-3/4") | List Price |
| 1/8" x 1-1/4" | 4011 | 4014 | 4010 | 4085 | 4080 | \$49.00 |
| 1/4" x 1-1/4" | 4111 | 4114 | 4110 | 4185 | 4180 | \$54.00 |
| 3/8" x 1-1/4" | 4211 | 4214 | 4210 | 4285 | 4280 | \$60.00 |
| 1/2" x 1-1/4" | 4311 | 4314 | 4310 | 4385 | 4380 | \$64.00 |
| 5/8" x 1-1/4" | 4411 | 4414 | 4410 | 4485 | 4480 | \$68.00 |
| 3/4" x 1-14" | 4441 | 4415 | 4430 | 4486 | 4448 | \$73.00 |

| FILLER PLATES / | DOUBLE MAGLOCKS | | | | | |
|-----------------------|--------------------------|------------------|-------------------|----------------------|------------|---------------------------------------|
| Size Thk. x Length | 2022/3002/3121C (22") | 2268-20 (28") | 2522 (21") | 2282 (25-1/2) | List Price | Custom Length L = Length (Specify) |
| 1/8" x 1-1/4" | 4022 | 4025 | 4020 | 4082 | \$64.00 | #4000-L \$58.00 Per. Ft. |
| 1/4" x 1-1/4" | 4122 | 4125 | 4120 | 4182 | \$70.00 | #4100-L \$58.00 Per. Ft. |
| 3/8" x 1-1/4" | 4222 | 4225 | 4220 | 4282 | \$73.00 | #4200-L \$58.00 Per. Ft. |
| 1/2" x 1-1/4" | 4322 | 4325 | 4320 | 4382 | \$75.00 | #4300-L \$60.00 Per. Ft. |
| 5/8" x 1-1/4" | 4422 | 4425 | 4420 | 4482 | \$77.00 | #4400-L \$60.00 Per. Ft. |
| 3/4" x 1-14" | 4442 | 4426 | 4450 | 4449 | \$84.00 | #4440-L \$60.00 Per. Ft. |

| ANGLE BRACKETS | ANGLE BRACKETS / SINGLE MAGLOCKS | | | | | | | | | |
|------------------------|----------------------------------|------------------------|-----------------------|----------------------|-----------------------|------------|--|--|--|--|
| Size Height x Depth | 2000/3000/3101C (11") | 2268-10 / -15 (14") | 2511 (10-1/2") | 2585 (8-1/2") | 2280 (12-3/4") | List Price | | | | |
| 1" x 1" | 4511 | 4514 | 4510 | 4585 | 4580 | \$68.00 | | | | |
| 1-1/2" x 1-1/2" | 4611 | 4614 | 4610 | 4685 | 4680 | \$75.00 | | | | |
| 1-1/2" x 2" | 4711 | 4714 | 4710 | 4785 | 4780 | \$96.00 | | | | |

| ANGLE BRACKETS | S/ DOUBLE MAGLOCKS | | | | | |
|------------------------|--------------------------|------------------|-------------------|----------------------|------------|---------------------------------------|
| Size Height x Depth | 2022/3002/3121C (22") | 2268-20 (28") | 2522 (21") | 2282 (25-1/2) | List Price | Custom Length L = Length (Specify) |
| 1" x 1" | 4522 | 4525 | 4520 | 4582 | \$81.00 | #4500-L \$58.00 Per. Ft. |
| 1-1/2" x 1-1/2" | 4622 | 4625 | 4620 | 4682 | \$105.00 | #4600-L \$58.00 Per. Ft. |
| 1-1/2" x 2" | 4722 | 4725 | 4720 | 4782 | \$117.00 | #4700-L \$58.00 Per. Ft. |

Power Supplies



| Part # | Options | Description | List Pric |
|------------|-------------|---|-----------|
| 5725 | | Power Supply/Charger, Selectable 12/24VDC Output at 1.5A Continuous, Dual Lock Outputs, Aux. Output and Supervised Fire Alarm Interface | \$349. |
| | BBU1-7 | Battery Back-up - 7AH @ 12VDC, 1 Battery. | \$125. |
| | BBU1-12 | Battery Back-up - 12AH @ 12VDC, 1 Battery. | \$160 |
| | BBU2-7 | Battery Back-up - 7AH @ 24VDC, 2 Batteries. | \$248 |
| | BBU2-12 | Battery Back-up - 12AH @ 24VDC, 2 Batteries. | \$331 |
| | PC | Power Cord - 6', 3-wire grounded line cord, w/NEMA 5-15P plug end. | \$45 |
| | TS1 | Single Tamper Switch - Monitors enclosure lid tamper. | \$16 |
| | TS2 | Dual Tamper Switches - Monitor lid and enclosure bottom tamper. | \$21 |
| 300 SERIES | POWER SUPI | PLY/CHARGERS | |
| 5800 | | Power Supply/Charger, Selectable 12/24VDC Output at 3A Continuous | \$432 |
| 5850 | | Power Supply/Charger, Selectable 12/24VDC Output at 3A Continuous, 4-Zone Distribution Controller with Supervised Fire Alarm Interface | \$551 |
| | BBU1-12 | Battery Back-up - 12AH @ 12VDC, 1 Battery. | \$160 |
| | BBU2-12 | Battery Back-up - 12AH @ 24VDC, 2 Batteries. | \$331 |
| | PC | Power Cord - 6', 3-wire grounded line cord, w/NEMA 5-15P plug end. | \$45 |
| | TS1 | Single Tamper Switch - Monitors enclosure lid tamper. | \$16 |
| | TS2 | Dual Tamper Switches - Monitor lid and enclosure bottom tamper. | \$21 |
| 000 SERIES | POWER SUPI | PLY/CHARGERS | |
| 5900 | | Power Supply/Charger, Selectable 12/24VDC Output at 6A Continuous | \$589 |
| 5950 | | Power Supply/Charger, Selectable 12/24VDC Output at 6A Continuous, 8-Zone Distribution Controller with Supervised Fire Alarm Interface | \$772 |
| | BBU1-12 | Battery Back-up - 12AH @ 12VDC, 1 Battery. | \$160 |
| | BBU2-12 | Battery Back-up - 12AH @ 24VDC, 2 Batteries. | \$331 |
| | PC | Power Cord - 6', 3-wire grounded line cord, w/NEMA 5-15P plug end. | \$45 |
| | TS1 | Single Tamper Switch - Monitors enclosure lid tamper. | \$16 |
| | TS2 | Dual Tamper Switches - Monitor lid and enclosure bottom tamper. | \$21 |
| ITERLOCK I | OGIC BOARD | ACCESSORY CONTROLLER | |
| 500259 | | Accessory Controller board with 4 independently triggerable 12/24VDC DPDT relays. May be used with Power Supplies to facilitate interlock sequencing of 2 or 3 magnetically locked doors. Self-adhesive tape mounting. Consult factory to determine system component requirements based on desired interlock sequence of operation. | \$144 |
| | OPEN TRANS | | |
| 5212 | | Open Transformer, 120VAC/12VAC, 2 Amp | \$101 |
| 5213 | | Open Transformer, 120VAC/12VDC, 2 Amp | \$128 |
| 5224 | | Open Transformer, 120VAC/24VAC, 2 Amp | \$101 |
| 5225 | | Open Transformer, 120VAC/24VDC, 2 Amp | \$128 |
| 300 SERIES | PLUG-IN TRA | ANSFORMERS | |
| 5312 | | Plug-in Transformer, 120VAC/12VAC, 3 Amp | \$51 |
| 5313 | | Plug-in Transformer, 120VAC/12VDC, 3 Amp | \$70 |
| 5324 | | Plug-in Transformer, 120VAC/24VAC, 1.5 Amp | \$51 |
| 5325 | | Plug-in Transformer, 120VAC/24VDC, 1.5 Amp | \$70 |



| 00 SERIES | MONITOR PA | ANELS | |
|-----------|------------|---|-----------|
| Part # | Options | Description | List Pric |
| 6010 | | One Bi-Color LED, Red/Green, 12/24 VDC, 1 Gang | \$85.0 |
| 6020 | | Two Bi-Color LED's, Red/Green, 12/24 VDC, 1 Gang | \$133. |
| | DBL-AUD | Two-gang faceplate with audible sounder, 1-28VDC. | \$34. |
| | NR | Narrow Faceplate - 1-3/4" wide, substitute. | \$13. |
| | SF | Special Finish - Standard finish US32D. Special finishes see page 236 | |
| 00 SERIES | PUSHBUTTO | NS | |
| 6115M | | One Pushbutton, 1 Gang, Momentary SPDT | \$107. |
| 6115A | | One Pushbutton, 1 Gang, Alternate-Action SPDT | \$109. |
| 6125M | | Two Pushbuttons, 1 Gang, Momentary SPDT | \$208. |
| 6125A | | Two Pushbuttons, 1 Gang, Alternate-Action SPDT | \$215. |
| 6135M | | Three Pushbuttons, 1 Gang, Momentary SPDT | \$282. |
| 6135A | | Three Pushbuttons, 1 Gang, Alternate-Action SPDT | \$289. |
| 6145M | | Four Pushbuttons, 2 Gang, Momentary SPDT | \$370. |
| 6145A | | Four Pushbuttons, 2 Gang, Alternate-Action SPDT | \$386. |
| | AUD | Audible Sounder - 1-28VDC (Requires DBL Option). | \$28. |
| | DBL | Two Gang Faceplate - 4-9/16" wide, for options. | \$13. |
| | ILM | Illuminated Pushbutton - Specify 12 or 24 VDC (per button). | \$17. |
| | LED | Bi-Color LED - Red/Green, 12/24 VDC | \$42. |
| | NR | Narrow Plate - 1-3/4" wide, substitute. | \$13. |
| | P2 | Additional set of SPDT contacts (per button). | \$54. |
| | SF | Special Finish - Standard finish US32D. Special finishes see page 26 | |
| | WPC | Weather Proof Cover - For single gang 6115 only. | \$25. |
| | ATS | Anti-Tamper Switch | \$58. |
| 00 SERIES | PALM BUTTO | NS . | |
| 6210 | | Palm Switch, Alternate-Action SPDT | \$172 |
| 6220 | | Palm Switch, Alternate-Action DPDT | \$239. |
| 6230 | | Palm Switch, Momentary SPDT Form "Z" | \$111. |
| 6211 | | Palm Switch, Alternate-Action SPDT, "EXIT" Faceplate Signage | \$177 |
| 6221 | | Palm Switch, Alternate-Action DPDT, "EXIT" Faceplate Signage | \$244. |
| 6231 | | Palm Switch, Momentary SPDT Form "Z", "EXIT" Faceplate Signage | \$112. |
| 6266 | | Latching Palm Switch, Twist Reset, SPDT Form "Z" | \$133. |
| 6267 | | Latching Palm Switch, Key Reset, SPDT Form "Z" | \$226. |
| 6268 | | Same as Model 6267, With "LOCKDOWN" Faceplate Signage | \$228. |
| | AUD | Audible Sounder - 1-28VDC (Requires DBL Option). | \$28 |
| | DBL | Two Gang Faceplate - 4-9/16" wide, for options. | \$13 |
| | LED | Bi-Color LED - Red/Green, 12/24 VDC | \$42 |
| | NR | Narrow Plate - 1-3/4" wide, substitute. Not available on Model 6268. | \$13 |
| | SF | Special Finish - Standard finish US32D. Special finishes see page 26 | |
| | GRN | Green Button, substitute. Not available on Models 6266, 6267 & 6268 | 1 |
| | ATS | Anti-Tamper Switch | \$58 |
| | CB-NO | Extra Contact Block, Normally Open, SPST | \$19 |
| | CB-NC | Extra Contact Block, Normally Closed, SPST | \$19 |



| 6000 CERTEC | DUCUBUTTO | | | |
|--------------------|-------------|--|-----|----------------------|
| 6000 SERIES | | | | List Dries |
| Part # 6270 | Options | Pushbuttton, 2" Square, Illuminated, Momentary SPDT, 12/24 VDC | | List Price |
| 6275 | | Pushbutton, 3/8" Dia. Stainless Steel, 1-60 Sec. PTD, SPDT Form "Z" | | \$122.00 \$374.00 |
| | | | | • |
| 6285 | | Ring LED Illuminated Push Button, Dual Mode MOM/A-A, Form "Z" 12/24 VDC | | \$259.00 |
| 6290 | | Palm Switch, 1-5/8" Dia. 30 Sec. Min. PTD, SPDT Form "Z", NFPA-101 | | \$386.00 |
| 6291 | | Palm Switch, 1-5/8" Dia. 30 Sec. Min. PTD, SPDT Form "Z", City of Denver | | \$386.00 |
| 6300 | 1.50 | Audible Annunciator, 6-28 VDC | | \$69.00 |
| | LED | Bi-Color LED - Red/Green, 12/24 VDC. Not available on Model 6285. | | \$42.00 |
| | NR SE | Narrow Plate - 1-3/4" wide, substitute. | | \$13.00 |
| | SF | Special Finish - Standard finish US32D. Special finishes see page 26 | | |
| | ATS | Anti-Tamper Switch | | \$58.00 |
| | WEATHERPR | OOF PUSHBUTTONS | | · |
| 6171 | - | Weatherproof Pushbutton, Blank Faceplate | | \$190.00 |
| 6172 | ļ | Weatherproof Pushbutton, Faceplate Silkscreened "EXIT" | | \$204.00 |
| 6173 | ļ | Weatherproof Pushbutton, Faceplate Silkscreened "EXIT/SALIDA" | | \$204.00 |
| 6174 | ļ | Weatherproof Pushbutton, Faceplate Silkscreened "EXIT/SORTIE" | | \$204.00 |
| 6175 | | Weatherproof Pushbutton, Faceplate Silkscreened "PUSH TO UNLOCK" | | \$204.00 |
| 6176 | | Weatherproof Pushbutton, Faceplate Silkscreened "PUSH TO OPEN" | | \$204.00 |
| | BBX | Weatherproof Surface Back Box, 2-5/8" Deep | | \$54.00 |
| | CSF | Custom Silkscreened Faceplate - Consult Factory for Price & Availability | | |
| | SF | Special Finish - Standard finish US32D. Special finishes see page 26 | | |
| | ATS | Anti-Tamper Switch | | \$58.00 |
| 5500 SERIES | HIGH VISIBI | LITY PUSHPLATES | | |
| 65-*-*-* | | High-Visibilty Pushplate, US28 Finish, 12/24VDC Selectable Input | | 435.00 |
| | | *Specify Configurations Below* | | |
| | | 1) Signage Configurations (Choose One) | | N/C |
| | | EX - "EXIT"; PE - "PUSH TO EXIT"; OP - "OPEN"; PO - "PUSH TO OPEN" | | |
| | | SA - "SALIDA"; SO - "SORTIE"; ES - "EXIT/SALIDA"; EF - "EXIT/SORTIE" | | |
| | | AB - "ABRA"; OU - "OUVREZ"; OA - "OPEN/ABRA"; OZ - "OPEN/OUVREZ" | | |
| | | 2) Switch Format Configurations (Choose One) | | |
| | | MO - Momentary SPDT | | N/C |
| | | AA - Alternate-Action SPDT | | N/C |
| | 1 | PTD - Pneumatic Time Delay, 2-60 Sec., SPDT Form "Z" | Add | \$223.00 |
| | | | | - |
| | | | | |
| | | *Configuration Example: 65-PE-PTD / \$554.00 List* | | |
| | | | | |
| | DP | DPDT Switch. Not Available with PTD Configuration. | | \$17.00 |
| | SF | Special Finishes - Standard Finish US28. Special finishes see page 26 | | |
| | CS | Custom Signage - Consult Factory for Price & Availability | | |



| 0 SEKIES | HALO-LIGHT | ED PIEZO REX PUSHBUTTONS | |
|----------|-------------|---|-----------|
| Part # | Options | Description | List Pric |
| 6610 | | Single Gang, Blank Faceplate, 10-24 VDC | \$190.0 |
| 6610E | | Single Gang, "PUSH TO EXIT" Faceplate, 10-24 VDC | \$190.0 |
| 6620 | | Narrow, Blank Faceplate, 10-24 VDC | \$177.0 |
| 6620E | | Narrow, "PUSH TO EXIT" Faceplate, 10-24 VDC | \$177.0 |
| | 66BB-10 | Surface Back Box, Single Gang | \$48.0 |
| | 66BB-20 | Surface Back Box, Narrow | \$42.0 |
| 0/6800 S | ERIES PUSHP | PLATES | |
| 6700 | | Single Gang, 1-60 Sec. PTD, SPDT Form "Z" | \$496.0 |
| 6710 | | Single Gang, Alternate Action SPDT | \$161. |
| 6720 | | Single Gang, Alternate Action DPDT | \$215. |
| 6730 | | Single Gang, Momentary SPDT | \$161. |
| 6740 | | Single Gang, Momentary DPDT | \$215. |
| 6750 | | Recessed Single Gang, 1-60 Sec. PTD, SPDT Form "Z" | \$516. |
| 6751 | | Recessed Single Gang, Alternate Action SPDT | \$195. |
| 6752 | | Recessed Single Gang, Alternate Action DPDT | \$251. |
| 6753 | | Recessed Single Gang, Momentary SPDT | \$190. |
| 6754 | | Recessed Single Gang, Momentary DPDT | \$243. |
| 6800 | | Narrow, 1-60 Sec. PTD, SPDT Form "Z" | \$496. |
| 6810 | | Narrow, Alternate Action SPDT | \$157. |
| 6820 | | Narrow, Alternate Action DPDT | \$206. |
| 6830 | | Narrow, Momentary SPDT | \$157. |
| 6840 | | Narrow, Momentary DPDT | \$206. |
| 6850 | | Recessed Narrow, 1-60 Sec. PTD, SPDT Form "Z" | \$507. |
| 6851 | | Recessed Narrow, Alternate Action SPDT | \$190. |
| 6852 | | Recessed Narrow, Alternate Action DPDT | \$243. |
| 6853 | | Recessed Narrow, Momentary SPDT | \$183. |
| 6854 | | Recessed Narrow, Momentary DPDT | \$237. |
| | SF | Special Finish - Standard finish US28. Special finishes see page 26 | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | 1 | | |



| 7 05 7 0005 5ERIE | S HANDICAPPED PUSHPLATES | |
|-------------------|--|------------|
| Part # O | otions Description | List Price |
| 6705 | Single Gang, 1-60 Sec. PTD, SPDT Form "Z" | \$496.0 |
| 6715 | Single Gang, Alternate Action SPDT | \$161.0 |
| 6725 | Single Gang, Alternate Action DPDT | \$215.00 |
| 6735 | Single Gang, Momentary SPDT | \$161.0 |
| 6745 | Single Gang, Momentary DPDT | \$215.0 |
| 6755 | Recessed Single Gang, 1-60 Sec. PTD, SPDT Form "Z" | \$516.0 |
| 6765 | Recessed Single Gang, Alternate Action SPDT | \$195.0 |
| 6775 | Recessed Single Gang, Alternate Action DPDT | \$251.0 |
| 6785 | Recessed Single Gang, Momentary SPDT | \$190.0 |
| 6795 | Recessed Single Gang, Momentary DPDT | \$243.0 |
| 6805 | Narrow, 1-60 Sec. PTD, SPDT Form "Z" | \$496.0 |
| 6815 | Narrow, Alternate Action SPDT | \$157.0 |
| 6825 | Narrow, Alternate Action DPDT | \$206.00 |
| 6835 | Narrow, Momentary SPDT | \$157.00 |
| 6845 | Narrow, Momentary DPDT | \$206.0 |
| 6855 | Recessed Narrow, 1-60 Sec. PTD, SPDT Form "Z" | \$507.0 |
| 6865 | Recessed Narrow, Alternate Action SPDT | \$190.0 |
| 6875 | Recessed Narrow, Alternate Action DPDT | \$243.0 |
| 6885 | Recessed Narrow, Momentary SPDT | \$183.0 |
| 6895 | Recessed Narrow, Momentary DPDT | \$237.0 |
| | SF Special Finish - Standard finish US28. Special finishes see page 26 | |
| 901 SERIES SPEC | IALTY PUSHPLATES | |
| 6901 | Double Gang, 1-60 Sec. PTD, SPDT Form "Z" | \$537.0 |
| 6911 | Double Gang, Alternate Action SPDT | \$293.0 |
| 6921 | Double Gang, Alternate Action DPDT | \$325.0 |
| 6931 | Douible Gang, Momentary SPDT | \$285.0 |
| 6941 | Double Gang, Momentary DPDT | \$318.0 |
| 6951 | Recessed Double Gang, 1-60 Sec. PTD, SPDT Form "Z" | \$572.0 |
| 6961 | Recessed Double Gang, Alternate Action SPDT | \$325.0 |
| 6971 | Recessed Double Gang, Alternate Action DPDT | \$360.0 |
| 6981 | Recessed Double Gang, Momentary SPDT | \$318.0 |
| 6991 | Recessed Double Gang, Momentary DPDT | \$352.0 |
| | SF Special Finish - Standard finish US28. Special finishes see page 26 | |
| | | |
| 1 | | |
| | | |
| İ | | |
| | | |
| | | |
| | | |
| | | |



| 6335 SFRIFS | PUSHBUTTON | NS | | |
|-------------|-------------|---|--------|------------|
| Part # | Options | Description | | List Price |
| 6335 | Орсіонз | (1) Pushbutton, Alternate Action SPDT | | \$153.00 |
| 6336 | + | (1) Pushbutton, Momentary SPDT | | \$148.00 |
| 6337 | + | (2) Pushbuttons, Alternate Action SPDT | | \$204.00 |
| 6338 | † | (2) Pushbuttons, Momentary SPDT | | \$179.00 |
| | P2 | Upgrade to DPDT Contacts (6335/6336) | | \$42.00 |
| | P4 | Upgrade to DPDT Contacts (6337/6338) | | \$81.00 |
| | ILM | Illuminated Pushbutton, Specify 12 or 24 VDC (6335/6336) | | \$22.00 |
| | ILM2 | Illuminated Pushbuttons, Specify 12 or 24 VDC (6337/6338) | | \$40.00 |
| 6350 SERIES | | ITOR STATION | | 7 / / / / |
| 6350 | 1 | Four-Zone Monitor Station for Delayed Egress Systems, Includes (1) 5312 | T | \$542.00 |
| | SINGLE-ZON | E CONTROL/MONITOR STATION | | 75.235 |
| 6370 | | Single Zone Control/Monitor Station for Delay Egress Systems | Т | \$217.00 |
| | PASSIVE INF | RARED REX SENSOR | | , |
| 6420 | T | PIR Request-To-Exit Sensor | T | \$204.00 |
| 6451 SERIES | EXIT SENSOR | | | |
| 6451-36 | Τ | Exit Sensor Bar, For 36" Door, US28 | I | \$510.00 |
| 6451-42 | | Exit Sensor Bar, For 42" Door, US28 | | \$510.00 |
| 6451-48 | | Exit Sensor Bar, For 48" Door, US28 | | \$510.00 |
| | CAB-64 | Cable Kit, 16 ft., 8 Conductor | | \$51.00 |
| | TSB | Securitron TSB Mounting Pads | | \$27.00 |
| | SF | Special Finishes - US28 Standard; US10B and US4 Available | | \$54.00 |
| | WDK | Wood Door Mounting Hardware Kit | | \$27.00 |
| | DMB | Dummy Bar | Deduct | (\$88.00) |
| | PTE | Bar Engraved "PUSH TO EXIT" | | \$81.00 |
| | CLC | Custom Length Cut - Specify Overall Finished Bar Length | | \$31.00 |
| NTB SERIES | NO-TOUCH BU | ITTONS | | |
| NTB1 | | No-Touch Button, 1-Gang | | \$75.00 |
| NTB1E | | No-Touch Button, 1-Gang, Faceplate Silkscreened "EXIT" | | \$77.00 |
| NTB2 | | No-Touch Button, 2-Gang | ĺ | \$83.00 |
| NTB2E | | No-Tocuh Button, 2-Gang, Faceplate Silkscreened "EXIT" | | \$85.00 |
| 7075 SERIES | BREAK GLAS | EXIT STATIONS | · | |
| 7075 | | Break Glass Station, Standard | ĺ | \$346.00 |
| 7076 | | Break Glass Station, with Bi-Color LEd, Red/Green, 12/24 VDC | | \$393.00 |
| 7077 | | Break Glass Station, with Audible Sounder, 1-28 VDC | | \$406.00 |
| 7078 | | Spare Contact Block, SPDT | | \$86.00 |
| 7079 | | Spare Lenses, 5 Pk. | | \$60.00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Keyswitches Miscellaneous Electronics



| Part # | Options | Description | List Pric |
|-----------|--------------|---|-----------|
| 7001 | Options | Maintained, (1) SPDT | \$173. |
| 7002 | | Momentary, (1) SPDT | \$157. |
| 7003 | | Maintained, (2) SPDT | \$210. |
| 7004 | | Momentary, (2) SPDT | \$180. |
| 7005 | | Momentary/Maintained, 1/Ea. SPDT | \$193 |
| 7021 | | Maintained, (1) DPDT | \$209 |
| 7022 | | Momentary, (1) DPDT | \$193 |
| 7023 | | Maintained, (2) DPDT | \$269 |
| 7024 | | Momentary, (2) DPDT | \$240 |
| 7025 | | Momentary/Maintained, 1/Ea. DPDT | \$249 |
| 7035 | | Electronic Time Delay, 0-60 Sec., SPDT, Two-Gang | \$362. |
| 7050 | | 3101C Type, Momentary/Maintained | \$121. |
| 7051 | | 3101C Type, Momentary/Momentary | \$171 |
| 7054 | | For 3101C-TJ101-G2 & 3101C-TJ101 with "G2" motherboard config. only. | \$171 |
| | ATS | Anti-Tamper Switch ¹ | \$58 |
| | AUD | Audible Sounder, 1-28 VDC (Requires DBL Option) ² | \$28 |
| | CYL | Mortise Cylinder, 1-14" Long, with Cam & Two Keys 3 | \$51 |
| | DBL | Two Gang Faceplate - 4-9/16" wide, for options. | \$13 |
| | KEY | Spare Key (Order with CYL Option) | \$13 |
| | LED | Bi-Color LED - Red/Green, 12/24 VDC ⁴ | \$42 |
| | NR | Narrow Plate - 1-3/4" wide, substitute. | \$13 |
| | PBA | Pushbutton - 6115A Type (Requires DBL Option) 4 | \$80 |
| | PBM | Pushbutton - 6115M Type (Requires DBL Option) ⁴ | \$80 |
| | SF | Special Finish - Standard finish US32D. Special finishes see page 26 ⁴ | |
| | WPC | Weather Proof Cover - For single gang only. | \$25 |
| | Notes: | 1. Not available with NR or WPC Options. | |
| | | 2. Not available with NR or WPC Options, or on Model 7035. | |
| | | 3. All Cylinders are keyed-alike. | |
| | | 4. Not available with WPC Option | |
| 80 SERIES | ADJUSTABLE | TIME DELAY MODULE | |
| 7080 | | Adjustable Time Delay Module, 0-60 Sec., 12-30 VAC/VDC | \$93 |
| 86 SERIES | PROGRAMMA | BLE DIGITAL TIMER | |
| 7086 | | 7-Day Programmable Digital Timer, 12/24 VAC/VDC | \$479 |
| 88 PREWII | RED RECTIFIE | R MODULE | |
| 7088 | | 1 Amp Prewired Rectifier Module | \$31 |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

Standalone Digital Keypads Standard Slope Front Consoles



| Part # | Options | Description | List Pric |
|-----------|-------------|--|---|
| 7300 | Options | Single Gang Box-Mount, Heavy-Duty 3x4 Matrix Metal Piezo Keypad | \$406. |
| 7350 | | Narrow Mullion Mount, Heavy-Duty 2x6 Matrix Metal Piezo Keypad | \$387. |
| | ERIES STAND | ALONE DIGITAL KEYPADS | φ3071 |
| 7400 | | Single Gang Box-Mount, Backlit 3x4 Matrix Rubber Keypad | \$204. |
| 7450 | | Narrow Mullion Mount, Backlit 2x6 Matrix Rubber Keypad | \$192. |
| | STANDALONE | E DIGITAL KEYPAD/PROX READER | 1 - |
| 7500 | | Single Gang Box Mount, Heavy-Duty Keypad / Prox Reader | \$516. |
| | 7551 | Read-Only 125kHz Clamshell Proximity Card, White, Unprinted | \$10. |
| | 7561 | Read-Only 125kHz Proximity Tag, Ring Design, Gray | \$13 |
| | 7571 | Read-Only 125kHz Proximity Tag, Wafer Design, Gray | \$13 |
| 00SF SERI | ES STANDARD | SLOPE FRONT CONSOLES | <u>, </u> |
| 8001SF | | 1 Station Slope Front Console | \$516. |
| 8002SF | | 2 Station Slope Front Console | \$686 |
| 8003SF | | 3 Station Slope Front Console | \$859 |
| 8004SF | | 4 Station Slope Front Console | \$1,259 |
| 8005SF | | 5 Station Slope Front Console | \$1,287 |
| 8006SF | | 6 Station Slope Front Console | \$1,547 |
| 8007SF | | 7 Station Slope Front Console | \$1,803 |
| 8008SF | | 8 Station Slope Front Console | \$1,990 |
| 8009SF | | 9 Station Slope Front Console | \$2,240 |
| 8010SF | | 10 Station Slope Front Console | \$2,489 |
| 8011SF | | 11 Station Slope Front Console | \$2,513 |
| 8012SF | | 12 Station Slope Front Console | \$2,745 |
| | LK | Slope Front Console Label Kit | \$73 |
| | Notes: | *Specify Console operating voltage as either 12 or 24 VDC | |
| | | *Specify station toggle switch action as Momentary or Alternate Action | |
| | | *Configuration Example: 8006SF-12VDC-MOM | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

Communicating Bathroom Systems Miscellaneous Accessories



| Part # | Options | Description | List Price |
|------------|------------|--|------------|
| 8500-2 | | Two-Door Communicating Bathroom System | \$2,440.0 |
| | Includes: | | |
| | 1 | (1) 6115-CB-ILM-24V Pushbutton | |
| | 1 | (2) 6115-EO-ILM-24V Pushbutton | |
| | İ | (1) 5725 Power Supply, with 500259 Interlock Logic Board | |
| | | (1) 500259 Interlock Logic Board | |
| | | (1) 900274-D System Wiring Diagram | |
| | | | |
| 8500-3 | | Three-Door Communicating Bathroom System | \$3,097.0 |
| | Includes: | (3) 2511-DSM Mini-Maglocks | |
| | | (1) 6115-CB-ILM-24V Pushbutton | |
| | | (3) 6115-EO-ILM-24V Pushbutton | |
| | | (1) 5725 Power Supply, with 500259 Interlock Logic Board | |
| | | (1) 500259 Interlock Logic Board | |
| | | (1) 900415-B System Wiring Diagram | |
| 200 SERIES | DOOR POSIT | ION CONTACTS | |
| 9200 | | Surface Magnetic Contact, SPDT, Screw Terminals, 0.25 Amps @ 30VDC | \$51.0 |
| 9225 | | Mortise Magnetic Contact, SPDT, Flying Leads, 0.25 Amps @ 30VDC | \$78.0 |
| 9250 | | Mortise Magnetic Contact, SPDT, Screw Terminals, 0.25 Amps @ 30VDC | \$101.0 |
| 9275 | | Mortise Roller Ball Contact, SPDT, 4 Amps @ 24VDC | \$88.0 |
| 9280 | | Mortise Roller Ball Contact, DPDT, 4 Amps @ 24VDC | \$117.0 |
| 300 SERIES | ARMORED DO | OOR CORDS | |
| 9300 | | Flexible Armored Door Cord, 18" Long, Less Wires | \$54.0 |
| 9350 | | Flexible Armored Door Cord, 18" Long, With (3) 24" Wires | \$73. |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

Prices Effective June 1, 2023 Tel: 1.877.DYNALOCK Page 25 Fax: 1.860.585.0338 © 2023 DynaLock Corp.

Available Special Finishes*



MARKET PRICING APPLIES TO SPECIAL FINISHES CONSULT FACTORY FOR CURRENT AVAILABILITY, COST, DELIVERY AND APPLICABLE MINIMUM LOT CHARGES

| 71112 711 1 2 | | | | | | | , | |
|---|----------|------------------|----------------------|---------|-----------------|--------|----------------------|----------------------------|
| PART NUMBER | ALUMININ | BRIGHT BRIGHT | 8538 8478 8458 | B LIGHT | MEDIUM BROWN | BP ARK | 8108 8140 8476 | USION CHROMFI USIONE |
| SINGLE MAG. LOCKS | STD | | | | | | | |
| SINGLE MAG. LOCKS - TJ | STD | | | | - | | | |
| DOUBLE MAG. LOCKS | STD | | | | | | | |
| DOUBLE MAG. LOCKS -TJ | STD | | | | | | | |
| TJ20 AND TJ30 KIT, 4850 SERIES SPECIALITY BRACKETS | STD | | | | | | | |
| 3500 AND 3600 SERIES CUSTOM LENGTH HOUSING TO 36" | STD | | | | | | | |
| 3700 AND 3800 SERIES CUSTOM LENGTH TO 72" | STD | NA | NA | NA | NA | NA | NA | NA |
| 3700 AND 3800 SERIES CUSTOM LENGTH HOUSING TO 96" | STD | NA | NA | NA | NA | NA | NA | NA |
| 4000 SERIES TO 14" | STD | | | | - | | • | |
| 4000 SERIES TO 36" | STD | | | | | | | |
| 4000 SERIES TO 72" | STD | NA | NA | NA | NA | NA | NA | NA |
| 4000 SERIES TO 96" | STD | NA | NA | NA | NA | NA | NA | NA |
| 6000, 6100, 6200, 6300 AND 7000 CONTROLS AND KEYSWITCHES | NA | | | NA | NA | | NA | |
| 6500, 6700, 6800 AND 6900 SERIES PUSH PLATES | STD | | | | | • | • | |
| 6451 SERIES EXIT SENSOR BAR | STD | NA | | NA | NA | | NA | NA |

NA = Finish not available.

For best color match submit sample.





PRICE LIST 23.0



Lifetime Product Warranty


All DynaLock standard products are covered by our lifetime warranty. Any factory defective product will be repaired or replaced at no charge.

Emergency Technical Support

Routine technical support is available Monday - Friday, 8:00 AM - 5:00 PM (EST) by calling the factory toll-free at **1-877-DYNALOCK (396-2562)**

Emergency technical support is available Monday - Friday, 5:00 PM - 8:00 PM (EST) by calling (860) 916-4805, or (860) 878-9085

For Additional Information Contact:





Proudly Made In The USA

DynaLock Corporation

705 Emmett Street
P.O. Box 2728
Bristol, CT 06011-2728
Ph/ 877-DYNALOCK (396-2562) Toll Free 860-582-4761
Fx/ 860-585-0338
E-mail/ info@dynalock.com
Web/ www.dynalock.com