



# DOOR HARDWARE

## PRICE BOOK #16

---

PART # 5-500-2021  
EFFECTIVE **05/01/2022**

### CONTACT INFO

#### Address

Hager Companies  
139 Victor Street  
Saint Louis, MO 63104

#### Phone & Fax

Toll Free: 800 325 9995  
Headquarters: 314 772 4400  
Main Fax: 800 782 0149

#### Online

[webmaster@hagerco.com](mailto:webmaster@hagerco.com)  
[orders@hagerco.com](mailto:orders@hagerco.com)  
[www.hagerco.com](http://www.hagerco.com)

### CONTACT INFORMATION

#### Corporate Office

139 Victor Street  
St. Louis, Missouri 63104

800-325-9995 (Sales and Service)  
800-255-3590 (Main Office)  
314-772-4400 (Local Main Office)  
800-782-0149 (Fax)

webmaster@hagerco.com  
orders@hagerco.com  
www.hagerco.com

#### Montgomery Operations

150 Folmar Parkway  
Montgomery, AL 36105  
Tel: 334-284-4700 (Main Phone)

#### Southwest Office

14241 Firestone Blvd., Suite 400  
La Mirada, CA 90638  
Tel: 562-652-9135 (Main Phone)

#### Dubai Office

PO Box 17967 / FZS1-AB05  
Jebel Ali Free Zone, South 1  
Dubai – UAE  
Tel: +971-4 886-0360  
dxb.customerconnect@hagerco.com

#### China Office

North Region, 3/F, No.5-2 Building, Zhuhai  
Park, Zhuhai Macau Cross Border Industrial  
Zone, Zhuhai Guangdong Province China



## General Information

---

### TERMS AND CONDITIONS

#### General

Prices indicated will be in effect from the date on the cover and are subject to change without notice. If, under any law now or hereafter passed, the seller is required to pay a tax on sales or an excise tax, the amount of these taxes will be added to the invoice value. We shall not be responsible for any loss or damage resulting from delay in filling orders caused by fire, flood, strikes, differences with workmen, government regulations, accidents, transportation delays, shortages of materials, or other causes beyond our control. Should raw material prices rise substantially, it may become necessary to add a surcharge by material type at the time of shipment. Orders are processed in order of receipt, but lead times will vary in relation to production specifications. Errors or omissions in published prices are subject to correction.

#### Payments

Accounts are net cash 30 days, or 1% for cash if paid within 15 days following the date of invoice. Accounts unpaid at expiration of 60 days from the date of invoice will be subject to a late payment charge of 1-1/2% per month of the total balance. Also, accounts unpaid after 60 days will be subject to C.O.D. shipments. Accounts unpaid after 90 days will be placed for collection. All collection charges, attorney fees, and court costs will be added to the amount due. An NSF (insufficient fund) check fee in the amount of \$30.00 will be added to the account.

#### Minimum Order Charges

Orders with a net value of less than \$100.00 will be invoiced at \$100.00.

#### Minimum Annual Purchase Requirement

A minimum annual amount of \$25,000.00 is required to maintain open account status with Hager Companies.

#### Packaging

- A charge of \$100.00 net will be made when requested to itemize and special package in accordance with such schedules.
- A charge of \$50.00 net will be made when requested to make changes on itemized jobs after the orders have been processed.
- A charge of \$27.00 net for crating certain products will be added to invoices at time of shipment.

#### Online Ordering

The items throughout this price book that have prices in **bold and red** are items included in the Hager Online Ordering platform. When ordering these products, please visit [www.hagerco.com](http://www.hagerco.com) and log into the MyHager portal with your username and password, then click on Online Ordering.

#### Shipments and Freight Charges

All shipments are F.O.B. Point of Origin. Freight prepaid on shipments having a value of \$5,000.00 net or more, route of our selection. Less than \$5,000.00 net shipped prepay and add. Shipments by Express, Air Freight, or United Parcel Service are F.O.B. Point of Origin, without any freight allowance. Any request for shipments not falling under these guidelines may be subject to a handling charge. Hager will not provide consignee or third party freight billing.

There will be a \$25.00 net charge for furnishing proof of delivery receipt. This charge will be canceled if delivery was not made. Proof of delivery may be obtained by visiting [www.hagerco.com](http://www.hagerco.com) and establishing an account with "My Hager." Due to size limitations by certain carriers, some orders may require LTL shipment.

Please note that for next day air shipments, written consent with an authorized signature must be sent via fax or e-mail to Hager Companies before an order will be released for overnight delivery. Next day air requests must be received prior to 1:00 p.m. CDT.

#### Miscellaneous Charges

All miscellaneous charges such as lift gate, re-delivery, re-consignment, and dock waiting fees may be invoiced separately, after the initial invoice date, if Hager is not made aware of these issues prior to shipping.



### Cancellations and Make-to-Order Items

Orders for non-stock goods, accepted by Hager, are non-cancelable except with prior written consent, and then subject to a service charge based on the manufacturing expenses incurred. Under no circumstances will non-stock, make-to-order or discontinued product be accepted for return unless it is due to a Hager error.

### A. Rights of Return:

1. **Restrictions:** Unless the Customer has a separate written agreement with Hager Companies, the return of product purchased from Hager is subject to the following restrictions:
  - a. **Authorized Returns Only:** No credit will be issued for returned goods unless such return is authorized by our St. Louis office. All returns are subject to review and approval by Sales Management and will be handled on an account by account basis.
  - b. **Return Goods Authorization Document:** Product will not be accepted unless it is accompanied by a Return Goods Authorization (RGA). No RGA will be issued for less than \$25.00.
  - c. **35% Restocking Fee:** All returns are subject to a minimum 35% handling and restocking fee at Hager Companies sole discretion.
  - d. **Timeline for Product Returns:** The timeline for returns is as follows:
    - i. **North American Shipments** (U.S., Canada, Mexico, Puerto Rico)
      1. Notification to Hager – within 6 months from date of shipment.
      2. Receipt of return by Hager – within 60 days of notification to Hager.
    - ii. **International Shipments**
      1. Notification to Hager - within 6 months from date of shipment.
      2. Receipt of return by Hager - within 120 days from notification.
  - e. **Condition:** Return goods, and packaging, must be in sellable condition or no credit will be issued, and goods will be destroyed.
  - f. **Direct Returns Only:** Return goods authorization must be requested directly by the Hager Companies customer. Third party customers will not be allowed to return product and all unauthorized merchandise will be returned to the sender and the Hager customer will be invoiced for additional shipping charges incurred.
2. **Return Shipping:** Freight terms will be specified on the RGA. The Customer is responsible for shipping charges and risk of loss and damage on all return shipments.
3. **Replacement Order and Credit:** The Customer may return product and Hager Companies will assist in its replacement or grant credit against future purchases in an amount equal to the original purchase price and freight paid for the product less any applicable restocking fees.
4. **Non-Returnable Merchandise:** Returns are also subject to the additional policies below. If the Customer fails to return Product within the applicable return policy period or if the Product does not meet the criteria under this Return Policy, the Product is considered accepted by the Customer and not returnable.

**B. Freight Damaged Products:** In the event that packages are damaged during transit to customer, please follow the guidelines in the Hager Freight Policy.

1. If damaged products (noted and/or concealed) are accepted from the Carrier, contact Hager Companies Customer service within 5 calendar days after receipt of shipment to arrange for carrier inspection and a pickup of the damaged products.
2. As per the Hager Companies' Freight Policy, all damages must be noted on the carrier delivery record prior to the driver leaving the Customer premises. Please save the Product and all original packaging. Timely notification of the damage is necessary to file a damage claim with the freight carrier and avoid delays in returns and replacements.



## General Information

---

**C. Order Quantity Discrepancies:** All order discrepancies (shortages or overages) must be reported to the Hager Companies Customer Service Department within 5 calendar days of receipt of shipment.

1. Defective Product: Report defective product to the Hager Companies Customer Service for processing.
2. Non-Returnable Product (not all inclusive): The following Products cannot be returned to Hager Companies:
  - a. Discontinued Items
  - b. Special Order Items
  - c. Open items, and/or items needing re-packaging
  - d. Items in an unsuitable resale condition

### D. Process:

All items being returned must have a Hager Companies Return Goods Authorization Number. If the return meets the Hager Companies return guidelines, you may obtain an RGA # by contacting:

#### Hager Companies Customer Service

**Phone: 800-325-9995**

**E-Mail: [customerconnect@hagerco.com](mailto:customerconnect@hagerco.com)**

### Warranty Returns

A credit in the amount of the original purchase order will be issued after the returned product is inspected and the defect is found to be valid.

### Inspection and Delivery

Customer will inspect all product deliveries immediately upon receipt. Hager will assume acceptance of delivered product if not notified within 5 days of receipt of product.

### Claims

All claims should be submitted to Hager as follows:

- All claims for pricing adjustments must be submitted within 30 days of invoice date
- All claims for order quantity discrepancies must be submitted within 5 days
- All claims for damaged material prior to acceptance by customer must be submitted within 5 days

### Limited Warranty

Subject to the limitations of liability set forth below, Hager Companies (the "Company") warrants to purchasers that the products which the Company sells under the "Hager" trademark or trade name are free from defects in workmanship and materials under normal use and regular service and maintenance from date of delivery.

This is the sole and exclusive warranty given by the company with respect to the products and is in lieu of any and all other warranties, express or implied, arising by operation of law or otherwise. All implied warranties, including but not limited to the warranties of merchantability, non-infringement and fitness for a particular purpose, are hereby excluded.

This warranty does not cover defects or damage arising from improper installation, incorrect application, lack of or improper maintenance, improper storage, shipping and handling, excessive wear and tear, misuse, abuse, accident, unauthorized service, or use with unauthorized products or parts.



**DISCOUNTS**

**Customer Number**

---

**Architectural Hinges**

---

**Residential Hinges**

---

**Roton Continuous Geared Hinges**

---

**Stainless Steel Continuous Hinges**

---

**Trim & Auxiliary**

---

**Thresholds & Weatherstripping**

---

**Sliding Door Hardware**

---

**Locks**

---

**Door Closers**

---

**Exit Devices**

---

**Electrified Products**

---

**Notes**

---

---

---

---

---

---

---

---





## TABLE OF CONTENTS

<b>A</b>	
Architectural Finish Symbols .....	3-4
<b>B</b>	
Back Plate .....	12
Bearings .....	5
<b>E</b>	
ECCO .....	66-68
Emergency Stop Release.....	14
<b>F</b>	
Fasteners.....	9-10
<b>D</b>	
Detention Food Pass Through Hinge.....	31
Detention Hinge (IHT) .....	22, 28, 31
Detention Utility Hinge.....	31
<b>H</b>	
Hinge Additions/Modifications .....	5-11
Hinges - Electric .....	6-7
Hinge Pins .....	8, 62
Hinge Tips.....	11, 61-62
<b>Hinges – Brass or Stainless Steel</b>	
BALL BEARING FIVE KNUCKLE	
Anchor .....	44
Full Mortise .....	37-41, 45-46, 61
Half Mortise .....	31
Half Surface .....	62
Swing Clear .....	60-61
Wide Throw .....	42-44, 47-48
CONCEALED BEARING THREE KNUCKLE	
Full Mortise .....	24, 26-27
Wide Throw .....	25-28
PLAIN BEARING FIVE KNUCKLE	
Full Mortise.....	37-38
PLAIN BEARING THREE KNUCKLE	
Full Mortise.....	23
CONCEALED BEARING FIVE KNUCKLE	
Full Mortise.....	7
CONCEALED BEARING TWO KNUCKLE	
Full Mortise.....	30
Drop Leaf.....	69
Short Leaf.....	69-70
Unequal Leaf .....	70

### Hinges – Steel

BALL BEARING FIVE KNUCKLE	
Full Mortise.....	33-34, 52, 55-57
Full Surface.....	63
Half Surface .....	36
Swing Clear .....	51-52
Wide Throw .....	35-36, 58-59
CONCEALED BEARING THREE KNUCKLE	
Anchor .....	64-66
Full Mortise.....	17-18, 20
Swing Clear .....	63-64
Wide Throw .....	19-21
PLAIN BEARING FIVE KNUCKLE	
Full Mortise.....	32, 52-54
Full Surface .....	62
Half Mortise .....	31
Half Surface .....	36
Swing Clear .....	51
Welding .....	62
PLAIN BEARING THREE KNUCKLE	
Full Mortise.....	15-16
CONCEALED BEARING TWO KNUCKLE	
Full Mortise.....	29-30
PLAIN BEARING TWO KNUCKLE	
Full Mortise.....	29
Drop Leaf.....	69
Short Leaf.....	69
Unequal Leaf .....	70

### Hinges – Spring

Double Acting .....	60
Full Mortise.....	48-49
Full Mortise - Stainless Steel.....	32
Half Surface .....	49
Reverse Action.....	50
Spring Hinge Sets.....	50

### M

Molly Jack Nut .....	12
Mortar Box.....	12





**P**

Pivots ..... 13-15

Pivots Rack & Pinion ..... 14

Pivot Reinforcing ..... 12

**R**

Reinforcement Plate ..... 12

**S**

Set Screws (Set) ..... 12

Sleeve Bolt..... 12

Strike - Combination Rescue ..... 13

Strike - Double Lip..... 12

**T**

Tip Kits.....61-62

**Online Ordering**

Products denoted with **red and bold** pricing are available to order through the MyHager portal.

**Cancellation Notification**

Cancellation for made-to-order items must be communicated within 48 hours of order placement.

## ARCHITECTURAL FINISH SYMBOLS

These additions apply to the BASE HINGE LIST PRICE as listed in the book. Not all products are available in all finishes. Contact Hager Companies Sales and Service (1-800-325-9995) for more specific information.

### BHMA Symbol Base Material

\*if not listed in pricing sections

US & HAGER	DESCRIPTION	PRICING INSTRUCTIONS	STEEL	BRASS & BRONZE	STAINLESS STEEL
2C	Plain Zinc Plate	20% above US10A or US10B price	603	N/A	N/A
H2H x BP	Mechanical Galvanized; Steel Only	25% above US10A price	N/A	N/A	N/A
3	Bright Brass	Use price of US10B	632	605	N/A
3A	Bright Brass - Unlacquered	Use price of US3	N/A	N/A	N/A
4	Satin Brass	Use price of US10	633	606	N/A
5	Satin Brass, Oxidized	Use price of 10A/10B	638	609	N/A
9	Bright Bronze	20% above US10A or US10B price	637	611	N/A
10	Satin Bronze	As listed	639	612	N/A
10A (US11)	Antique Bronze, Lacquered	As listed (steel only)	641/643	N/A	N/A
10B	Antique Bronze, Oiled	Use price of US10A	640	613	N/A
10D	Black Nickel, Oiled	Use price of US10B	640	613	N/A
SS	Stainless Steel	30% above 32D	N/A	N/A	N/A
13P	White	20% above US10			
14	Bright Nickel	20% above US10A or US10B	645	618	N/A
15	Satin Nickel	Use price of US10A or US10B	646	619	N/A
15A	Satin Nickel, Nickel Oxidized & Highlighted	20% above US10A or US10B	647	620	N/A
17A	Black Nickel, Dull	20% above US10A or US10B	648	621	N/A
26	Bright Chromium Plated	Use price of US10A or US10B	651	625	N/A
26D	Satin Chromium Plated	As listed	652	626	N/A
32	Stainless Steel Metal, Bright	Use price of US32D	N/A	N/A	629
32D	Stainless Steel Metal, Satin (304)	As listed	N/A	N/A	630
32D (316)	Stainless Steel Metal, Satin (316)	POA	N/A	N/A	630
32D (CLR)	Stainless Steel Metal, Satin (Clear Coat)	30% above US32D	N/A	N/A	630
83P	Semi Bright Black	20% above US10			
P	Prime Coat	Use price of US10	600	600	N/A
PS	Plain Steel	Use price of US4 or USP	N/A	N/A	N/A
L1	Flat Black	Use price of US10	693	693	N/A
L2 (90P)	Dark Bronze	Use price of US10	695	695	N/A
L3	Medium Bronze	Use price of US10	694	694	N/A
LS	Luma Sheen®	Use price of US10	689	689	N/A



## Commercial Hinges

---

Whenever possible, Hager Companies employs the latest technologies in metal finishing to provide the best long-term performance for our customers. Some finishes may not comply completely with BHMA (Builders Hardware Manufacturing Association) Standard A156.18 specifications with regard to plating process. However, they match BHMA color standards and exceed all BHMA performance criteria with regard to such tests as salt spray corrosion resistance, ultraviolet light deterioration resistance, solvent resistance, perspiration resistance, and finish hardness. For the convenience of our customers, we refer to the most appropriate finish symbols to indicate similarity of appearance using BHMA standard nomenclature including the "US" and numerical designation. Dissimilar metals are plated to match or be compatible to the finishes indicated. Finish numbers indicated on each product are the most equivalent to the old "US" symbol numbers and carry the BHMA finish symbol in parenthesis adjacent to the finish: Example — US3 (605) - Bright Brass or US26D (626) - Satin Chrome.

Hager's finishes are durable, high quality finishes obtained by careful processing of steel, brass, and stainless steel materials. It is important to consider usage and climatic conditions when selecting finishes. This is especially true in areas subjected to strong corrosive chemical conditions, humid climate or salt air which may have a damaging effect on metal finishes in a very short period of time. The longevity and preservation of the finish appearance are determined by base metal and finish process.

Care and maintenance of clear protective coatings or other organic finishing applications may require different methods of cleaning and care. As an example, all hardware finishes should not be cleaned with solvents or abrasives; surfaces should periodically be cleaned with a mild, non-abrasive soap and dried lightly with a soft, clean cloth. The type of base material and finishing techniques must be considered when applying any cleaning or preservative method. Contact Hager's Sales and Service Department for further information on the care of hardware finishes.

Note: Hager only warrants US10B finish over brass or bronze base material. If steel base material is necessary, Hager recommends US10A lacquer finish.



### HINGE ADDITIONS/MODIFICATIONS

These additions apply to the BASE HINGE LIST PRICE as listed in the book. They do not apply to the price of any hinges listed with additions in this book. If the hinge to be priced has additions, START WITH THE PRICE OF THE BASE HINGE, THEN ADD "FOR ADDITIONS WHERE NOT LISTED."

Antimicrobial powder coat protection - Symbol is 'MV5' (use as suffix). List price is \$29.82

### Bearings

Ball bearings (symbol 'BB') and anti-friction bearings (symbol 'AB') regularly furnished. Oilite bearings (symbol 'OB') and CB (concealed bearing) available at same price as ball bearings.


\*To maximize hinge life and assist in achieving ADA compliance, Hager recommends the use of anti-friction or ball bearing hinges with door closer products.




## Commercial Hinges


### Concealed Electric Hinge Modification

Swing clear, wide throw, raised barrel — add \$164.80; Available on Heavy weight only.

	CONCEALED ELECTRIC MONITOR		
	Description	Steel/Brass List	Stainless Steel List
	Miniature snap action switch is incorporated into the frame leaf. Available in 4" through 8". Full mortise ball bearing hinges. Concealed electric monitor, per hinge.	\$462.54	\$604.07
NRP not necessary as hinges are cross pinned and are not field removable. To order, use symbol 'EMN' as suffix.			

	CONCEALED ELECTRIC THROUGH-WIRE		
	Description	Steel/Brass List	Stainless Steel List
	Four continuous electric conductors (28 gauge wire). Available in 4" through 8". Full mortise ball bearing, standard weight and heavy weight in steel and brass material. NRP not necessary as hinges are cross pinned and are not field removable. To order, use symbol 'ETW' as suffix.		
	<u>Extra charges (each)</u>		
	ETW-4 (4 wire)	\$412.27	\$515.30
	ETW-8 (8 wire)	\$457.13	\$571.44
	ETW-12 (12 wire)	\$639.88	\$799.88
	ETW-2 (18 GA)**	\$544.17	\$678.68
	ETW-6-1828 (2-18 GA, 4-28 GA)*/**	\$603.36	\$754.25
	ETW-8-1828(2-18 GA, 6-28 GA)*/**	\$667.40	\$832.82

\* Not available on three knuckle hinges. \*\* Not available on swing clear.

	CONCEALED ELECTRIC THROUGH-WIRE & MONITOR		
	Description	Steel/Brass List	Stainless Steel List
	This combines the 4, 8, or 10 continuous electrical conductors and the miniature snap action switch to provide continuous circuit and monitor capabilities. Available in 4" through 8". Full mortise ball bearing or anti-friction bearing, standard weight and heavy weight in steel and brass material. NRP not necessary as hinges are cross pinned and are not field removable. To order, use symbol 'ETM' as suffix.		
	<u>Extra charges (each)</u>		
	ETM-4 (4 wire)	\$874.75	\$1,093.44
	ETM-8 (8 wire)	\$915.91	\$1,144.93
	ETM-10 (10 wire)	\$1,003.72	\$1,254.58
The hospital tip feature is available on concealed electric hinges.			

STANDARD WIRE LEAD - 8" per side: 18 or 28 gauge wire  
 Additional wire leads - must be bought in 4, 8, and 12 feet lengths. Price includes both sides.

Description	List
4-wire hinge; per foot	\$9.81
6-wire hinge; per foot	\$9.81
8-, 12-wire hinge; per foot	\$9.81

### Quick Connect

Extra charge \$57.03 per hinge (available on ETW 4, 8, and 12 wire. Not available with 18g wire.).

QUICK CONNECT HARNESS CABLES - connectors installed on one end, pigtails on the other for easy install in the field

Part Number	Description	List Price
1-479-0007	3" Wire Harness Assembly	\$73.41
1-479-0008	6" Wire Harness Assembly	\$76.53
1-479-0012	12" Wire Harness Assembly	\$94.56
1-479-0026	26" Wire Harness Assembly	\$112.53
1-479-0032	32" Wire Harness Assembly	\$113.93
1-479-0038	38" Wire Harness Assembly	\$117.18
1-479-0044	44" Wire Harness Assembly	\$121.58
1-479-0400	50" Wire Harness Assembly	\$123.81
1-479-1500	15'2 Wire Harness Assembly	\$220.53

### Five Knuckle Concealed Bearing Hinges (CB)

Available on standard weight, heavy weight full mortise 3-1/2", 4", 4-1/2", and 5". Price same as Ball Bearing (BB).



## Commercial Hinges

Prices and Part Numbers for Hinge Pins (Boxes of 10 Each)

Contract Grade Pins Size 4-1/2"

STANDARD WEIGHT		
STEEL - FINISH	PART NUMBER	LIST (10/BOX)
US3	1-890-7550	\$83.35 per box
US4	1-890-7619	\$83.35 per box
US10	1-890-7695	\$83.35 per box
US10A/US10B	1-890-7733	\$83.35 per box
US26	1-890-7625	\$83.35 per box
US26D	1-890-7657	\$83.35 per box
USP	1-890-7771	\$83.35 per box
L1	1-890-7772	\$83.35 per box

HEAVY WEIGHT		
STEEL - FINISH	PART NUMBER	LIST (10/BOX)
US3	1-890-8269	\$101.89 per box
US10	1-890-8270	\$101.89 per box
US10A/US10B	1-890-8267	\$101.89 per box
US26D	1-890-8305	\$101.89 per box
USP	1-890-8268	\$101.89 per box

### Non-Removable Pins (Medium Security)

Symbol	Description	List
NRP*	Set screw in barrel	\$6.37 ea.

\*This modification is intended as a deterrent only. It is not to be considered suitable for high-security applications or abusive environments.

### Raised Barrel Hinges

- Specify handing and door thickness.
- Not available on 8" x 6" or 8" x 8" hinges.
- Prices apply to both standard and heavyweight hinges.
- Prices listed for 1-3/8" and 1-3/4" doors only.
- For 2" or greater doors add 30% to below adders.

Symbol	Description	List Price Adders
RBB	Raised Barrel for Mortised Jamb Leaf, Beveled Edge Door Leaves Equal	\$58.75 ea.
RBS	Raised Barrel for Mortised Jamb Leaf, Square Edge Door Leaves Equal	\$58.75 ea.
ISM	Raised Barrel for Jamb Surface Mount, Leaves Equal	\$58.75 ea.



**Clear Coat**

Not available on all finishes.

<u>Symbol</u>	<u>List</u>
CLR	Add 30% to list price of hinge

**Round Corners**

Round corners (1/4" and 5/8" radius). Specify radius desired; standard radius 1/4".

<u>Symbol</u>	<u>List</u>
RC	\$10.51 ea.

**Safety Stud**

Security offered to prevent slipping leaves past one another when hinge is closed. Stud attached to one leaf projects into hole in matching leaf.

<u>Symbol</u>	<u>List</u>
SH*	\$25.04 ea.

This feature not necessary on anchor hinges

\* This modification is intended as a deterrent only. It is not to be considered suitable for high-security applications or abusive environments.

**Reverse Safety Stud - Heavy Weight Only**

Reverse safety studs extend into reinforcing plate of door & frame to help prevent screw shearing.

<u>Symbol</u>	<u>List</u>
RSS	\$38.61 ea.

Note: Available on steel, stainless steel detention or institutional tip hinges only. Not available on solid brass hinges.

**Special Applications**

In the event you do not find the particular hinge which will meet your requirements, we recommend that you contact Hager Companies Sales and Service and provide us with your specification.

**Special Screws**

All butt hinges are regularly packed with flat Phillips head wood or machine screws or bolts. All other types are special.

*Extra for tamper proof torx screws*

<u>Description</u>	<u>List</u>
Steel	\$1.98 per screw   \$15.80 hinge
Stainless steel	\$2.61 per screw   \$20.52 hinge

**Boxed Screws**

**Machine Torx** (12-24 x1/2 - for 4", 4.5", 5" hinges)

<u>Description</u>	<u>List</u>
1-804-3212 (26D)	\$196.89 per box-torx (100/box)
1-803-3205 (32D)	\$229.71 per box-torx (100/box)

**Wood Torx** (1-1/4x12 - for 4", 4.5", 5" hinges)

<u>Description</u>	<u>List</u>
1-810-9920 (26D)	\$196.89 per box-torx (100/box)
1-813-9910 (32D)	\$229.71 per box-torx (100/box)





## Standard Screw Packs for Full Mortise Architectural Hinges

PART NUMBER	SIZE	FINISH	SCREWS
700, AB700, 1279, BB1279, CB1279 (with or without NRP and/or RC), EC1100, ECBB1100 (with or without NRP) EC1105, 1250	4-1/2" x 4-1/2" 4-1/2" x 4	US3, US4, US5, US10, US10A (US11), US10B, US15, US15A, US26, US26D, USP	AMS & AWS
Other than listed above	4-1/2"	Other than listed above	AMS & 1/2 WS
All	3-1/2"	All	AWS & 1/2 MS
All	4"	All	AWS & 1/2 MS
All	5"	All	AMS & 1/2 WS
All hinges with decorative tips	All	All	AWS
Note: Hinge additions listed on pages 5-9 will affect standard screw packaging.			

## Prices and Part Numbers for Bulk Packed Screws Contract grade hinges size 4", 4-1/2", and 5"

WOOD SCREWS 1-1/4" x 12 FPHW - STEEL			MACHINE SCREWS 12-24 x 1/2" FPHM - STEEL		
PART NUMBER	FINISH	LIST (100/BOX)	PART NUMBER	FINISH	LIST (100/BOX)
1-810-5824	US3	\$142.86 per box	1-800-7225	US3	\$71.18 per box
1-810-5952	US4	\$142.86 per box	1-810-7275	US4	\$71.18 per box
1-810-6208	US10	\$142.86 per box	1-800-7375	US10	\$71.18 per box
1-810-6336	US10A/US10B	\$142.86 per box	1-800-7425	US10A (US11)/US10B	\$71.18 per box
1-810-6848	US26	\$142.86 per box	1-800-7575	US26	\$71.18 per box
1-810-5696	US26D	\$142.86 per box	1-800-7175	US26D	\$71.18 per box
1-810-6976	USP	\$142.86 per box	1-800-7625	USP	\$71.18 per box
1-810-7232	L1	\$142.86 per box	1-800-7725	L1	\$71.18 per box

WOOD SCREWS 1-1/4" x 12 FPHW - BRASS			MACHINE SCREWS 12-24 x 1/2" FPHM - BRASS		
PART NUMBER	FINISH	LIST (100/BOX)	PART NUMBER	FINISH	LIST (100/BOX)
1-811-5824	US3	\$283.30 per box	1-801-7225	US3	\$141.84 per box
1-811-5952	US4	\$283.30 per box	1-801-7275	US4	\$141.84 per box
1-811-6208	US10	\$283.30 per box	1-801-7375	US10	\$141.84 per box
1-811-6336	US10A/US10B	\$283.30 per box	1-801-7425	US10A (US11)/US10B	\$141.84 per box
1-811-6848	US26	\$283.30 per box	1-801-7575	US26	\$141.84 per box
1-811-5696	US26D	\$283.30 per box	1-801-7175	US26D	\$141.84 per box
1-811-6976	USP	\$283.30 per box	1-801-7625	USP	\$141.84 per box
1-811-7232	L1	\$283.30 per box	1-801-7725	L1	\$141.84 per box

WOOD SCREWS 1-1/4" x 12 FPHW - STAINLESS STEEL			MACHINE SCREWS 12-24 x 1/2" FPHM - STAINLESS STEEL		
PART NUMBER	FINISH	LIST (100/BOX)	PART NUMBER	FINISH	LIST (100/BOX)
1-813-2500	US32	\$283.30 per box	1-803-2500	US32	\$141.84 per box
1-813-2499	US32D	\$283.30 per box	1-803-2499	US32D	\$141.84 per box

**Stainless Steel Balls and Raceways**

Furnished if desired on steel or brass ball bearing hinges.

<u>Description</u>	<u>List</u>
Standard weight two ball bearing hinge .....	\$30.71 ea.
Heavy weight four ball bearing hinge .....	\$37.09 ea.

**Swaging**

No hole or no hole/flat surface. Add 30% to list price of hinge.

**Tips - Exposed**

<u>Symbol</u>	<u>Description</u>	<u>List</u>
ET*	Button tip for three knuckle hinges only.....	N/C
*Exposed Tip	(ET standard on 5 knuckle)	

**Tips - Hospital**





<u>Symbol</u>	<u>Description</u>	<u>List</u>
HT*	Standard Weight and Heavy Weight Hinges .....	\$39.57
*Hospital Tip		

**Tips - Decorator**

Regular decorator tips are available on brass or steel hinges, three and five knuckle, for the type and size shown below. To order hinges with regular decorator tips, give the catalog number of the hinge, the size, the finish and the tip style.

Regular Decorator Tips:

For example: BB1199 – 5" x 5" US3 Ball Tip  
 BB1279 – 4-1/2" x 4-1/2" US10A Steeple Tip  
 AB700 – 4-1/2" x 4-1/2" US3 Ball Tip

REGULAR DECORATOR TIPS (Supplied with all wood screws unless otherwise specified)			LIST
Acorn Tip		Standard Weight - 3-1/2", 4", 4-1/2", 5", and 6" Heavy Weight - 4-1/2", 5", 6", and 8"	\$61.68 \$61.68
Ball Tip		Standard Weight - 3", 3-1/2", 4", 4-1/2", 5", and 6" Heavy Weight - 4-1/2", 5", 6", and 8"	\$38.61 \$38.61
Steeple Tip		Standard Weight - 3", 3-1/2", 4", 4-1/2", 5", and 6" Heavy Weight - 4-1/2", 5", 6", and 8"	\$38.61 \$38.61
Urn Tip		Standard Weight - 3-1/2", 4", 4-1/2", 5", and 6" Heavy Weight - 4-1/2", 5", 6", and 8"	\$61.68 \$61.68

Note: Certain hinge additions/modifications may not be applicable. Please contact Hager Companies Customer Service before ordering.



## Commercial Hinges



Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>100</b> Set Screw Set		PS	472.67	001076		10
<b>252</b> Full Surface Reinforcing Pivot for 4" (102 mm) wide hinges, non-handed.		US2C	247.17	121579		10
<b>253</b> Full Surface Reinforcing Pivot for 4-1/2" (114 mm) wide hinges, non-handed.		US2C	247.17	121571	1	
<b>263</b> Thru Bolts for reinforcing 1-3/4" (45 mm) doors. Pack of 100		US2C	337.46	001141	1 pack	
<b>265</b> Molly Jack Nuts (8S JN) for Reinforcing Pivot Pack of 100		US2C	179.88	001143	1 pack of 100	
<b>305</b> Hinge Reinforcement Plate	4-1/2" (114 mm)	PS	11.28	001153		50
<b>417</b> Back Plate for Wood Doors Half Surface Hinges or Full Surface Hinges	4-5/8" (117 mm)	USP	40.65	001195	10	100
		US10	40.65	001187		
		US26D	40.65	001190		
	5" (127 mm)	USP	43.14	001203	10	100
		US10	43.14	-		
		US26D	43.14	001199		
<b>430</b> Mortar Box		H2H	82.26	001206	1	
<b>451</b> Double Lipped Strike Center Hung	5-3/4" (146 mm)	US26D	260.04	001208	1	
<b>452</b> Double Lipped Strike Center Hung <b>*Other sizes available</b>	6-3/4" (172 mm)	US26D	260.04	001209	1	
<b>453</b> Double Lipped Strike 1/8" Inset	5-3/4" (146 mm)	US26D	260.04	001210	1	
<b>454</b> Double Lipped Strike 1/8" Inset <b>*Other sizes available</b>	6-3/4" (172 mm)	US26D	260.04	001211	1	





Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>455</b> Center Hung Combination Rescue Door Stop and Two Way Strike Plates Specify Handing <i>*Other sizes available</i>	5-3/4 (146 mm)	LH US26D RH US26D	743.17 743.17	001218 001219	1	
<b>456</b> Center Hung Combination Rescue Door Stop and Two Way Strike Plates Specify Handing	6-3/4" (172 mm)	LH US26D RH US26D	749.35 749.35	001222 001223	1	
<b>457</b> 1/8" Inset Combination Rescue Door Stop and Two Way Strike Plates Specify Handing	5-3/4" (146 mm)	LH US26D RH US26D	743.17 743.17	001224 001225	1	
<b>458</b> 1/8" Inset Combination Rescue Door Stop and Two Way Strike Plates Specify Handing <i>*Other sizes available</i>	6-3/4" (172 mm)	LH US26D RH US26D	780.25 780.25	001226 001227	1	
<i>*Other sizes available</i>	4 3/4" thru 8 3/4" greater than 8 3/4"		add \$105.01 to list of 6 3/4" size add \$164.08 to list of 6 3/4" size			
<b>495</b> Forged Bronze - Full Mortise Ball Bearing Adjustable Top Pivot Hinge		US26D	323.76	001236	1	
<b>496</b> Forged Bronze - Full Mortise Ball Bearing Adjustable Intermediate Pivot Hinge Specify Handing		LH US26D RH US26D	436.23 436.23	001250 001251	1	
<b>497</b> Forged Bronze - Full Mortise Ball Bearing Adjustable Bottom Pivot Hinge Specify Handing		LH US26D RH US26D	734.25 734.25	001265 001266	1	
<b>500</b> Brass - Full Mortise Standard Weight Rack and Pinion Pivot		US26D	681.29	001274	1	16



## Commercial Hinges



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>510</b> Mortise Application - Hospital Set Wood Floor - Less Release	US26D	459.55	001278	1	10
<b>511</b> Mortise Application - Hospital Set Masonry Floor - Less Release	US26D	547.99	001281	1	10
<b>512</b> Surface Application - Hospital Set Masonry Floor - Less Release	US26D	547.99	001283	1	10
<b>550</b> Brass - Full Mortise Heavy Weight Rack and Pinion Pivot	US26D	817.46	001288	1	10
<b>551</b> Brass - Full Mortise Extra Heavy Weight Rack and Pinion Pivot	US26D	897.56	113311	1	10
<b>610</b> Emergency Stop Release	US26D	353.01	001296	1	10
<b>611</b> Mortise Application - Hospital Set Masonry Floor	US26D	908.33	001298	1	10
<b>612</b> Surface Application - Hospital Set Masonry Floor	US26D	908.33	001301	1	10





Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>615</b> Steel - Heavy Weight Pivot Set for Frameless Opening		US26D	194.47	042688	1	10
<b>700</b> Steel - Full Mortise Standard Weight Plain Bearing Three Knuckle	3-1/2" x 3-1/2" (89 mm x 89 mm)	LS USP US3 US4 US10 US10A (US11) US10B US26 US26D	15.68 11.66 23.32 15.68 15.68 23.32 23.32 23.32 19.50	- 000926 001311 001312 001303 001304 069448 001308 001309	2	100
	4" x 4" (102 mm x 102 mm)	LS USP US3 US4 US10 US10A (US11) US10B US26 US26D	18.48 14.34 26.44 18.48 18.48 26.44 26.44 26.44 23.83	- 001326 001323 005175 001317 001318 046652 001320 001321	3	48
	4-1/2" x 4" (114 mm x 102 mm)	LS USP US3 US4 US10 US10A (US11) US10B US26 US26D	17.65 15.10 30.20 17.65 17.65 30.20 30.20 30.20 19.18	085393 001350 001343 001344 001328 001329 001332 001336 001340	3	48



## Commercial Hinges



Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>700</b> - Cont. Continued	4-1/2" x 4-1/2" (114 mm x 114 mm)	LS	17.65	-	3	48
		USP	15.10	001390		
		US3	30.20	001372		
		US4	17.65	001376		
		US10	17.65	001352		
		US10A (US11)	30.20	001355		
		US10B	30.20	001360		
		US26	30.20	001364		
		US26D	<b>19.18</b>	001367		
	5" x 4" (127 mm x 102 mm)	LS	60.73	-	3	24
		USP	49.96	001399		
		US3	82.07	-		
		US4	60.73	-		
		US10	60.73	-		
		US10A (US11)	82.07	-		
		US10B	82.07	109332		
		US26	82.07	-		
		US26D	56.26	104223		
	5" x 4-1/2" (127 mm x 114 mm)	LS	60.73	-	3	24
		USP	49.96	067157		
		US3	82.07	-		
		US4	60.73	-		
		US10	60.73	038706		
		US10A (US11)	82.07	-		
		US10B	82.07	-		
		US26	82.07	065399		
		US26D	56.26	001403		
	5" x 5" (127 mm x 127 mm)	LS	60.73	-	3	24
		USP	49.96	042507		
		US3	82.07	-		
		US4	60.73	-		
		US10	60.73	041251		
		US10A (US11)	82.07	115621		
		US10B	82.07	038084		
		US26	82.07	-		
		US26D	56.26	068632		





Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>AB700</b>	3-1/2" x 3-1/2"	LS	46.71	124088	2	100
Steel - Full Mortise	(89 mm x 89 mm)	USP	40.84	045449		
Standard Weight		US3	56.46	044765		
Concealed Anti-Friction Bearing		US4	40.84	016859		
Three Knuckle		US10	46.71	029909		
		US10A (US11)	56.46	012038		
		US10B	56.46	033999		
		US26	56.46	053130		
		US26D	48.49	091472		
	4" x 4"	LS	46.71	-	3	48
	(102 mm x 102 mm)	USP	40.84	001501		
		US3	56.46	001497		
		US4	40.84	001499		
		US10	46.71	098013		
		US10A (US11)	56.46	068298		
		US10B	56.46	034156		
		US26	56.46	022969		
		US26D	48.49	001495		





## Commercial Hinges



Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>AB700</b> - Cont. Continued	4-1/2" x 4" (114 mm x 102 mm)	LS	38.93	085392	3	48
		USP	27.46	001559		
		US3	47.03	001543		
		US4	38.93	095580		
		US10	38.93	001502		
		US10A (US11)	47.03	001507		
		US10B	47.03	001515		
		US26	47.03	001526		
		US26D	<b>26.44</b>	001533		
		LS	38.93	122473	3	48
		USP	27.46	001682		
		US3	47.03	001645		
		US4	38.93	001654		
		US10	38.93	001574		
	4-1/2" x 4-1/2" (114 mm x 114 mm)	US10A (US11)	47.03	001585		
		US10B	47.03	001597		
		US26	47.03	001607		
		US26D	<b>26.44</b>	001620		
	5" x 4" (127 mm x 102 mm)	LS	76.02	-	3	24
		USP	76.02	069644		
		US3	96.22	046335		
		US4	76.02	017201		
		US10	76.02	047777		
		US10A (US11)	96.22	033653		
		US10B	96.22	047266		
		US26	96.22	001706		
		US26D	74.36	001709		
	5" x 4-1/2" (127 mm x 114 mm)	LS	76.02	-	3	24
		USP	76.02	001748		
		US3	96.22	001738		
		US4	76.02	091318		
		US10	76.02	098518		
		US10A (US11)	96.22	097200		
		US10B	96.22	028451		
		US26	96.22	019133		
		US26D	74.36	001727		
	5" x 5" (127 mm x 127 mm)	LS	76.02	-	3	24
		USP	76.02	001773		
		US3	96.22	020279		
		US4	76.02	017173		
		US10	76.02	001758		
		US10A (US11)	96.22	008276		
		US10B	96.22	048588		
		US26	96.22	016080		
		US26D	74.36	025276		





Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>WTAB700</b>	4-1/2" x 5"	LS	146.49	-	3	24
Wide Throw Hinge	(114 mm x 127 mm)	USP	143.31	065577		
Steel - Full Mortise		US3	164.08	069940		
Standard Weight		US10	146.49	043251		
Concealed Anti-Friction Bearing		US10A (US11)	164.08	030958		
Three Knuckle		US10B	164.08	007941		
		US26	164.08	069304		
		US26D	153.57	001446		
<hr/>						
	4-1/2" x 6"	LS	146.49	-	3	24
	(114 mm x 152 mm)	USP	143.31	023667		
		US3	164.08	026730		
		US10	146.49	065978		
		US10A (US11)	164.08	065835		
		US10B	164.08	075797		
		US26	164.08	062172		
		US26D	153.57	001458		
<hr/>						
	4-1/2" x 7"	LS	158.03	-	3	24
	(114 mm x 178 mm)	USP	158.03	032001		
		US3	180.20	-		
		US10	161.02	091490		
		US10A (US11)	180.20	047357		
		US10B	180.20	104122		
		US26	180.20	001467		
		US26D	168.79	039039		
<hr/>						
	4-1/2" x 8"	LS	158.03	-	3	24
	(114 mm x 203 mm)	USP	158.03	046359		
		US3	180.20	011806		
		US10	161.02	-		
		US10A (US11)	180.20	063050		
		US10B	180.20	104121		
		US26	180.20	081758		
		US26D	168.79	001469		
<hr/>						
	5" x 6"	LS	209.89	-	3	24
	(127 mm x 152 mm)	USP	199.83	110219		
		US3	249.78	054746		
		US10	209.89	077240		
		US10A (US11)	249.78	-		
		US10B	249.78	030049		
		US26	249.78	-		
		US26D	229.84	047936		
<hr/>						
	5" x 7"	LS	209.89	-	3	24
	(127 mm x 178 mm)	USP	199.83	134948		
		US3	249.78	-		
		US10	209.89	-		
		US10A (US11)	249.78	044063		
		US10B	249.78	045970		
		US26	249.78	-		
		US26D	229.84	088534		



## Commercial Hinges



Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>WTAB700</b> - Cont. Continued	5" x 8" (127 mm x 203 mm)	LS	209.89	-	3	24
		USP	199.83	-		
		US3	249.78	-		
		US10	209.89	-		
		US10A (US11)	249.78	085769		
		US10B	249.78	104124		
		US26	249.78	-		
		US26D	229.84	040817		
<b>AB750</b> Steel - Full Mortise Heavy Weight Concealed Anti-Friction Bearing Three Knuckle	4-1/2" x 4" (114 mm x 102 mm)	LS	85.26	-	3	24
		USP	85.26	096935		
		US3	101.19	073827		
		US4	85.26	071658		
		US10	85.26	001909		
		US10A (US11)	101.19	001911		
		US10B	101.19	065832		
		US26	101.19	001914		
		US26D	72.96	092641		
	4-1/2" x 4-1/2" (114 mm x 114 mm)	LS	85.26	114475	3	24
		USP	85.26	002006		
		US3	101.19	001982		
		US4	85.26	001987		
		US10	85.26	001936		
		US10A (US11)	101.19	001944		
		US10B	101.19	001956		
		US26	101.19	001965		
		US26D	<b>72.96</b>	001970		
	5" x 4-1/2" (127 mm x 114 mm)	LS	109.66	-	3	24
		USP	109.66	002093		
		US3	114.19	002078		
		US4	109.66	002081		
		US10	109.66	092589		
		US10A (US11)	114.19	002044		
		US10B	114.19	002055		
		US26	114.19	016351		
		US26D	<b>93.99</b>	002064		
	5" x 5" (127 mm x 127 mm)	LS	109.66	-	3	24
		USP	109.66	023577		
		US3	114.19	030368		
		US4	109.66	002131		
		US10	109.66	002109		
		US10A (US11)	114.19	002113		
		US10B	114.19	017886		
		US26	114.19	006052		
		US26D	93.99	002125		





Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>WTAB750</b>	4-1/2" x 5"	LS	211.74	-	3	24
Wide Throw	(114 x 127 mm)	USP	229.58	115754		
Steel - Full Mortise		US3	258.07	-		
Heavy Weight		US10	211.74	065696		
Concealed Anti-Friction Bearing		US10A (US11)	258.07	093406		
Three Knuckle		US10B	258.07	076857		
		US26	258.07	092976		
		US26D	213.08	022959		
<hr/>						
	4-1/2" x 6"	LS	212.76	-	3	24
	(114 mm x 152 mm)	USP	230.60	063855		
		US3	59.40	043920		
		US10	212.76	045850		
		US10A (US11)	259.40	090251		
		US10B	259.40	086471		
		US26	259.40	089046		
		US26D	222.64	097881		
<hr/>						
	4-1/2" x 7"	LS	286.17	-	3	24
	(114 mm x 178 mm)	USP	310.44	-		
		US3	349.31	-		
		US10	286.17	071083		
		US10A (US11)	349.31	100602		
		US10B	349.31	008253		
		US26	349.31	-		
		US26D	299.68	067308		
<hr/>						
	4-1/2" x 8"	LS	293.11	-	3	24
	(114 mm x 203 mm)	USP	317.64	130101		
		US3	357.34	116852		
		US10	293.11	-		
		US10A (US11)	357.34	-		
		US10B	357.34	106119		
		US26	357.34	-		
		US26D	306.75	003472		



## Commercial Hinges



Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>IHTAB750</b>	4-1/2" x 4-1/2"	LS	151.34	082386	3	24
MADE IN USA	(114 mm x 114 mm)	USP	178.67	081222		
Steel - Full Mortise		US26D	158.47	081223		
Concealed Anti-Friction Bearing	5" x 4-1/2"	LS	165.54	-	3	24
Heavy Weight	(127 x 114 mm)	USP	189.89	005416		
Institutional or Prison;		US26D	173.70	089127		
Welded Hospital Tip						
Three Knuckle						
TORX Screws - add \$12 to list						





Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>800</b> Brass or Stainless Full Mortise Standard Weight Plain Bearing Three Knuckle	3-1/2" x 3-1/2" (89 mm x 89 mm)	US3	113.55	002239	2	100
		US10	88.95	125628		
		US10B	113.55	002236		
		US26	113.55	018814		
		US26D	101.70	017876		
		US32D	107.30	002240		
	4" x 4" (102 mm x 102 mm)	US3	109.73	002247	3	48
		US10	85.00	-		
		US10B	109.47	013109		
		US26	109.47	032743		
		US26D	100.93	002246		
		US32D	116.35	002249		
	4-1/2" x 4" (114 mm x 102 mm)	US3	98.19	024497	3	48
		US10	83.86	-		
		US10B	98.19	023835		
		US26	98.19	-		
		US26D	88.70	032689		
		US32D	100.36	071727		
	4-1/2" x 4-1/2" (114 mm x 114 mm)	US3	98.19	002279	3	48
		US10	83.86	005530		
		US10B	98.19	002268		
		US26	98.19	002271		
		US26D	88.70	002274		
		US32D	100.36	002284		
5" x 4" (127 mm x 102 mm)	US3	154.97	-	3	24	
	US10	123.74	-			
	US10B	154.97	061899			
	US26	154.97	-			
	US26D	137.70	092717			
	US32D	156.81	097552			
5" x 4-1/2" (127 x 114 mm)	US3	154.97	019910	3	24	
	US10	123.74	-			
	US10B	154.97	067358			
	US26	154.97	-			
	US26D	137.70	107933			
	US32D	156.81	006935			
5" x 5" (127 mm x 127 mm)	US3	154.97	016629	3	24	
	US10	123.74	-			
	US10B	154.97	126436			
	US26	154.97	103826			
	US26D	137.70	085018			
	US32D	156.81	019417			



## Commercial Hinges



Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>AB800</b> Brass or stainless Full Mortise Standard Weight Concealed Anti-Friction Bearing Three Knuckle	4-1/2" x 4" (114 mm x 102 mm)	US3	112.53	002371	3	48
		US10	93.54	002353		
		US10B	112.53	002354		
		US26	112.53	031110		
		US26D	95.58	002366		
		US32D	97.05	002379		
	4-1/2" x 4-1/2" (114 mm x 114 mm)	US3	112.53	002430	3	48
		US10	93.54	002390		
		US10B	112.53	002397		
		US26	112.53	095263		
		US26D	95.58	002416		
		US32D	<b>97.05</b>	002441		
	5" x 4" (127 mm x 102 mm)	US3	185.17	138239	3	24
		US10	144.20	014350		
		US10B	185.17	053030		
		US26	185.17	174125		
		US26D	147.58	041703		
		US32D	151.78	002477		
	5" x 4-1/2" (127 mm x 114 mm)	US3	185.17	-	3	24
		US10	144.20	178861		
		US10B	185.17	037911		
		US26	185.17	187217		
		US26D	147.58	096274		
		US32D	151.78	002500		
	5" x 5" (127 mm x 127 mm)	US3	185.17	032238	3	24
		US10	144.20	129222		
		US10B	185.17	021424		
		US26	185.17	065762		
		US26D	147.58	009938		
		US32D	151.78	095163		





Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>WTAB800</b>	4-1/2" x 5"	LS	214.74	-	3	24
Wide Throw	(114 mm x 127 mm)	US3	300.12	051926		
Brass or Stainless		US10	214.74	074633		
Full Mortise		US10B	283.55	002306		
Standard Weight		US26	283.55	-		
Concealed Anti-Friction Bearing		US26D	243.54	081811		
Three Knuckle		US32	300.12	-		
		US32D	300.12	022382		
	4-1/2" x 6"	LS	235.25	-	3	24
	(114 mm x 152 mm)	US3	306.43	016264		
		US10	235.25	-		
		US10B	306.43	047131		
		US26	306.43	-		
		US26D	242.96	015281		
		US32	322.55	065657		
		US32D	322.55	078170		
	4-1/2" x 7"	LS	247.11	-	3	24
	(114 mm x 178 mm)	US3	321.91	121348		
		US10	247.11	-		
		US10B	321.91	021385		
		US26	321.91	-		
		US26D	291.52	121347		
		US32	338.74	-		
		US32D	338.74	017222		
	4-1/2" x 8"	LS	250.16	-	3	24
	(114 mm x 203 mm)	US3	322.23	-		
		US10	250.16	-		
		US10B	322.23	-		
		US26	322.23	-		
		US26D	281.20	037781		
		US32	338.42	048269		
		US32D	338.42	113887		
	5" x 6"	LS	456.24	-	3	24
	(127 mm x 152 mm)	US3	597.50	-		
		US10	456.24	-		
		US10B	597.50	043722		
		US26	597.50	055820		
		US26D	527.98	122338		
		US32	634.14	-		
		US32D	634.14	045622		
	5" x 7"	LS	478.98	-	3	24
	(127 mm x 178 mm)	US3	627.51	-		
		US10	478.98	140083		
		US10B	627.51	-		
		US26	627.51	-		
		US26D	544.17	154976		
		US32	664.92	-		
		US32D	664.92	140540		





## Commercial Hinges



Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>WTAB800</b> - Cont. Continued	5" x 8" (127 mm x 203 mm)	LS	528.96	-	3	24
		US3	653.13	-		
		US10	528.94	-		
		US10B	653.13	-		
		US26	653.13	-		
		US26D	570.61	-		
		US32	681.80	-		
		US32D	681.80	088291		
<b>AB850</b> Brass or Stainless Full Mortise Heavy Weight Concealed Anti-Friction Bearing Three Knuckle	4-1/2" x 4" (114 mm x 102 mm)	US3	173.70	046338	3	24
		US10	160.26	045488		
		US10B	173.70	001714		
		US26	173.70	156069		
		US26D	137.57	002599		
		US32D	140.38	093039		
	4-1/2" x 4-1/2" (114 mm x 114 mm)	US3	173.70	098711	3	24
		US10	160.26	002615		
		US10B	173.70	094812		
		US26	173.70	002631		
		US26D	137.57	002638		
		US32D	140.38	002654		
	5" x 4" (127 mm x 102 mm)	US3	221.68	153153	3	24
		US10	186.64	014351		
		US10B	221.68	100720		
		US26	221.68	081818		
		US26D	186.70	057422		
		US32D	190.01	002683		





Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>AB850</b> - Cont. Continued	5" x 4-1/2" (127 mm x 114 mm)	US3	221.68	091548	3	24
		US10	186.64	008334		
		US10B	221.68	002691		
		US26	221.68	002700		
		US26D	186.70	002704		
		US32D	190.01	002721		
	5" x 5" (127 mm x 127 mm)	US3	221.68	-	3	24
		US10	186.64	033916		
		US10B	221.68	095231		
		US26	221.68	112488		
		US26D	186.70	002743		
		US32D	190.01	024905		
	6" x 4-1/2" (152 mm x 114 mm)	US3	515.88	072875	3	24
		US10	335.17	025004		
		US10B	515.88	043245		
		US26	515.88	-		
		US26D	363.78	074191		
		US32D	492.05	002758		
	6" x 5" (152 mm x 127 mm)	US3	515.88	187952	3	24
		US10	335.17	-		
		US10B	515.88	034166		
		US26	515.88	-		
		US26D	363.78	022892		
		US32D	492.05	001925		
	6" x 6" (152 mm x 152 mm)	US26D	363.78	026100	3	24
		US32D	492.05	002771		
<b>WTAB850</b> Wide Throw Brass or Stainless Full Mortise Heavy Weight Concealed Anti-Friction Bearing Three Knuckle	4-1/2" x 5" (114 mm x 127 mm)	LS	321.53	-	3	24
		US3	407.43	119032		
		US10	321.53	089830		
		US10B	407.43	041693		
		US26	407.43	-		
		US26D	353.26	014202		
	4-1/2" x 6" (114 mm x 152 mm)	US32	436.93	-		
		US32D	436.93	073360		
		LS	332.68	-	3	24
		US3	419.34	119033		
		US10	332.68	163644		
		US10B	419.34	030057		
	4-1/2" x 7" (114 mm x 178 mm)	US26	419.34	-		
		US26D	376.97	004168		
		US32	448.72	-		
		US32D	448.72	024258		
		LS	368.49	-	3	24
		US3	442.85	-		
		US10	368.49	-		
		US10B	442.85	062830		
		US26	442.85	-		
		US26D	425.20	147246		
		US32	478.28	-		
		US32D	478.28	-		



## Commercial Hinges



Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>WTAB850</b> - Cont.	4-1/2" x 8"	LS	407.49	-	3	24
Continued	(114 mm x 203 mm)	US3	478.28	-		
		US10	407.49	-		
		US10B	478.28	113225		
		US26	478.28	-		
		US26D	442.85	025417		
		US32	517.28	-		
		US32D	517.28	035073		



<b>IHTAB850</b>	4-1/2" x 4-1/2"	US32D	254.94	079272	3	24
MADE IN USA	(114 x 114 mm)					
Stainless - Full Mortise	5" x 4-1/2"	US32D	321.91	095240	3	24
Heavy Weight	(127 mm x 114 mm)					
Concealed Anti-Friction Bearing						
Institutional or Prison						
Welded Hospital Tip						
Three Knuckle						
TORX Screws - add \$16.50 to list						





Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>920</b>	4-1/2" x 4"	LH USP	17.08	002850	3	48
Steel	(114 mm x 102 mm)	RH USP	17.08	002851		
Full Mortise		LH US10	21.35	002828		
Standard Weight		RH US10	21.35	002830		
Plain Bearing		LH US10A (US11)	41.35	074625		
Two Knuckle		RH US10A (US11)	41.35	002833		
Specify Handing		LH US10B	41.35	073260		
		RH US10B	41.35	073258		
		LH US26D	<b>29.63</b>	002836		
		RH US26D	<b>29.63</b>	002837		
	4-1/2" x 4-1/2"	LH USP	17.08	002888	3	48
	(114 mm x 114 mm)	RH USP	17.08	002889		
		LH US10	21.35	002852		
		RH US10	21.35	002853		
		LH US10A (US11)	41.35	002854		
		RH US10A (US11)	41.35	002856		
		LHUS10B	41.35	002858		
		RH US10B	41.35	002859		
		LH US26D	30.20	002867		
		RH US26D	30.20	002869		
<b>AB920</b>	4-1/2" x 4"	LH USP	42.63	002914	3	48
Steel	(114 mm x 102 mm)	RH USP	42.63	002915		
Full Mortise		LH US10	37.02	002890		
Standard Weight		RH US10	37.02	002892		
Concealed Anti-Friction Bearing		LH US10A (US11)	57.92	002894		
Two Knuckle		RH US10A (US11)	57.92	002895		
Specify Handing		LHUS10B	57.92	017887		
		RH US10B	57.92	017888		
		LH US26D	48.43	002900		
		RH US26D	48.43	002901		
Available with ETW	4-1/2" x 4-1/2"	LH USP	42.63	002958	3	48
	(114 mm x 114 mm)	RH USP	42.63	002963		
		LH US10	37.02	002918		
		RH US10	37.02	002919		
		LH US10A (US11)	57.92	002921		
		RH US10A (US11)	57.92	002924		
		LHUS10B	57.92	002926		
		RH US10B	57.92	002927		
		LH US26D	48.43	002936		
		RH US26D	48.43	002937		




## Commercial Hinges



Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>AB923</b>	4-1/2" x 4"	LH US3	121.00	037373	3	48
Brass or Stainless	(114 mm x 102 mm)	RH US3	121.00	037374		
Full Mortise		LH US4	94.82	017474		
Standard Weight		RH US4	94.82	-		
Concealed Anti-Friction Bearing		LH US10	94.82	053643		
Two Knuckle		RH US10	94.82	053640		
Specify Handing		LH US10B	121.00	064730		
		RH US10B	121.00	064731		
		LH US26	121.00	048404		
Available with ETW		RH US26	121.00	048405		
		LH US26D	107.56	057100		
		RH US26D	107.56	057102		
		LH US32	140.95	039538		
		RH US32	140.95	085667		
		LH US32D	140.95	040225		
		RH US32D	140.95	031930		
	4-1/2" x 4-1/2"	LH US3	121.00	048410	3	48
	(114 mm x 114 mm)	RH US3	121.00	048411		
		LH US4	94.82	063272		
		RH US4	94.82	050767		
		LH US10	94.82	041925		
		RH US10	94.82	041924		
		LH US10B	121.00	027478		
		RH US10B	121.00	027479		
		LH US26	121.00	020180		
		RH US26	121.00	035847		
		LH US26D	107.56	039586		
		RH US26D	107.56	027480		
		LH US32	140.95	030201		
		RH US32	140.95	030202		
		LH US32D	140.95	021425		
		RH US32D	140.95	021427		





Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>IHTHB953</b> Stainless Steel Full Mortise Heavy Weight Concealed Bearing Institutional or Prison Welded Hospital Tip Standard with RSS and Torx Screws	4-1/2" x 4-1/2" (114 mm x 114 mm)	US32D	168.67	051344	3	24
<b>990</b> Steel Detention Utility Hinge Full Surface Welded Tip	3" x 4" (76 mm x 102 mm)	USP	225.06	079393	2	10
<b>992</b> Steel Detention Food Pass Through Hinge Full Surface With Stop Welded Tip Set of 2 hinges with 2 stops	3" x 4" (76 mm x 102 mm)	USP	481.79	079398	1	12
<b>BB1109</b> Brass or Stainless Half Mortise Standard Weight Ball Bearing	4-1/2" (114 mm)	US10	191.48	004145	3	48
		US10B	235.83	085217		
		US26D	205.05	004149		
		US32D	272.91	004154		
	5" (127 mm)	US10	246.53	045318	3	24
		US10B	276.93	-		
		US26D	240.86	004165		
<b>1129</b> Steel Half Mortise Standard Weight Plain Bearing	4-1/2" (114 mm)	US32D	326.69	004170		
		USP	35.75	004186	3	48
		US10	41.23	004175		
		US10A (US11)	61.23	007852		
		US10B	61.23	065372		
		US26D	46.77	004180		



## Commercial Hinges



Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>BB1129</b>	4-1/2" (114 mm)	USP	92.27	004209	3	48
Steel		US10B	137.38	004193		
Half Mortise		US26D	108.52	004197		
Standard Weight						
Ball Bearing						
	5" (127 mm)	USP	124.32	004254	3	24
		US10B	178.48	-		
		US26D	155.54	004250		



<b>1150</b>	4-1/2" x 4"	US32	197.02	047217	3	48
Stainless Steel	(114 mm x 102 mm)	US32D	169.37	023378		
Full Mortise		US10Z	221.94	177119		
Standard Weight						
Spring Hinge	4-1/2" x 4-1/2"	US32	197.02	028073	3	48
	(114 mm x 114 mm)	US32D	169.37	023379		
		US10Z	215.44	177118		

Note: Hager does not recommend using spring hinges on doors over 7'0"





Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>BB1168</b> Steel Full Mortise Heavy Weight Ball Bearing	4-1/2" x 4" (114 mm x 102 mm)	LS	74.11	-	3	24
		USP	74.11	004540		
		US3	88.00	004529		
		US10	74.11	004501		
		US10A (US11)	88.00	004505		
		US10B	88.00	004510		
		US15	88.00	084310		
		US26	88.00	004512		
		US26D	63.40	004517		
	4-1/2" x 4-1/2" (114 mm x 114 mm)	LS	74.11	004735	3	24
		USP	74.11	004744		
		US3	88.00	004671		
		US10	74.11	004547		
		US10A (US11)	88.00	004564		
		US10B	88.00	004585		
		US15	88.00	004592		
		US26	88.00	004601		
		US26D	<b>63.40</b>	004616		
	5" x 4" (127 mm x 102 mm)	LS	95.33	-	3	24
		USP	93.92	004794		
		US3	99.28	010504		
		US10	95.33	071777		
		US10A (US11)	99.28	004779		
		US10B	99.28	059153		
		US15	99.28	035760		
		US26	99.28	047535		
		US26D	81.75	004785		
	5" x 4-1/2" (127 mm x 114 mm)	LS	95.33	128700	3	24
		USP	93.92	004922		
		US3	99.28	004881		
		US10	95.33	004802		
		US10A (US11)	99.28	004813		
		US10B	99.28	004826		
		US15	99.28	004830		
		US26	99.28	004836		
		US26D	81.75	004850		





## Commercial Hinges



Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>BB1168</b> - Cont. Continued	5" x 5" (127 mm x 127 mm)	LS	95.33	-	3	24
		USP	93.92	005029		
		US3	99.28	004998		
		US10	95.33	004947		
		US10A (US11)	99.28	004956		
		US10B	99.28	004974		
		US15	99.28	022614		
		US26	99.28	004975		
		US26D	81.75	004981		
	6" x 4-1/2" (152 mm x 114 mm)	LS	263.86	-	3	12
		USP	255.33	005069		
		US3	325.35	005064		
		US10	263.86	035454		
		US10A (US11)	325.35	057799		
		US10B	325.48	068270		
		US15	325.35	033562		
		US26	325.48	005054		
		US26D	245.45	005057		
	6" x 5" (152 mm x 127 mm)	USP	255.33	005102	3	12
		US10	263.86	007229		
		US10A (US11)	325.35	020131		
		US10B	325.48	078457		
		US15	325.35	030967		
		US26D	245.45	005086		
	6" x 6" (152 mm x 152 mm)	USP	255.33	005128	3	12
		US10	263.86	030639		
		US10A (US11)	325.35	011627		
		US10B	325.48	065303		
		US15	325.35	016874		
		US26D	245.45	005113		
	8" x 6" (203 mm x 152 mm)	USP	589.60	005145	3	12
		US10	609.42	026481		
		US10A (US11)	751.45	-		
		US10B	751.45	039286		
		US15	751.45	-		
		US26D	638.41	064840		
	8" x 8" (203 mm x 203 mm)	USP	589.60	005158	3	12
		US10	609.42	-		
		US10A (US11)	751.45	005148		
		US10B	751.45	017141		
		US15	751.45	-		
		US26D	638.41	005151		





Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>WTBB1168</b>	4-1/2" x 5"	LS	172.62	-	3	24
Wide Throw	(114 mm x 127 mm)	USP	187.15	097956		
Steel		US3	210.53	004408		
Full Mortise		US10	172.62	012221		
Heavy Weight		US10A (US11)	210.53	004403		
Ball Bearing		US10B	210.53	007916		
		US26	210.53	015160		
		US26D	178.10	092594		
	4-1/2" x 6"	LS	173.45	-	3	24
	(114 mm x 152 mm)	USP	188.10	004427		
		US3	211.61	004422		
		US10	173.45	099482		
		US10A (US11)	211.61	098167		
		US10B	211.61	004417		
		US26	211.61	004419		
		US26D	181.54	004420		
	4-1/2" x 7"	LS	229.01	-	3	24
	(114 mm x 178 mm)	USP	248.44	040653		
		US3	279.35	015930		
		US10	229.01	003123		
		US10A (US11)	279.35	010920		
		US10B	279.35	058190		
		US26	279.35	050632		
		US26D	239.78	004435		
	4-1/2" x 8"	LS	239.01	-	3	24
	(114 mm x 203 mm)	USP	259.21	004450		
		US3	291.58	078934		
		US10	239.01	045774		
		US10A (US11)	291.58	019132		
		US10B	291.58	062081		
		US26	291.58	066672		
		US26D	250.23	004446		
	5" x 6"	LS	233.28	-	3	24
	(127 mm x 152 mm)	USP	252.71	008259		
		US3	282.98	004463		
		US10	233.28	020214		
		US10A (US11)	282.98	031197		
		US10B	282.98	019659		
		US26	282.98	004459		
		US26D	241.82	004461		



## Commercial Hinges



Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>WTBB1168</b> - Cont. Continued	5" x 7" (127 mm x 178 mm)	LS	236.72	-	3	24
		USP	256.54	066742		
		US3	286.93	067657		
		US10	236.72	023928		
		US10A (US11)	286.93	020805		
		US10B	286.93	073756		
		US26	286.93	143181		
		US26D	245.39	004475		
	5" x 8" (127 mm x 203 mm)	LS	246.85	-	3	24
		USP	267.56	004495		
		US3	299.49	008357		
		US10	246.85	034739		
		US10A (US11)	299.48	015855		
		US10B	299.48	026651		
		US26	299.48	057245		
		US26D	255.84	098271		
<b>1173</b> Steel Half Surface Standard Weight Plain Bearing	3-1/2" (89 mm)	USP	51.10	005304	3	48
		US10	56.97	005292		
		US10A (US11)	67.93	005293		
		US10B	67.93	024439		
		US26D	59.77	005295		
	4" (102 mm)	USP	78.18	005319	3	48
		US10	82.26	005306		
		US10A (US11)	97.05	046712		
		US10B	97.05	044390		
		US26D	84.62	005309		
	4-1/2" (114 mm)	USP	52.63	005337	3	48
		US10	56.33	005321		
		US10A (US11)	77.36	005323		
		US10B	77.36	001848		
		US26D	59.45	005326		
<b>BB1173</b> Steel Half Surface Standard Weight Ball Bearing	4" (102 mm)	USP	99.72	005356	3	48
		US10	119.60	005349		
		US10A (US11)	150.12	001845		
		US10B	150.12	091863		
		US26D	131.07	005351		
	4-1/2" (114 mm)	USP	80.35	005389	3	48
		US10	89.85	005358		
		US10A (US11)	125.21	005360		
		US10B	125.21	005364		
		US26D	94.18	005367		
	5" (127 mm)	USP	113.55	005410	3	36
		US10	138.85	005395		
		US10A (US11)	171.53	005397		
		US10B	171.53	015735		
		US26D	127.82	005401		





Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>1191</b>	3" x 3"	US3	229.26	005484	2	100
Brass or Stainless	(76 mm x 76 mm)	US4	179.88	005496		
Full Mortise		US10	179.88	065549		
Standard Weight		US10B	229.26	005475		
Plain Bearing		US15	229.26	005478		
Specify if all wood screws are required.		US26	229.26	005479		
		US26D	203.14	005481		
		US32	255.01	005490		
		US32D	252.14	005491		
	3-1/2" x 3-1/2"	US3	94.69	006934	2	100
	(89 mm x 89 mm)	US4	74.11	006952		
		US10	74.11	006911		
		US10B	94.69	006913		
		US15	94.69	006920		
		US26	94.69	006923		
		US26D	84.75	006929		
		US32	94.88	006943		
		US32D	89.40	006945		
	4" x 3-1/2"	US3	118.39	097274	3	48
	(102 mm x 89 mm)	US4	90.42	005502		
		US10	90.42	121560		
		US10B	118.39	069063		
		US15	118.39	035011		
		US26	118.39	011778		
		US26D	103.23	029852		
		US32	116.54	132157		
		US32D	108.07	088102		
	4" x 4"	US3	91.12	005535	3	48
	(102 mm x 102 mm)	US4	70.86	005562		
		US10	70.86	005503		
		US10B	91.12	005508		
		US15	91.12	052318		
		US26	91.12	005522		
		US26D	84.11	005528		
		US32	96.92	005549		
		US32D	<b>87.17</b>	005552		



## Commercial Hinges



Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
1191 - Cont. Continued	4-1/2" x 4" (114 mm x 102 mm)	US3	92.59	005597	3	48
		US4	72.90	005620		
		US10	72.90	052272		
		US10B	92.59	005582		
		US15	92.59	005586		
		US26	92.59	005590		
		US26D	77.36	005592		
		US32	93.22	005611		
	US32D	86.66	005614			
	4-1/2" x 4-1/2" (114 mm x 114 mm)	US3	92.59	005690	3	48
		US4	72.90	005724		
		US10	72.90	005629		
		US10B	92.59	005640		
		US15	92.59	005652		
		US26	92.59	005664		
		US26D	77.36	005673		
		US32	93.22	005709		
	US32D	86.66	005713			
	5" x 4" (127 mm x 102 mm)	US3	129.22	005752	3	24
		US4	103.16	110512		
		US10	103.16	-		
		US10B	129.22	012964		
		US15	129.22	047207		
		US26	129.22	043361		
		US26D	114.76	033877		
		US32	143.69	046989		
	US32D	130.75	005755			
	5" x 4-1/2" (127 mm x 114 mm)	US3	129.22	005771	3	24
US4		103.16	005783			
US10		103.16	105329			
US10B		129.22	005763			
US15		129.22	032825			
US26		129.22	068935			
US26D		114.76	005768			
US32		143.69	125488			
US32D	130.75	005779				
5" x 5" (127 mm x 127 mm)	US3	129.22	005803	3	24	
	US4	103.16	027281			
	US10	103.16	128170			
	US10B	129.22	005791			
	US15	129.22	030280			
	US26	129.22	005799			
	US26D	114.76	005800			
	US32	143.69	009578			
US32D	130.75	005815				





Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>BB1191</b>	3-1/2" x 3-1/2"	US3	112.34	007012	2	100
Brass or Stainless	(89 mm x 89 mm)	US4	104.63	007026		
Full Mortise		US10	104.63	006997		
Standard Weight		US10B	112.34	007000		
Ball Bearing		US15	112.34	039663		
Specify if all wood screws are required.		US26	112.34	007006		
		US26D	109.98	007008		
		US32	155.41	007020		
		US32D	137.32	007021		
<hr/>						
	4" x 3-1/2"	US3	170.07	080659	3	48
	(102 mm x 89 mm)	US4	130.43	-		
		US10	130.43	-		
		US10B	170.07	091160		
		US15	170.07	095215		
		US26	170.07	-		
		US26D	164.02	072201		
		US32	205.62	085839		
		US32D	170.64	006219		
<hr/>						
	4" x 4"	US3	129.73	006246	3	48
	(102 mm x 102 mm)	US4	113.87	006269		
		US10	113.87	006221		
		US10B	129.73	006225		
		US15	129.73	006232		
		US26	129.73	006235		
		US26D	121.77	006240		
		US32	153.57	006261		
		US32D	148.21	006263		
<hr/>						
	4-1/2" x 4"	US3	110.56	006321	3	48
	(114 mm x 102 mm)	US4	85.07	006343		
		US10	85.07	006286		
		US10B	110.55	006289		
		US15	110.55	006302		
		US26	110.55	006306		
		US26D	86.21	006311		
		US32	103.29	006332		
		US32D	87.49	006335		



## Commercial Hinges



Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
BB1191 - Cont. Continued	4-1/2" x 4-1/2" (114 mm x 114 mm)	US3	110.55	006489	3	48
		US4	85.07	006562		
		US10	85.07	006373		
		US10B	110.55	006393		
		US15	110.55	006426		
		US26	110.55	006446		
		US26D	86.21	006462		
		US32	103.29	006528		
		US32D	87.49	006537		
	5" x 4" (127 mm x 102 mm)	US3	151.21	006630	3	24
		US4	117.75	069057		
		US10	117.75	020761		
		US10B	151.21	006621		
		US15	151.21	043259		
		US26	151.21	006623		
		US26D	123.04	006627		
		US32	148.21	047877		
		US32D	125.78	006636		
	5" x 4-1/2" (127 mm x 114 mm)	US3	151.21	006681	3	24
		US4	117.75	006707		
		US10	117.75	006644		
		US10B	151.21	006655		
		US15	151.21	006665		
		US26	151.21	065277		
		US26D	123.04	006672		
US32		148.21	006693			
US32D		125.78	006696			
5" x 5" (127 mm x 127 mm)	US3	151.21	006761	3	24	
	US4	117.75	006791			
	US10	117.75	006727			
	US10B	151.21	006733			
	US15	151.21	068939			
	US26	151.21	006746			
	US26D	123.04	006752			
	US32	148.21	006779			
	US32D	125.78	006784			





Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>BB1191</b> - Cont. 2 Continued	6" x 4-1/2" (152 mm x 114 mm)	US3	473.18	006813	3	24
		US4	371.81	030956		
		US10	371.81	010566		
		US10B	473.18	007519		
		US15	473.18	-		
		US26	473.18	099318		
		US26D	425.52	006811		
		US32	517.22	084160		
		US32D	517.22	006817		
	6" x 5" (152 mm x 127 mm)	US3	473.18	006830	3	24
		US4	371.81	081058		
		US10	371.81	031360		
		US10B	473.18	069067		
		US15	473.18	117950		
		US26	473.18	-		
		US26D	425.52	019124		
		US32	517.22	-		
		US32D	517.22	006832		
	6" x 6" (152 mm x 152 mm)	US3	473.18	006843	3	24
		US4	371.81	046772		
		US10	371.81	012558		
		US10B	473.18	006838		
		US15	473.18	070946		
		US26	473.18	147729		
		US26D	425.52	006842		
		US32	517.22	106911		
		US32D	517.22	006850		
<b>CB1191</b> Stainless Full Mortise Standard Weight Concealed Anti-Fiction Bearing	4" x 3-1/2" (102 mm x 89 mm)	All finishes	Price same as BB	-	3	24
	4" x 4" (102 mm x 102 mm)	All finishes	Price same as BB	-		
	4-1/2" x 4" (114 mm x 102 mm)	All finishes	Price same as BB	-		
	4-1/2" x 4-1/2" (114 mm x 114 mm)	All finishes	Price same as BB	-		
	5" x 4" (127 mm x 102 mm)	All finishes	Price same as BB	-		
	5" x 4-1/2" (127 mm x 114 mm)	All finishes	Price same as BB	-		
	5" x 5" (127 mm x 127 mm)	All finishes	Price same as BB	-		





## Commercial Hinges



Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>WTBB1191</b> Wide Throw Brass or Stainless Full Mortise Standard Weight Ball Bearing	3-1/2" x 5" (89 mm x 127 mm)	US3	202.31	067005	3	24
		US4	157.26	026605		
		US10	157.26	121849		
		US10B	202.31	075305		
		US26	202.31	129251		
		US26D	177.52	118052		
		US32	243.16	000080		
		US32D	243.16	032663		
	3-1/2" x 6" (89 mm x 152 mm)	US3	203.14	040163	3	24
		US4	162.93	-		
		US10	162.93	-		
		US10B	203.14	113815		
		US26	203.14	-		
		US26D	183.07	130243		
		US32	252.33	138152		
		US32D	252.33	076662		
	4" x 5" (102 mm x 127 mm)	US3	253.99	010124	3	24
		US4	199.95	037602		
		US10	199.95	086104		
		US10B	253.99	070966		
		US26	253.99	041818		
		US26D	223.47	038964		
		US32	272.85	-		
		US32D	272.85	075139		
	4" x 6" (102 mm x 152 mm)	US3	263.99	006119	3	24
		US4	208.75	012392		
		US10	208.75	146501		
		US10B	263.99	006117		
		US26	263.99	096937		
		US26D	231.81	009831		
		US32	282.53	114550		
		US32D	282.53	006121		








Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>WTBB1191</b> - Cont. Continued	4" x 7" (102 mm x 178 mm)	US3	275.53	092349	3	24
		US4	219.64	089839		
		US10	219.64	-		
		US10B	275.53	039719		
		US26	275.53	069207		
		US26D	241.44	088865		
		US32	294.20	099920		
		US32D	294.20	048155		
	4-1/2" x 5" (114 mm x 127 mm)	US3	226.84	094007	3	24
		US4	171.73	101381		
		US10	171.73	046401		
		US10B	226.84	025650		
		US26	226.84	001393		
		US26D	194.79	092728		
		US32	239.84	121467		
		US32D	239.84	006144		
	4-1/2" x 6" (114 mm x 152 mm)	US3	249.91	095253	3	24
		US4	191.86	036949		
		US10	191.86	024066		
		US10B	249.91	006152		
		US26	249.91	020291		
		US26D	226.52	065373		
		US32	263.04	052335		
		US32D	263.04	092901		
	4-1/2" x 7" (114 mm x 178 mm)	US3	243.16	080909	3	24
		US4	196.70	041505		
		US10	196.70	-		
		US10B	243.16	024545		
		US26	246.16	049886		
		US26D	227.93	069011		
		US32	270.30	076444		
		US32D	270.30	099811		
	4-1/2" x 8" (114 mm x 203 mm)	US3	262.97	072567	3	24
		US4	203.90	116184		
		US10	203.90	048605		
		US10B	262.97	034770		
		US26	262.97	060370		
		US26D	229.30	008143		
		US32	276.23	-		
		US32D	276.23	098630		
	5" x 6" (127 mm x 152 mm)	US3	487.20	006199	3	24
		US4	372.19	067616		
		US10	372.19	028304		
		US10B	487.20	046882		
		US26	487.20	-		
		US26D	430.87	033730		
		US32	517.47	046097		
		US32D	517.47	040909		



## Commercial Hinges



Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>WTBB1191</b> - Cont. 2 Continued	5" x 7" (127 mm x 178 mm)	US3	512.05	067159	3	24
		US4	390.92	-		
		US10	390.92	-		
		US10B	512.05	035145		
		US26	512.05	-		
		US26D	444.00	065278		
		US32	542.51	-		
		US32D	542.51	036859		
	5" x 8" (127 mm x 203 mm)	US3	533.15	074194	3	24
		US4	431.64	-		
		US10	431.64	038873		
		US10B	533.15	020027		
		US26	533.15	-		
		US26D	465.60	025454		
		US32	556.21	-		
		US32D	556.21	072530		
 <b>BB1195</b> Brass or Stainless Full Mortise Heavy Weight Ball Bearing Anchor Hinge Specify Handing	5" x 4-1/2" (127 mm x 114 mm)	LH US10	484.78	037675	1	10
		RH US10	484.78	037676		
		LH US10B	579.53	079470		
		RH US10B	579.53	079471		
		LH US26D	544.30	065411		
		RH US26D	544.30	065412		
		LH US32D	625.28	062056		
		RH US32D	625.28	062057		
 <b>BB1196</b> Brass or Stainless Full Mortise Heavy Weight Ball Bearing Anchor Hinge for Beveled Edge Doors Specify Handing	5" x 4-1/2" (127 mm x 114 mm)	LH US10	484.78	085583	1	10
		RH US10	484.78	085582		
		LH US10B	579.53	065640		
		RH US10B	579.53	065641		
		LH US26D	544.30	073416		
		RH US26D	544.30	073415		
		LH US32D	625.28	063230		
		RH US32D	625.28	063231		
 <b>BB1197</b> Brass or Stainless Full Mortise Heavy Weight Ball Bearing Anchor Hinge Beveled Edge Doors Specify Handing	5" x 4-1/2" (127 mm x 114 mm)	LH US10	484.78	003650	1	10
		RH US10	484.78	088543		
		LH US10B	579.53	067686		
		RH US10B	579.53	067687		
		LH US26D	544.30	074907		
		RH US26D	544.30	074908		
		LH US32D	625.28	079648		
		RH US32D	625.28	079649		





Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>BB1199</b> Brass or Stainless Full Mortise Heavy Weight Ball Bearing	4-1/2" x 4" (114 mm x 102 mm)	US3	165.42	007369	3	24
		US4	152.61	007381		
		US10	152.61	019651		
		US10B	165.42	007354		
		US15	165.42	035768		
		US26	165.42	007362		
		US26D	131.04	007364		
		US32	133.75	007376		
		US32D	132.60	007378		
	4-1/2" x 4-1/2" (114 mm x 114 mm)	US3	165.42	007469	3	24
		US4	152.61	007520		
		US10	152.61	007390		
		US10B	165.42	007406		
		US15	165.42	007424		
		US26	165.42	007437		
		US26D	<b>131.04</b>	007445		
		US32	133.75	007496		
		US32D	<b>132.60</b>	007502		
	5" x 4" (127 mm x 102 mm)	US3	211.17	007564	3	24
		US4	177.72	069122		
		US10	177.72	064950		
		US10B	211.17	007557		
		US15	211.17	087838		
		US26	211.17	091928		
		US26D	177.84	007561		
		US32	180.96	199969		
		US32D	180.96	007567		
	5" x 4-1/2" (127 mm x 114 mm)	US3	211.17	007619	3	24
		US4	177.72	007651		
		US10	177.72	007576		
		US10B	211.17	007585		
		US15	211.17	065583		
		US26	211.17	007601		
		US26D	177.84	007607		
		US32	180.96	007634		
		US32D	<b>180.96</b>	007639		
	5" x 5" (127 mm x 127 mm)	US3	211.17	007717	3	24
		US4	177.72	007752		
		US10	177.72	007678		
		US10B	211.17	007689		
		US15	211.17	040362		
		US26	211.17	007703		
		US26D	177.84	007707		
		US32	180.96	007738		
		US32D	180.96	007742		



## Commercial Hinges



Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>BB1199</b> - Cont. Continued	6" x 4-1/2" (152 mm x 114 mm)	US3	491.34	011566	3	12
		US4	319.17	018196		
		US10	319.17	099882		
		US10B	491.34	094854		
		US15	491.34	031525		
		US26	491.34	-		
		US26D	346.45	007775		
		US32	468.66	058406		
		US32D	468.66	007783		
	6" x 5" (152 mm x 127 mm)	US3	491.34	007803	3	12
		US4	319.17	013028		
		US10	319.17	019745		
		US10B	491.34	007792		
		US15	491.34	055244		
		US26	491.34	-		
		US26D	346.45	007800		
		US32	468.66	048380		
		US32D	468.66	007807		
	6" x 6" (152 mm x 152 mm)	US3	491.34	007827	3	12
		US4	319.17	007838		
		US10	319.17	007816		
		US10B	491.34	007820		
		US15	491.34	040565		
		US26	491.34	116381		
		US26D	346.45	007825		
		US32	468.66	073209		
		US32D	468.66	007832		
	8" x 6" (203 mm x 152 mm)	USP	785.54	054124	3	12
		US3	1,114.78	017553		
		US10	824.60	071278		
		US10B	1,114.78	072364		
		US15	1,114.78	095022		
		US26D	969.56	003819		
		US32D	1,292.43	007853		
	8" x 8" (203 mm x 203 mm)	USP	785.54	046441	3	12
		US3	1,114.78	073590		
		US10	824.60	025171		
		US10B	1,114.78	007857		
		US15	1,114.78	124169		
		US26D	969.56	032486		
		US32D	1,292.43	007863		





Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>WTBB1199</b> Wide Throw Brass or Stainless Full Mortise Heavy Weight Ball Bearing	4-1/2" x 5" (114 mm x 127 mm)	US3	387.99	007267	3	24
		US4	306.37	065299		
		US10	306.37	031727		
		US10B	387.99	021314		
		US26	387.99	017632		
		US26D	336.44	007274		
		US32	416.22	089866		
		US32D	416.22	098011		
	4-1/2" x 6" (114 mm x 152 mm)	US3	399.40	023840	3	24
		US4	316.82	068984		
		US10	316.82	048525		
		US10B	399.40	055190		
		US26	399.40	033508		
		US26D	359.13	076837		
		US32	427.31	015353		
		US32D	427.31	007302		
	4-1/2" x 7" (114 mm x 178 mm)	US3	421.76	103595	3	24
		US4	350.97	051679		
		US10	350.97	013416		
		US10B	421.76	007306		
		US26	421.76	-		
		US26D	404.97	018563		
		US32	455.60	-		
		US32D	455.60	099677		
	4-1/2" x 8" (114 mm x 203 mm)	US3	455.60	028182	3	24
		US4	388.05	091502		
		US10	388.05	087891		
		US10B	455.60	039213		
		US26	455.60	069204		
		US26D	421.76	105127		
		US32	492.68	051771		
		US32D	492.68	020980		
	5" x 6" (127 mm x 152 mm)	US3	472.42	048922	3	24
		US4	404.94	021718		
		US10	404.94	125775		
		US10B	472.42	032471		
		US26	472.42	-		
		US26D	435.27	030677		
		US32	526.39	095695		
		US32D	526.39	007332		
	5" x 7" (127 mm x 178 mm)	US3	489.31	046417	3	24
		US4	404.94	-		
		US10	404.94	102105		
		US10B	489.31	065989		
		US26	489.31	-		
		US26D	438.71	048069		
		US32	533.15	074499		
		US32D	533.15	030561		



## Commercial Hinges



Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>WTBB1199</b> - Cont. Continued	5" x 8" (127 mm x 203 mm)	US3	509.51	084305	3	24
		US4	435.27	142606		
		US10	435.27	-		
		US10B	509.51	005340		
		US26	509.51	-		
		US26D	455.60	034917		
		US32	556.79	-		
		US32D	556.79	019520		
<b>1250</b> Steel Full Mortise Standard Weight Spring Hinge Available with Raised Barrel Available with hospital tip (voids UL)	3-1/2" x 3-1/2" (89 mm x 89 mm)	USP	39.76	007989	2	80
		US3	52.63	007984		
		US4	39.76	007986		
		US10	39.76	007974		
		US10A (US11)	52.63	007975		
		US10B	52.63	007977		
		US26D	53.72	007981		
	4" x 4" (102 mm x 102 mm)	USP	50.66	008006	3	48
		US3	70.47	008001		
		US4	50.66	008003		
		US10	50.66	007991		
		US10A (US11)	70.47	007992		
		US10B	<b>70.47</b>	007994		
		US26D	<b>62.25</b>	007999		
	4-1/2" x 4" (114 mm x 102 mm)	USP	90.48	008020	3	48
		US3	85.83	008014		
		US4	90.48	008015		
		US10	90.48	008008		
		US10A (US11)	85.83	008009		
		US10B	85.83	008010		
		US26D	81.75	008013		
	4-1/2" x 4-1/2" (114 mm x 114 mm)	USP	90.48	008050	3	48
		US3	85.83	008039		
		US4	90.48	008041		
		US10	90.48	008021		
		US10A (US11)	85.83	008023		
		US10B	<b>85.83</b>	008025		
		US26	85.83	008034		
		US26D	<b>81.75</b>	008037		
<b>1251</b> Steel 1/4" Round Corner Radius, Full Mortise Standard Weight Spring Hinge	4" x 4" (102 mm x 102 mm)	USP	61.17	008079	3	48
		US3	80.98	008073		
		US4	61.17	008074		
		US10	61.17	008067		
		US10A (US11)	80.98	008069		
		US10B	80.98	067122		
		US26D	<b>72.76</b>	008072		

Note: Hager does not recommend using spring hinges on doors over 7'0"

Note: Hager does not recommend using spring hinges on doors over 7'0"





Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>1251</b> - Cont. Continued	4-1/2" x 4" (114 mm x 102 mm)	USP	98.51	008086	3	48
		US3	132.47	003696		
		US4	118.96	008084		
		US10	118.96	012636		
		US10A (US11)	132.47	072921		
		US10B	132.47	038047		
		US26D	128.07	008082		
	4-1/2" x 4-1/2" (114 mm x 114 mm)	USP	98.51	008093		
		US3	132.47	008091		
		US4	118.96	008092		
		US10	118.96	008087		
		US10A (US11)	132.47	008088		
		US10B	132.47	020899		
		US26D	128.07	008090		
<b>1252</b> Steel 5/8" Round Corner Radius Full Mortise Standard Weight Spring Hinge	4" x 4" (102 mm x 102 mm)	USP	50.66	008111	3	48
		US3	70.47	008106		
		US4	50.66	008107		
		US10	50.66	008102		
		US10A (US11)	70.47	008103		
		US10B	70.47	079680		
		US26D	62.25	008105		
	4-1/2" x 4" (114 mm x 102 mm)	USP	88.00	094477	3	48
		US3	121.96	131917		
		US4	108.45	128797		
		US10	108.45	-		
		US10A (US11)	121.96	-		
		US10B	121.96	066475		
		US26D	117.56	008112		
<b>1253</b> Steel Half Surface Standard Weight Spring Hinge	4-1/2" (114 mm)	USP	134.19	008126	3	48
		US3	185.68	008122		
		US4	161.40	008123		
		US10	161.40	068449		
		US10A (US11)	185.68	040132		
		US10B	185.68	029321		
		US26D	190.65	008121		





## Commercial Hinges



Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>1255</b>	4-1/2" x 4-1/2"	USP	229.07	059982	1	16
Steel, Full Mortise	(114 mm x 114 mm)	US3	240.35	069391		
Standard Weight		US4	241.82	072216		
Spring Hinge Set		US10B	240.35	015725		
2 ea. 1250 and 1 ea. AB700		US26D	210.47	050862		
Note: Hager does not recommend using spring hinges on doors over 7'0"						
<b>1256</b>	4-1/2" x 4-1/2"	USP	224.17	066379	1	16
Steel	(114 mm x 114 mm)	US3	231.75	066381		
Full Mortise		US4	234.68	066382		
Standard Weight		US10B	231.75	078188		
Spring Hinge Set		US26D	205.56	066380		
2 ea. 1250 and 1 ea. BB1279						
Note: Hager does not recommend using spring hinges on doors over 7'0"						
<b>1257</b>	4-1/2" x 4-1/2"	US26D	138.59	023280	3	48
Steel	(114 mm x 114 mm)					
Reverse Action (opens door)						
Spring Hinge						
Full Mortise						
Standard Weight						
Note: Hager does not recommend using spring hinges on doors over 7'0"						





Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>1260</b>	3-1/2" (89 mm)	USP	94.31	008132	3	48
Steel		US3	141.08	008130		
Full Mortise		US4	102.91	008131		
Standard Weight		US10	116.80	008127		
Swing Clear		US10A (US11)	141.08	057903		
		US10B	141.08	019620		
		US26	141.08	008128		
		US26D	111.83	008129		
	4" (102 mm)	USP	111.83	008134	3	36
		US3	144.20	051811		
		US4	115.01	051756		
		US10	120.69	052043		
		US10A (US11)	144.20	097783		
		US10B	144.20	018275		
		US26	144.20	008133		
		US26D	115.01	053701		
<b>BB1260</b>	4-1/2" (114 mm)	USP	199.63	008150	3	36
Steel		US10	207.79	008137		
Full Mortise		US10A (US11)	245.45	008140		
Standard Weight		US10B	245.45	062238		
Ball Bearing		US26D	<b>212.82</b>	008142		
Swing Clear	5" (127 mm)	USP	199.63	008157	3	36
RH Standard (Reversible to LH)		US10	207.79	016025		
		US10A (US11)	245.45	008154		
		US10B	245.45	061702		
		US26D	212.82	008156		
<b>BB1261</b>	4-1/2" (114 mm)	USP	199.63	008174	3	36
Steel		US10	207.79	008161		
Full Mortise		US10A (US11)	245.45	008163		
Standard Weight		US10B	245.45	098270		
Ball Bearing		US26D	212.82	008166		
Swing Clear	5" (127 mm)	USP	199.63	032933	3	36
Beveled Edge Doors		US10	207.79	083843		
RH Standard (Reversible to LH)		US10A (US11)	245.45	008175		
		US10B	245.45	073019		
		US26D	212.82	008177		
<b>BB1262</b>	4-1/2" (114 mm)	USP	246.92	008193	3	24
Steel		US10	250.48	008181		
Full Mortise		US10A (US11)	300.82	008182		
Heavy Weight		US10B	300.82	080232		
Ball Bearing		US26D	232.96	008186		
Swing Clear	5" (127 mm)	USP	246.92	008205	3	24
RH Standard (Reversible to LH)		US10	250.48	008195		
		US10A (US11)	300.82	007128		
		US10B	300.82	022873		
		US26D	232.96	008199		



## Commercial Hinges



Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>BB1263</b>	4-1/2" (114 mm)	USP	246.92	008223	3	24
Steel		US10	250.48	008212		
Full Mortise		US10A (US11)	300.82	008214		
Heavy Weight		US10B	300.82	008216		
Ball Bearing		US26D	232.96	008218		
Swing Clear	5" (127 mm)	USP	246.92	008236	3	24
Beveled Edge Doors		US10	250.48	008225		
RH Standard (Reversible to LH)		US10A (US11)	300.82	008227		
		US10B	300.82	018189		
		US26D	232.96	008229		



<b>BB1266</b>	5" (127 mm)	USP	483.57	008266	3	12
Steel		US10	507.47	071003		
Full Surface		US10A (US11)	762.28	026077		
Heavy Weight		US10B	762.28	060302		
Ball Bearing		US26D	604.26	008261		
Swing Clear						



<b>1267</b>	4-1/2" (114 mm)	USP	249.40	135773	3	36
Steel		US3	290.50	121383		
Full Mortise		US10	262.40	-		
Swing Clear Spring Hinge		US10A (US11)	290.50	-		
Square Edge Doors		US10B	290.50	-		
Use with BB1260/AB7001		US26	290.50	-		
		US26D	275.97	113387		

Note: Hager does not recommend using spring hinges on doors over 7'0"



<b>BB1277</b>			134.42*	-	3	48
Made to Order			*Add to price of BB1279			
Steel						
Full Mortise						
Standard Weight						
Ball Bearing						
Both Leaves Tapped						



<b>BB1278</b>			134.42*	-	3	48
Steel			*Add to price of BB1279			
Full Mortise						
Standard Weight						
Ball Bearing						
One Leaf Tapped						
Specify Handing						



<b>1279</b>	3" x 3" (76 mm x 76 mm)	LS	35.43	008460	2	100
Steel		H2H	71.62	008448		
Full Mortise		USP	30.20	008461		
Standard Weight		US3	66.14	008449		
Plain Bearing		US4	35.43	008454		
		US10	35.43	008427		
		US10A (US11)	66.14	008429		
		US10B	66.14	064052		
		US15	66.14	008435		
		US26	66.14	008439		
		US26D	54.99	008442		





Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>1279</b> - Cont. Continued	3-1/2" x 3-1/2" (89 mm x 89 mm)	LS	12.36	010919	2	100
		H2H	25.04	010881		
		USP	<b>9.69</b>	010923		
		US3	<b>19.43</b>	010886		
		US4	12.36	010897		
		US10	12.36	010819		
		US10A (US11)	19.43	010829		
		US10B	<b>19.43</b>	010839		
		US15	<b>19.43</b>	010850		
		US26	<b>19.43</b>	010859		
		US26D	<b>16.25</b>	010870		
	4" x 3-1/2" (102 x 89 mm)	LS	22.81	-	3	48
		H2H	37.02	-		
		USP	17.59	000695		
		US3	32.18	008469		
		US4	20.65	096337		
		US10	20.64	015158		
		US10A (US11)	32.18	063165		
		US10B	32.18	025812		
		US15	32.18	041310		
		US26	32.18	056835		
		US26D	27.97	088103		
	4" x 4" (102 mm x 102 mm)	LS	15.23	008583	3	48
		H2H	27.34	008532		
		USP	<b>11.98</b>	008585		
		US3	<b>21.86</b>	008540		
		US4	15.23	008555		
		US10	15.23	008470		
		US10A (US11)	21.86	008477		
		US10B	<b>21.86</b>	008488		
		US15	<b>21.86</b>	008496		
		US26	<b>21.86</b>	008507		
		US26D	<b>19.94</b>	008517		
	4-1/2" x 4" (114 mm x 102 mm)	LS	14.66	008648	3	48
		H2H	31.48	067471		
		USP	12.62	008650		
		US3	25.23	008629		
		US4	14.66	008637		
		US10	14.66	008599		
		US10A (US11)	25.23	008602		
		US10B	25.23	008608		
		US15	25.23	008612		
		US26	25.23	008617		
		US26D	<b>15.80</b>	008622		



## Commercial Hinges



Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>1279</b> - Cont. 2 Continued	4-1/2" x 4-1/2" (114 mm x 114 mm)	LS	14.66	008826	3	48
		H2H	31.48	008748		
		USP	<b>12.62</b>	008833		
		US3	25.23	008762		
		US4	<b>14.66</b>	008785		
		US10	14.66	008657		
		US10A (US11)	<b>25.23</b>	008671		
		US10B	<b>25.23</b>	008687		
		US15	<b>25.23</b>	008698		
		US26	<b>25.23</b>	008709		
		US26D	<b>15.80</b>	008720		
	5" x 4" (127 mm x 102 mm)	LS	50.66	-	3	24
		H2H	85.58	038234		
		USP	41.67	008871		
		US3	68.50	008863		
		US4	50.66	008865		
		US10	50.66	088473		
		US10A (US11)	68.50	009784		
		US10B	68.50	008536		
		US15	68.50	068578		
		US26	68.50	064843		
		US26D	46.90	008862		
	5" x 4-1/2" (127 mm x 114 mm)	LS	50.66	-	3	24
		H2H	85.58	031063		
		USP	41.67	008911		
		US3	68.50	008895		
		US4	50.66	008900		
		US10	50.66	008875		
		US10A (US11)	68.50	008879		
		US10B	68.50	008882		
		US15	68.50	083724		
		US26	68.50	008884		
		US26D	46.90	008887		
	5" x 5" (127 mm x 127 mm)	LS	50.66	081132	3	24
		H2H	85.58	019652		
		USP	41.67	008963		
		US3	68.50	008944		
		US4	50.66	008956		
		US10	50.66	008923		
		US10A (US11)	68.50	008925		
		US10B	68.50	008929		
		US15	68.50	067162		
		US26	68.50	008934		
		US26D	46.90	008938		





Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>BB1279</b>	3-1/2" x 3-1/2"	LS	46.71	019111	2	100
Steel	(89 mm x 89 mm)	H2H	75.64	-		
Full Mortise		USP	46.71	011038		
Standard Weight		US3	60.53	011013		
Ball Bearing		US4	46.71	011021		
		US10	46.71	010983		
		US10A (US11)	60.53	010988		
		US10B	60.53	010995		
		US15	60.53	060839		
		US26	60.53	010998		
		US26D	47.15	011003		
<hr/>						
	4" x 3-1/2"	LS	55.05	-	3	48
	(102 mm x 89 mm)	H2H	81.88	-		
		USP	50.28	072989		
		US3	72.70	009726		
		US4	50.28	028772		
		US10	55.05	006898		
		US10A (US11)	72.70	070929		
		US10B	72.70	014742		
		US15	72.70	029388		
		US26	72.70	000728		
		US26D	62.57	009725		
<hr/>						
	4" x 4"	LS	38.93	009805	3	48
	(102 mm x 102 mm)	H2H	58.81	020230		
		USP	34.09	009808		
		US3	47.09	009778		
		US4	34.09	009792		
		US10	38.93	009727		
		US10A (US11)	47.09	009731		
		US10B	<b>47.09</b>	009738		
		US15	<b>47.09</b>	009747		
		US26	47.09	009755		
		US26D	<b>40.40</b>	009763		
<hr/>						
	4-1/2" x 4"	LS	32.43	009933	3	48
	(114 mm x 102 mm)	H2H	49.00	045582		
		USP	22.88	009937		
		US3	39.19	009888		
		US4	32.43	009900		
		US10	32.43	009817		
		US10A (US11)	39.19	009825		
		US10B	39.19	009841		
		US15	39.19	009849		
		US26	39.19	009857		
		US26D	<b>22.05</b>	009868		



## Commercial Hinges



Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>BB1279</b> - Cont. Continued	4-1/2" x 4-1/2" (114 mm x 114 mm)	LS	32.43	010310	3	48
		H2H	49.00	010172		
		USP	<b>22.88</b>	010322		
		US3	<b>39.19</b>	010189		
		US4	<b>32.43</b>	010230		
		US10	<b>32.43</b>	009957		
		US10A (US11)	<b>39.19</b>	009990		
		US10B	<b>39.19</b>	010029		
		US15	<b>39.19</b>	010048		
		US26	<b>39.19</b>	010073		
		US26D	<b>21.35</b>	010108		
5" x 4"	(127 mm x 102 mm)	LS	63.34	-	3	24
		H2H	100.30	-		
		USP	63.34	010411		
		US3	80.22	010397		
		US4	63.34	010403		
		US10	63.34	010377		
		US10A (US11)	80.22	010380		
		US10B	80.22	071584		
		US15	80.22	035721		
		US26	80.22	010385		
		US26D	<b>62.06</b>	010390		
5" x 4-1/2"	(127 mm x 114 mm)	LS	63.34	055246	3	24
		H2H	100.30	-		
		USP	63.34	010515		
		US3	80.22	010479		
		US4	63.34	010493		
		US10	63.34	010416		
		US10A (US11)	80.22	010429		
		US10B	80.22	010438		
		US15	80.22	010444		
		US26	80.22	010447		
		US26D	<b>62.06</b>	010457		
5" x 5"	(127 mm x 127 mm)	LS	63.34	-	3	24
		H2H	100.30	105812		
		USP	63.34	010620		
		US3	80.22	010586		
		US4	63.34	010602		
		US10	63.34	010537		
		US10A (US11)	80.22	010546		
		US10B	80.22	010556		
		US15	80.22	010559		
		US26	80.22	010564		
		US26D	62.06	010570		





Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>BB1279</b> - Cont. 2 Continued	6" x 4-1/2" (152 mm x 114 mm)	LS	150.57	-	3	24
		H2H	229.46	-		
		USP	150.57	010651		
		US3	202.50	010644		
		US4	150.57	010649		
		US10	150.57	010632		
		US10A (US11)	202.50	009996		
		US10B	202.50	010638		
		US15	202.50	093744		
		US26	202.50	113396		
		US26D	173.89	010641		
	6" x 5" (152 mm x 127 mm)	LS	150.57	-	3	24
		H2H	229.46	-		
		USP	150.57	065930		
		US3	202.50	017680		
		US4	150.57	014005		
		US10	150.57	010656		
		US10A (US11)	202.50	010658		
		US10B	202.50	020934		
		US15	202.50	108871		
		US26	202.50	-		
		US26D	173.89	010660		
	6" x 6" (152 mm x 152 mm)	LS	150.57	-	3	24
		H2H	229.46	-		
		USP	150.57	010696		
		US3	202.50	010685		
		US4	150.57	010689		
		US10	150.57	010674		
		US10A (US11)	202.50	010677		
		US10B	202.50	068156		
		US15	202.50	043949		
		US26	202.50	010679		
		US26D	173.89	010681		





## Commercial Hinges



Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>WTBB1279</b> Wide Throw Steel Full Mortise Standard Weight Ball Bearing	3-1/2" x 5" (89 mm x 127 mm)	LS	89.46	-	3	24
		USP	85.89	010918		
		US3	109.53	009518		
		US10	89.46	101108		
		US10A (US11)	109.53	009516		
		US10B	109.53	023424		
		US26	109.53	065499		
		US26D	97.49	011178		
	3-1/2" x 6" (89 mm x 152 mm)	LS	89.46	-	3	24
		USP	85.89	066581		
		US3	109.53	047525		
		US10	89.46	121608		
		US10A (US11)	109.53	132395		
		US10B	109.53	098415		
		US26	109.53	117331		
		US26D	97.49	009523		
	4" x 5" (102 mm x 127 mm)	LS	124.89	-	3	24
		USP	120.62	009537		
		US3	145.54	009531		
		US10	124.89	011977		
		US10A (US11)	145.54	009527		
		US10B	145.54	031902		
		US26	145.54	009684		
		US26D	133.62	092731		
	4" x 6" (102 mm x 152 mm)	LS	124.89	-	3	24
		USP	120.62	009547		
		US3	145.54	009545		
		US10	124.89	014811		
		US10A (US11)	145.54	009540		
		US10B	145.54	006722		
		US26	145.54	022988		
		US26D	133.62	009543		
	4" x 7" (102 mm x 178 mm)	LS	124.89	130408	3	24
		USP	120.62	093245		
		US3	145.54	009552		
		US10	124.89	146515		
		US10A (US11)	145.54	049316		
		US10B	145.54	015456		
		US26	145.54	002586		
		US26D	133.62	009551		





Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>WTBB1279</b> - Cont. Continued	4-1/2" x 5" (114 mm x 127 mm)	LS	119.54	-	3	24
		USP	116.99	009587		
		US3	133.81	009573		
		US10	119.54	009557		
		US10A (US11)	133.81	009559		
		US10B	133.81	009564		
		US26	133.81	009566		
		US26D	125.15	009567		
	4-1/2" x 6" (114 mm x 152 mm)	LS	119.54	-	3	24
		USP	116.99	009629		
		US3	133.81	009613		
		US10	119.54	009591		
		US10A (US11)	133.81	009596		
		US10B	133.81	009600		
		US26	133.81	009601		
		US26D	125.15	009607		
	4-1/2" x 7" (114 mm x 178 mm)	USP	125.91	009654	3	24
		US3	143.82	009644		
		US10	128.65	009636		
		US10A (US11)	143.82	097139		
		US10B	143.82	034974		
		US26D	134.70	009642		
	4-1/2" x 8" (114 mm x 203 mm)	USP	125.91	009671	3	24
		US3	143.82	093992		
		US10	128.65	066950		
		US10A (US11)	143.82	028232		
		US10B	143.82	019076		
		US26D	134.70	009663		
	5" x 6" (127 mm x 152 mm)	USP	159.87	049054	3	24
		US3	199.70	097745		
		US10	167.77	009676		
		US10A (US11)	199.70	019102		
		US10B	199.70	028233		
		US26D	183.77	009683		
	5" x 7" (127 mm x 178 mm)	USP	159.87	033635	3	24
		US3	199.70	021386		
		US10	167.77	009694		
		US10A (US11)	199.70	050575		
		US10B	199.70	030684		
		US26D	183.77	036924		
	5" x 8" (127 mm x 203 mm)	USP	159.87	027044	3	24
		US3	199.70	047665		
		US10	167.77	042602		
		US10A (US11)	199.70	034328		
		US10B	199.70	011281		
		US26D	183.77	094856		



## Commercial Hinges



Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>1303</b> Double Acting Spring Hinge	3" (76 mm)	USP	57.73	126803	1	10
		US3	76.15	126804		
		US4	69.84	126805		
		US26D	94.31	126807		
	4" (102 mm)	USP	65.44	126808	1	10
		US3	86.09	126809		
		US4	84.75	126810		
		US26D	105.90	126811		
	5" (127 mm)	USP	93.67	126812	1	10
		US3	126.36	126813		
		US4	138.97	126814		
		US26D	154.84	126815		
	6" (152 mm)	USP	93.67	126816	1	10
		US3	126.36	126817		
		US4	138.97	126818		
		US26D	154.84	126819		
<b>BB1360</b> Stainless Steel Full Mortise Standard Weight Ball Bearing Swing Clear RH Standard (reversible to LH)	4-1/2" (114 mm)	US32D	291.20	060909	3	36
	5" (127 mm)	US32D	291.20	097565	3	36
<b>BB1361</b> Stainless Steel Full Mortise Standard Weight Ball Bearing Swing Clear Beveled Edge Doors RH Standard (reversible to LH)	4-1/2" (114 mm)	US32D	291.20	044728	3	36
	5" (127 mm)	US32D	291.20	094295	3	36
<b>BB1362</b> Stainless Steel Full Mortise Heavy Weight Ball Bearing Swing Clear RH Standard (reversible to LH)	4-1/2" (114 mm)	US32D	326.37	045163	3	24
	5" (127 mm)	US32D	326.37	041420	3	24





Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>BB1363</b>	4-1/2" (114 mm)	US32D	326.37	042414	3	24
Stainless Steel	5" (127 mm)	US32D	326.37	042845	3	24
Full Mortise						
Heavy Weight						
Ball Bearing						
Swing Clear						
Beveled Edge Doors						
RH Standard (reversible to LH)						



<b>BB1577</b>			138.34*	-	3	48
Brass or stainless			*Add to price of			
Full Mortise			BB1191			
Standard Weight						
Ball Bearing						
Both Leaves Tapped						



<b>BB1578</b>			138.34*	-	3	48
Brass or stainless			*Add to price of			
Full Mortise			BB1191			
Standard Weight						
Ball Bearing						
One Leaf Tapped						
Specify Handing						



<b>1712</b>	3-1/2" (89 mm)	ALL	76.08	-	10	100
Ball Tip Hinge Kit	4" (102 mm)	ALL	76.08	-	10	100
Standard Weight	4-1/2" (114 mm)	ALL	76.66	-	10	100
	5" (127 mm)	ALL	76.66	-	10	100
	6" (152 mm)	ALL	76.66	-	10	100



<b>1713</b>	4-1/2" (114 mm)	ALL	83.73	-	10	100
Ball Tip Hinge Kit	5" (127 mm)	ALL	83.73	-	10	100
Heavy Weight	6" (152 mm)	ALL	83.73	-	10	100



<b>1716</b>	3-1/2" (89 mm)	ALL	76.66	-	10	100
Acorn Tip Hinge Kit	4" (102 mm)	ALL	76.66	-	10	100
Standard Weight	4-1/2" (114 mm)	ALL	76.66	-	10	100
	5" (127 mm)	ALL	76.66	-	10	100
	6" (152 mm)	ALL	76.66	-	10	100



<b>1717</b>	4-1/2" (114 mm)	ALL	83.73	-	10	100
Acorn Tip Hinge Kit	5" (127 mm)	ALL	83.73	-	10	100
Heavy Weight	6" (152 mm)	ALL	83.73	-	10	100



## Commercial Hinges



Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>1722</b> Steeple Tip Hinge Kit Standard Weight	3-1/2" (89 mm)	ALL	76.66	-	10	100
	4" (102 mm)	ALL	76.66	-	10	100
	4-1/2" (114 mm)	ALL	76.66	-	10	100
	5" (127 mm)	ALL	76.66	-	10	100
	6" (152 mm)	ALL	76.66	-	10	100
<b>1723</b> Steeple Tip Hinge Kit Heavy Weight	4-1/2" (114 mm)	ALL	83.73	-	10	100
	5" (127 mm)	ALL	83.73	-	10	100
	6" (152 mm)	ALL	83.73	-	10	100
<b>1728</b> Urn Tip Hinge Kit Standard Weight	3-1/2" (89 mm)	ALL	76.66	-	10	100
	4" (102 mm)	ALL	76.66	-	10	100
	4-1/2" (114 mm)	ALL	76.66	-	10	100
	5" (127 mm)	ALL	76.66	-	10	100
	6" (152 mm)	ALL	76.66	-	10	100
<b>1729</b> Urn Tip Hinge Kit Heavy Weight	4-1/2" (114 mm)	ALL	83.73	-	10	100
	5" (127 mm)	ALL	83.73	-	10	100
	6" (152 mm)	ALL	83.73	-	10	100
<b>1850</b> Steel - Full Surface Heavy Weight Plain Bearing No Holes	4" x 4" (102 mm x 102 mm)	PS	73.41	042562	10	40
	4-1/2" x 4-1/2" (114 mm x 114 mm)	PS	96.15	042564	10	40
	5" x 5" (127 mm x 127 mm)	PS	123.55	042596	1	10
	6" x 6" (152 mm x 152 mm)	PS	184.47	042597	1	10
	6" x 6" (152 mm x 152 mm)	PS	184.47	-	1	10
<b>1850 LP</b> Loose Oval Pin	6" x 6" (152 mm x 152 mm)	PS	184.47	-	1	10
<b>BB2112</b> Brass or Stainless Half Surface Standard Weight Ball Bearing	4" (102 mm)	US10	526.71	-	3	48
		US10B	663.26	028766		
		US26D	570.55	026917		
		US32D	773.62	006867		
	4-1/2" (114 mm)	US10	253.86	012824	3	48
		US10B	317.33	002499		
		US26D	273.17	012828		
		US32D	370.15	012833		
	5" (127 mm)	US10	268.07	012838	3	36
		US10B	348.48	133233		
		US26D	303.12	012839		
		US32D	394.04	004041		





Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>BB2168</b>	4-1/2" (114 mm)	USP	400.67	012899	3	36
Steel		US10	417.43	-		
Full Surface		US10A (US11)	488.73	-		
Heavy Weight		US10B	488.73	089570		
Ball Bearing		US26D	438.01	012898		
	5" (127 mm)	USP	483.70	012902	3	24
		US10	507.91	-		
		US10A (US11)	661.86	-		
		US10B	661.86	-		
		US26D	575.58	011313		



<b>BB2169</b>	4-1/2" (114 mm)	USP	280.24	012914	3	36
Steel		US10	417.49	042983		
Full Surface		US10A (US11)	488.73	061635		
Heavy Weight		US10B	438.01	115013		
Ball Bearing		US26D	431.89	012911		
	5" (127 mm)	USP	431.89	012923	3	24
		US10	453.43	-		
		US10A (US11)	605.02	-		
		US10B	605.02	080993		
		US26D	526.07	012920		



<b>BB2171</b>	4-1/2" (114 mm)	USP	109.53	012946	3	48
Steel		US10	129.35	012934		
Full Surface		US10A (US11)	164.91	-		
Standard Weight		US10B	164.91	143435		
Ball Bearing		US26D	145.09	012940		
	5" (127 mm)	USP	131.20	012956	3	36
		US10	172.62	026071		
		US10A (US11)	214.23	-		
		US10B	214.23	-		
		US26D	186.25	012952		



<b>AB7001</b>	4-1/2" (114 mm)	LS	244.68	-	3	36
Steel		USP	244.68	122842		
Full Mortise		US3	300.76	028735		
Standard Weight		US10	254.63	-		
Concealed Anti-Friction Bearing		US10A (US11)	300.76	077050		
Swing Clear		US10B	300.76	008284		
		US26	300.76	-		
		US26D	238.44	024377		
	5" (127 mm)	LS	244.68	-	3	36
		USP	244.68	-		
		US3	300.76	102769		
		US10	254.63	-		
		US10A (US11)	300.76	-		
		US10B	300.76	-		
		US26	300.76	079631		
		US26D	238.44	087869		



## Commercial Hinges



Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>AB7002</b>	4-1/2" (114 mm)	LS	244.68	-	3	36
Steel		USP	244.68	065541		
Full Mortise		US3	300.76	024690		
Standard Weight		US10	254.63	-		
Concealed Anti-Friction Bearing		US10A (US11)	300.76	103793		
Swing Clear		US10B	300.76	008287		
Beveled Edge Doors		US26	300.76	068502		
		US26D	238.44	094245		
	5" (127 mm)	LS	244.68	-	3	36
		USP	244.68	161148		
		US3	300.76	068098		
		US10	254.63	-		
		US10A (US11)	300.76	-		
		US10B	300.76	-		
		US26	300.76	-		
		US26D	238.44	013655		
<b>AB7501</b>	4-1/2" (114 mm)	USP	302.80	073850	3	24
Steel		US10	307.00	017299		
Full Mortise		US10A (US11)	368.56	019030		
Heavy Weight		US10B	368.56	122627		
Concealed Anti-Friction Bearing		US26D	279.41	013622		
Swing Clear						
	5" (127 mm)	USP	302.80	-	3	24
		US10	307.00	027631		
		US10A (US11)	368.56	116946		
		US10B	368.56	159182		
		US26D	279.41	013628		
<b>AB7502</b>	4-1/2" (114 mm)	USP	302.80	041605	3	24
Steel		US10	307.00	025196		
Full Mortise		US10A (US11)	368.56	081770		
Heavy Weight		US10B	368.56	085448		
Concealed Anti-Friction Bearing		US26D	279.41	094244		
Swing Clear						
Beveled Edge Doors						
	5" (127 mm)	USP	302.80	116906	3	24
		US10	307.00	025197		
		US10A (US11)	368.56	094319		
		US10B	368.56	109409		
		US26D	279.41	013645		
<b>AB7505</b>	5" x 4-1/2"	LH USP	430.68	013659	1	10
Steel	(127 mm x 114 mm)	RH USP	430.68	092796		
Full Mortise		LH US10	438.90	043893		
Heavy Weight		RH US10	438.90	054740		
Concealed Anti-Friction Bearing		LH US10A (US11)	531.30	013652		
Anchor Hinge		RH US10A (US11)	531.30	-		
Specify Handing		LH US10B	531.30	105739		
		RH US10B	531.30	105740		
		LH US26D	422.85	094710		
		RH US26D	422.85	094711		





Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>AB7506</b>	5" x 4-1/2"	LH USP	430.68	013684	1	10
Steel	(127 mm x 114 mm)	RH USP	430.68	013687		
Full Mortise		LH US10	438.90	094813		
Heavy Weight		RH US10	438.90	093244		
Concealed Anti-Friction Bearing		LH US10A (US11)	531.30	013664		
Anchor Hinge		RH US10A (US11)	531.30	112521		
Specify Handing		LH US10B	531.30	124567		
		RH US10B	531.30	124568		
		LH US26D	422.85	013674		
		RH US26D	422.85	013676		



<b>AB7507</b>	5" x 4-1/2"	LH USP	430.68	018824	1	10
Steel	(127 mm x 114 mm)	RH USP	430.68	071660		
Full Mortise		LH US10	438.90	076424		
Heavy Weight		RH US10	438.90	-		
Concealed Anti-Friction Bearing		LH US10A (US11)	531.30	-		
Anchor Hinge		RH US10A (US11)	531.30	-		
Specify Handing		LH US10B	531.30	100912		
		RH US10B	531.30	100911		
		LH US26D	422.85	013696		
		RH US26D	422.85	096847		



<b>AB7508</b>	5" x 4-1/2"	LH USP	430.68	013735	1	10
Steel	(127 mm x 114 mm)	RH USP	430.68	013736		
Full Mortise		LH US10	438.90	016914		
Heavy Weight		RH US10	438.90	016885		
Concealed Anti-Friction Bearing		LH US10A (US11)	531.30	013713		
Anchor Hinge		RH US10A (US11)	531.30	039369		
Beveled Edge Doors		LH US10B	531.30	096476		
Specify Handing		RH US10B	531.30	096475		
		LH US26D	413.22	013721		
		RH US26D	413.22	013722		



<b>AB7509</b>	5" x 4-1/2"	LH USP	430.68	-	1	10
Steel	(127 mm x 114 mm)	RH USP	430.68	-		
Full Mortise		LH US10	438.90	036585		
Heavy Weight		RH US10	438.90	036561		
Concealed Anti-Friction Bearing		LH US10A (US11)	531.30	-		
Anchor Hinge		RH US10A (US11)	531.30	-		
Beveled Edge Doors		LH US10B	531.30	059951		
Specify Handing		RH US10B	531.30	059965		
		LH US26D	422.85	013748		
		RH US26D	422.85	013749		



<b>AB8505</b>	5" x 4-1/2"	LH US10	450.25	120612	1	10
Brass or Stainless	(127 mm x 114 mm)	RH US10	450.25	120613		
Full Mortise		LH US10B	539.13	005892		
Heavy Weight		RH US10B	539.13	005891		
Concealed Anti-Friction Bearing		LH US26D	427.37	088541		
Anchor Hinge		RH US26D	427.37	088542		
Specify Handing		LH US32D	703.85	013976		
		RH US32D	703.85	013977		





## Commercial Hinges



Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>AB8506</b>	5" x 4-1/2"	LH US10	557.49	038811	1	10
Brass or Stainless	(127 mm x 114 mm)	RH US10	557.49	038812		
Full Mortise		LH US10B	666.45	090057		
Heavy Weight		RH US10B	666.45	090058		
Concealed Anti-Friction Bearing		LH US26D	626.75	013988		
Anchor Hinge		RH US26D	626.75	013990		
Specify Handing		LH US32D	719.08	013996		
		RH US32D	719.08	013998		
<b>AB8507</b>	5" x 4-1/2"	LH US10	557.49	-	1	10
Brass or Stainless	(127 mm x 114 mm)	RH US10	557.49	-		
Full Mortise		LH US10B	666.45	046057		
Heavy Weight		RH US10B	666.45	046058		
Concealed Anti-Friction Bearing		LH US26D	626.75	092729		
Anchor Hinge		RH US26D	626.75	092730		
Beveled Edge Doors		LH US32D	719.08	093601		
Specify Handing`		RH US32D	719.08	094538		
<b>AB8508</b>	5" x 4-1/2"	LH US10	557.49	057002	1	10
Brass or Stainless	(127 mm x 114 mm)	RH US10	557.49	057004		
Full Mortise		LH US10B	666.45	097781		
Heavy Weight		RH US10B	666.45	014016		
Concealed Anti-Friction Bearing		LH US26D	626.75	014019		
Anchor Hinge		RH US26D	626.75	014021		
Beveled Edge Doors		LH US32D	719.08	014028		
Specify Handing		RH US32D	719.08	014030		
<b>AB8509</b>	5" x 4-1/2"	LH US10	557.49	012173	1	10
Brass or Stainless	(127 mm x 114 mm)	RH US10	557.49	012174		
Full Mortise		LH US10B	666.45	046059		
Heavy Weight		RH US10B	666.45	046060		
Concealed Anti-Friction Bearing		LH US26D	626.75	068077		
Anchor Hinge		RH US26D	626.75	022626		
Beveled Edge Doors		LH US32D	719.08	014048		
Specify Handing		RH US32D	719.08	094613		
<b>EC1100*</b>	4-1/2" x 4"	US26D	14.59	121894	3	48
Steel	(114 mm x 102 mm)					
Full Mortise	4-1/2" x 4-1/2"	USP	<b>10.00</b>	079434	3	48
Standard Weight	(114 mm x 114 mm)	US3	18.28	079435		
Plain Bearing		US4	13.25	079441		
		US10B	<b>18.28</b>	075953		
		US15	18.28	108111		
		US26	18.28	108113		
		US26D	<b>14.59</b>	075047		
<b>EC1100 NRP*</b>	4-1/2" x 4"	US26D	17.65	123072	3	48
Steel	(114 mm x 102 mm)					
Full Mortise	4-1/2" x 4-1/2"	USP	<b>13.07</b>	084179	3	48
Standard Weight	(114 mm x 114 mm)	US10B	21.28	075986		
Plain Bearing		US15	21.28	109256		
		US26	21.28	135223		
		US26D	17.65	082934		

\* ECCO hinges are sold in box quantities only

\* Some ECCO hinges available in 316 Stainless Steel. Contact Hager Companies Sales and Service for information.





Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>ECBB1100*</b>	4-1/2" x 4"	US26D	17.33	094657	3	48
Steel	(114 mm x 102 mm)					
Full Mortise	4-1/2" x 4-1/2"	USP	<b>16.88</b>	079444	3	48
Standard Weight	(114 mm x 114 mm)	US3	32.05	079445		
Ball Bearing		US4	23.32	079446		
		US10B	<b>32.05</b>	076317		
		US15	32.05	108114		
		US26	32.05	108117		
		US26D	<b>16.82</b>	075048		
<b>ECBB1100 NRP*</b>	4-1/2" x 4"	US26D	20.39	094659	3	48
Steel	(114 mm x 102 mm)					
Full Mortise	4-1/2" x 4-1/2"	USP	<b>19.88</b>	079448	3	48
Standard Weight	(114 mm x 114 mm)	US3	35.11	082125		
Ball Bearing		US4	26.38	082129		
		US10B	<b>35.11</b>	076316		
		US26	35.11	109257		
		US26D	<b>19.75</b>	075049		
<b>ECRC1100*</b>	4" x 4"	US15	17.52	109258	3	48
Round Corner	(102 mm x 102 mm)	US26	17.52	-		
Steel		US26D	12.23	075637		
Full Mortise						
Standard Weight						
Plain Bearing						
<b>ECRCBB1100*</b>	4" x 4"	US15	22.62	109259	3	48
Round Corner	(102 mm x 102 mm)	US26	22.62	-		
Steel		US26D	16.57	073800		
Full Mortise						
Standard Weight						
Ball Bearing						
<b>EC1101*</b>	4-1/2" x 4-1/2"	US15	63.02	128121	3	48
Brass or Stainless Steel	(114 mm x 114 mm)	US26	63.02	125210		
Full Mortise		US32D	60.60	079552		
Standard Weight						
Plain Bearing						
<b>ECBB1101*</b>	4-1/2" x 4-1/2"	US15	63.78	109275	3	48
Brass or Stainless Steel	(114 mm x 114 mm)	US32D	<b>54.42</b>	079555		
Full Mortise						
Standard Weight						
Ball Bearing						

\* ECCO hinges are sold in box quantities only

\* Other ECCO hinges available in 316 Stainless Steel. Contact Hager Companies Sales and Service for information.



## Commercial Hinges




Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>ECBB1101 NRP*</b>	4-1/2" x 4-1/2"	US15	66.71	109276	3	48
Brass or Stainless Steel	(114 mm x 114 mm)	US32D	<b>57.54</b>	079557		
Full Mortise		US32D/316SS	91.57	-		
Standard Weight						
Ball Bearing						
<b>ECBB1102*</b>	4-1/2" x 4-1/2"	USP	36.45	091900	3	24
Steel	(114 mm x 114 mm)	US15	75.83	109284		
Full Mortise		US26	75.83	119967		
Heavy Weight		US26D	<b>45.18</b>	091783		
Ball Bearing						
	5" x 4-1/2"	US15	78.63	130049	3	24
	(127 mm x 114 mm)	US26	78.63	140126		
		US26D	53.08	091638		
<b>ECBB1102 NRP*</b>	4-1/2" x 4-1/2"	USP	39.12	091866	3	24
Steel	(114 mm x 114 mm)	US15	78.95	109608		
Full Mortise		US26	78.95	127835		
Heavy Weight		US26D	<b>48.24</b>	091778		
Ball Bearing						
	5" x 4-1/2"	US15	81.69	132673	3	24
	(127 mm x 114 mm)	US26	81.69	125212		
		US26D	56.14	091618		
<b>ECBB1103*</b>	4-1/2" x 4-1/2"	US10B	141.39	091741	3	24
Brass or Stainless Steel	(114 mm x 114 mm)	US15	141.39	129146		
Full Mortise		US26	141.39	138809		
Heavy Weight		US32D	<b>113.42</b>	091731		
Ball Bearing						
	5" x 4-1/2"	US15	172.24	-	3	24
	(127 mm x 114 mm)	US26	172.24	-		
		US32D	166.63	091592		
<b>ECBB1103 NRP*</b>	4-1/2" x 4-1/2"	US10B	144.45	091732	3	24
Brass or Stainless Steel	(114 mm x 114 mm)	US26	145.22	-		
Full Mortise		US32D	<b>133.24</b>	091693		
Heavy Weight		US32D/316SS	190.97	167967		
Ball Bearing						
	5" x 4-1/2"	US15	175.23	-	3	24
	(127 mm x 114 mm)	US26	175.23	-		
		US32D	169.69	091593		
<b>EC1105*</b>	4-1/2" x 4-1/2"	USP	<b>28.99</b>	079571	3	48
Steel	(114 mm x 114 mm)	US3	59.07	079569		
Full Mortise		US4	51.55	079570		
Standard Weight		US10B	59.07	076318		
Spring Hinge		US15	59.07	109281		
		US26	59.07	109282		
		US26D	<b>43.46</b>	079567		


\* ECCO hinges are sold in box quantities only

\* Other ECCO hinges available in 316 Stainless Steel. Contact Hager Companies Sales and Service for information.





Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>BB1279 Drop Leaf</b> Steel Full Mortise Standard Weight Ball Bearing NRP Standard Specify handing	4-1/2" x 4-1/2"	US26D	103.29			
<b>BB1168 Drop Leaf</b> Steel Full Mortise Heavy Weight Ball Bearing NRP Standard Specify handing	4-1/2" x 4-1/2"	US26D	165.48			
<b>BB1191 Drop Leaf</b> Stainless Steel Full Mortise Heavy Weight Ball Bearing NRP Standard Specify handing	4-1/2" x 4-1/2"	US32D	219.90			
<b>BB1199 Drop Leaf</b> Stainless Steel Full Mortise Heavy Weight Ball Bearing NRP Standard Specify handing	4-1/2" x 4-1/2"	US32D	328.92			
<b>BB1279 Short Leaf</b> Steel Full Mortise Standard Weight Ball Bearing Right Hand Standard Reversible to Left Hand	4-1/2" x 4-3/8"	US26D	103.29			
<b>BB1168 Short Leaf</b> Steel Full Mortise Heavy Weight Ball Bearing Right Hand Standard Reversible to Left Hand	4-1/2" x 4-3/8"	US26D	165.48			
<b>BB1191 Short Leaf</b> Stainless Steel Full Mortise Standard Weight Ball Bearing Right Hand Standard Reversible to Left Hand	4-1/2" x 4-3/8"	US32D	219.90			



## Commercial Hinges



Description	Size	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>BB1199 Short Leaf</b> Stainless Steel Full Mortise Standard Weight Ball Bearing Right Hand Standard Reversible to Left Hand *NRP available upon request	4-1/2" x 4-3/8"	US32D	328.92			
<b>BB1279 Unequal Leaf Centered</b> Steel Full Mortise Standard Weight Ball Bearing NRP Standard Specify handing	5" x 4-1/2"	US26D	159.36			
<b>BB1168 Unequal Leaf Centered</b> Steel Full Mortise Heavy Weight Ball Bearing NRP Standard Specify handing	5" x 4-1/2"	US26D	225.70			
<b>BB1191 Unequal Leaf Centered</b> Stainless Steel Full Mortise Heavy Weight Ball Bearing NRP Standard Specify handing	5" x 4-1/2"	US32D	281.51			
<b>BB1199 Unequal Leaf Centered</b> Stainless Steel Full Mortise Heavy Weight Ball Bearing NRP Standard Specify handing	5" x 4-1/2"	US32D	411.95			
*Additional sizes, finishes, and hinges available. Contact Hager Customer Service for information.						





TABLE OF CONTENTS

**B**

**Barn Door Hardware**

eConestoga Series Barn Door Hardware .....20

Barn Door Privacy Lock.....21

**D**

Discount Groups ..... 3

**F**

Fast Riveted Pin..... 16

Finish ..... 2

**M**

Machine Screws ..... 4

**N**

Non-Removable Pin (Set Screw in Barrel)..... 2

**P**

Pins - Residential and Decorative Tips..... 19

**R**

Residential Finish Symbols ..... 2

**S**

Safety Stud ..... 12-13, 15, 18

Solid Brass or Stainless Steel..... 4-6, 11-12

Spring ..... 6, 9-11

**T**

Template Hinges.....5, 9

**W**

Wood Screws..... 17

## Residential Hinges

### RESIDENTIAL FINISH SYMBOLS

Not all products are available in all finishes. Contact Hager Sales and Service at 1-800-325-9995 for more specific information.

#### Non-Removable Pins (Medium Security)

Symbol	Description	List
NRP	Set screw in barrel	\$2.65 each

#### BHMA Symbol Base Material

US & HAGER	DESCRIPTION	STEEL	BRASS	STAINLESS STEEL
1D	Black	N/A	N/A	N/A
2D	Brass Tone Dichromate	N/A	N/A	N/A
3	Bright Brass	632	605	N/A
3LB	Light Brass	N/A	N/A	N/A
4	Satin Brass	633	606	N/A
10A	Antique Bronze - Lacquered	641	614	N/A
10R	Dark Antique Bronze - Matte Lacquer	N/A	N/A	N/A
15	Satin Nickel	646	619	N/A
26	Bright Chromium Plated	651	625	N/A
26D	Satin Chromium Plated	652	626	N/A
32	Stainless Steel Metal, Bright	N/A	N/A	629
32D	Stainless Steel Metal, Satin	N/A	N/A	630
P	Prime Coat - Beige	600	600	N/A
ABA/US5	Antique Brass	638	609	N/A
AN/15A	Antique Nickel	647	620	N/A

Note: For any finish not listed in this Price Book, price and availability on request.





## RESIDENTIAL DISCOUNT GROUPS

GROUP	DESCRIPTION	DISC %
BB1541 - RCBB1541 - RCBB1542 (3.5)		
80M	3.5 - SS BB (32-32D)	
1741 - RC1741 - RC1842 (3.0, 3.5)		
81A	3.0, 3.5 - PB BOX (10A-ABA-AN-1D-26-26D-3)	
81C	3.0, 3.5 - PB BOX (10R-15)	
81G	3.0, 3.5 - PB BOX (2D-4-P-3LB)	
BB1741 - RCBB1741 - RCBB1842 (3.5)		
82A	3.5 - BB BOX (10A-ABA-AN-10R-1D-15-26-26D-3)	
82G	3.5 - BB BOX (2D-4-3LB)	
RC1841 - 7741 - 8741 (3.5)		
83A	3.5 - BULK (10A-ABA-AN-1D-26-26D-3)	
83C	3.5 - BULK (10R-15)	
83G	3.5 - BULK (2D-4-P-3LB)	
1541 - RC1541 - RC1542 (3.0, 3.5)		
86A	3.0, 3.5 - BRASS (10A-ABA-AN-10R-15-26-26D-3)	
86G	3.0, 3.5 - BRASS (4)	
86M	3.0, 3.5 - SS (32-32D)	
1750 - 1751 - 1752 (3.5)		
87A	3.5 - SPRING (10A-ABA-AN-1D-10R-15-26-26D-3)	
87G	3.5 - SPRING (2D-4-P-3LB)	
RC1748 (3.5)		
88A	3.5 - RC1748 (10A-ABA-AN-15-26-26D-3)	
88G	3.5 - RC1748 (2D-4-P-3LB)	
RCBB1841 (3.5)		
8CA	3.5 - BB BULK (AN-15-3-10R-26-26D-5)	
8CG	3.5 - BB BULK (2D-4)	
BB1543 (4.0)		
90A	4.0 - BRASS BB (10R-3-ABA-AN)	
90G	4.0 - BRASS BB (4)	
90M	4.0 - SS BB (32-32D)	





RCBB1841 (4.0)		
9CA	4.0 - BB BULK (10R-15)	

GROUP	DESCRIPTION	DISC %
1741 - RC1741 - 1842 (4.0)		
91A	4.0 - PB BOX (10A-ABA-AN-10R-1D-15-26-26D-H2H)	
91C	4.0 - PB BOX (10R-15)	
91G	4.0 - PB BOX (2D-4-P-3LB)	
RCBB1741 - RCBB1842 (4.0) - BB1174		
92A	4.0 - BB BOX (10A-ABA-AN-10R-1D-26-26D-3)	
92G	4.0 - BB BOX (2D-4-P-3LB)	
RC1841 - RC8741 - RC8744 (4.0)		
93A	4.0 - BULK (10A-ABA-AN-1D-26-26D-3)	
93C	4.0 - BULK (10R-15)	
93G	4.0 - BULK (2D-4-P-3LB)	
RC1542 - 1541 - RC1541 - RC1543 (4.0)		
96A	4.0 - BRASS (ABA-AN-10R-15-26-26D-3)	
96M	4.0 - SS (32-32D)	
1744 - 1750 - 1751 - 1752 - 1754 - 1760 - 1761 - 1762 - 1764 (4.0)		
97A	4.0 SPRING (10A-ABA-AN-10R-1D-15-26-26D-3)	
97G	4.0 SPRING (2D-4-P-3LB)	
97M	4.0 SPRING (32-32D)	
RC1749 (4.0)		
99A	4.0 - RC1749 (10A-ABA-15-26-26D-3-4-L2)	
99G	4.0 - RC1749 (2D-4-P-3LB)	
RC1846 - RC1847 (4.0)		
9AA	4.0 - FRP BOX (3)	
9AG	4.0 - FRP BOX (2D-P)	
RC1846 - RC1847 (4.0)		
9BA	4.0 - FRP BULK (10A-10R-ABA-AN-1D-3-15-26D)	
9BG	4.0 - FRP BULK (2D-P)	
RC1843 (4.0)		
9DA	4.0 - SECURITY BOX (10A-ABA-AN-15-26D-3-10R-26)	
9DG	4.0 - SECURITY BOX (2D-4)	
RC1843 (4.0)		
9EA	4.0 - SECURITY BULK (10R-15-26-26D-3-ABA-AN)	
9EG	4.0 - SECURITY BULK (2D-P-3LB)	
OTHER GROUP CODES		
701	RESIDENTIAL BULK SCREWS	
780	RESIDENTIAL AUXILIARY	



## Residential Hinges



Description		Finish	2022 List	Stock No.	Box Qty.	Case Qty.	Disc. Code
<b>1340</b> Machine Screws UM - Pack of 400	10-24 x 1/2" FPHM with #9 Head	USP	34.64	095782	1 pack	10 packs	701
		2D	34.64	095781			
		US3	34.64	095791			
		3LB	34.64	095792			
		US4	34.64	095795			
		ABA/US5	34.64	095796			
		10R	34.64	095784			
		US15	34.64	095785			
		US26	34.64	095788			
		US26D	34.64	095789			
	3-1/2" x 3-1/2" (89 mm x 89 mm)	US3	15.70	030141	2 each	100 each	86A
		10R	15.70	032855			86A
		US15	15.70	031539			86A
		US32	16.01	030144			86M
		US32D	16.01	030146			86M
	4" x 4" (102 mm x 102 mm)	US3	18.25	030149	2 each	50 each	96A
		10R	18.25	033204			96A
		US15	18.25	035737			96A
		US32	18.56	030152			96M
		US32D	18.56	030153			96M
	3-1/2" x 3-1/2" (89 mm x 89 mm)	US32D	20.87	034377	2 each	100 each	80M
	4" x 4" (102 mm x 102 mm)	US32D	23.05	034534	2 each	50 each	90M
	3-1/2" x 3-1/2" (89 mm x 89 mm)	US3	15.70	030229	2 each	100 each	86A
		10R	15.70	034358			86A
		US15	15.70	033818			86A
		US26	15.70	030212			86A
		US26D	15.70	030227			86A
	4" x 4" (102 mm x 102 mm)	US32D	16.01	030232	2 each	50 each	86M
		US3	18.25	033004			96A
		10R	18.25	035343			96A
		US15	18.25	034837			96A
		US26	18.25	033001			96A
		US26D	18.25	033003			96A
		US32D	18.56	033008			96M
	3-1/2" x 3-1/2" (89 mm x 89 mm)	US32D	20.87	034378	2 each	100 each	80M
	4" x 4" (102 mm x 102 mm)	US32D	23.05	034587	2 each	50 each	90M





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.	Disc. Code
<b>RC1542</b>						
Solid Brass or Stainless	US3	15.70	030276	2 each	100 each	86A
5/8" Radius	US4	15.70	030291			86G
Round Corner	10R	15.70	036081			86A
Full Mortise	US15	15.70	035594			86A
Residential Wt.	US26	15.70	030273			86A
Plain Bearing with Screws	US26D	15.70	030275			86A
U/M - 1 each	US32	16.01	030288			86M
	US32D	16.01	030289			86M
4" x 4"	US3	18.25	033051	2 each	50 each	96A
(102 mm x 102 mm)	10R	18.25	036761			96A
	US15	18.25	035743			96A
	US26D	18.25	033050			96A
	US32	18.56	033053			96M
	US32D	18.56	033056			96M
<b>RCBB1542</b>						
Stainless	US32D	20.87	034381	2 each	100 each	80M
5/8" Radius						
Round Corner	4" x 4"	US32D	23.05	034589	2 each	90M
Full Mortise	(102 mm x 102 mm)					
Residential Wt.						
Ball Bearing with Screws						
U/M - 1 each						
<b>1543</b>						
Solid Brass or Stainless	US3	18.25	071461	2 each	50 each	96A
Square by 5/8" Radius	10R	18.25	036911			96A
Full Mortise	US15	18.25	071462			96A
Residential Wt.	US32D	18.56	071531			96M
Plain Bearing with Screws						
U/M - 1 each						
<b>BB1543</b>						
Solid Brass or Stainless	US3	23.48	071637	2 each	50 each	90A
Square by 5/8" Radius	10R	23.48	036980			90A
Full Mortise	US32D	23.48	071552			90M
Residential Wt.						
Ball Bearing with Screws						
U/M - 1 each						
<b>1734</b>						
Stainless Steel	US32D	46.60	169906	2 each	80 each	97M
1/4" Radius Round Corner						
Full Mortise						
Spring Hinge						
Template						
Timely Frame All MS 1/2 WS						
U/M - 1 each						



1. Please use stock number when ordering.
2. Minimum order quantity is one box unless otherwise noted.



## Residential Hinges



Description		Finish	2022 List	Stock No.	Box Qty.	Case Qty.	Disc. Code
<b>1741</b>	3" x 3"	USP	2.24	029648	2 each	100 each	81G
Steel	(76 mm x 76 mm)	2D	2.24	029641			81G
Square Corner		US3	6.42	033133			81A
Full Mortise		US4	2.24	029645			81A
Residential Wt.		US10A	6.42	033129			81A
Plain Bearing - with Screws		US26	6.42	033131			81A
U/M - 1 each		US26D	6.42	033132			81A
<hr/>							
	3-1/2" x 3-1/2"	USP	2.24	029661	2 each	100 each	81G
	(89 mm x 89 mm)	1D	6.42	030556			81A
		2D	2.24	029658			81G
		US3	6.42	030533			81A
		3LB	2.24	029660			81G
		US4	2.24	029659			81G
		ABA/US5	6.42	030552			81A
		US10A	6.42	030548			81A
		10R	6.42	040727			81C
		US15	6.42	030555			81C
		AN/US15A	6.42	030620			81A
		US26	6.42	030547			81A
		US26D	6.42	030551			81A
<hr/>							
	4" x 4"	USP	3.30	029667	2 each	50 each	91G
	(102 mm x 102 mm)	1D	7.60	033144			91A
		2D	3.30	029662			91G
		US3	7.60	033148			91A
		US4	3.30	029664			91G
		ABA/US5	7.60	033197			91A
		US10A	7.60	033141			91A
		10R	7.60	038067			91C
		US15	7.60	032829			91C
		AN/US15A	7.60	033199			91A
		US26	7.60	033145			91A
		US26D	7.60	033146			91A
<hr/>							
<b>BB1741</b>	(89 mm x 89 mm)	US3	10.78	034274	2 each	100 each	82A
Steel		US4	6.60	034337			82G
Square Corner		ABA/US5	6.60	034332			82A
Ball Bearing Hinges		US10A	10.78	034330			82A
Full Mortise		10R	10.78	040217			82A
Residential Wt. with Screws		US15	10.78	034333			82A
U/M - 1 each		AN/US15A	10.78	034334			82A
		US26	10.78	034275			82A
		US26D	10.78	034329			82A
<hr/>							
	4" x 4"	2D	7.66	034500	2 each	50 each	92G
	(102 mm x 102 mm)	US3	11.90	034474			92A
		US4	7.66	034502			92G
		ABA/US5	11.90	034497			92A
		US10A	11.90	034483			92A
		10R	11.90	040724			92A
		US15	11.90	034498			92A
		AN/US15A	11.90	034499			92A
		US26	11.90	034477			92A
		US26D	11.90	034482			92A





Description		Finish	2022 List	Stock No.	Box Qty.	Case Qty.	Disc. Code
<b>RC1741</b>	3" x 3"	USP	2.24	029677	2 each	100 each	81G
Steel	(76 mm x 76 mm)	2D	2.24	029673			81G
1/4" Radius		US3	6.42	033512			81A
Round Corner		US4	2.24	029675			81G
Full Mortise		US26D	6.42	032859			81A
Residential Wt.	3-1/2" x 3-1/2"	USP	2.24	029683	2 each	100 each	81G
Plain Bearing with screws	(89 mm x 89 mm)	1D	6.42	030680			81A
U/M - 1 each		2D	2.24	029678			81G
		US3	6.42	030644			81A
		3LB	2.24	029475			81G
		US4	2.24	029681			81G
		ABA/US5	6.42	030648			81A
		US10A	6.42	030645			81A
		10R	6.42	041116			81C
		US15	6.42	030652			81C
		AN/US15A	6.42	030689			81A
		US26	6.42	030646			81A
		US26D	6.42	030647			81A
	4" x 4"	USP	3.30	029707	2 each	50 each	91G
	(102 mm x 102 mm)	1D	7.60	032881			91A
		2D	3.30	029695			91G
		US3	7.60	033267			91A
		US4	3.30	029698			91G
		ABA/US5	7.60	033523			91A
		US10A	7.60	033514			91A
		10R	7.60	041269			91C
		US15	7.60	032876			91C
		AN/US15A	7.60	032882			91A
		US26	7.60	033262			91A
		US26D	7.60	033265			91A

1. Please use stock number when ordering.
2. Minimum order quantity is one box unless otherwise noted.



## Residential Hinges



Description		Finish	2022 List	Stock No.	Box Qty.	Case Qty.	Disc. Code
<b>RC1741</b>	3-1/2" x 3-1/2"	USP	2.06	067018	-	100 each	83G
Steel	(89 mm x 89 mm)	1D	5.92	073575			83A
1/4" Radius		2D	2.06	029472			83G
Round Corner		US3	5.92	073573			83A
Full Mortise		3LB	2.06	029682			83G
Residential Wt.		US4	2.06	071720			83G
Plain Bearing		ABA/US5	5.92	030715			83A
Bulk Assembled		10R	5.92	073577			83C
See style #2617 & #2817 for screws		US15	5.92	069005			83C
U/M - Each - Bulk		AN/US15A	5.92	030716			83A
		US26	5.92	067027			83A
		US26D	5.92	073572			83A
	4" x 4"	USP	2.99	060651	-	100 each	93G
	(102 mm x 102 mm)	1D	6.98	060662			93A
		2D	2.99	029565			93G
		US3	6.98	060657			93A
		3LB	2.99	029568			93G
		US4	2.99	068179			93G
		US10A	6.98	033600			93A
		10R	6.98	040444			93C
		US15	6.98	068996			93C
		AN/US15A	6.98	081352			93A
		US26	6.98	060654			93A
		US26D	6.98	073499			93A
<b>RCBB1741</b>	3-1/2" x 3-1/2"	1D	10.78	079451	2 each	100 each	82A
Steel	(89 mm x 89 mm)	US3	10.78	034346			82A
1/4" Radius		US4	6.60	034361			82G
Round Corner		ABA/US5	10.78	034352			82A
Full Mortise		10R	10.78	038241			82A
Residential Wt.		US15	10.78	034353			82A
Ball Bearing with screws		AN/US15A	10.78	034355			82A
U/M - 1 each		US26	10.78	034348			82A
		US26D	10.78	034349			82A
	4" x 4"	1D	11.90	079453	2 each	50 each	92G
	(102 mm x 102 mm)	2D	7.66	034512			92G
		US3	11.90	034504			92A
		US4	7.66	034514			92G
		ABA/US5	11.90	034509			92A
		US10A	11.90	034508			92A
		10R	11.90	040073			92A
		US15	11.90	034510			92A
		AN/US15A	11.90	034511			92A
		US26	11.90	034506			92A
		US26D	11.90	034507			92A





Description		Finish	2022 List	Stock No.	Box Qty.	Case Qty.	Disc. Code
<b>1744</b>	4" x 4"	USP	19.75	169928	2 each	80 each	97G
Steel	(102 mm x 102 mm)	2D	19.75	169912			97G
1/4" Radius		US3	32.33	169913			97A
Round Corner		US4	19.75	169915			97A
Full Mortise		ABA/US5	32.33	169917			97A
Residential Wt.		US10A	32.33	169907			97A
Spring Hinge		US26	32.33	169909			97A
Template		US26D	32.33	169911			97A
All MS - 1/2 WS							
U/M - 1 each							
<b>RC1748</b>	3-1/2" x 3-1/2"	2D	2.37	029724	2 each	100 each	88G
Steel	(89 mm x 89 mm)	US3	6.42	030693			88A
1/4" Radius		US4	2.37	029725			88G
Round Corner		US10A	6.42	030698			88A
Full Mortise		10R	6.42	016929			88A
Residential Wt.		US15	6.42	016936			88A
Plain Bearing		US26	6.42	030699			88A
Template		US26D	6.42	030695			88A
All MS - 1/2 WS							
U/M - 1 each							
<b>RC1749</b>	4" x 4"	2D	4.86	029731	3 each	48 each	99G
Steel	(102 mm x 102 mm)	US3	7.60	033529			99A
1/4" Radius		3LB	4.86	029734			99G
Round Corner		US4	4.86	029732			99G
Full Mortise		ABA/US5	7.60	032889			99A
Residential Wt.		US10A	7.60	032887			99A
Plain Bearing		10R	7.60	016902			99A
Template		US15	7.60	016897			99A
AMS - 1/2 WS		US26	7.60	033524			99A
U/M - 1 each		US26D	7.60	033528	99A		
<b>1750</b>	3-1/2" x 3-1/2"	USP	18.44	170018	2 each	80 each	87G
Steel	(89 mm x 89 mm)	1D	24.54	169977			87G
Square Corner		2D	18.44	169982			87G
Full Mortise		US3	24.54	169983			87A
Residential Wt.		3LB	18.44	169986			87G
Spring Hinge with Screws		US4	18.44	169985			87G
ALL WS		ABA/US5	24.54	169988			87A
U/M - 1 each		10R	24.54	169973			87A
		US15	24.54	169974			87A
		AN/US15A	24.54	170017	87A		
		US26	24.54	169979	87A		
		US26D	24.54	169981	87A		
	4" x 4"	USP	19.75	170046	2 each	80 each	97G
	(102 mm x 102 mm)	2D	19.75	170033			97G
		US3	32.33	170035			97A
		3LB	19.75	170037			97G
		US4	19.75	170040			97G
		ABA/US5	32.33	170043			97A
		10R	32.33	170020			97A
		US15	32.33	170021			97A
		AN/US15A	32.33	170044			97A
		US26	32.33	170023	97A		
		US26D	32.33	170031	97A		



1. Please use stock number when ordering.
2. Minimum order quantity is one box unless otherwise noted.



## Residential Hinges



Description		Finish	2022 List	Stock No.	Box Qty.	Case Qty.	Disc. Code
<b>1751</b> Steel 1/4" Radius Round Corner Full Mortise Residential Wt. Spring Hinge with Screws ALL WS U/M - 1 each	3-1/2" x 3-1/2" (89 mm x 89 mm)	1D	24.54	170204	2 each	80 each	87A
		2D	18.44	170206			87G
		US3	24.54	170207			87A
		3LB	18.44	031065			
		US4	18.44	170215			87G
		ABA/US5	24.54	170217			87A
		10R	24.54	170202			87A
		US15	24.54	170203			87A
		AN/US15A	24.54	170218			87A
	US26D	24.54	170205	87A			
	4" x 4" (102 mm x 102 mm)	USP	19.75	170239	2 each	80 each	97G
		1D	32.33	170226			97A
		2D	19.75	170230			97G
		US3	32.33	170233			97A
		3LB	19.75	170234			97G
		US4	19.75	170235			97G
		US10A	32.33	170223			97A
		ABA/US5	32.33	170236			
10R		32.33	170224	97A			
US15		32.33	170225	97A			
AN/US15A		32.33	170237	97A			
US26		32.33	170228	97A			
US26D	32.33	170229	97A				
<b>1752</b> Steel 5/8" Radius Round Corner Full Mortise Residential Wt. Spring Hinge with Screws ALL WS U/M - 1 each	3-1/2" x 3-1/2" (89 mm x 89mm)	USP	18.44	170428	2 each	80 each	
		1D	24.54	170245			87A
		2D	18.44	170418			87G
		US3	24.54	170419			87A
		3LB	18.44	170420			87G
		US4	18.44	170421			87G
		US10A	24.54	24.54			
		ABA/US5	24.54	170423			87A
		10R	24.54	170243			87A
		US15	24.54	170244			87A
		AN/US15A	24.54	170427			87A
		US26	24.54	170246			87A
		US26D	24.54	170417			87A
	4" x 4" (102 mm x 102 mm)	USP	19.75	170480	2 each	80 each	97G
		1D	32.33	170453			97A
		2D	19.75	170457			97G
		US3	32.33	170458			97A
		3LB	19.75	170459			97G
		US4	19.75	170460			97G
		ABA/US5	32.33	170461			97A
		US10A	32.33	170430			97A
		10R	32.33	170451			97A
		US15	32.33	170452			97A
		AN/US15A	32.33	170479			97A
		US26	32.33	170454			97A
		US26D	32.33	170455			97A







Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.	Disc. Code
<b>1754</b>						
Steel	USP	19.75	170494	2 each	80 each	97G
4" x 4"	1D	32.33	170483			97A
(102 mm x 102 mm)	2D	19.75	170486			97G
Square by 5/8" Radius	US3	32.33	170487			97A
Full Mortise	3LB	19.75	170488			97G
Residential Wt.	US4	19.75	170489			97G
Spring Hinge with Screws	ABA/US5	32.33	170490			97A
ALL WS	10R	32.33	170481			97A
U/M - 1 each	US15	32.33	170482			97A
	AN/US15A	32.33	170491			97A
	US26	32.33	170484			97A
	US26D	32.33	170485			97A



<b>1760</b>						
Stainless Steel	US32	46.60	170495	2 each	80 each	97M
4" x 4"	US32D	46.60	170497			
(102 mm x 102 mm)						
Square Corner						
Full Mortise						
Residential Wt.						
Spring Hinge with Screws						
ALL WS						
U/M - 1 each						



<b>1761</b>						
Stainless Steel	US32	46.60	170513	2 each	80 each	97M
4" x 4"	US32D	46.60	170514			
(102 mm x 102 mm)						
1/4" Radius						
Round Corner						
Full Mortise						
Residential Wt.						
Spring Hinge with Screws						
ALL WS						
U/M - 1 each						



<b>1762</b>						
Stainless Steel	US32	46.60	170515	2 each	80 each	97M
4" x 4"	US32D	46.60	170516			
(102 mm x 102 mm)						
5/8" Radius						
Round Corner						
Full Mortise						
Residential Wt.						
Spring Hinge with Screws						
ALL WS						
U/M - 1 each						



<b>1764</b>						
Stainless Steel	US32	46.60	170517	2 each	80 each	97M
4" x 4"	US32D	46.60	170519			
(102 mm x 102 mm)						
Square by 5/8" Radius						
Full Mortise						
Residential Wt.						
Spring Hinge with Screws						
ALL WS						
U/M - 1 each						

1. Please use stock number when ordering.
2. Minimum order quantity is one box unless otherwise noted.



## Residential Hinges



Description		Finish	2022 List	Stock No.	Box Qty.	Case Qty.	Disc. Code
<b>1816</b>	4" x 4"	USP	2.99	060616	-	100 each	93G
Steel	(102 mm x 102 mm)	1D	6.98	073488			93A
Square by 5/8" Radius		2D	2.99	071716			93G
Full Mortise		US3	6.98	060622			93A
Residential Wt.		3LB	2.99	071713			93G
Plain Bearing		ABA/US5	6.98	060623			93A
Bulk Assembled Right Hand		10R	6.98	040441			93C
U/M - Each - Bulk		US15	6.98	073492			93C
		AN/US15A	6.98	060619			93A
		US26	6.98	060642			93A
		US26D	6.98	073483			93A



<b>BB1816</b>	4" x 4"	US3	11.90	070306	2 each	50 each	92A
Steel	(102 mm x 102 mm)	US4	7.66	070312			92G
Square by 5/8" Radius		ABA/US5	11.90	070258			92A
Full Mortise		10R	11.90	041717			92A
Residential Wt.		US15	11.90	070289			92A
Ball Bearing with screws		AN/US15A	11.90	070273			92A
Right Hand		US26D	11.90	070311			92A
U/M - 1 each							



<b>1817</b>	4" x 4"	USP	2.99	071685	-	100 each	93G
Steel	(102 mm x 102 mm)	1D	6.98	073477			93A
Square by 5/8" Radius		2D	2.99	071690			93G
Full Mortise		US3	6.98	060608			93A
Residential Wt.		3LB	2.99	071691			93G
Plain Bearing		10R	6.98	073484			93C
Bulk Assembled Left Hand		US15	6.98	073476			93C
See style #2817 for Screws		AN/US15A	6.98	073450			93A
U/M - Each - Bulk		US26D	6.98	073452			93A



<b>BB1817</b>		2D	7.66	070498	2 each	50 each	
Steel	4" x 4"	US3	11.90	070604			92A
Square by 5/8" Radius	(102 mm x 102 mm)	US4	7.66	070612			92G
Full Mortise		ABA/US5	11.90	070534			92A
Residential Wt.		10R	11.90	041720			92A
Ball Bearing with screws		US15	11.90	070562			92A
Left Hand		AN/US15A	11.90	070556			92A
U/M - 1 each		US26D	11.90	070580			92A



<b>1818</b>	4" x 4"	USP	4.30	071677	-	100 each	9EG
Steel	(102 mm x 102 mm)	3LB	4.30	071686			9EG
Square by 5/8" Radius		US4	4.30	060605			
Full Mortise		US15	9.47	073447			9EA
Residential Wt.		AN/US15A	9.47	073445			9EA
Plain Bearing		US26D	9.47	073444			9EA
Bulk Assembled Right Hand							
Safety Stud							
See style #2817 for screws							
U/M - Each - Bulk							



Description		Finish	2022 List	Stock No.	Box Qty.	Case Qty.	Disc. Code
<b>1819</b>	4" x 4"	USP	4.30	071679	-	100 each	9EG
Steel	(102 mm x 102 mm)	3LB	4.30	071678			9EG
Square by 5/8" Radius		10R	9.47	040435			9EA
Full Mortise		US15	9.47	060606			9EA
Residential Wt.		US26D	9.47	073439			9EA
Plain Bearing							
Bulk Assembled Left Hand							
Safety Stud							
See style #2817 for screws							
U/M - Each - Bulk							
<b>RC1841</b>	3-1/2" x 3-1/2"	USP	2.06	071673	-	100 each	83G
Steel	(89 mm x 89 mm)	1D	5.92	073341			83A
5/8" Radius		2D	2.06	071680			83G
Round Corner		US3	5.92	073313			83A
Full Mortise		3LB	2.06	071681			83G
Residential Wt.		US4	2.06	071675			83G
Plain Bearing		ABA/US5	5.92	073195			83A
Bulk Assembled with Screws		US10A	5.92	073410			83A
See style #2617 & #2817 for screws		10R	5.92	040429			83C
U/M - Each - Bulk		US15	5.92	073344			83C
		AN/US15A	5.92	073191			83A
		US26	5.92	073332			83A
		US26D	5.92	073323			83A
	4" x 4"	USP	2.99	071639	-	100 each	93G
	(102 mm x 102 mm)	1D	6.98	073188			93A
		2D	2.99	071671			93G
		US3	6.98	073174			93A
		3LB	2.99	071649			93G
		US4	2.99	071642			93G
		ABA/US5	6.98	073168			93A
		US10A	6.98	073192			93A
		10R	6.98	073186			93C
		US15	6.98	073187			93C
		AN/US15A	6.98	033565			93A
		US26	6.98	073189			93A
		US26D	6.98	073181			93A

1. Please use stock number when ordering.
2. Minimum order quantity is one box unless otherwise noted.



## Residential Hinges



Description		Finish	2022 List	Stock No.	Box Qty.	Case Qty.	Disc. Code
<b>RC1842</b>	3-1/2" x 3-1/2"	USP	2.24	029759	2 each	100 each	81G
Steel	(89 mm x 89 mm)	1D	6.42	030857			81A
5/8" Radius		2D	2.24	029756			81G
Round Corner		US3	6.42	030851			81A
Full Mortise		3LB	2.24	029847			81G
Residential Wt.		US4	2.24	029757			81G
Plain Bearing with screws		ABA/US5	6.42	030853			81A
U/M - 1 each		US10A	6.42	030843			81A
		10R	6.42	042009			81C
		US15	6.42	030856			81C
		AN/US15A	6.42	030859			81A
		US26	6.42	030845			81A
		US26D	6.42	030846			81A
	4" x 4"	USP	3.30	029774	2 each	50 each	91G
	(102 mm x 102 mm)	1D	7.60	032899			91A
		2D	3.30	029769			91G
		US3	7.60	033312			91A
		3LB	3.30	029771			91G
		US4	3.30	029770			91G
		ABA/US5	7.60	033313			91A
		US10A	7.60	033309			91A
		10R	7.60	042010			91C
		US15	7.60	032898			91C
		AN/US15A	7.60	033314			91A
		US26	7.60	033310			91A
		US26D	7.60	033311			91A
<b>RCBB1842</b>	3-1/2" x 3-1/2"	1D	10.78	084215	2 each	100 each	82A
Steel	(89 mm x 89 mm)	US3	10.78	034363			82A
5/8" Radius		3LB	6.60	034375			82G
Round Corner		US4	6.60	034374			82G
Full Mortise		ABA/US5	10.78	034367			82A
Residential Wt.		US10A	10.78	034366			82A
Ball Bearing with screws		10R	10.78	042006			82A
U/M - 1 each		US15	10.78	034370			82A
		AN/US15A	10.78	034371			82A
		US26	10.78	034364			82A
		US26D	10.78	034365			82A
	4" x 4"	1D	11.90	084231	2 each	50 each	92A
	(102 mm x 102 mm)	2D	7.66	034526			92G
		US3	11.90	034515			92A
		3LB	7.66	034528			92G
		US4	7.66	034527			92G
		ABA/US5	11.90	034520			92A
		US10A	11.90	034519			92A
		10R	11.90	042007			92A
		US15	11.90	034523			92A
		AN/US15A	11.90	034524			92A
		US26	11.90	034516			92A
		US26D	11.90	034518			92A





Description		Finish	2022 List	Stock No.	Box Qty.	Case Qty.	Disc. Code
RC1843	4" x 4"	US3	9.47	033649	2 each	50 each	9DA
Steel	(102 mm x 102 mm)	3LB	4.24	081897			9DG
5/8" Radius		US4	4.24	081896			9DG
Round Corner		ABA/US5	9.47	036149			9DA
Full Mortise		10R	9.47	042014			9DA
Residential Wt.		US15	9.47	081894			9DA
Plain bearing with screws		AN/US15A	9.47	081898			9DA
Safety Stud		US26	9.47	081895			9DA
U/M - 1 each		US26D	9.47	037158			9DA



<b>RC1843</b>	4" x 4"	USP	4.30	033589	- 100 each	9EG
Steel	(102 mm x 102 mm)	2D	4.30	060571		9EG
5/8" Radius		US3	9.47	037028		9EA
Round Corner		ABA/US5	9.47	060565		9EA
Full Mortise		10R	9.47	129302		9EA
Residential Wt.		US15	9.47	060597		9EA
Bulk Assembled with screws		US26	9.47	060593		9EA
See style #2817		US26D	9.47	126537		9EA
Safety Stud						
U/M - Each - Bulk						



<b>RC1846</b>	4" x 4"	2D	4.80	033651	2 each	50 each	9AG
Steel	(102 mm x 102 mm)	US3	12.40	033844			9AA
5/8" Radius		US26D	12.40	033843			9AA
Round Corner							
Full Mortise							
Residential Wt.							
Plain Bearing with screws							
Riveted Pin							
U/M - 1 each							



<b>RC1846</b>	4" x 4"	USP	4.80	071618	- 100 each	9BG
Steel	(102 mm x 102 mm)	2D	4.80	071634		9BG
5/8" Radius		US3	8.85	072996		9BA
Round Corner		3LB	4.80	029579		9BG
Full Mortise		10R	8.85	040422		9BA
Residential Wt.		US15	8.85	073003		9BA
Plain Bearing		AN/US15A	8.85	072986		9BA
Bulk assembled with screws		US26	8.85	072999		9BA
See style #2817 for screws		US26D	8.85	072994		9BA
Riveted Pin		1D	8.85	073004		9BA
U/M - Each - Bulk						



<b>RC1847</b>	4" x 4"	USP	4.80	033658	2 each	50 each	9AG
Steel	(102 mm x 102 mm)	2D	4.80	033654			9AG
Square by 5/8" Radius		US3	12.40	037777			9AA
Full Mortise							
Residential Wt.							
Plain Bearing with screws							
Riveted Pin							
U/M - 1 each							

1. Please use stock number when ordering.  
2. Minimum order quantity is one box unless otherwise noted.



## Residential Hinges



Description		Finish	2022 List	Stock No.	Box Qty.	Case Qty.	Disc. Code
<b>RC1847</b>	4" x 4"	USP	4.80	033590	- 100 each	9BG	
Steel	(102 mm x 102 mm)	2D	4.80	060544			9BG
Square by 5/8" Radius		US3	8.85	060545			9BA
Full Mortise		10R	8.85	040423			9BA
Residential Wt.		US15	8.85	072125			9BA
Bulk Assembled with screws		US26D	8.85	060551			9BA
See style #2817 for screws							
Fast Riveted Pin							
U/M - Each - Bulk							
<b>1848</b>	4" x 4"	US3	7.60	068746	2 each	50 each	91A
Steel	(102 mm x 102 mm)	ABA/US5	7.60	067438			91A
Unassembled		US10A	7.60	068789			91A
Square by 5/8" Radius		10R	7.60	042019			91C
Full Mortise		US15	7.60	068735			91C
Residential Wt.		AN/US15A	7.60	068713			91A
Plain Bearing with screws		US26D	7.60	068734			91A
U/M - 1 each							
<b>2617</b>	#9 x 3/4" FPHS	USP	41.52	035459	1 pack	10 packs	701
Screws for Residential Hinges		1D	41.52	034111			
U/M - Pack of 600		2D	41.52	034108			
		3LB	41.52	029794			
		US3	41.52	034109			
		US4	41.52	029793			
		ABA/US5	41.52	033323			
		US10A	41.52	033320			
		10R	41.52	042098			
		US15	41.52	033321			
		AN/US15A	41.52	033324			
		US26	41.52	033322			
		US26D	41.52	034110			






Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.	Disc. Code
<b>2817</b> Screws for Residential Hinges U/M - Pack of 800	#9 x 3/4" FPHS	USP	55.36	033385	1 pack	10 packs 701
	1D	55.36	034124			
	2D	55.36	034129			
	3LB	55.36	029796			
	US3	55.36	033384			
	US4	55.36	029795			
	ABA/US5	55.36	034126			
	US10A	55.36	034303			
	10R	55.36	042099			
	US15	55.36	034302			
	AN/US15A	55.36	034123			
	US26	55.36	033327			
	US26D	55.36	033329			
	#9 X 1" FPHS	USP	64.64	033386	1 pack	10 packs 701
	1D	64.64	037331			
	2D	64.64	035480			
	3LB	64.64	029798			
	US3	64.64	033387			
	US4	64.64	029797			
	ABA/US5	64.64	035550			
	US10A	64.64	035461			
	10R	64.64	042100			
	US15	64.64	036448			
	AN/US15A	64.64	035556			
	US26	64.64	035582			
	US26D	64.64	033388			
#9 x 2-1/2" FPHS	USP	69.47	048598	1 pack	-	701
#10 x 2-1/2" FPHS	2D	69.47	048601	1 pack	-	701
<b>7741</b> Steel 1/4" Radius Round Corner Full Mortise Residential Wt. Plain Bearing See style #2617 & #2817 for screws Bulk Unassembled with pins U/M - Each - Bulk	3-1/2" x 3-1/2" (89 mm x 89 mm)	2D	2.06	029502	-	100 each 83G
		3LB	2.06	071615		83G
		US4	2.06	045632		83G
		10R	5.92	072122		83C
		US15	5.92	072118		83C
		AN/US15A	5.92	050817		83A
		US26	5.92	060536		83A
		US26D	5.92	060531		83A
	4" x 4" (102 x 102 mm)	2D	2.93	060520	-	100 each 93G
		3LB	2.93	060521		93G
		US4	2.93	060513		93G
		10R	6.98	060516		93C
		US15	6.98	060517		93C
		AN/US15A	6.98	051297		93A
		US26	6.98	060518		93A



1. Please use stock number when ordering.
2. Minimum order quantity is one box unless otherwise noted.



## Residential Hinges



Description		Finish	2022 List	Stock No.	Box Qty.	Case Qty.	Disc. Code
<b>8741</b>	3-1/2" x 3-1/2"	2D	2.99	061574	-	100 each	83G
Steel	(89 mm x 89 mm)	3LB	2.06	029497			83G
5/8" Radius		10R	5.92	061592			83A
Round Corner		US15	5.92	061572			83C
Full Mortise	4" x 4"	10R	6.98	040623			93C
Residential Wt.	(102 mm x 102 mm)	US15	6.98	061556			93C
Plain Bearing							
Bulk Unassembled with pins							
See style #2617 & #2817 for screws							
U/M - Each - Bulk							
<b>8744</b>	4" x 4"	USP	2.99	071599	-	100 each	93G
Steel	(102 mm x 102 mm)	1D	6.98	072097			
Square by 5/8" Radius		2D	2.99	071610			93G
Full Mortise		3LB	2.99	071611			93G
Residential Wt.		US4	6.98	071607			93G
Plain Bearing		10R	6.98	072113			93C
Bulk Unassembled with pins		US15	6.98	072109			93C
See style #2817 for screws		US26D	6.98	072090			93A
U/M - Each - Bulk							
<b>8746</b>		1D	9.47	060492	-	100 each	9EA
Steel	4" x 4"	2D	4.30	060487			9EG
Square by 5/8" Radius	(102 mm x 102 mm)	US4	4.30	060479			9EG
Full Mortise		ABA/US5	9.47	060475			9EA
Residential Wt.		US15	9.47	060502			9EA
Plain Bearing		10R	9.47	040415			9EA
Safety Stud							
Bulk Unassembled with pins							
See style #2817 for screws							
U/M - Each - Bulk							
<b>1700</b>	3-1/2" (89 mm)	2D	0.81	038152	100 each	1000 each	900
Pins for Residential Wt.		US15	0.81	038173			
Plain Bearing Hinges		US26D	0.81	038174			
Sold full box qty	4" (102 mm)	2D	0.81	038153	100 each	1000 each	900
U/M - 1 Each		US15	0.81	038166			







Description		Finish	2022 List	Stock No.	Box Qty.	Case Qty.	Disc. Code
<b>1710</b>	3-1/2" (89 mm)	US3	13.46	042118	10 packs	100 packs	780
Hinge Tip Kit		US4	13.46	058503			
2 Ball Tips in Solid Brass with 1		ABA/US5	13.46	058500			
Stainless Steel Pin for One		US10A	13.46	058506			
Residential Wgt.		10R	13.46	097381			
HingeU/M - Pack of 1 each		US15	13.46	037713			
		AN/US15A	13.46	037940			
		US26	13.46	058559			
		US26D	13.46	058502			
	4" (102 mm)	US3	13.46	042129	10 packs	100 packs	780
		US10A	13.46	058973			
		10R	13.46	097383			
		US15	13.46	037848			
		US26	13.46	058974			



<b>1720</b>	3-1/2" (89 mm)	US3	13.46	042134	10 packs	100 packs	780
Hinge Tip Kit		ABA/US5	13.46	058579			
2 Steeple Tips in Solid Brass		10R	13.46	097693			
with 1 Stainless Steel Pin for		US26	13.46	058575			
One Residential Wgt. Hinge	4" (102 mm)	10R	13.46	097385	10 packs	100 packs	780
U/M - Pack of 1 each		US15	13.46	038419			
		US26	13.46	058989			

1. Please use stock number when ordering.
2. Minimum order quantity is one box unless otherwise noted.



## eConestoga Barn Door Hardware Series



Description	Finish	2022 List	Stock No.
<b>9456-72</b> Flat Rail Steel Black Top Mount 72" Track Kit Includes Track	BLK	274.24	96467
<b>9456-96</b> Flat Rail Steel Black Top Mount 96" Track Kit Includes Track	BLK	306.50	96466
<b>9457-72</b> Flat Rail Steel Black 3" Hook 72" Track Kit Includes Track	BLK	306.50	96427
<b>9457-96</b> Flat Rail Steel Black 3" Hook 96" Track Kit Includes Track	BLK	338.76	96388
<b>1-269-8649</b> Flat Rail Track Connector	BLK	16.16	96361
<b>1-269-8648</b> 72" Rail Only	BLK	114.19	96355
<b>1-269-8647</b> 96" Rail Only	BLK	129.04	96353
<b>1-269-8646</b> Flat Rail Soft Close Add On	BLK	80.68	96352
<b>1-269-8652</b> 9456 e-Conestoga - Top Mount Hanger	BLK	43.72	22541
<b>1-269-8653</b> e-Conestoga Door Stop	BLK	14.60	22523
<b>1-269-8654</b> e-Conestoga Track Support	BLK	8.77	22524
<b>1-269-8655</b> e-Conestoga Floor Guide (One Piece)	BLK	8.77	22525
<b>1-269-8656</b> e-Conestoga Anti-Jump Pin	BLK	8.77	22526
<b>1-269-8657</b> e-Conestoga Floor Guide (Two Piece)	BLK	14.60	22520
<b>1-269-8658</b> e-Conestoga 72" Track	BLK	58.32	22511
<b>1-269-8659</b> 9457 e-Conestoga - Face Mount Hanger	BLK	49.55	22502
<b>1-269-8660</b> e-Conestoga 96" Track	BLK	75.79	22503



## How to Order

**9458**

**Product Group**

**2D**

**Backset / Faceplate**

**2D (2-1/4")**

**35 (3-1/2")**

**BLK**

**Finish**

**BLK (Black)**

**US32D**

**US10B**

For 1-3/8" (35mm) to 1-3/4"(40mm) thick doors standard.

- Non-handed.
- ADA Compliant thumb turn for commercial applications
- 2-1/4" or 3-1/2" backset options (see specifications for corresponding wall thickness).
- Drive in bolt casing diameter: 1" (25mm).
- Lock bolt: 1/2" (13mm) diameter, stainless Steel material.
- Lock bolt has 1" projection allowing up to 1/2" door to wall gap. Extra spacer ring accommodates up to 3/4" gap between barn door and wall.
- 1-1/4" diameter spring-loaded dust proof strike provides ample space to receive 1/2" bolt, allows easy locking from privacy side. Strike mounted in barn door for standard door.



Description	Finish	2022 List	Stock No.
<b>94582D-32D</b> Round ADA TT Stainless 2-1/4" Backset	32D	228.14	86683
<b>94582D-10B</b> Round ADA TT Oil Rubbed Bronze 2-1/4" Backset	10B	228.14	86672
<b>94582D-BLK</b> Round ADA TT Black 2-1/4" Backset	BLK	228.14	86664
<b>945835-32D</b> Round ADA TT Stainless Steel 3-1/2" Backset	32D	228.14	86663
<b>945835-10B</b> Round ADA TT Oil Rubbed Bronze 3-1/2" Backset	10B	228.14	86657
<b>945835-BLK</b> Round ADA TT Black 3-1/2" Backset	BLK	228.14	86653



Description	Finish	2022 List	Stock No.
<b>9459-32D</b> Surface Jamb Barn Door Lock ADA 1-9/16" Thumb Lever	32D	241.97	35624
<b>9459-BLK</b> Surface Jamb Barn Door Lock ADA 1-9/16" Thumb Lever	BLK	241.97	35617

1. Please use stock number when ordering.
2. Minimum order quantity is one box unless otherwise noted.





## TABLE OF CONTENTS

<b>A</b>		<b>M</b>	
ANSI Standards.....	2	Mortar Box.....	11
<b>B</b>		<b>P</b>	
Bearing at Top .....	12	Painted Cover Channels.....	6
Bearing Replacement Kit.....	14	Polished Cover Channels.....	6
<b>C</b>		<b>Q</b>	
Cancellation Notification .....	2	Quick Connect.....	9
Center Punches .....	14	<b>R</b>	
Concealed Electric Hinges with Lead Wire.....	7-10	Replacement Moldings .....	11
Concealed Electric Monitoring (EMN).....	7-10	<b>S</b>	
Concealed Electric Through-Wire (ETW).....	7-10	Shim Stock.....	15
Concealed Electric Through-Wire - Removable (RETW) .....	7-10	Shipping Cartons .....	15
Concealed Electric Through-Wire and Monitoring (ETM) .....	7-10	Short Hinges.....	12
Custom Hole Pattern .....	12	Special Anodizing .....	6
<b>D</b>		Special Cover Channels .....	5
Dutch Door Prep .....	14	Special Finished Hinges.....	6
<b>E</b>		Special Holes .....	6
Electric Power Transfer Preparation (EPT).....	9	Special Lengths .....	3
Electrical Modifications .....	7-10	Special Products.....	3
Exposed Electric Contacts (E).....	7-10	Standard Finishes.....	3
Exposed Electric Switches (EIS).....	7-10	Standard Lengths.....	3
Extra Long Hinges.....	12	<b>T</b>	
Power Transfer Preparation.....	9	Tamper Resistant Hinge.....	14
<b>F</b>		Template Hinges.....	3
Fasteners.....	15	TIPIT® .....	13-14
Field Modifications.....	3		
Fire Ratings .....	4		
<b>H</b>			
<b>Hinges</b>			
Concealed.....	16, 17, 19-22, 26-27, 29		
Full Surface.....	16, 19, 23-25, 28		
Half Surface .....	17-19, 23-25, 28		
Hospital Tip.....	13		
How To Order .....	2		
<b>L</b>			
Length Specifications.....	3		



## Roton Continuous Hinges

### HOW TO ORDER:

**Example:** 780-112HDFFUL 119" CLR 1 PK

**Stock Number:** 184038

**Item Number:** YS 1121190CLR000001 Rev. S

**780**

ROTON  
ALUMINUM  
CONTINUOUS  
GEARED  
HINGE

**112HD**

ITEM#

**119"**

LENGTH

**CLR**

FINISH

**1 PK**

STANDARD  
SINGLE  
PACK

### INTRODUCTION

Hager Roton hinges are unique, aluminum geared hinges developed to outperform most other entrance components because the weight of the door is distributed along the full length of the door frame.

Roton continuous hinges have been utilized in hospitals, schools, hotels, offices, airports, stadiums, storefronts, and commercial and industrial buildings in new construction and retrofit applications for over 30 years.

Hager Roton continuous geared hinges are designed for superior performance. Because of this, we offer our lifetime warranty with confidence.

### ANSI Standards

- 780 Series Roton continuous geared hinges are approved per ANSI A156.26 Grade 1 for 150 lb. doors
- 780 Series Roton heavy duty hinges are approved per ANSI A156.26 Grade 1 for 300 lb. doors
- 780-111, 780-112, 780-124HD, 780-224, 780-226 standard duty and heavy duty Roton continuous geared hinges are Warnock-Hersey certified in accordance with ANSI A250.13 2003 Standard Severe Windstorm Resistant Components.



### Online Ordering

Products denoted with **red and bold** pricing are available to order through the MyHager portal. When ordering these products please visit [www.hagerco.com](http://www.hagerco.com) and log in to MyHager to access the online portal.

### Cancellation Notification

Cancellation for made to order items must be completed within 48 hours of order placement.



### Standard Lengths

Roton hinges are listed and priced as actual lengths 79" (6'8" opening), 83" (7'0" opening), 85" (7'2" opening), 95" (8'0" opening), and 119" (10'0" opening) for convenience in application to nominal sized doors. Actual length provides for threshold clearance, head clearance and door height allowances for carpeting. Other lengths may be ordered as non-standard items.

### Special Lengths

Should a non-standard length be required, please price as the next standard length.  
(For example, if 86" length is required, use 95" list price.)

### Length Specifications

If special lengths to match the actual net door heights are required, please indicate this clearly on your order. A special length should be specified from the net door height, not the nominal height of the opening. To order specify: "Actual Length", or "Net Door Height". Use pricing for the next longer standard length from which the special length can be manufactured. For example, hinges 86-3/4" long will be invoiced at the 95" price.

### Field Modifications

While Roton hinges can be cut in the field, any product modifications may void all warranties. Should in-the-field modifications be required, cut only from bottom of hinge. Do not cut through bearings or screw holes. When cutting electric hinges it is extremely important to clamp both hinge leaves securely to prevent hinge "chatter" which can damage the hinge's internal wiring. Consult the St. Louis sales office before proceeding.

### Template Hinges

Hager has developed templated hole patterns for Roton hinge models in standard lengths. Drawings are available upon request by contacting Hager Customer Service or accessing the Hager website at [www.hagerco.com](http://www.hagerco.com).

Due to normal variances inherent in the manufacturing process, Roton custom length hinges are deemed by Hager to be non-templated.

### Standard Finishes

Roton hinges are available in clear anodized satin aluminum (similar to US28), dark bronze and black exterior anodized coating.

### Special Products

A special product is any product not listed in the price book in regard to length, finish, standard hole preparation or leaf combinations not illustrated. Orders for special products are encouraged, but any changes or cancellations on special orders may result in charges related to work performed and/or material loss. Under no circumstance will non-stock or make-to-order products be accepted for return unless due to Hager error.




# Roton Continuous Hinges


## FIRE RATINGS - UNDERWRITERS LABORATORY FIRE RATING FILE #A14627



780 Series Roton continuous geared hinges with stainless steel studs are approved for use on 4'x10' metal or wood swing type doors. 780 Series Roton continuous geared hinges without stainless steel studs are approved for use on 4'x8' single swing metal doors and 4'x10' single swing wood doors used without stainless steel studs limited to 20 minute fire rating without hose stream.

- Hollow metal, tin-clad, sheet-metal and steel covered composite type rated up to and including 3 hours
- Wood composite doors rated up to and including 1-1/2 hours
- Wood core doors rated up to 20 minutes without hose stream, non-studded
- 780 Series Roton Continuous Geared Hinges meet requirements for positive pressure UL10C, UL10B and UBC7-2 Part 1


UL10C Fire Rated Roton	Fully Concealed	Full Surface	Half Surface	<div>NOTES:</div> <div>1. All Roton hinges will be marked with UL stamp if they are fire-rated.</div> <div>2. Several hinge models cannot be fire-rated. Check each profile.</div> <div>3. Models that require studs have an extra charge. Four studs are required for UL stud hinges. Add to the hinge list price before applying buying group discount - add <b>\$56.80.</b></div> <div></div>
20 Minute Fire Rated Wood Core Door x Fire Rated Hollow Metal Frame	UL — <b>FF STANDARD</b>			
20 Minute Fire Rated Metal Door x Fire Rated Hollow Metal Frame	UL — <b>FF STANDARD</b>			
30 Minute Fire Rated Wood Composite Door x Fire Rated Hollow Metal Frame	UL — <b>FF STANDARD</b>			
30 Minute Fire Rated Metal Door x Fire Rated Hollow Metal Frame	UL — <b>FF STANDARD</b>			
45 Minute Fire Rated Wood Composite Door x Fire Rated Hollow Metal Frame	UL — <b>FF STANDARD</b>			
45 Minute Fire Rated Metal Door x Fire Rated Hollow Metal Frame	UL — <b>FF STANDARD</b>			
60 Minute Fire Rated Wood Door x Hollow Metal Frame	UL — <b>FF STANDARD</b>			
60 Minute Fire Rated Metal Door x Hollow Metal Frame	UL — <b>FF STANDARD</b>			
90 Minute Fire Rated Metal Door x Fire Rated Hollow Metal Frame	UL — <b>FF STANDARD</b>			
90 Minute Fire Rated Wood Composite Door x Fire Rated Hollow Metal Frame	UL — <b>STUD REQUIRED</b> * Must Specify			
3 Hour Fire Rated Metal Door x Fire Rated Hollow Metal Frame	UL — <b>STUD REQUIRED</b> * Must Specify			



### FULLY CONCEALED WITH STUD

#### Fully Concealed


These models are concealed between the frame and the hinge edge of the door. Models available include: 780-041HD, 780-041LL, 780-111, 780-111HD, 780-111LL, 780-112, 780-112HD, 780-112LL, 780-124HD, 780-124LL, 780-224, 780-224HD, 780-224LL, 780-226, 780-226HD, 780-226LL, and 780-235HD.



### HALF SURFACE WITH STUD

#### Half Surface

These models have the frame leaf concealed between the frame and the edge of the door. The door leaf is mounted to the door with thru-bolts or screws. Models available include: 780-045HD, 780-046HD, 780-053, 780-053HD, and 780-054HD.



### FULL SURFACE WITH STUD

#### Full Surface

These models have the frame leaf mounted to the face of the frame and the face of the door. The door leaf is mounted to the face of the door with thru-bolts. Models available include: 780-057HD, 780-157, 780-157HD, 780-210, 780-210HD, and 780-257HD.





## MODIFICATIONS & ADDITIONS

### Special Cover Channels

Rounded back cover channels may be ordered. Availability for hinges with electrical modifications vary.

Please consult the St. Louis sales office for confirmation. Add to the hinge list price before applying buying group discount:

#### Round Back Cover Channels

##### *Clear Anodized*

79", 83", 85" **\$35.24**

95" **\$43.69**

119" **\$56.23**

##### *Bronze Anodized*

79", 83", 85" **\$70.29**

95" **\$78.67**

119" **\$89.95**

##### *Black Anodized*

79", 83", 85" **\$80.85**

95" **\$90.55**

119" **\$103.49**

Note: Special cover channels available in clear, dark bronze and black finish.

Roton Cover Channel Compatibility		
Hinge Model	Flat FBCC	Round RBCC
750-134	•	
750-138	•	
780-041	•	•
780-045	•	•
780-046	•	•
780-053	•	•
780-054	•	•
780-057	•	•
780-110	•	•
780-111	•	•
780-112	•	•
780-113	•	•
780-124	•	•
780-155	•	•
780-157	•	
780-210	•	•
780-211	•	•
780-224	•	•
780-226	•	•
780-235	•	•
780-259	•	•
780-300	•	

\* Round back (RBCC) is not compatible with molded Hospital Tip option.



## Roton Continuous Hinges

---

### MODIFICATIONS & ADDITIONS PRICE

### ADDITION TO LIST

#### Bone White Painted Cover Channels

For hinges 79", 83" and 85" in length

**\$84.41**

For hinges 95" in length

**\$115.24**

For hinges 119" in length

**\$171.34**

Roton cover channels are offered in bone white as a standard stock color option. This is only available on the standard Roton cover channel and should be ordered as bone white paint # UC43350.

---

### Polished Cover Channels

#### CLEAR

#### GOLD

For hinges 79" in length

**\$84.41**

**\$115.24**

For hinges 83" in length

**\$84.41**

**\$115.24**

For hinges 85" in length

**\$84.41**

**\$115.24**

For hinges 95" in length

**\$115.24**

**\$143.22**

For hinges 119" in length

**\$169.88**

**\$196.55**

Any hinge may be ordered with a polished clear cover channel (similar to US26) to complement clear anodized hinge leaves or a polished gold cover channel (similar to US3) to complement satin gold hinge leaves.

---

### Special Finished Hinges

#### Price on Application

Hager Companies can supply unfinished material to selected finishers for special projects that require unusual colors, but will require that final assembly be complete by Hager Companies. Because of special non-removable metal coatings applied to all hinges during assembly, users are cautioned against attempting to refinish any Roton product. Lead time of up to 10-12 weeks may be required.

Cannot paint 500 or 1200 series hinges.

---

### Special Anodizing

#### Add 20% to the DBA hinges for gold

Roton hinges are available in various special colors including Black, Gold, and other special anodized finishes with fasteners to match. Example, specify "Black Anodized" or "Gold Anodized." All hinges ordered in special colors should be ordered at the same time to guarantee finish uniformity.

Other anodized colors by quotation only. Supply color chip for best match.

---


### Special Holes

#### Price on Application

Any hinge may be ordered with special hole locations for unusual frame or door locations. Please provide specification for each leaf.



## ROTON ELECTRICAL MODIFICATIONS



For ease of ordering, Hager Companies has established standard locations for power transfer cutouts. All standard location dimensions are referenced from the top edge of the door to the centerline of the power transfer cutout. Please specify handing.

	Opening	Door Height	Actual Hinge Length	EMN	ETM	ETW	EPT	E1S	E	RETW
79 SD	80"	79-1/8"	79"	40-3/4"	42-3/4"	40-3/4"	34-3/8"	42-1/2"	42-1/2"	–
79 HD	80"	79-1/8"	79"	40-3/4"	43-3/8"	40-3/4"	34-3/8"	42-1/2"	42-1/2"	43-3/8"
83 SD	84"	83-1/8"	83"	45-5/16"	44-3/4"	45-5/16"	36-3/8"	46-1/2"	46-1/2"	–
83 HD	84"	83-1/8"	83"	45-5/16"	45-3/8"	45-5/16"	36-3/8"	46-1/2"	46-1/2"	45-3/8"
85 SD	86"	85-1/8"	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
85 HD	86"	85-1/8"	85"	46-5/16"	46-3/8"	46-5/16"	37-3/8"	48-1/2"	48-1/2"	46-3/8"
95 SD	96"	95-1/8"	95"	56-3/8"	55-13/16"	56-3/8"	47-1/2"	59-3/4"	59-3/4"	–
95 HD	96"	95-1/8"	95"	56-3/8"	56-1/2"	56-3/8"	47-1/2"	59-3/4"	59-3/4"	56-1/2"
119 SD	120"	119-1/8"	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
119 HD	120"	119-1/8"	119"	81-1/4"	81-5/16"	81-1/4"	72-5/16"	83-3/4"	83-3/4"	81-5/16"

SD = Standard Duty

HD = Heavy Duty



## ROTON ELECTRICAL MODIFICATIONS (CONTINUED)

	Von Duprin EPT 2 or EPT 10 Power Transfer Preparation	Exposed Electric Contacts	Exposed Electric Switches	Concealed Electric Through-Wire	Concealed Electric Monitoring	Concealed Electric Through-Wire and Monitoring	Removable Electric Through-Wire
Part Number	EPT	E	E1S	ETW	EMN	ETM	RETW
780-045HD	•						
780-046HD	•						
780-053	•						
780-053HD	•						
780-054HD	•						
780-110HD			•				
780-057				•			•
780-111	•	•	•	•	•	•	
780-111HD	•	•	•	•	•	•	•
780-111LL	•	•	•	•	•	•	
780-112	•	•	•	•	•	•	
780-112HD	•	•	•	•	•	•	•
780-112LL	•	•	•	•	•	•	
780-124HD	•	•	•	•	•	•	•
780-124LL	•	•	•	•	•	•	
780-157				•			•
780-224	•	•	•	•	•	•	
780-224HD	•	•	•	•	•	•	•
780-224LL	•	•	•	•	•	•	
780-226HD	•	•	•	•	•	•	•
780-226LL	•	•	•	•	•	•	
1200-600	•			•			
1200-650	•			•			



**MODIFICATIONS & ADDITIONS  
PRICE**

**ADDITION TO LIST**

**Quick Connect**

**\$63.23**

Available for ETM, ETW, and RETW options. Top and bottom knockouts for standard conduit fittings.

**Concealed Electric Monitoring (EMN)**

**\$354.29**

- Miniature switch is incorporated into the frame leaf.
- Specify handing and the dimension from the top edge of the door to the centerline of the electric monitoring location.
- Special Electric Modifications and EPT locations may require additional charges if screw holes have to be moved.
- Templates regarding location of monitoring switch available upon request.

**Concealed Electric Through-Wire and Monitoring (ETM)**

- Electric Preparation

ETM-4

**\$707.13**

ETM-8

**\$820.78**

ETM-10

**\$874.17**

- All ETM have 28-Gauge continuous conductors.
- This combines the continuous electric conductors and the miniature switch to provide both power transfer and monitoring.
- Miniature switch is incorporated into the frame leaf.
- Specify handing and the dimension from the top edge of the door to the centerline of each electric modification location.
- Templates regarding location of monitoring switch available upon request.

**Concealed Electric Through-Wire (ETW)**

- Electric Preparation

ETW-4

**\$354.29**

ETW-8

**\$461.21**

ETW-10

**\$525.36**

ETW-12

**\$587.93**

- All ETW have 28-Gauge continuous conductors.
- 12" per side required as a suffix.
- Cut out for prep - 1/2" drilled hole.
- Transfers power discreetly from building to door hardware.
- Specify handing and the dimension from the top edge of the door to the centerline of the electric through-wire location.
- Special electric modifications and EPT locations may require additional charges if screw holes have to be moved.  
Contact Hager Customer Service for charges.
- Templates regarding location of through-wires available upon request.

**Available on the following Roton profiles:**

- 780-057HD
- 780-112HD
- 780-157HD
- 780-226HD
- 1200-650HD
- 780-111HD
- 780-124HD
- 780-224HD
- 1200-600HD

**Power Transfer or Electric Power Transfer Preparation (EPT)**

Concealed Leaf

**\$137.81**

Half Surface

**\$83.03**

- Hinge leaf cutout to accommodate power transfer device.
- Specify handing and the dimension from the top edge of the door to the **centerline** of the power transfer location.
- Special Electric Modifications and EPT locations may require additional charges if screw holes have to be moved.



## Roton Continuous Hinges

### MODIFICATIONS & ADDITIONS PRICE

### ADDITION TO LIST

#### Lead Wire for Concealed Electric Hinges

##### Electric Preparation

4-wire hinge

8-wire hinge

10-wire hinge

- Standard wire leads are 12" per side
- Additional wire leads are available

Per Foot

**\$12.21**

**\$22.18**

**\$25.15**

#### Exposed Electric Switches (E1S)

**\$123.82**

- Miniature push button switch incorporated in hinge frame leaf to monitor position of the door.
- Three 12" wire leads.
- Each monitoring hinge only needs one E1S Switch.
- Specify handing and the dimension from the top edge of the door to the centerline of the electric switch location.
- Templates regarding location of contact switch available upon request.

#### Exposed Electric Contacts (E)

**\$123.82**

- Transfers power to door in closed position.
- Must have at least two (2) contacts to transfer power.
- Specify handing and the dimension from the top edge of the door to the centerline of the electric contact location.
- Templates regarding location of contacts available upon request.

#### Removable Electric Through-Wire (RETW) Twelve Wire

**\$859.91**

#### Removable 12 Wire Module Only

**\$350.66**

##### Component

##### Finish

7-102-1870

Clear

7-112-1872

Dark Bronze

7-112-1876

Gold

7-112-1881

Black

#### Removable Electric Through-Wire (RETW) Ten Wire

**\$728.77**

#### Removable 10 Wire Module Only

**\$283.67**

##### Component

##### Finish

7-102-1860

Clear

7-112-1870

Dark Bronze

7-112-1875

Gold

7-112-1880

Black



#### Available on heavy duty profiles:

- 780-057HD    • 780-112HD    • 780-157HD    • 780-226HD
- 780-111HD    • 780-124HD    • 780-224HD
- Transfers power discreetly from building to door hardware.
- Removable ETW module can be easily removed for adjustment for service.
- Templates regarding location of monitoring switch available upon request.
- Specify handing and the dimension from the top edge of the door to the centerline of the electric through-wire location.



## MODIFICATIONS & ADDITIONS

### Mortar Box - 430

**\$91.40**

- Serves as a mortar shield.
- Overall dimensions: 9" (229 mm) length with tabs, 7" (178 mm) inside, 1-3/4" x 1-3/4" (45 mm x 45 mm) inside dimension.
- Galvanized steel 0.040" (1 mm)

### Replacement Molding 780-052M

#### Hinge Lengths

79", 83", 85"

95"

119"

#### Clear Anodized

**\$50.95**

**\$58.87**

**\$70.29**


#### Dark Bronze Anodized

**\$58.87**

**\$70.29**

**\$81.58**

Replacement door leaf molding for: 780-053, 780-053HD, 780-054HD, 780-155HD, 780-057HD, 780-157, 780-157HD, 780-257HD, and 780-259HD.



### Replacement Molding 780-210M

#### Hinge Lengths

79", 83", 85"

95"

119"

#### Clear Anodized

**\$53.59**

**\$66.26**

**\$77.62**


#### Dark Bronze Anodized

**\$66.26**

**\$77.62**

**\$87.71**

Replacement door leaf molding for: 780-210, 780-210HD, 780-211, 780-045HD, and 780-046HD.



### Replacement Molding 780-247M

#### Hinge Lengths

79", 83", 85"

95"

119"

#### Clear Anodized

**\$45.54**

**\$53.59**

**\$66.26**

#### Dark Bronze Anodized


**\$53.59**

**\$66.26**

**\$77.62**


Replacement frame leaf molding  
780-157, 780-157HD, 780-257HD

Note: Replacement moldings for 780-052M and 780-210M are shipped in stock lengths for trimming in the field and furnished with Allen head set screw and wrench.



# Roton Continuous Hinges

MODIFICATIONS & ADDITIONS PRICE	ADDITION TO LIST
<b>Short Hinges</b> Hinges shorter than 79" will be invoiced at the 79" price. Where two or more short hinges can be obtained from a standard length, pricing is based on the number of standard lengths utilized plus an assembly charge for each hinge.	<b>\$29.44</b>
<b>Extra Long Hinges</b> Hinges over 119" are manufactured as two separate lengths with a staggered joint for on-site connection. Hinge segments are taken from standard sizes for best economics in relation to the quantity required. Hanging specifications are required to position the cuts inconspicuously and to finish symmetrical pairs in double door applications.	<b>\$128.70</b>
<b>Custom Hole Pattern</b> hinge may be ordered with special hole locations for unusual frame or door conditions. Please provide specifications for each leaf.	<b>Price on Application</b> Any
<b>Bearing At Top</b> This application allows for the bearing to be set at the very top of the cover channel. The cover channel is flush with the top of the geared hinge, preventing any obstructions or debris from being inserted in the top of the channel.	<b>\$54.78</b>
<b>780 Series Concealed Molded Hospital Tip</b> 780 Series Concealed and several Full Surface models can be prepared with a smooth tapered top bearing. This option is ideal for use in hospitals and correctional facilities to help provide a clean and safe environment. For Roton® Ligature-Resistant Opening Solutions see our TIPIT® section below. Not compatible with the round back cover channel option. For complete list of compatible models for this option, please reference chart on page 13.	<b>\$161.70</b>





Hospital Tip and TIPIT® Compatibility		
Part #	Molded Hospital Tip	TIPIT®
750-134		•
750-138		•
780-045		•
780-046		•
780-053		•
780-054		•
780-057	•	
780-110	•	•
780-111	•	•
780-112	•	•
780-113	•	•
780-124	•	•
780-155		•
780-210	•	•
780-211		
780-224	•	•
780-226	•	•



Roton Continuous Hinges

MODIFICATIONS & ADDITIONS

TIPIT®

Designed to work with in new and retrofit applications, the TIPIT® was designed with safety in mind. When openings are fitted with the patented TIPIT® in conjunction with our Roton® Continuous Geared Hinge, this combination provides a safe environment while meeting institutional requirements for preventing objects from being hung from the top of the hinge.

Concealed

\$76.56



Full Surface (Gray or Black)

\$194.04



Tamper Resistant Hinge

\$189.82

This application is intended for use in hospital psychiatric areas and places of high security. The hinge is **prepared with a hospital tip** and every other bearing is supplied with a set screw to lock against the inside of the cover channel for additional security. 780 Series Concealed and Full Surface models (780-057, 780-157, and 780-210) are available in this configuration. Torx screws available at additional charge (see page 15).

Dutch Door Prep

\$112.40

Furnished as continuous frame leaf, whole door leaf is cut to fit dutch door specified length.

Bearing Replacement Kit

Standard Duty for 780 Series

Heavy Duty for 780 Series

Extra Heavy Duty for 1200 Series

Clear and Dark Bronze

\$ 57.62


\$109.69

\$218.00

Center Punches

Self-Centering center punches are available for #12 countersunk screws supplied. To make sure screw heads seat properly, accurate center punching is required.

\$12.87



## MODIFICATIONS & ADDITIONS PRICE

## ADDITION TO LIST

### Shim Stock

1/16" x 1-1/2" Wide x 7' Long

1/8" x 1-1/2" Wide x 7' Long

**\$44.35 each**

**\$61.84 each**

Larger sizes available

**Price on application**

For clearance between the door and frame which may be excessive, a continuous shim is helpful (applied behind the frame leaf only). Anodized aluminum extrusions are supplied with no holes.

### Shipping Carton

**\$30.95 each**

Extra shipping cartons are available for reshipping hinges in quantities of 2 or less.

### Fasteners





All hinges are shipped with appropriate fasteners for metal doors and frames except where noted. **If wood screws are required, please specify on order, and wood screws will be substituted at no extra charge.** Bulk screws are packed separately.

Description	Part Numbers		
	Clear	Dark Bronze	
#12 x 1-1/2" Flat Head Wood Screw	7-080-0050	7-080-0051	<b>\$342.80/box of 500</b>
#12-24 x 11/16" Self-Drilling Flat Head Screw	7-080-0070	7-080-0072	<b>\$306.50/box of 500</b>
#12-24 x 1/2" Spanner Head Machine Screw			<b>\$2.77 each</b>
#12-24 x 11/16" Drill Quick Torx Screw			<b>\$2.77 each</b>
#12-24 x 13/32" Self-Threading Screw (Clear or Bronze)			<b>\$1.12 each</b>
#12-24 x 11/16" Self-Drilling Flat Head Screw (Clear or Bronze)			<b>\$1.58 each</b>
#12-24 x 11/16" Self-Drilling Pan Head Screw (Clear)			<b>\$1.58 each</b>
#12 x 1-1/2" Flat Head Wood Screw (Clear or Bronze)			<b>\$1.58 each</b>
Sexbolts			<b>\$4.09 each</b>

Note: Additional fasteners may be ordered as follows (add to the hinge list price before applying buying group discount).



## Roton Continuous Geared Hinges



Description	Size	Finish	2022 List	Stock No.	Case Qty.
<b>500-048</b> Concealed Leaf With Sheet Metal Screws 1-1/6" Nominal Leaf Thickness	24" (610 mm)	Clear	97.48	068560	1
		Dark Bronze	129.89	068046	
	36" (914 mm)	Clear	110.42	068521	1
		Dark Bronze	146.19	-	
	48" (1219 mm)	Clear	129.89	068520	1
		Dark Bronze	162.36	067970	
	72" (1829 mm)	Clear	162.36	068509	1
		Dark Bronze	194.83	067969	
<b>500-220</b> Full Surface With Sheet Metal Screws 1-1/6" Nominal Leaf Thickness	24" (610 mm)	Clear	97.48	067944	1
		Dark Bronze	129.89	-	
	36" (914 mm)	Clear	113.72	067940	1
		Dark Bronze	146.19	067009	
	48" (1219 mm)	Clear	129.89	067939	1
		Dark Bronze	162.36	067001	
	72" (1829 mm)	Clear	162.36	067938	1
		Dark Bronze	194.83	067000	
<b>750-134</b> Concealed Leaf With Half Drill Quick and Half Wood Screws 1-3/4" Interior Wood Door	79" (2007 mm)	Clear	210.08	194853	8
	83" (2108 mm)	Clear	210.08	194855	8
	85" (2159 mm)	Clear	210.08	194859	8
	95" (2413 mm)	Clear	267.16	194861	8
	119" (3023 mm)	Clear	413.49	194863	6
<b>750-138</b> Concealed Leaf With Half Drill Quick and Half Wood Screws 1-3/8" Interior Wood Door	79" (2007 mm)	Clear	213.77	194890	8
	83" (2108 mm)	Clear	213.77	194897	8
	85" (2159 mm)	Clear	213.77	194909	8
	95" (2413 mm)	Clear	261.49	-	8
	119" (3023 mm)	Clear	403.26	-	8








Description	Size	Finish	2022 List	Stock No.	Case Qty.
<b>780-041HD</b> Concealed Leaf Heavy Duty 1-3/4" Door Swing Clear Action	79" (2007 mm)	Clear	478.37	194918	6
		Dark Bronze	634.92	194919	
		Black	730.22	-	
	83" (2108 mm)	Clear	<b>478.37</b>	194803	6
		Dark Bronze	634.92	194920	
		Black	730.22	-	
	85" (2159 mm)	Clear	478.37	194921	6
		Dark Bronze	634.92	194923	
		Black	730.22	-	
	95" (2413 mm)	Clear	592.94	194805	6
		Dark Bronze	781.04	194924	
		Black	898.13	-	
	119" (3023 mm)	Clear	885.06	194925	2
		Dark Bronze	1,164.11	194926	
		Black	1,338.74	-	
<b>780-041LL</b> Concealed Leaf With Half Drill Quick and Half Wood Screws 1-3/4" Door Lead Lined Heavy Duty Profile Only Swing Clear Action	79" (2007 mm)	Clear	497.51	187432	6
		Dark Bronze	650.76	-	
		Black	748.44	-	
	83" (2108 mm)	Clear	497.51	022711	6
		Dark Bronze	650.76	073552	
		Black	748.44	-	
	85" (2159 mm)	Clear	497.51	095167	6
		Dark Bronze	650.76	-	
		Black	748.44	-	
	95" (2413 mm)	Clear	608.92	-	6
		Dark Bronze	796.88	-	
		Black	916.48	-	
	119" (3023 mm)	Clear	899.58	-	2
		Dark Bronze	1,180.08	-	
		Black	1,357.09	-	
<b>780-045HD</b> Half Surface Heavy Duty	79" (2007 mm)	Clear	567.20	194937	4
		Dark Bronze	758.21	-	
		Black	871.99	-	
	83" (2108 mm)	Clear	567.20	194938	4
		Dark Bronze	758.21	194939	
		Black	871.99	-	
	85" (2159 mm)	Clear	567.20	194940	4
		Dark Bronze	758.21	194942	
		Black	871.99	-	
	95" (2413 mm)	Clear	697.22	194943	4
		Dark Bronze	932.58	194944	
		Black	1,072.34	47150	
	119" (3023 mm)	Clear	1,038.71	194945	2
		Dark Bronze	1,387.32	194947	
		Black	1,595.48	-	




## Roton Continuous Geared Hinges



Description	Size	Finish	2022 List	Stock No.	Case Qty.
<b>780-046HD</b> Half Surface Heavy Duty	79" (2007 mm)	Clear	610.50	194948	4
		Dark Bronze	800.84	-	
		Black	920.96	-	
	83" (2108 mm)	Clear	610.50	194949	4
		Dark Bronze	800.84	194950	
		Black	920.96	88082	
	85" (2159 mm)	Clear	610.50	194951	4
		Dark Bronze	800.84	197942	
		Black	920.96	-	
	95" (2413 mm)	Clear	748.57	194952	4
		Dark Bronze	995.41	194953	
		Black	1,144.70	-	
	119" (3023 mm)	Clear	1,118.30	99397	2
		Dark Bronze	1,481.96	81736	
		Black	1,704.25	-	
<b>780-053</b> Half Surface	79" (2007 mm)	Clear	296.74	194464	5
		Dark Bronze	408.01	194990	
		Black	469.13	-	
	83" (2108 mm)	Clear	296.74	194991	5
		Dark Bronze	408.01	194992	
		Black	469.13	135666	
	95" (2413 mm)	Clear	367.62	194993	5
		Dark Bronze	497.24	194994	
		Black	571.82	199830	
<b>780-053HD</b> Half Surface Heavy Duty	79" (2007 mm)	Clear	372.24	194996	5
		Dark Bronze	466.88	194997	
		Black	536.98	66022	
	83" (2108 mm)	Clear	<b>372.24</b>	194998	5
		Dark Bronze	466.88	194999	
		Black	536.98	63779	
	85" (2159 mm)	Clear	372.24	195002	5
		Dark Bronze	466.88	195003	
		Black	536.98	-	
	95" (2413 mm)	Clear	461.87	195004	5
		Dark Bronze	559.55	195005	
		Black	643.50	199831	
	119" (3023 mm)	Clear	706.99	195006	3
		Dark Bronze	943.80	195007	
		Black	1,085.44	-	



## Roton Continuous Geared Hinges






Description	Size	Finish	2022 List	Stock No.	Case Qty.
<b>780-054HD</b> Half Surface Heavy Duty	79" (2007 mm)	Clear	406.56	195050	5
		Dark Bronze	500.02	195051	
		Black	574.99	-	
	83" (2108 mm)	Clear	<b>406.56</b>	195052	5
		Dark Bronze	500.02	195053	
		Black	574.99	80289	
	85" (2159 mm)	Clear	406.56	195054	5
		Dark Bronze	500.02	195055	
		Black	574.99	-	
	95" (2413 mm)	Clear	502.66	195056	5
		Dark Bronze	594.66	195057	
		Black	683.76	99659	
	119" (3023 mm)	Clear	733.26	195058	3
		Dark Bronze	998.05	195059	
		Black	1,147.74	72407	
<b>780-057HD</b> Full Surface Heavy Duty Bi-Fold Applications	79" (2007 mm)	Clear	434.28	021238	5
		Dark Bronze	613.27	017850	
		Black	705.28	-	
	83" (2108 mm)	Clear	<b>434.28</b>	007856	5
		Dark Bronze	613.27	025973	
		Black	705.28	-	
	85" (2159 mm)	Clear	434.28	025846	5
		Dark Bronze	613.27	174835	
		Black	705.28	-	
	95" (2413 mm)	Clear	552.16	024478	5
		Dark Bronze	759.26	094331	
		Black	873.18	-	
	119" (3023 mm)	Clear	823.02	088469	4
		Dark Bronze	1,130.84	165568	
		Black	1,300.46	-	
<b>780-110HD</b> Concealed Leaf Heavy Duty For 1" to 1-3/8" door	79" (2007 mm)	Clear	276.14	100071	8
		Dark Bronze	356.80	196487	
		Black	410.26	-	
	83" (2108 mm)	Clear	276.14	110418	8
		Dark Bronze	356.80	111266	
		Black	410.26	84514	
	85" (2159 mm)	Clear	276.14	112381	8
		Dark Bronze	356.80	173953	
		Black	410.26	63320	
	95" (2413 mm)	Clear	331.85	112392	8
		Dark Bronze	430.06	112393	
		Black	494.60	90279	
	119" (3023 mm)	Clear	525.62	112405	7
		Dark Bronze	690.23	112406	
		Black	793.85	91587	

1. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering. 2. U/M is each unless otherwise noted.

05/01/2022  
www.hagerco.com



## Roton Continuous Geared Hinges



Description	Size	Finish	2022 List	Stock No.	Case Qty.
<b>780-111</b> Concealed Leaf	79" (2007 mm)	Clear	215.69	194809	8
		Dark Bronze	278.65	194810	
		Black	320.43	60918	
	83" (2108 mm)	Clear	<b>215.69</b>	184007	8
		Dark Bronze	<b>278.65</b>	184008	
		Black	320.43	80025	
	95" (2413 mm)	Clear	262.81	184031	8
		Dark Bronze	341.75	184048	
		Black	392.96	98769	
<b>780-111HD</b> Concealed Leaf Heavy Duty	79" (2007 mm)	Clear	268.36	183917	8
		Dark Bronze	350.46	194812	
		Black	403.13	-	
	83" (2108 mm)	Clear	<b>268.36</b>	183924	8
		Dark Bronze	350.46	183988	
		Black	403.13	116592	
	85" (2159 mm)	Clear	268.36	194814	8
		Dark Bronze	350.46	194815	
		Black	403.13	83711	
	95" (2413 mm)	Clear	325.78	184025	8
		Dark Bronze	421.34	194816	
		Black	484.57	109310	
<b>780-111LL</b> Concealed Leaf With Half Drill Quick and Half Wood Screws Lead Lined Heavy Duty Profile Only	79" (2007 mm)	Clear	290.40	194848	8
		Dark Bronze	369.07	-	
		Black	424.51	-	
	83" (2108 mm)	Clear	290.40	195079	8
		Dark Bronze	369.07	195080	
		Black	424.51	-	
	85" (2159 mm)	Clear	290.40	-	8
		Dark Bronze	369.07	-	
		Black	424.51	-	
	95" (2413 mm)	Clear	345.18	195088	8
		Dark Bronze	439.82	195089	
		Black	505.82	-	
	119" (3023 mm)	Clear	534.60	-	7
		Dark Bronze	697.22	-	
		Black	801.90	-	





## Roton Continuous Geared Hinges



Description	Size	Finish	2022 List	Stock No.	Case Qty.
<b>780-112</b> Concealed Leaf Single Pack w/ Drill Quick Screws	79" (2007 mm)	Clear	181.63	183922	8
		Dark Bronze	234.56	194822	
		Black	269.81	74006	
	83" (2108 mm)	Clear	<b>181.63</b>	184001	8
		Dark Bronze	<b>234.56</b>	184003	
		Black	269.81	136045	
	95" (2413 mm)	Clear	<b>222.42</b>	184032	7
		Dark Bronze	292.91	184033	
		Black	336.86	126429	
<b>780-112</b> Concealed Leaf Case Pack w/ Drill Quick Screws <b>Must Order Case Quantity</b>	83" (2108 mm)	Clear	163.42	184009	8
		Dark Bronze	211.20	184010	
		Black	248.88	-	
<b>780-112HD</b> Concealed Leaf Single Pack w/ Drill Quick Screws	79" (2007 mm)	Clear	<b>225.59</b>	183881	8
		Dark Bronze	291.46	194826	
		Black	335.15	128859	
	83" (2108 mm)	Clear	<b>225.59</b>	183926	8
		Dark Bronze	<b>291.46</b>	183932	
		Black	335.15	110422	
	85" (2159 mm)	Clear	<b>225.59</b>	184011	8
		Dark Bronze	291.46	184013	
		Black	335.15	123296	
	95" (2413 mm)	Clear	<b>271.79</b>	184020	7
		Dark Bronze	<b>358.38</b>	184021	
		Black	412.10	123220	
	119" (3023 mm)	Clear	<b>437.18</b>	184038	7
		Dark Bronze	576.05	194827	
		Black	662.51	114187	
<b>780-112HD</b> Concealed Leaf Case Pack w/ Drill Quick Screws <b>Must Order Case Quantity</b>	83" (2108 mm)	Clear	206.45	109235	8
		Dark Bronze	262.42	80053	
		Black	301.75	183989	
<b>780-112LL</b> Concealed Leaf With Half Drill Quick and Half Wood Screws Lead Lined Heavy Duty Profile Only	79" (2007 mm)	Clear	248.82	195090	8
		Dark Bronze	325.25	-	
		Black	374.09	-	
	83" (2108 mm)	Clear	<b>248.82</b>	195091	8
		Dark Bronze	325.25	195092	
		Black	374.09	83861	
	85" (2159 mm)	Clear	248.82	195093	8
		Dark Bronze	325.25	-	
		Black	374.09	-	
	95" (2413 mm)	Clear	302.68	195094	8
		Dark Bronze	388.08	195095	
		Black	446.95	-	
	119" (3023 mm)	Clear	482.86	195096	7
		Dark Bronze	630.96	197874	
		Black	725.60	-	




1. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering. 2. U/M is each unless otherwise noted.



05/01/2022  
www.hagerco.com




## Roton Continuous Geared Hinges



Description	Size	Finish	2022 List	Stock No.	Case Qty.
<b>780-113HD</b> Concealed Leaf Heavy Duty "Safety Hinge" When Used Without Frame Stop	79" (2007 mm)	Clear	456.72	195097	6
		Dark Bronze	614.06	195098	
		Black	706.20	-	
	83" (2108 mm)	Clear	456.72	195099	6
		Dark Bronze	614.06	195100	
		Black	706.20	-	
	85" (2159 mm)	Clear	456.72	195101	6
		Dark Bronze	614.06	195102	
		Black	706.20	-	
	95" (2413 mm)	Clear	748.57	195103	6
		Dark Bronze	840.58	195104	
		Black	966.64	-	
	119" (3023 mm)	Clear	929.02	195105	4
		Dark Bronze	1,098.11	-	
		Black	1,262.84	-	
<b>780-124HD</b> Concealed Leaf Heavy Duty profile only Single Pack w/ Drill Quick Screws	79" (2007 mm)	Clear	229.28	194831	8
		Dark Bronze	298.58	194832	
		Black	343.46	-	
	83" (2108 mm)	Clear	229.28	183991	8
		Dark Bronze	298.58	194834	
		Black	343.46	140988	
	85" (2159 mm)	Clear	229.28	194835	8
		Dark Bronze	298.58	197391	
		Black	343.46	-	
	95" (2413 mm)	Clear	277.33	194836	7
		Dark Bronze	333.30	194837	
		Black	383.33	-	
	119" (3023 mm)	Clear	450.65	194838	7
		Dark Bronze	590.57	-	
		Black	679.14	-	
<b>780-124LL</b> Concealed Leaf Heavy Duty profile only With half drill quick and Half Wood Screws Lead Lined	79" (2007 mm)	Clear	258.59	55498	8
		Dark Bronze	333.30	-	
		Black	383.33	-	
	83" (2108 mm)	Clear	258.59	195114	8
		Dark Bronze	333.30	74529	
		Black	383.33	-	
	85" (2159 mm)	Clear	258.59	197934	8
		Dark Bronze	333.30	-	
		Black	383.33	-	
	95" (2413 mm)	Clear	310.60	75300	7
		Dark Bronze	391.91	-	
		Black	450.78	-	
	119" (3023 mm)	Clear	493.28	49286	7
		Dark Bronze	639.94	-	
		Black	735.90	-	



## Roton Continuous Geared Hinges



Description	Size	Finish	2022 List	Stock No.	Case Qty.
<b>780-155HD</b> Half Surface Heavy Duty Center Hung and Egress Conversions	79" (2007 mm)	Clear	479.69	016603	5
		Dark Bronze	645.88	128736	
		Black	742.90	-	
	83" (2108 mm)	Clear	479.69	068088	5
		Dark Bronze	645.88	068371	
		Black	742.90	71061	
	85" (2159 mm)	Clear	479.69	018276	5
		Dark Bronze	645.88	046665	
		Black	742.90	-	
	95" (2413 mm)	Clear	588.59	063096	5
		Dark Bronze	796.36	056566	
		Black	915.82	196310	
<b>780-157</b> Full Surface Frame Face Dimension Limitations	79" (2007 mm)	Clear	279.31	022092	5
		Dark Bronze	377.26	049196	
		Black	433.88	85841	
	83" (2108 mm)	Clear	<b>279.31</b>	048049	5
		Dark Bronze	<b>377.26</b>	063070	
		Black	433.88	159357	
	95" (2413 mm)	Clear	<b>341.48</b>	021262	5
		Dark Bronze	460.81	009045	
		Black	529.85	170884	

1. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering. 2. U/M is each unless otherwise noted.




## Roton Continuous Geared Hinges



Description	Size	Finish	2022 List	Stock No.	Case Qty.
<b>780-157HD</b> Full Surface Heavy Duty Frame Face Dimension Limitations	79" (2007 mm)	Clear	<b>346.10</b>	022028	5
		Dark Bronze	422.00	084386	
		Black	485.36	94867	
	83" (2108 mm)	Clear	<b>346.10</b>	048059	5
		Dark Bronze	<b>422.00</b>	062422	
		Black	485.36	36598	
	85" (2159 mm)	Clear	346.10	019546	5
		Dark Bronze	422.00	035156	
		Black	485.36	188600	
	95" (2413 mm)	Clear	<b>415.27</b>	048060	5
		Dark Bronze	<b>507.01</b>	010547	
		Black	583.04	112593	
	119" (3023 mm)	Clear	688.25	099644	2
		Dark Bronze	898.02	037141	
		Black	1,030.39	189834	
<b>780-210</b> Full Surface	79" (2007 mm)	Clear	<b>279.31</b>	010064	6
		Dark Bronze	377.26	073030	
		Black	433.88	60919	
	83" (2108 mm)	Clear	<b>279.31</b>	048050	6
		Dark Bronze	<b>377.26</b>	048051	
		Black	433.88	45510	
	95" (2413 mm)	Clear	<b>334.22</b>	063037	6
		Dark Bronze	455.27	020588	
		Black	523.51	068541	



## Roton Continuous Geared Hinges




Description	Size	Finish	2022 List	Stock No.	Case Qty.
<b>780-210HD</b> Full Surface Heavy Duty	79" (2007 mm)	Clear	<b>340.82</b>	017046	6
		Dark Bronze	414.35	017037	
		Black	476.52	177093	
	83" (2108 mm)	Clear	<b>340.82</b>	048061	6
		Dark Bronze	<b>414.35</b>	048062	
		Black	476.52	93405	
	85" (2159 mm)	Clear	340.82	024124	6
		Dark Bronze	414.35	071974	
		Black	476.52	-	
	95" (2413 mm)	Clear	<b>402.34</b>	048063	6
		Dark Bronze	495.00	046722	
		Black	569.18	154984	
	119" (3023 mm)	Clear	672.94	025722	2
		Dark Bronze	754.25	000304	
		Black	867.37	165971	


1. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering. 2. U/M is each unless otherwise noted.




## Roton Continuous Geared Hinges



Description	Size	Finish	2022 List	Stock No.	Case Qty.
<b>780-224</b> Concealed Leaf 1-3/4" Doors Single Pack w/ Drill Quick Screws	79" (2007 mm)	Clear	183.88	183923	7
		Dark Bronze	239.84	194839	
		Black	275.88	-	
	83" (2108 mm)	Clear	<b>183.88</b>	184005	7
		Dark Bronze	<b>239.84</b>	184006	
		Black	275.88	90379	
	95" (2413 mm)	Clear	233.11	184036	7
		Dark Bronze	301.36	194840	
		Black	346.50	198251	





<b>780-224</b> Bulk Pack Concealed Leaf 1-3/4" Doors Case Pack w/ Drill Quick Screws <b>Must Order Case Quantity</b>	83" (2108 mm)	Clear	165.40	194841	7
<b>780-224HD</b> Concealed Leaf 1-3/4" Doors Single Pack w/ Drill Quick Screws	79" (2007 mm)	Clear	<b>229.42</b>	183882	7
		Dark Bronze	297.32	183921	
		Black	343.07	67150	
	83" (2108 mm)	Clear	<b>229.42</b>	184122	7
		Dark Bronze	<b>298.32</b>	183973	
		Black	343.07	183992	
	85" (2159 mm)	Clear	<b>229.42</b>	184012	7
		Dark Bronze	298.32	184014	
		Black	343.07	199457	
	95" (2413 mm)	Clear	<b>277.86</b>	184022	7
		Dark Bronze	<b>365.90</b>	184023	
		Black	420.82	195809	
	119" (3023 mm)	Clear	<b>455.27</b>	184039	5
		Dark Bronze	592.68	194842	
		Black	681.65	195810	



<b>780-224HD</b> Concealed Leaf 1-3/4" Doors Case Pack w/ Drill Quick Screws <b>Must Order Case Quantity</b>	83" (2108 mm)	Clear	206.45	194828	7
		Dark Bronze	268.62	194829	
		Black	308.88	90247	
<b>780-224LL</b> Concealed Leaf 1-3/4" Doors Lead Lined With Half Drill Quick and Half Wood Screws Heavy Duty Profile Only	79" (2007 mm)	Clear	264.92	195181	7
		Dark Bronze	338.05	195221	
		Black	388.87		
	83" (2108 mm)	Clear	<b>264.92</b>	195184	7
		Dark Bronze	338.05	195222	
		Black	388.87	53872	
	85" (2159 mm)	Clear	264.92	195223	7
		Dark Bronze	338.05	-	
		Black	388.87	-	
	95" (2413 mm)	Clear	320.36	195224	7
		Dark Bronze	394.42	195225	
		Black	453.55	-	
	119" (3023 mm)	Clear	503.84	195226	5
		Dark Bronze	649.44	-	
		Black	746.86	-	



## Roton Continuous Geared Hinges



Description	Size	Finish	2022 List	Stock No.	Case Qty.
<b>780-226HD</b> Concealed Leaf Heavy Duty For Doors 2" or Thicker Concealed Leaf Heavy Duty For Doors 2" or Thicker	79" (2007 mm)	Clear	274.43	194843	7
		Dark Bronze	361.94	194844	
		Black	416.33	-	
	83" (2108 mm)	Clear	<b>274.43</b>	183974	7
		Dark Bronze	361.94	194845	
		Black	416.33	195812	
	85" (2159 mm)	Clear	274.43	194846	7
		Dark Bronze	361.94	194849	
		Black	416.33	67532	
	95" (2413 mm)	Clear	<b>333.96</b>	184024	7
		Dark Bronze	429.40	194850	
		Black	493.81	195813	
	119" (3023 mm)	Clear	542.39	193587	5
		Dark Bronze	704.49	194851	
		Black	810.08	195815	
<b>780-226LL</b> Concealed Leaf For Lead Lined Doors 2" or Thicker With Half Drill Quick and Half Wood Screws Heavy Duty Profile Only	79" (2007 mm)	Clear	<b>297.40</b>	195229	7
		Dark Bronze	378.84	195233	
		Black	435.60	-	
	83" (2108 mm)	Clear	297.40	195235	7
		Dark Bronze	378.84	95797	
		Black	435.60	-	
	85" (2159 mm)	Clear	297.40	143304	7
		Dark Bronze	378.84	-	
		Black	435.60	-	
	95" (2413 mm)	Clear	359.44	195236	7
		Dark Bronze	431.90	195237	
		Black	496.72	-	
	119" (3023 mm)	Clear	564.56	195238	5
		Dark Bronze	727.32	195239	
		Black	836.48	-	
<b>780-235HD</b> Concealed Leaf Heavy Duty Wide Throw	83" (2108 mm)	Clear	638.09	125582	1
		Dark Bronze	835.30	141654	
		Black	960.56	198301	
	95" (2413 mm)	Clear	787.51	129916	1
		Dark Bronze	1,003.33	199537	
		Black	1,153.81	198678	

1. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering. 2. U/M is each unless otherwise noted.


05/01/2022  
www.hagerco.com



## Roton Continuous Geared Hinges




Description	Size	Finish	2022 List	Stock No.	Case Qty.
<b>780-257HD</b> Full Surface Heavy Duty Double hinge for hanging two doors from a fixed mullion.	79" (2007 mm)	Clear	667.26	-	2
		Dark Bronze	916.74	-	
		Black	1,054.15	-	
	83" (2108 mm)	Clear	667.26	081899	2
		Dark Bronze	916.74	159250	
		Black	1,054.15	189136	
	85" (2159 mm)	Clear	667.26	112767	2
		Dark Bronze	916.74	158749	
		Black	1,054.15	-	
	95" (2413 mm)	Clear	1,224.43	028146	2
		Dark Bronze	1,680.23	161153	
		Black	1,296.37	-	
	119" (3023 mm)	Clear	1,224.43	162543	2
		Dark Bronze	1,680.23	179221	
		Black	1,932.22	-	
<b>780-300HD</b> Half Surface Heavy Duty Center Hung Applications	79" (2007 mm)	Clear	476.26	010212	4
		Dark Bronze	646.93	019206	
		Black	743.95	-	
	83" (2108 mm)	Clear	476.26	047819	4
		Dark Bronze	646.93	057968	
		Black	743.95	22490	
	85" (2159 mm)	Clear	476.26	061937	4
		Dark Bronze	646.93	038063	
		Black	743.95	-	
	95" (2413 mm)	Clear	585.82	047821	4
		Dark Bronze	794.77	047822	
		Black	913.97	83347	
	119" (3023 mm)	Clear	872.52	015052	2
		Dark Bronze	1,185.62	011244	
		Black	1,363.56	92138	





## Roton Continuous Geared Hinges



Description	Size	Finish	2022 List	Stock No.	Case Qty.
<b>1200-600XHD</b> Concealed Leaf Extra Heavy Duty For doors from 1-3/4" to 2-3/8" thick.	83" (2108 mm)	Clear	1,382.04	000590	1
		Dark Bronze	1,933.80	028601	
	95" (2413 mm)	Clear	1,565.85	004040	1
		Dark Bronze	2,118.60	065709	
	119" (3023 mm)	Clear	1,750.32	090770	1
		Dark Bronze	2,302.07	107206	
<b>1200-650XHD</b> Concealed Leaf Extra Heavy Duty For doors 2-3/8" thick or thicker.	83" (2108 mm)	Clear	1,842.72	090353	1
		Dark Bronze	2,394.48	135473	
	95" (2413 mm)	Clear	2,026.20	090439	1
		Dark Bronze	2,579.28	108903	
	119" (3023 mm)	Clear	2,211.00	090440	1
		Dark Bronze	2,762.76	044852	

1. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering. 2. U/M is each unless otherwise noted.





## TABLE OF CONTENTS

<b>A</b>		<b>M</b>	
ANSI Standards.....	2	Mortar Box.....	5
<b>C</b>		<b>N</b>	
Cancellation Notification .....	2	No Hole (Blank) Hinges .....	2
Concealed Electric Through-Wire.....	4-5	<b>P</b>	
Custom Hole Pattern .....	2	Powder Coat .....	3
Custom Length Hinges .....	2	<b>Q</b>	
<b>D</b>		Quick Connect.....	5
Dutch Door Hinges .....	3	<b>R</b>	
<b>E</b>		Raised Barrel.....	3
Electrical Modifications Standard Locations.....	4	Replacement Moldings .....	3
Electric Power Transfer Preparations (EPT).....	5	<b>S</b>	
Exposed Electric Switches .....	5	Security Fasteners.....	3
Extra Long Hinges.....	2	Security Studs.....	3
<b>F</b>		Sheared Leaf .....	3
Fasteners.....	4	Standard Lengths.....	2
Fire Rating .....	2	<b>T</b>	
<b>H</b>		Tamper Resistant Hospital Tips .....	3
<b>Hinges</b>		<b>W</b>	
Concealed Leaf .....	6-7	Wide Throw .....	3
Full Surface .....	7		
Half Surface .....	6		
Half Mortise .....	6		
How To Order.....	1		
<b>L</b>			
Lead Lined.....	2		

## HOW TO ORDER:

**Example:** 790-900 83 1/8" US32D 1 PK

**Stock Number:** 23243

**Item Number:** PS90083B32D000001

**790**

STAINLESS  
STEEL  
CONTINUOUS  
HINGE

**900**

ITEM#

**83**

LENGTH

**1/8"**

FRACTION

**US32D**

FINISH

**1 PK**

STANDARD  
SINGLE  
PACK



## Stainless Steel Continuous Hinges

---

### ANSI Standards

790 Series stainless steel continuous hinges are approved for ANSI A156.26 Grade 1 for 150-pound doors.

### Fire Rating

Hager 790 Series hinges are approved by Underwriters Laboratories, Inc. Fire Rated label for up to 3 hours for metal doors and 90 minutes for wood composite doors.



### Online Ordering

Products denoted with **red and bold** pricing are available to order through the MyHager portal.

### Cancellation Notification

Cancellation for made-to-order items must be communicated within 48 hours of order placement.

### Standard Lengths

Stainless steel hinges are listed and priced as actual lengths 83-1/8" (7'0" opening), 85" (7'2" opening), 95" (8'0" opening), and 119" (10'0" opening) for convenience in application to nominal sized doors. Other lengths may be ordered as non-standard items.

### Extra Long Hinges

Hinges over 119" are manufactured as two separate lengths with staggered joints for on-site connection.

---

## MODIFICATIONS & ADDITIONS PRICE

## ADDITION TO LIST

### Custom Length Hinges

Actual door height may be specified at an additional charge outlined:

- |                                     |                                   |
|-------------------------------------|-----------------------------------|
| • For hinges 40" to 83" in length   | <b>\$98.45</b> to 7' list price.  |
| • For hinges 83" to 95" in length   | <b>\$98.45</b> to 8' list price.  |
| • For hinges 95" to 119" in length  | <b>\$98.45</b> to 10' list price. |
| • For hinges 119" to 192" in length | <b>\$225.23</b> to the list price |

---

### Custom Hole Pattern

- Any hole pattern or shape other than Hager's standard hole pattern.

**Price on Application**

---

### No Hole (Blank) Hinges

- Holes omitted for special applications (i.e. welded installation).

**Price on Application**

---

### Lead Lined Hole Pattern

- Only available on Models 790-900, 790-911 and 790-915.

**Price on Application**



## MODIFICATIONS & ADDITIONS PRICE

## ADDITION TO LIST

### Powder Coat

- Available in aluminum, dark bronze, satin bronze, satin brass, black, or white. Lead time of up to 8-10 weeks may be required.

Price on Application

### Tamper Resistant Hospital Tips (HT)

- Custom lengths
- Available on concealed leaf models 790-900, 790-905, 790-907, 790-915, for standard lengths.

\$164.18

Price on Application

### Dutch Door Prep (DUTCH)

- Furnished as a continuous frame leaf while door leaf is cut to fit dutch door specified height.

\$164.18

### Wide Throw

- Specify distance from pin centerline to heel edge of hinge.

Price on Application

### Raised Barrel (SWAGED)

- Available on concealed and half surface models.

Price on Application

### Sheared Leaf

- Available on all models except 790-904 and 790-906.
- Specify distance from pin centerline to extreme edge of hinge when ordering.

Price on Application

### Security Studs

- Stainless steel security studs mounted through frame leaf into door frame.
- Door and frame must be specifically prepped to accommodate security studs.
- Door leaf is drilled to accommodate studs.

\$115.50

### Replacement Moldings (M)


Hinge lengths:

79", 83", 85"  
95"  
119"

\$242.69

\$262.35

\$287.23



- Shipped in stock lengths for trimming in the field.
- Brush aluminum & furnished with 5 each molding clips, 5 each 1/4"-14 x 1" panhead 2C screws.
- Available on models 790-903, 790-904, 790-906 and 790-909.

### Security Fasteners

- Torx and Spanner Head available in place of standard fasteners.

\$118.11



# Stainless Steel Continuous Hinges


## MODIFICATIONS & ADDITIONS

### Additional Fasteners

#10-24 x 5/8" Torx Head Machine Screw	<b>\$4.13 /ea</b>
#10-16 x 1-1/4" Thread Forming Flat Head Screw	<b>\$1.78 /ea</b>
1/4"-14 x 1" Thread Forming Pan Head Screw	<b>\$2.61 /ea</b>
#10-24 x 5/8" Self-Drilling Flat Head Screw	<b>\$2.61 /ea</b>
1/4"-20 x 3/4" Self-Drilling Pan Head Screw	<b>\$2.27/ea</b>
Adjustment Stud With Flat Head Screw	<b>\$12.51/ea</b>
Sexbolt and Nut	<b>\$7.77/ea</b>

## STANDARD LOCATIONS FOR ELECTRICAL MODIFICATIONS

	79"	83"	85"	95"	119"
Opening	80"	84"	86"	96"	120"
Door Height	79-1/8"	83-1/8"	85-1/8"	95-1/8"	119-1/8"
Hinge Length	79-3/16"	83-1/8"	85-1/8"	95"	118-3/4"
ETW	41-1/2"	43-1/2"	45-1/2"	55-3/8"	79-1/8"
EPT	24-1/2"	28-7/16"	30-7/16"	40-1/2"	64-7/16"
E1S	41-1/2"	43-1/2"	45-1/2"	55-3/8"	79-1/8"



## MODIFICATIONS & ADDITIONS PRICE

## ADDITION TO LIST

### Quick Connect

Available for ETW.

**\$65.86**

### Electric Power Transfer Preparations (EPT)

**\$188.10**

- Hinge leaf cutout to accommodate power transfer device.
- Specify handing and dimension from top of hinge to centerline of power transfer cutout location. Please note the clearance from top of hinge to underside of header, typically 1/16" to 1/8" (1.6 mm to 3.2 mm).
- Available on models 790-900, 790-903, 790-904, and 790-915.

### Exposed Electric Switches (E1S)

**\$289.58**

- Each monitoring hinge only needs one E1S switch.
- Specify handing and dimension from top of hinge to centerline of electric switch.
- Miniature push button switch is incorporated in the hinge frame leaf to monitor position of the door.

### Concealed Electric Through-Wire (ETW)

Electric Through Wire	ETW - 4	<b>\$836.83</b>
Electric Through Wire	ETW - 8	<b>\$1,251.66</b>
Electric Through Wire	ETW - 10	<b>\$1,687.82</b>

- 24-gauge 12" wire leads available on 790-900 and 790-915.
- Transfers power discretely from building to door hardware.
- Specify handing and dimension from top of hinge to centerline of electric through-wire location. Please note the clearance from top of hinge to underside of header, typically 1/16" to 1/8" (1.6 mm to 3.2 mm).


### Mortar Box - 430

**\$95.21**


- Serves as mortar shield.
- Top and bottom knockouts for standard conduit fittings.
- Overall dimensions are 9" (229 mm) length with tabs 7" (178 mm). Inside is 1-3/4" x 1-3/4" (45 mm x 45 mm).
- Galvanized steel .040" (1 mm).




## Stainless Steel Continuous Hinges




Description		Finish	2022 List	Stock No.	Case Qty.
<b>790-900</b> Concealed Leaf, 1/8" Inset Door of Any Material	79" (2007 mm)	US32D	628.38	27336	1
	83" (2108 mm)	US32D	<b>628.38</b>	23243	1
	85" (2159 mm)	US32D	<b>715.00</b>	27921	1
	95" (2413 mm)	US32D	<b>721.88</b>	23250	1
	119" (3023 mm)	US32D	1,047.75	23251	1




<b>790-903</b> Half Surface, 1/8" Inset Door of Any Material Optional sex bolts available (specify when ordering).	79" (2007 mm)	US32D	721.88	42721	1
	83" (2108 mm)	US32D	721.88	23254	1
	85" (2159 mm)	US32D	837.38	53025	1
	95" (2413 mm)	US32D	837.38	23256	1
	119" (3023 mm)	US32D	1,068.38	23260	1



<b>790-904</b> Half Mortise, 1/8" Inset Door of Any Material	79" (2007 mm)	US32D	730.13	71952	1
	83" (2108 mm)	US32D	730.13	52990	1
	85" (2159 mm)	US32D	874.50	92025	1
	95" (2413 mm)	US32D	874.50	52993	1
	119" (3023 mm)	US32D	1,134.38	-	1




<b>790-905</b> Concealed Leaf, 1/8" Inset Door of Any Material	79" (2007 mm)	US32D	808.50	65223	1
	83" (2108 mm)	US32D	<b>808.50</b>	23266	1
	85" (2159 mm)	US32D	924.00	36876	1
	95" (2413 mm)	US32D	924.00	23265	1
	119" (3023 mm)	US32D	1,379.13	23267	1



<b>790-906</b> Half Mortise, Edge Guard Door of Any Material	79" (2007 mm)	US32D	730.13	92102	1
	83" (2108 mm)	US32D	730.13	92103	1
	85" (2159 mm)	US32D	874.50	92105	1
	95" (2413 mm)	US32D	874.50	92107	1
	119" (3023 mm)	US32D	1,134.38	92110	1



## Stainless Steel Continuous Hinges




### Description

#### 790-909

Full Surface, 1/8" Inset  
Swing Clear  
Door of Any Material  
Optional sex bolts available  
(specify when ordering).


Finish	2022 List	Stock No.	Case Qty.
79" (2007 mm)	US32D 874.50	38978	1
83" (2108 mm)	US32D <b>874.50</b>	23270	1
85" (2159 mm)	US32D 1,003.75	47643	1
95" (2413 mm)	US32D 1,003.75	23271	1
119" (3023 mm)	US32D 1,285.63	23279	1



#### 790-911

Concealed Leaf  
Swing Clear  
Door of Any Material


79" (2007 mm)	US32D 910.25	9412	1
83" (2108 mm)	US32D <b>910.25</b>	23284	1
85" (2159 mm)	US32D 932.25	89831	1
95" (2413 mm)	US32D 932.25	23285	1
119" (3023 mm)	US32D 1,423.13	23286	1



#### 790-915

Concealed Leaf, 1/16" Inset  
Door of Any Material

79" (2007 mm)	US32D 759.00	33963	1
83" (2108 mm)	US32D <b>759.00</b>	23287	1
85" (2159 mm)	US32D 859.38	40111	1
95" (2413 mm)	US32D 859.38	23288	1
119" (3023 mm)	US32D 1,278.75	23289	1



#### 790-926

Concealed Leaf  
Swing Clear  
Door of Any Material

79" (2007 mm)	US32D 1,127.50	45597	1
83" (2108 mm)	US32D 1,127.50	26760	1
85" (2159 mm)	US32D 1,270.50	50336	1
95" (2413 mm)	US32D 1,270.50	26761	1
119" (3023 mm)	US32D 1,540.00	26762	1





## TABLE OF CONTENTS

## A

**Accessories, 4500 Series Grade 1**

Alarm Kit .....	25
Alarm Kit Latchbolt Monitor Switch.....	28
Alarm Kit Tamper Switch.....	29
Concealed Vertical Rod Bottom Latch Assembly.....	29
Concealed Vertical Rod Top Latch Assembly .....	29
Cylinder Cup Spacer 45PN/47PN .....	29, 47
Cylinder Dogging Conversion Kit.....	23
End Cap Replacement Packs (4500/4600 standard & flush) .....	26-27
Extension Rod Kit - 24".....	25
Extension Rod Kit - 36" .....	25
Hex Key for Dogging.....	29
Less Bottom Rod Fire Bolt Kit.....	28
Less Bottom Rod Replacement Head Cover Plug .....	28
Photoluminescent Push Bar .....	29
Replacement Head Covers.....	24-25
Rod to Rod Connector .....	28
Rod Guide Replacement Pack.....	26
Spring Cage/Hanging Pin Replacement Pack.....	27
Surface Vertical Rod Top Latch Assembly.....	24
Surface Vertical Rod Bottom Latch Assembly .....	23
Screwpacks .....	27-28
Top or Bottom Latch Cover Replacement Pack .....	27
Top or Bottom Rod Replacement Kits.....	24

**Accessories, 4600 Series Grade 1 Narrow Stile**

Alarm Kit .....	36
Alarm Kit Latchbolt Monitor Switch.....	36
Alarm Kit Tamper Switch.....	37
Cylinder Dogging Conversion Kit.....	35
End Cap Replacement Packs (standard and flush).....	37
Hex Key for Dogging.....	37
Rim Replacement Head Cover .....	37

**Accessories, 4700 Series Standard Duty**

Bottom Latch Assembly.....	44
Bottom Latch Cover .....	46
Cylinder Cup Spacer 45PN/47PN .....	29, 47
End Cap Replacement Pack.....	47
Extension Rod Kit - 24" .....	45
Extension Rod Kit - 36" .....	45
Hex Key for Dogging.....	47
Replacement Dogging Plates.....	45
Replacement Head Covers .....	45
Rod to Rod Connector .....	47
Rod Guide Replacement.....	46
Screwpacks .....	46, 47
Top Latch Assembly .....	44
Top Latch Cover.....	46

Top or Bottom Rod Replacement Kit .....	45
Trim Hanging Pin.....	46

## C

**Cylinders**

Cylinder Collar, 4500 Trim.....	50-51
Cylinder Collar, 4700 Trim .....	51
Mortise.....	50
Retaining Cup.....	50
Rim.....	49

## E

**Exit Devices, Grade 1**

How to Order .....	6
4500 Rim Device .....	9
4500 Mortise Lock Exit Device.....	12-13
4500 Concealed Vertical Rod Device .....	11
4500 Concealed Vertical Rod Device Less Bottom Rod .....	12
4500 Dummy Push Pad Device.....	13
4500 Surface Vertical Rod Device.....	10
4500 Surface Vertical Rod Device Less Bottom Rod .....	9
4500 Electric Modifications, Power Supplies, and Alarmed Devices .....	4-5

**Exit Devices, Grade 1 Narrow Stile**

How to Order .....	7
4600 Narrow Stile Rim Device .....	30
4600 Concealed Vertical Rod Device .....	30
4600 Concealed Vertical Rod Device Less Bottom Rod .....	31
4600 Electric Modifications, Power Supplies, and Alarmed Devices .....	4-5
4500/4600 Dummy Push Pad Device .....	13

**Exit Devices, Grade 1**

How to Order .....	8
4700 Rim Device .....	39
4700 Surface Vertical Rod Device .....	39

## M

**Mullions**

Mullion Set - Keyed Removable.....	49
Mullion Set - Non-Keyed Removable .....	48
Mullion Tube - Keyed Removable .....	48
Mullion Tube - Non-Keyed Removable .....	48
Stabilizer - Non-Keyed & Keyed Removable .....	49
Stabilizer - Non-Keyed & Keyed Removable .....	48
Top/Bottom Bracket Set - Keyed Removable.....	49
Top/Bottom Bracket Set - Non-Keyed Removable.....	48



## Exit Devices

### S

#### Shim Kit, 4500 Series Grade 1

Shim Kit, Rim Device.....	24
Shim Kit, Surface Vertical Rod.....	24

#### Shim Kit, 4600 Series Grade 1 Narrow Stile

Shim Kit, Narrow Stile Rim Device.....	36
--	----

#### Shim Kit, 4700 Series Standard Duty

Shim Kit, Rim Device.....	45
Shim Kit, Surface Vertical Rod.....	45

#### Strikes, 4500 Series Grade 1

Concealed Vertical Rod, Top Strike, Fire Rated.....	26
Concealed Vertical Rod, Top Strike, Standard.....	26
Double Door Strike, Standard.....	22
Mortise Device, Fire Rated.....	29
Mortise Device, Standard.....	29
Mullion, Strikes.....	48, 49
Rim Device, Fire Rated.....	22
Rim Device, Standard.....	22
Surface Vertical Rod, Bottom Strike, Fire Rated.....	23
Surface Vertical Rod, Bottom Strike, Standard.....	23
Surface Vertical Rod, Top Strike, Fire Rated.....	23
Surface Vertical Rod, Top Strike, Standard.....	23
Threshold Strike, Standard.....	22

#### Strikes, 4600 Series Grade 1 Narrow Stile

Blade Stop.....	36
Rim, Fire Rated.....	35
Rim, Standard.....	35
Semi-Flush Mount.....	36
Single Rabbet.....	36

#### Strikes, 4700 Series Standard Duty

Double Door Strike, Standard.....	44
Mullion, Strikes.....	48, 49
Rim Device, Standard.....	44
Surface Vertical Rod, Bottom Strike, Standard.....	44
Surface Vertical Rod, Top Strike, Standard.....	44
Threshold Strike, Standard.....	44

### T

#### Trim, 4500 Series Grade 1

Anti-Vandal Pull.....	22
Blank Escutcheon.....	13-14
Blank Escutcheon, Mortise.....	14-15
Cylinder Escutcheon.....	15-16
Cylinder Escutcheon, Mortise.....	16-17
Dummy Trim.....	17-18
Dummy Trim, Mortise.....	18-19
Night Latch.....	19-20
Night Latch, Mortise.....	20-21
Pull Plate Trim.....	21

#### Trim, 4600 Series Grade 1 Narrow Stile

Blank Escutcheon.....	32
Cylinder Escutcheon.....	32-33
Dummy Trim.....	33
Night Latch.....	34-35

#### Trim, 4700 Series Standard Duty

Blank Escutcheon.....	39
Cylinder Escutcheon.....	40
Dummy Trim.....	40
Key-In-Lever Trim.....	42
Night Latch.....	41
Pull Plate Trim.....	43
Raised Lip - Dummy.....	44
Raised Lip - Night Latch.....	44



### INTRODUCTION

Every model in Hager's line of exit devices is designed and engineered to assure you and your customers years of superior performance. Hager exit devices use fewer moving parts and are constructed with high-quality features.

Hager exit devices were designed with ease of installation in mind. We package our exit devices for convenience and versatility, with thru-bolts included for every model, slotted strikes, and non-handed designs. Hager offers escutcheon trim available in four functions, along with many other trim options.

### Online Ordering

Products denoted with **red and bold** pricing are available to order through the MyHager portal.

### Cancellation Notification

Cancellation for made-to-order items must be communicated within 48 hours of order placement.

### New Finish

Painted flat black finish (BHMA 693) is now available. Use BLK to designate finish. Extended lead time and MOQ may apply.



## Exit Devices

### ELECTRIC MODIFICATIONS - For use with 4500 Series and 4600 Series exit devices

FUNCTION	FUNCTION #	DESCRIPTION	ADD TO LIST PRICE
Electric Dogging	ED	Provides continuous latch retraction and dogging simultaneously.	\$915.52
Request to Exit	RX	Used to shunt an alarm, activate an alarm, provide release of magnetic locks, or signal a console.	\$368.38
Electric Dogging with Request to Exit	EDRX	Provides continuous latch retraction and dogging simultaneously along with an SPDT switch.	\$1,107.71
Dual Request to Exit	RX2	Features two SPDT switches.	\$442.31
Latchbolt Monitoring	LM	An internal SPDT switch that monitors the latchbolt to signal both egress and access of an opening.	\$368.38
Latchbolt Monitoring/ Request to Exit	RXLM	Two internal SPDT switches that monitor the latchbolt and the pushbar simultaneously.	\$457.08
Electric Trim*	ET*	Provides the means of locking or unlocking outside lever trim controls remotely. Trim works with both 12V or 24V and is field selectable between Fail Safe and Fail Secure.	\$678.88
Authorized Ingress/Key Monitoring*	AI*	An internal SPDT switch that monitors the operation of the outside trim. Must be ordered with the device.	\$383.15
Request to Exit/ Authorized Ingress*	RXAI*	Two internal SPDT switches that monitors the pushbar and outside trim simultaneously. Must be ordered with the device.	\$457.08
Delayed Egress	DE	Delays egress for 15 or 30 seconds when unauthorized egress is initiated. Wall mount controller (2-679-0630) provides digital countdown display with verbal instructions or alarm tone only and must be ordered separately, list price \$1,178.12. Requires 3902 Mortise Cylinder, 1-1/8" long. Longer cylinders can be used with a collar.	\$1,613.12
Onboard Delayed Egress	OBDE*	Delays egress for 15 seconds (30 seconds optional) when unauthorized egress is initiated. Modification can be made to 4501 or 4601 exit devices. Requires 3902 Mortise Cylinder, 1-1/8"-1-3/8" length, 3978 Cloverleaf or equivalent tailpiece required.	\$3,622.74
Motor Driven Electric Latch Retraction	MLR	Provides the means of locking or unlocking exit devices remotely using an electric motor. Recommend Hager 2903 or 2904 Power Supply.	\$1,382.64
Motor Driven Electric Latch Retraction with Request to Exit	MLRX	Provides the means of locking or unlocking exit devices remotely using an electric motor, along with an SPDT switch. Recommend Hager 2903 or 2904 Power Supply.	\$1,877.40
Motor Driven Electric Latch Retraction with Request to Exit and Latchbolt Monitoring	MLRXLM	Provides the means of locking or unlocking exit devices remotely using an electric motor, along with two internal SPDT switches that monitor the pushbar and latchbolt simultaneously. Recommend Hager 2903 or 2904 Power Supply.	\$1,877.40
Motor Driven Electric Latch Retraction with Latchbolt Monitoring	MLRLM	Provides the means of locking or unlocking exit devices remotely using an electric motor along with an internal SPDT switch that monitors the latchbolt. Recommend Hager 2903 or 2904 Power Supply.	\$1,491.16
Electrified Mortise Exit Device	EU/EL	Provides the means of locking or unlocking outside lever trim controls remotely Field selectable between Fail Safe (EL) or Fail Secure (EU). Works with both 12V and 24V.	\$678.88

\*Available on 4500 Series only.



## POWER SUPPLIES

PRODUCT #	DESCRIPTION	LIST PRICE
2903	Provides 24 Volt DC power for Fail Safe or Fail Secure locking devices and interface with building alarm controls, card readers, keypads, and other door controls	Reference Electrified Products for Pricing
2904	Provides 24 Volt DC power and control for openings with an electrified locking device and automatic door operator	Reference Electrified Products for Pricing
2908	Provides up to 1 amp of 12 or 24 Volt DC power.	Reference Electrified Products for Pricing
2909	Provides up to 2 amps of 12 or 24 Volt DC power.	Reference Electrified Products for Pricing

## QUICK CONNECT

Available for use with 4500 and 4600 Series Electrifications ED, LM, MLR, RX and AI (4500 only). Compatible with Hager Quick Connect Harness Cables which can plug into Hager hinges with quick connect for quick and accurate wiring of the door. No additional charge.

## ALARMED DEVICES

### 4501/4601 ALK - Alarm Kit

Add \$427.53 to the list price of the device

### 4501/4601 ALM - ALK with Latch Monitor Switch (recommended for use with SVR devices)

Add \$574.05 to the list price of the device

### 4501/4601 ALT - ALK with Tamper Switch

Add \$574.05 to the list price of the device

### 4501/4601 ALL - ALK with Latch Monitor and Tamper Switch

Add \$720.56 to the list price of the device

Note: Alarm kit components may be purchased separately.



## Exit Devices

### 4500 SERIES EXIT DEVICE

4501	RIM	FR 36"	US3 1-3/4"	ALK
<b>Product Group</b> 4500 Series, Grade 1	<b>Type</b>	<b>Rating</b>	<b>Finish</b>	<b>Electric Modifications</b>
	RIM - Rim Device SVR - Surface Vertical Rod LBR - Surface Vertical Rod Less Bottom Rod <sup>1</sup> CVR - Concealed Vertical Rod CLB - Concealed Vertical Rod Less Bottom Rod <sup>1</sup> DMY - Dummy Push Pad MRT - Mortise Device (MC, MB, MD) MRTN - Mortise Night Latch Device (MN)		US3 US4 US10B US26 US26D US32D BLK <sup>7</sup>	AI - Authorized Ingress <sup>3</sup> ALK - Alarm Kit ALL - Alarm Kit w/ Tamper Switch and Latch Monitor ALM - Alarm Kit w/ Latch Monitor ALT - Alarm Kit w/ Tamper Switch DE - Delayed Egress OBDE - Onboarded Delayed Egress ED - Electric Dogging EDRX - Electric Dogging w/ Request to Exit LM - Latchbolt Monitor <sup>3</sup> RX - Request to Exit RX2 - Dual Request to Exit RXAI - Request to Exit w/ Authorized Ingress <sup>3</sup> RXLM - Request to Exit w/ Latchbolt Monitor <sup>3</sup> MLR - Motor Driven Electric Latch Retraction MLRX - Motor Driven Electric Latch Retraction w/ Request to Exit MLRLM - Motor Driven Electric Latch Retraction w/Latchbolt Monitoring <sup>3</sup> MLRLXM - Motor Driven Electric Latch Retraction w/Request to Exit & Latchbolt Monitoring <sup>3</sup> EUEL1224 - Fail Secure/Fail Safe, 12/24 Volt <sup>6</sup>
		<b>Door Size<sup>2</sup></b>	<b>Door Thickness</b>	
		36" x 84" 36" x 96" 48" x 84" 48" x 96" CDW - Cylinder Dogging and Windstorm Rated LD - Less Dogging WR - Windstorm Rated FW - Windstorm and Fire-Rated	1-5/8" 1-3/4" 2" 2-1/2" 3"	

### 4500 SERIES TRIM

45	CE	ARC	US3	1-3/4"	TW
<b>Product Group</b> 45 - 4500 Series, Grade 1	<b>Trim/Function</b>	<b>Lever Style</b>	<b>Finish</b>	<b>Door Thickness</b>	<b>Options</b>
	BE - Blank Escutcheon Function 14, always operable CE - Cylinder Escutcheon Function 08, key locks/unlocks DT - Dummy Trim Function 02, pull when dogged down ET - Electric Escutcheon Trim (E05/E06) NL - Night Latch (1-3/4" to 2-1/2" doors) Function 03, key retracts latchbolt PD - Pull Plate Dummy Trim (Not available for CVR device) Function 02, pull when dogged down PN - Pull Plate Night Latch (Not available for CVR device) Function 03, key retracts latchbolt PT - Thumbpiece Entrance (Not available for CVR device) Function 05, key locks or unlocks thumbpiece MB - Mortise Blank Escutcheon <sup>4</sup> Function 14, always operable MC - Mortise Cylinder Escutcheon <sup>4</sup> Function 08, key locks/unlocks MD - Mortise Dummy Trim <sup>4</sup> Function 02, pull when dogged down MN - Mortise Night Latch <sup>4</sup> Function 03, key retracts latchbolt	ARC - Archer AUG - August WLM - William WTN - Withnell CHA - Charles JHN - Johnston <sup>5</sup> JOS - Joshua LOU - Louis WRN - Warren <sup>5</sup>	US3 US4 US10B US26 US26D US32D (pull plate trim only) BLK <sup>7</sup>	1-5/8" 1-3/4" 2" 2-1/2" 3"	TW - Tactile Warning A - Antimicrobial Coating (US26D and US32D only)

<sup>1</sup>Fire-rated LBR and CLB devices must be ordered in pairs of vertical rod devices or can be used in conjunction with an approved automatic or constant latching flush bolt. When ordering pairs, specify one device LBR and second device LBR with fire bolt, for example: 4501 LBR Fire 36" x 84" plus 4501 LBR Fire 36" x 84" EO with bolt OR 4501 LBR Fire 36" x 84" plus an approved automatic constant latching flush bolt.

<sup>2</sup>24" door size available with extended lead times. Add \$486.69 to 36" list price. For additional information contact Hager customer service.

<sup>3</sup>Not available on Mortise Exit Devices.

<sup>4</sup>Mortise trim does not match centerline of other 4500 Series trim. Cannot be used with 4500 Series Rim or Vertical Rod devices.

<sup>5</sup>Johnston and Warren lever designs are handed. Specify LHR/RH or RHR/LH when ordering.

<sup>6</sup>Only applicable to 4501 MRTN devices.

<sup>7</sup>Extended lead time for flat black finish.

#### Notes:

- Mortise cylinder 3902 is required for use with cylinder escutcheon trim and pull plate with thumbpiece trim and is sold separately.
- Rim cylinder with long tailpiece 3901 is required for use with night latch trim and is sold separately.
- For more cylinder information, please refer to Cylinder, Core & Keying in the Locks section of the catalog.
- If using shim kit, specify total door thickness including shims.
- ET Trim and EU/EL work with both 12V or 24V and are field-selectable between Fail Safe (EL) or Fail Secure (EU).





## 4600 SERIES EXIT DEVICE

**4601****Product Group**

4600 Series, Grade 1

**RIM****Type**

RIM - Rim Device  
 CVR - Concealed Vertical Rod Device  
 CLB - Concealed Vertical Rod  
 Less Bottom Rod

**FR****Rating**

FR - Fire Rated<sup>6</sup>  
 O - Non-Fire Rated  
 CD - Cylinder Dogging  
 LD - Less Dogging

**36"****Size**

36"  
 48"

**US3****Finish**

US3  
 US4  
 US10B  
 US26  
 US26D  
 US32D  
 BLK<sup>1</sup>

**1-3/4"****Door Thickness**

1-5/8"<sup>6</sup>  
 1-3/4"  
 2"<sup>6</sup>  
 2-1/2"<sup>6</sup>  
 3"<sup>6</sup>

**MLR****Electric Modifications**

ALK - Alarm Kit<sup>6</sup>  
 ALL - Alarm Kit w/ Tamper Switch and Latch Monitor<sup>6</sup>  
 ALM - Alarm Kit w/ Latch Monitor<sup>6</sup>  
 ALT - Alarm Kit w/ Tamper Switch<sup>6</sup>  
 DE - Delayed Egress  
 ED - Electric Dogging  
 EDRX - Electric Dogging w/ Request to Exit  
 LM - Latchbolt Monitor  
 RX - Request to Exit  
 RX2 - Dual Request to Exit  
 RXLM - Request to Exit w/ Latchbolt Monitor  
 MLR - Motor Driven Electric Latch Retraction  
 MLRX - Motor Driven Electric Latch Retraction w/ Request to Exit  
 MLRLM - Motor Driven Latch Retraction with Latchbolt Monitoring  
 MLRXLM - Motor Driven Electric Latch Retraction with Request to Exit and Latchbolt Monitoring

## 4600 SERIES TRIM

**46****Product Group**

46 - 4600 Series, Grade 1

**CE****Trim/Function**

BE - Blank Escutcheon  
 Function 14, always operable  
 CE - Cylinder Escutcheon<sup>2</sup>  
 Function 08, key locks/unlocks lever  
 DT - Dummy Trim  
 Function 02, pull when dogged down  
 NL - Night Latch<sup>3</sup>(1-3/4" thick doors only)  
 Function 03, key retracts latchbolt

**ARC****Lever Style**

ARC - Archer  
 AUG - August  
 WLM - William  
 WTN - Withnell

**US3****Finish**

US3  
 US4  
 US10B  
 US26  
 US26D  
 BLK<sup>1</sup>

**1-3/4"****Door Thickness**

1-5/8"  
 1-3/4"  
 2"  
 2-1/2"  
 3"

**TW****Options**

TW - Tactile Warning  
 A - Antimicrobial  
 Coating (US26D only)

**Notes:**

1. Extended lead time on flat black finish.
2. Mortise cylinder 3902 with 3976 L cam is required for use with cylinder escutcheon trim is sold separately.
3. Rim cylinder 3901 with long tailpiece is required for use with night latch trim and is sold separately.
4. For more cylinder information, please refer to Cylinder, Core & Keying in the Locks section of the catalog.
5. If using shim kit, specify total door thickness including shims.
6. Not available on 4600 CVR or CLB.



## Exit Devices

### 4700 SERIES EXIT DEVICE

4701	RIM	FR	36"	US3	2"
<b>Product Group</b>	<b>Type</b>		<b>Size</b>	<b>Finish</b>	<b>Door Thickness</b>
	RIM - Rim Device				
4700 Series, Standard Duty	SVR - Surface Vertical Rod		36"	US3	1-5/8"
			48"	US32D	1-3/4"
			36" x 84"	ALM	2"
			36" x 96"	DBZ	2-1/4"
			48" x 84"		
			48" x 96"		
		<b>Rating</b>			
		FR - Fire Rated			
		0 - Non-Fire Rated			

### 4700 SERIES TRIM

47	CE	RH	ARC	US3	2"	TW
<b>Product Group</b>	<b>Trim/Function</b>		<b>Lever Style</b>	<b>Finish</b>	<b>Door Thickness</b>	<b>Options</b>
	CE - Cylinder Escutcheon					
47 - 4700 Series, Standard Duty	Function 08, key locks/unlocks		ARC - Archer	US3	1-5/8"	TW - Tactile Warning A - Antimicrobial Coating
	BE - Blank Escutcheon		AUG - August	US32D	1-3/4"	
	Function 14, always operable	RH - Right Handed / LHR	WTN - Withnell	ALM	2"	
	NL - Night Latch	LH - Left Handed / RHR	APL - Apollo knob	DBZ	2-1/4"	
	Function 03, key retracts latchbolt					
	DT - Dummy Trim					
	Function 02, pull when dogged down					
	KD- Key in Lever - Dummy Trim					
	Function 02, entrance by trim when actuating bar is locked down					
	KE- Key in Lever - Entrance					
	Function 08, entrance by trim (key locks or unlocks trim)					
	KN- Key in Lever - Night Latch					
	Function 03, entrance by trim when latch bolt is released by key; removable when locked					
	KP- Key in Lever - Passage					
	Function 14, entrance by trim when latch bolt is released by lever; always active; no cylinder					
	PD- Pull Plate Dummy Trim					
	Function 02, pull when dogged down					
	PN- Pull Plate Night Latch					
	Function 03, key retracts latchbolt					
	RD- Raised Lip Pull - Dummy Trim					
	Function 02, pull when dogged down					
	RN- Raised Lip Pull - Night Latch					
	Function 03, key retracts latches					
	BT- Thumbpiece Pull Plate, Passage					
	Function 15, entrance by trim when latch is released by thumbpiece. Thumbpiece is always active, no cylinder					
	PT- Thumbpiece Pull Plate, Entrance					
	Function 05, entrance by thumbpiece. Key locks or unlocks thumb piece					


#### Notes:

1. Handing is required for the 4700 Series trim.
2. Cylinders sold separately.
3. For more cylinder information, please refer to Cylinder, Core & Keying in the Locks section of the catalog.
4. Maximum door thickness compatibility for key-in-lever (Entrance, Night Latch, and Passage) trim is 1-3/4" (44 mm)





Description	Length	Finish	2022 List	Stock No.	List Fire Rated	Stock No.	Case Qty.
<b>4501 RIM</b>	36"	US3	1,263.58	158092	1,443.09	158111	3
Grade 1	Exit Only	US4	1,263.58	158094	1,443.09	158107	
Non-Handed		US10B	1,263.58	158088	1,443.09	158103	
		US26	1,263.58	158089	1,443.09	158109	
Cylinder Dogging (specify CD), add \$53.06 to list price. 3902 mortise cylinder with standard cam must be ordered separately.		US26D	<b>1,219.94</b>	158090	<b>1,443.09</b>	158104	
		US32D	<b>1,263.58</b>	158093	<b>1,443.09</b>	158105	
	48"	US3	1,308.70	156140	1,498.87	156145	3
	Exit Only	US4	1,308.70	156141	1,498.87	156146	
		US10B	1,308.70	156139	1,498.87	156143	
Severe Windstorm Rated device, add \$66.37 to list price and specify WR.		US26	1,308.70	158180	1,498.87	156144	
		US26D	<b>1,277.07</b>	156135	1,451.77	154983	
		US32D	1,308.70	156136	1,498.87	156137	
Refer to page 4 & 5 for electric modification pricing.							
Anti-microbial coating - add \$7.43 to list price.							
Less dogging (specify LD-NON FIRE RATED ONLY), add \$48.60 list price.							



<b>4501 SVR LBR</b>	36" x 84"	US3	1,861.76	129450	2,017.75	126690	3
Grade 1	Exit Only	US4	1,861.76	131538	2,017.75	135130	
Non-Handed		US10B	1,861.76	127645	2,017.75	126438	
		US26	1,861.76	-	2,017.75	146277	
Cylinder Dogging (specify CD), add \$53.06 to list price. 3902 mortise cylinder with standard cam must be ordered separately.		US26D	1,719.31	124387	1,886.70	124389	
		US32D	1,861.76	174486	2,017.75	170442	
	36" x 96"	US3	1,931.01	-	2,108.49	-	3
	Exit Only	US4	1,931.01	152521	2,108.49	173396	
		US10B	1,931.01	143515	2,108.49	126441	
		US26	1,931.01	-	2,108.49	032342	
Fire rated LBR devices must be ordered in pairs of less bottom rod vertical rod devices and with a spring loaded fire latch (Part # 2-649-0166 - add \$61.99 to list price) to ensure the device's fire rating.		US26D	1,830.18	127422	1,995.59	133810	
		US32D	1,931.01	133952	2,108.49	124391	
	48" x 84"	US3	1,995.59	-	2,164.95	146813	3
	Exit Only	US4	1,995.59	131540	2,164.95	147614	
		US10B	1,995.59	161824	2,164.95	127646	
		US26	1,995.59	-	2,164.95	-	
Refer to page 29 for extension rod kits for doors over 8 feet in height. Note that these are not fire rated for the LBR.		US26D	1,886.69	129506	2,164.95	127252	
		US32D	1,995.59	138585	2,164.95	156237	
	48" x 96"	US3	2,031.17	-	2,197.81	-	3
	Exit Only	US4	2,031.17	-	2,197.81	-	
		US10B	2,031.17	173468	2,197.81	137024	
		US26	2,031.17	-	2,197.81	-	
Less dogging (specify LD-NON FIRE RATED ONLY), add \$48.60 list price.		US26D	1,995.59	147312	2,108.49	129948	
		US32D	2,031.17	149138	2,197.81	138708	



## Exit Devices - 4500



Description	Length	Finish	2022 List	Stock No.	List Fire Rated	Stock No.	Case Qty.
<b>4501 SVR</b>	36" x 84"	US3	1,861.76	157344	2,017.75	157393	3
Grade 1	Exit Only	US4	1,861.76	157346	2,017.75	157395	
Non-Handed		US10B	1,861.76	157341	2,017.75	157422	
		US26	1,861.76	157342	2,017.75	158058	
Cylinder Dogging (specify CD), add \$53.06 to list price. 3902 mortise cylinder with standard cam must be ordered separately.		US26D	<b>1,791.31</b>	157343	1,886.70	157392	
		US32D	<b>1,861.76</b>	157345	2,017.75	157394	
	36" x 96"	US3	1,931.01	157400	2,108.49	157426	3
	Exit Only	US4	1,931.01	157401	2,108.49	158068	
		US10B	1,931.01	157399	2,108.49	157424	
Severe Windstorm Rated device, add \$66.38 to list price and specify WR.		US26	1,931.01	157568	2,108.49	157425	
		US26D	1,830.18	157390	1,995.59	157396	
Refer to page 4 for electric modification.		US32D	1,931.01	157391	2,108.49	157397	
	36" x 120"	US3			2,212.65	-	3
Refer to page 29 for extension rod kits for doors over 8 feet in height.	Exit Only	US4			2,212.65	157421	
		US10B			2,212.65	157887	
		US26			2,212.65	-	
Anti-microbial coating - add \$57.43 to list price.		US26D			2,060.73	157418	
		US32D			2,212.65	157420	
	48" x 84"	US3	1,995.59	157895	2,164.95	156229	3
Less dogging (specify LD-NON FIRE RATED ONLY), add \$48.60 list price.	Exit Only	US4	1,995.59	156152	2,164.95	158074	
		US10B	1,995.59	156149	2,164.95	154982	
		US26	1,995.59	156150	2,164.95	156227	
		US26D	1,886.69	156147	2,164.95	156148	
		US32D	1,995.59	156151	2,164.95	156230	
	48" x 96"	US3	2,031.17	157901	2,197.81	158076	3
	Exit Only	US4	2,031.17	157906	2,197.81	156235	
		US10B	2,031.17	157900	2,197.81	156231	
		US26	2,031.17	156153	2,197.81	156232	
		US26D	1,995.59	156154	2,108.49	156233	
		US32D	2,031.17	157905	2,197.81	156234	
	48" x 120"	US3			2,306.10	-	3
	Exit Only	US4			2,306.10	-	
		US10B			2,306.10	156156	
		US26			2,306.10	-	
		US26D			2,146.78	158069	
		US32D			2,306.10	156225	





Description	Length	Finish	2022 List	Stock No.	List Fire Rated	Stock No.	Case Qty.
<b>4501 CVR</b>	36" x 84"	US3	2,340.39	033019	2,622.64	-	3
Grade 1	Exit Only	US4	2,340.39	-	2,622.64	-	
Non-Handed		US10B	2,340.39	050046	2,622.64	050040	
		US26	2,340.39	-	2,622.64	044155	
Cylinder Dogging (specify CD), add \$53.06 to list price. 3902 mortise cylinder with standard cam must be ordered separately.		US26D	2,340.39	050065	2,622.64	050059	
		US32D	2,340.39	50051	2,622.64	149313	
	36" x 96"	US3	2,390.07	-	2,672.38	-	3
Refer to page 4 for electric modification pricing.	Exit Only	US4	2,390.07	-	2,672.38	-	
		US10B	2,390.07	050030	2,672.38	050036	
		US26	2,390.07	-	2,672.38	-	
Refer to page 29 for extension rod kits for doors over 8 feet in height.		US26D	2,390.07	150761	2,672.38	050065	
		US32D	2,390.07	150762	2,672.38	050066	
Anti-microbial coating - add \$57.43 to list price.	48" x 84"	US3	2,435.81	-	2,718.06	-	3
	Exit Only	US4	2,435.81	-	2,718.06	-	
		US10B	2,435.81	048224	2,718.06	-	
Less dogging (specify LD-NON FIRE RATED ONLY), add \$48.60 list price.		US26	2,435.81	050063	2,718.06	-	
		US26D	2,435.81	050043	2,718.06	036355	
		US32D	2,435.81	-	2,718.06	050037	
	48" x 96"	US3	2,485.49	168182	2,767.80	-	3
	Exit Only	US4	2,485.49	168184	2,767.80	-	
		US10B	2,485.49	168172	2,767.80	-	
		US26	2,485.49	168181	2,767.80	-	
		US26D	2,485.49	168167	2,767.80	036465	
		US32D	2,485.49	168183	2,767.80	047054	



## Exit Devices - 4500



Description	Length	Finish	2022 List	Stock No.	List Fire Rated	Stock No.	Case Qty.
<b>4501 CLB</b>	36" x 84"	US3	2,340.39	-	2,622.64	-	3
Grade 1	Exit Only	US4	2,340.39	-	2,622.64	-	
Non-Handed		US10B	2,340.39	-	2,622.64	-	
		US26	2,340.39	-	2,622.64	-	
Cylinder Dogging (specify CD), add \$53.06 to list price. 3902 mortise cylinder with standard cam must be ordered separately.		US26D	2,340.39	047320	2,622.64	049802	
		US32D	2,340.39	049969	2,622.64	045528	
	36" x 96"	US3	2,390.07	-	2,672.38	-	3
Exit Only		US4	2,390.07	-	2,672.38	-	
		US10B	2,390.07	-	2,672.38	034331	
		US26	2,390.07	-	2,672.38	-	
Fire rated LBR devices must be ordered in pairs of less bottom rod vertical rod devices and with a spring loaded fire bolt (Part # 2-649-0166, add \$67.96 to list price) to ensure the device's fire rating.		US26D	2,390.07	037393	2,672.38	045040	
		US32D	2,390.07	046227	2,672.38	036300	
	48" x 84"	US3	2,435.81	-	2,718.06	-	3
Exit Only		US4	2,435.81	-	2,718.06	-	
Refer to page 4 for electric modification pricing.		US10B	2,435.81	-	2,718.06	-	
		US26	2,435.81	-	2,718.06	-	
Refer to page 25 for extension rod kits for doors over 8 feet in height		US26D	2,435.81	-	2,718.06	044976	
		US32D	2,435.81	-	2,718.06	161879	
Anti-microbial coating - add \$57.43 to list price.	48" x 96"	US3	2,485.49	-	2,767.80	-	3
	Exit Only	US4	2,485.49	-	2,767.80	-	
Less dogging (specify LD-NON FIRE RATED ONLY), add \$48.60 list price.		US10B	2,485.49	-	2,767.80	-	
		US26	2,485.49	-	2,767.80	-	
		US26D	2,485.49	-	2,767.80	-	
		US32D	2,485.49	049967	2,767.80	-	




### Mortise Lock Exit Devices

<b>4501 M</b>	36"	US3	2,348.45	084209	2,581.64	-	3
(Pair with MB, MC, MD trim)	Exit Only	US4	2,348.45	084199	2,581.64	084081	
Grade 1		US10B	2,348.45	084276	2,581.64	084123	
Non-Handed		US26	2,348.45	084268	2,581.64	084120	
		US26D	2,2267.07	084249	2,494.29	084116	
		US32D	2,348.45	084203	2,581.64	084104	
Cylinder Dogging (specify CD), add \$53.06 to list price. 3902 mortise cylinder with standard cam must be ordered separately.	48"	US3	2,379.29	045758	2,612.61	084074	3
Exit Only		US4	2,379.29	-	2,612.61	-	
Refer to page 4 for electric modification pricing. Anti-microbial coating - add \$57.43 to list price.		US10B	2,379.29	-	2,612.61	-	
		US26	2,379.29	-	2,612.61	084078	
		US26D	2,298.03	084190	2,522.48	162835	
		US32D	2,379.29	084146	2,612.61	162837	
Less dogging (specify LD-NON FIRE RATED ONLY), add \$48.60 list price.							





Description	Length	Finish	2022 List	Stock No.	List Fire Rated	Stock No.	Case Qty.
<b>4501 N</b> (Pair with MN trim)	36"	US3	2,348.45	-	2,581.64	- 3 -	
		US4	2,348.45	-	2,581.64	-	
		US10	2,348.45	-	2,581.64	-	
		US26	2,348.45	-	2,581.64	-	
		US26D	2,267.07	084005	2,522.48	083971	
	48"	US32D	2,348.45	083998	2,581.64	083930	
Exit Only	48"	US3	2,379.29	-	2,612.61	- 3	
		US4	2,379.29	-	2,612.61	-	
		US10B	2,379.29	-	2,612.61	-	
		US26	2,379.29	-	2,612.61	-	
		US26D	2,298.03	083982	2,522.48	083904	
	48"	US32D	2,379.29	083979	2,612.61	083896	



<b>4501 D</b> Dummy Push Pad Non-handed For use with 4500 and 4600 Series Exit Devices Anti-microbial coating - add \$57.43 to list price.	36"	US3	796.46	149393			3
		US10B	796.46	149392			
		US26D	699.01	149391			
		US32D	796.46	149390			
	48"	US3	827.43	-			3
		US10B	827.43	149396			
		US26D	729.98	149395			
		US32D	827.43	149394			



Description	Function	Finish	2022 List	Stock No. LHR	2022 List	Stock No. RHR	Case Qty.
<b>45BE</b> Blank Escutcheon Tactile Warning - add \$52.21 to list price. Anti-microbial coating - add \$57.43 to list price.							
<b>Archer Lever</b>	14	US3	645.27	122812			6
	Always	US4	645.27	122814			
	Operable	US10B	645.27	122806			
		US26	645.27	122808			
		US26D	<b>621.08</b>	122810			
<b>August Lever</b>		US3	645.27	122796			6
		US4	645.27	122797			
		US10B	645.27	122793			
		US26	645.27	122794			
		US26D	621.08	122795			
<b>Charles Lever</b>		US3	645.27	-			6
		US4	645.27	-			
		US10B	645.27	178079			
		US26	645.27	-			
		US26D	621.08	176196			
<b>Johnston Lever</b> (must specify handling)		US3	645.27	-	645.27	-	6
		US4	645.27	178146	645.27	-	
		US10B	645.27	177946	645.27	177951	
		US26	645.27	178130	645.27	178133	
		US26D	621.08	177384	621.08	177387	



## Exit Devices - 4500

Description	Function	Finish	2022 List	Stock No. LHR	2022 List	Stock No. RHR	Case Qty.
Joshua Lever	14	US3	645.27	-			6
	Always Operable	US4	645.27	-			
		US10B	645.27	178087			
		US26	645.27	-			
		US26D	621.08	178084			
Louis Lever		US3	645.27	177349			6
		US4	645.27	177356			
		US10B	645.27	177296			
		US26	645.27	177301			
		US26D	621.08	177305			
Warren Lever (must specify handling)		US3	645.27	-	597.47	- 6 -	
		US4	645.27	-	597.47		
		US10B	645.27	178053	597.47	178057	
		US26	645.27	-	597.47	-	
		US26D	621.08	178031	575.07	178048	
William Lever		US3	645.27	-			6
		US4	645.27	-			
		US10B	645.27	165842			
		US26	645.27	165843			
		US26D	621.08	165844			
Withnell Lever		US3	645.27	122813			6
		US4	645.27	122815			
		US10B	645.27	122807			
		US26	645.27	122809			
		US26D	621.08	122811			
45MB							
Blank Escutcheon for use with 4501M Mortise Lock Exit Device							
Mortise trim does not match centerline of other 4500 Series trim							
Tactile Warning - add \$52.21 to list price.							
Anti-microbial coating - add \$57.43 to list price.							
Archer Lever	14 Always Operable	US3	645.27	-			6
		US4	645.27	-			
		US10B	645.27	163696			
		US26	645.27	163699			
		US26D	621.08	163559			
August Lever		US3	645.27	-			6
		US4	645.27	-			
		US10B	645.27	163697			
		US26	645.27	163700			
		US26D	621.08	163560			





Description	Function	Finish	2022 List	Stock No.	Case Qty.
<b>William Lever</b>		US3	645.27	-	6
		US4	645.27	-	
		US10B	645.27	-	
		US26	645.27	-	
		US26D	621.08	163624	
<b>Withnell Lever</b>		US3	645.27	-	6
		US4	645.27	163599	
		US10B	645.27	163558	
		US26	645.27	163702	
		US26D	621.08	163561	



Description	Function	Finish	2022 List	Stock No. LHR	2022 List	Stock No. RHR	Case Qty.
<b>45CE</b> Cylinder Escutcheon Requires a 3902 mortise cylinder (with standard cam) sold separately Tactile Warning - add \$52.21 to list price. Anti-microbial coating - add \$57.43 to list price. Refer to page 4 for electric modification pricing.							
<b>Archer Lever</b>	08 Key locks or unlocks lever	US3	645.27	122824			6
		US4	645.27	122826			
		US10B	645.27	122818			
		US26	645.27	122820			
		US26D	<b>621.08</b>	122822			
<b>August Lever</b>		US3	645.27	122802			6
		US4	645.27	122803			
		US10B	645.27	122799			
		US26	645.27	122800			
		US26D	621.08	122801			
<b>Charles Lever</b>		US3	645.27	-			6
		US4	645.27	-			
		US10B	645.27	178080			
		US26	645.27	-			
		US26D	621.08	176193			
<b>Johnston Lever</b> (must specify handling)		US3	645.27	-	645.27	-	6
		US4	645.27	178147	645.27	-	
		US10B	645.27	177948	645.27	177952	
		US26	645.27	178131	645.27	178134	
		US26D	621.08	177385	621.08	177386	



## Exit Devices - 4500

Description	Function	Finish	2022 List	Stock No. LHR	2022 List	Stock No. RHR	Case Qty.
Joshua Lever	08	US3	645.27	-			6
	Key locks or unlocks lever	US4	645.27	-			
		US10B	645.27	178088			
		US26	645.27	-			
		US26D	621.08	178085			
Louis Lever		US3	645.27	177350			6
		US4	645.27	177357			
		US10B	645.27	177298			
		US26	645.27	177302			
		US26D	621.08	177306			
Warren Lever (must specify handling)		US3	645.27	-	645.27	-	6
		US4	645.27	-	645.27	-	
		US10B	645.27	178054	645.27	178058	
		US26	645.27	-	645.27	-	
		US26D	621.08	178032	621.08	178049	
William Lever		US3	645.27	159126			6
		US4	645.27	159127			
		US10B	645.27	159121			
		US26	645.27	159129			
		US26D	621.08	159109			
Withnell Lever		US3	645.27	122825			6
		US4	645.27	122827			
		US10B	645.27	122819			
		US26	645.27	122821			
		US26D	621.08	122823			
<hr/>							
45MC							
Cylinder Escutcheon for use with 4501M Mortise Lock Exit Device							
Mortise trim does not match centerline of other 4500 Series trim							
Requires a 3902 mortise cylinder (1-5/8" with standard cam) sold separately. Tactile Warning - add \$52.2 to list price.							
Anti-microbial coating - add \$57.43 to list price.							
Archer Lever	08	US3	645.27	-			6
	Key locks or unlocks lever	US4	645.27	163708			
		US10B	645.27	163562			
		US26	645.27	163717			
		US26D	621.08	163523			
August Lever		US3	645.27	-			6
		US4	645.27	163709			
		US10B	645.27	163715			
		US26	645.27	163718			
		US26D	621.08	163564			



Description	Function	Finish	2022 List	Stock No.	Case Qty.
<b>William Lever</b>		US3	645.27	-	6
		US4	645.27	163625	
		US10B	645.27	163716	
		US26	645.27	-	
		US26D	621.08	163626	
<b>Withnell Lever</b>		US3	645.27	163707	6
		US4	645.27	163710	
		US10B	645.27	163563	
		US26	645.27	163720	
		US26D	621.08	163565	



Description	Function	Finish	2022 List	Stock No. LHR	2022 List	Stock No. RHR	Case Qty.
<b>45DT</b>							
Dummy Trim							
Tactile Warning - add \$52.21 to list price.							
Anti-microbial coating - add \$57.43 to list price.							
<b>Archer Lever</b>	02	US3	645.27	14036			6
	Pull when	US4	645.27	14023			
	device is	US10B	645.27	14038			
	dogged down	US26	645.27	60033			
		US26D	<b>621.08</b>	60018			
<b>August Lever</b>		US3	645.27	107837			6
		US4	645.27	107838			
		US10B	645.27	107834			
		US26	645.27	107835			
		US26D	621.08	107836			
<b>Charles Lever</b>		US3	645.27	-			6
		US4	645.27	-			
		US10B	645.27	178082			
		US26	645.27	-			
		US26D	621.08	178078			
<b>Johnston Lever</b> (must specify handing)		US3	645.27	-	645.27	-	6
		US4	645.27	178148	645.27	-	
		US10B	645.27	177949	645.27	177953	
		US26	645.27	178132	645.27	178135	
		US26D	621.08	177937	621.08	177940	
<b>Joshua Lever</b>		US3	645.27	-			6
		US4	645.27	-			
		US10B	645.27	178089			
		US26	645.27	-			
		US26D	621.08	178086			



## Exit Devices - 4500

Description	Function	Finish	2022 List	Stock No. LHR	2022 List	Stock No. RHR	Case Qty.
<b>Louis Lever</b>	02	US3	645.27	177354			6
	Pull when	US4	645.27	177358			
	device is	US10B	645.27	177299			
	dogged down	US26	645.27	177303			
		US26D	621.08	177307			
<b>Warren Lever</b> (must specify handling)		US3	645.27	-	645.27	- 6 -	
		US4	645.27	-	645.27		
		US10B	645.27	178055	645.27	178059	
		US26	645.27	-	645.27	-	
		US26D	621.08	178046	621.08	178050	
<b>William Lever</b>		US3	645.27	-			6
		US4	645.27	-			
		US10B	645.27	165848			
		US26	645.27	-			
		US26D	621.08	165850			
<b>Withnell Lever</b>		US3	645.27	14035			6
		US4	645.27	14020			
		US10B	645.27	14037			
		US26	645.27	60027			
		US26D	<b>621.08</b>	60017			

Description	Function	Finish	2022 List	Stock No.	Case Qty.
<b>45MD</b> Dummy Trim for use with 4501M Mortise Lock Exit Device Mortise trim does not match centerline of other 4500 Series trim Tactile Warning - add \$52.21 to list price. Anti-microbial coating - add \$57.43 to list price.					
<b>Archer Lever</b>	02	US3	645.27	-	6
	Pull when	US4	645.27	-	
	device is	US10B	645.27	-	
	dogged down	US26	645.27	-	
		US26D	621.08	-	
<b>August Lever</b>		US3	645.27	-	6
		US4	645.27	-	
		US10B	645.27	-	
		US26	645.27	-	
		US26D	621.08	-	



Description	Function	Finish	2022 List	Stock No.	Case Qty.
<b>William Lever</b>		US3	645.27	-	6
		US4	645.27	-	
		US10B	645.27	-	
		US26	645.27	-	
		US26D	621.08	-	
<b>Withnell Lever</b>		US3	645.27	-	6
		US4	645.27	-	
		US10B	645.27	-	
		US26	645.27	-	
		US26D	621.08	163727	

**45NL**

Night Latch

Requires a 3901 rim cylinder (with long tailpiece) sold separately. Tactile Warning - add \$52.21 to list price.

Anti-microbial coating - add \$57.43 to list price.

Maximum door thickness compatibility is 2-1/2" (38 mm)

Description	Function	Finish	2022 List	Stock No. LHR	2022 List	Stock No. RHR	Case Qty.
<b>Archer Lever</b>	03	US3	645.27	14003			6
	Key retracts latchbolt	US4	645.27	13984			
		US10B	645.27	14011			
		US26	645.27	60009			
		US26D	<b>621.08</b>	60000			
<b>August Lever</b>		US3	645.27	107844			6
		US4	645.27	107845			
		US10B	645.27	107841			
		US26	645.27	107842			
		US26D	621.08	107843			
<b>Charles Lever</b>		US3	645.27	-			6
		US4	645.27	-			
		US10B	645.27	178083			
		US26	645.27	-			
		US26D	621.08	178429			
<b>Johnston Lever</b> (must specify handling)		US3	645.27	-	645.27	-	6
		US4	645.27	178149	645.27	-	
		US10B	645.27	177950	645.27	177954	
		US26	645.27	177955	645.27	177956	
		US26D	621.08	177938	621.08	177941	



## Exit Devices - 4500

Description	Function	Finish	2022 List	Stock No. LHR	2022 List	Stock No. RHR	Case Qty.
<b>Joshua Lever</b>	03	US3	645.27	-			6
	Key retracts latchbolt	US4	645.27	-			
		US10B	645.27	178092			
		US26	645.27	-			
		US26D	621.08	178091			
<b>Louis Lever</b>		US3	645.27	177355			6
		US4	645.27	177359			
		US10B	645.27	177300			
		US26	645.27	177304			
		US26D	621.08	177308			
<b>Warren Lever</b> (must specify handling)		US3	645.27	-	645.27	- 6 -	
		US4	645.27	-	645.27		
		US10B	645.27	178056	645.27	178060	
		US26	645.27	-	645.27	-	
		US26D	621.08	178047	621.08	-	
<b>William Lever</b>		US3	645.27	-			6
		US4	645.27	-			
		US10B	645.27	159132			
		US26	645.27	159133			
		US26D	621.08	159112			
<b>Withnell Lever</b>		US3	645.27	13999			6
		US4	645.27	13980			
		US10B	645.27	14007			
		US26	645.27	60008			
		US26D	<b>621.08</b>	60001			

Description	Function	Finish	2022 List	Stock No.	Case Qty.
<b>45MN</b> Night Latch for use with 4501N Mortise Lock Exit Device Mortise trim does not match centerline of other 4500 Series trim Requires a 3902 mortise cylinder (1-5/8" with standard cam) sold separately. Tactile Warning - add \$52.21 to list price. Anti-microbial coating - add \$57.43 to list price.					
<b>Archer Lever</b>	03	US3	645.27	-	6
	Key retracts latchbolt	US4	645.27	-	
		US10B	645.27	-	
		US26	645.27	-	
		US26D	621.08	163538	
<b>August Lever</b>		US3	645.27	-	6
		US4	645.27	-	
		US10B	645.27	-	
		US26	645.27	-	
		US26D	621.08	163725	



Description	Function	Finish	2022 List	Stock No.	Case Qty.
<b>William Lever</b>		US3	645.27	-	6
		US4	645.27	-	
		US10B	645.27	-	
		US26	645.27	-	
		US26D	621.08	169861	
<b>Withnell Lever</b>		US3	645.27	-	6
		US4	645.27	-	
		US10B	645.27	-	
		US26	645.27	-	
		US26D	621.08	163726	
<b>45PD</b>	02	US3	175.45	109038	12
Pull Plate - Dummy Trim	Pull when	US4	175.45	109039	
	device is	US10B	175.45	109041	
For use with 4500 RIM, SVR, LBR, and CLB devices. Not for CVR.	dogged	US26	175.45	109042	
Tactile Warning - add \$48.34 to list price.	down	US26D	175.45	109043	
Anti-microbial coating - add \$53.18 to list price.		US32D	175.45	109044	
<b>45PN</b>	03	US3	196.31	109048	12
Pull Plate - Night Latch	Key	US4	196.31	109049	
	retracts	US10B	196.31	109051	
For use with 4500 RIM, SVR, LBR, and CLB devices. Not for CVR.	latchbolt	US26	196.31	109052	
Requires a 3901 rim cylinder (sold separately)		US26D	196.31	109053	
Includes retaining cup for 161 door prep.		US32D	196.31	109054	
Tactile Warning - add \$52.21 to list price.					
Anti-microbial coating - add \$57.43 to list price.					
<b>45PT</b>	05	US32D	426.18	146142	6
Pull Plate - Thumbpiece	Key locks or unlocks thumb piece				
For use with 4501 Rim device					
Requires a 3902 mortise cylinder (sold separately)					
Tactile Warning - add \$52.21 to list price.					
Anti-microbial coating - add \$57.43 to list price.					
<b>313SE</b>	Dummy	US32D	389.80	185346	
Anti-Vandal Pull for 4500 Rim device	NL cyl. cutout	US32D	389.80	185350	
Material: 11 GA stainless steel Max Projection: 1-7/8"	LHR				
Size: 6-11/32 x 11"	NL cyl. cutout	US32D	389.80	185352	
Door Thickness: 1-3/4" - 2"	RHR				
Fasteners: 1/4" FPHMS with finish washers					
Rim cylinder 3901 sold separately					
Retaining cup 2-649-0137 for 161 prep sold separately					




## Exit Devices - 4500



Description	Function	Finish	2022 List	Stock No.	Case Qty.
<b>313LE</b>	Dummy	US32D	389.80	185355	
Anti-Vandal Pull w/Latchguard for 4500 Rim Device	NL cyl. cutout LHR	US32D	389.80	185354	
Material: 11 GA stainless steel	NL cyl. cutout RHR	US32D	389.80	185353	
Max Projection: 1-7/8"					
Size: 6-11/32 x 11"					
Door Thickness: 1-3/4" - 2"					
Fasteners: 1/4" FPHMS with finish washers					
Rim cylinder 3901 sold separately					
Retaining cup 2-649-0137 for 161 prep sold separately					
<b>4915</b>		US32D	31.64	67426	48
Threshold strike for use with 4500 or 4700 Series.					
Optional - order separately.					
Not for fire-rated doors.					
<b>4920</b>		US32D	88.77	16208	24
Strike for use with 4500 Series or 4600 Series					
Rim Panic-Rated exit device. Included with 4500 RIM Panic-Rated device. Not for fire-rated doors.					
<b>4920F</b>		US32D	123.06	16207	24
Fire rated strike for use with 4500 Series or 4600 Series fire rated Rim exit device.					
Included with fire rated device.					
<b>4921</b>		US3	88.77	102255	24
Double door strike for 4500 Vertical Rod and Rim exit device.		US4	88.77	102256	
Optional - order separately.		US10B	88.77	102258	
Not for fire-rated doors.		US26	88.77	102259	
		US32D	88.77	102271	







Description	Length	Finish	2022 List	Stock No.	Case Qty.
<b>4923</b> Top strike for use with 4500 Series Surface Vertical Rod Panic-Rated device. Included with panic-rated device.		US32D	56.51	16206	24
<b>4923F</b> Fire rated top strike for use with 4500 Series Surface Vertical Rod device. Included with fire rated device.		US32D	69.26	16205	24
<b>4924</b> Bottom strike for use with 4500 Series Vertical Rod devices. Included with panic rated device.		US32D	69.26	16203	12
<b>4924F</b> Fire rated bottom strike for use with 4500 Series Vertical Rod device. Included with fire rated device.		US32D	79.93	16201	12
<b>4926</b> Cylinder Dogging Conversion Kit for panic rated 4500 device  Requires a 3902 mortise cylinder (with standard cam) sold separately.	36"	US3	57.87	157135	48
		US4	57.87	157137	
		US10B	57.87	157139	
		US26	57.87	157140	
		US26D	57.87	157141	
		US32D	57.87	157142	
	48"	US3	61.93	157143	36
		US4	61.93	157144	
		US10B	61.93	157146	
		US26	61.93	157147	
		US26D	61.93	157148	
		US32D	61.93	157149	
<b>4927</b> Bottom Latch Assembly for use with 4500 Series SVR Devices  Includes latch, cover and screws. Included with device.		US3	123.06	2526	24
		US4	123.06	2525	
		US10B	123.06	2522	
		US26	123.06	2520	
		US26D	123.06	2518	
		US32D	123.06	2511	



## Exit Devices - 4500



Description	Finish	2022 List	Stock No.	Case Qty.
<b>4928</b>	US3	123.06	112972	24
Top Latch Assembly for use with 4500 Series SVR and LBR Devices	US4	123.06	112974	
	US10B	123.06	112969	
	US26	123.06	112970	
Includes latch, cover and screws.	US26D	123.06	112971	
Included with device.	US32D	123.06	112973	
<b>4929</b>	US3	57.87	2634	24
SVR/LBR Rod Replacement Kit (top or bottom)	US4	57.87	2633	
	US10	57.87	2587	
Includes: One (1) each 45-1/4" (1149 mm) rod, rod connector, and appropriate fasteners.	US26	57.87	2573	
	US26D	57.87	2571	
	US32D	57.87	2564	
<b>4929C</b>	US26D	57.87	165570	24
CVR/CLB Rod Replacement Kit (top or bottom)				
Includes: One (1) each 46-5/8" (1184 mm) rod, rod connector, and appropriate fasteners.				
<b>4930R</b>	US3	104.90	1440	24
Shim Kit for 4500 Rim Device	US4	104.90	1438	
	US10B	104.90	1428	
Packaged 2 ea. 1/8" shims	US26	104.90	1426	
	US26D	104.90	1423	
	US32D	123.06	1421	
<b>4930S</b>	US3	104.90	1412	24
Shim Kit for 4500 Surface Vertical Rod Device	US4	104.90	1411	
	US10B	104.90	1404	
Packaged 2 ea. 1/8" shims	US26	104.90	1400	
	US26D	104.90	1391	
	US32D	123.06	1388	
<b>4932C</b>	US3	104.90	166447	20
Replacement Head Cover for 4500 CVR Device	US4	104.90	166449	
	US10B	104.90	166444	
	US26	104.90	166445	
	US26D	104.90	166446	
	US32D	123.06	166448	





Description	Length	Finish	2022 List	Stock No.	Case Qty.
<b>4932R</b>		US3	104.90	105036	20
Replacement Head Cover for 4500 Rim Device		US4	104.90	105037	
		US10B	104.90	105039	
		US26	104.90	105040	
		US26D	104.90	105041	
		US32D	123.06	105042	
<b>4932S</b>		US3	104.90	105043	20
Replacement Head Cover for 4500 SVR Device		US4	104.90	105044	
		US10B	104.90	105046	
		US26	104.90	105047	
		US26D	104.90	105048	
		US32D	123.06	105049	
<b>4936</b>		US3	37.00	129372	24
24" Extension Rod Kit		US4	37.00	129373	
		US10B	37.00	129375	
Includes 24" extension rod, rod connector, rod guide, and wood and machine screws.		US26	37.00	129376	
		US26D	37.00	129377	
		US32D	37.00	129378	
<b>4937</b>		US3	41.74	129381	24
36" Extension Rod Kit		US4	41.74	-	
		US10B	41.74	129384	
Includes 36" extension rod, rod connector, rod guide, and wood and machine screws.		US26	41.74	129385	
		US26D	41.74	129386	
		US32D	41.74	129387	
<b>4940</b>	36"	US3	494.02	137621	24
Alarm Kit for 4500 Series		US4	494.02	137622	
		US10B	494.02	137595	
Latchbolt monitor switch and tamper switch available. See page 29.		US26	494.02	137624	
		US26D	494.02	137596	
		US32D	494.02	137597	
	48"	US3	494.02	164020	24
		US4	494.02	164029	
		US10B	494.02	164008	
		US26	494.02	-	
		US26D	494.02	164016	
		US32D	494.02	164025	



## Exit Devices - 4500



Description	Finish	2022 List	Stock No.	Case Qty.
<b>4945</b> Top Strike Standard for 4501 CVR	US32D	57.19	150417	
<b>4945F</b> Fire Rated Top Strike for 4501 CVR	US32D	70.61	150418	
<b>2-649-0031</b> Rod Guide Replacement Pack	US3	11.51	3478	
<b>2-649-0032</b> Rod Guide Replacement Pack	US4	11.51	3477	
<b>2-649-0033</b> Rod Guide Replacement Pack	US10B	11.51	3473	
<b>2-649-0034</b> Rod Guide Replacement Pack	US26	11.51	3467	
<b>2-649-0035</b> Rod Guide Replacement Pack	US26D	11.51	3466	
<b>2-649-0036</b> Rod Guide Replacement Pack	US32D	11.51	3464	
<b>2-649-0037</b> Rod Guide Replacement Pack				
<b>2-649-0038</b> End Cap Replacement	US3	37.00	3462	
<b>2-649-0039</b> End Cap Replacement	US4	37.00	3454	
<b>2-649-0041</b> End Cap Replacement	US10B	37.00	3435	
<b>2-649-0042</b> End Cap Replacement	US26	37.00	3433	
<b>2-649-0043</b> End Cap Replacement	US26D	37.00	3424	
<b>2-649-0044</b> End Cap Replacement	US32D	37.00	3414	
<b>2-649-0218</b> Flush End Cap	US3	39.90	182923	
<b>2-649-0220</b> Flush End Cap	US4	39.90	182925	
<b>2-649-0215</b> Flush End Cap	US10B	39.90	182920	
<b>2-649-0216</b> Flush End Cap	US26	39.90	182921	
<b>2-649-0217</b> Flush End Cap	US26D	39.90	182922	






Description	Finish	2022 List	Stock No.	Case Qty.
<b>2-649-0219</b> Flush End Cap	US32D	43.09	182924	
Note: All end caps come with bracket and fasteners				
<b>2-649-0049</b> Spring Cage and Hanging Pin for 4500 Series Escutcheon Trim	-	17.54	3405	
<b>2-649-0060</b> Top or Bottom Latch Cover Replacement Pack	US3	65.93	3333	
<b>2-649-0061</b> Top or Bottom Latch Cover Replacement Pack	US4	65.93	3306	
<b>2-649-0062</b> Top or Bottom Latch Cover Replacement Pack	US10B	65.93	3299	
<b>2-649-0063</b> Top or Bottom Latch Cover Replacement Pack	US26	65.93	3297	
<b>2-649-0064</b> Top or Bottom Latch Cover Replacement Pack	US26D	65.93	3296	
<b>2-649-0065</b> Top or Bottom Latch Cover Replacement Pack	US32D	65.93	3295	
<b>2-649-0066</b> Top or Bottom Latch Cover Replacement Pack				
<b>2-649-0074</b> SVR Screwpack - Latch, rod, rod connector, rod guide	US3	10.10	103548	
<b>2-649-0075</b> SVR Screwpack - Latch, rod, rod connector, rod guide	US4	10.10	103550	
<b>2-649-0076</b> SVR Screwpack - Latch, rod, rod connector, rod guide	US10B	10.10	103552	
<b>2-649-0077</b> SVR Screwpack - Latch, rod, rod connector, rod guide	US26	10.10	103553	
<b>2-649-0078</b> SVR Screwpack - Latch, rod, rod connector, rod guide	US26D	10.10	103554	
<b>2-649-0079</b> SVR Screwpack - Latch, rod, rod connector, rod guide	US32D	10.10	103555	
<b>2-649-0080</b> SVR Screwpack - Latch, rod, rod connector, rod guide				
<b>2-649-0081</b> SVR Screwpack - Top and bottom strike	-	6.09	103556	



## Exit Devices - 4500



Description	Finish	2022 List	Stock No.	Case Qty.
<b>2-649-0082</b> Screwpack - Chassis, end cap, head cover, rim strike (4500 & 4600 Series)	US3	18.22	103558	
<b>2-649-0083</b> Screwpack - Chassis, end cap, head cover, rim strike (4500 & 4600 Series)	US4	18.22	103559	
<b>2-649-0084</b> Screwpack - Chassis, end cap, head cover, rim strike (4500 & 4600 Series)	US10B	18.22	103561	
<b>2-649-0085</b> Screwpack - Chassis, end cap, head cover, rim strike (4500 & 4600 Series)	US26	18.22	103562	
<b>2-649-0086</b> Screwpack - Chassis, end cap, head cover, rim strike (4500 & 4600 Series)	US26D	18.22	103563	
<b>2-649-0087</b> Screwpack - Chassis, end cap, head cover, rim strike (4500 & 4600 Series)	US32D	18.22	103582	
<b>2-649-0088</b> Screwpack - Chassis, end cap, head cover, rim strike (4500 & 4600 Series)				
<b>2-649-0166</b> Firebolt Kit for Fire Rated 4500 Series LBR and CLB devices. Includes fire bolt, plastic plug, head cover plug, screws, and instructions.	-	67.96	124539	
Must use firebolt with fire rated pairs of less bottom rod vertical rod devices to ensure the device's fire rating.				
<b>2-649-0167</b> LBR Replacement Head Cover Plug Shipped standard if device ordered as LBR	-	10.10	124540	
<b>2-649-0168</b> Latchbolt Monitor Switch for 4940 and 4941 Alarm Kits	-	169.47	124228	
<b>2-649-0177</b> Rod to Rod Connector	US3	10.10	129398	
<b>2-649-0178</b> Rod to Rod Connector	US4	10.10	-	
<b>2-649-0179</b> Rod to Rod Connector	US10B	10.10	129401	
<b>2-649-0180</b> Rod to Rod Connector	US26	10.10	129402	
<b>2-649-0181</b> Rod to Rod Connector	US26D	10.10	129403	
<b>2-649-0182</b> Rod to Rod Connector	US32D	10.10	129404	
<b>2-649-0183</b> Rod to Rod Connector				






Description	Finish	2022 List	Stock No.	Case Qty.
<b>2-649-0406</b> 45PN/47PN Cylinder Cup Spacer	-	10.83	182414	
<b>2-649-1074</b> Hex Key for Dogging 5/32" 10 pack	-	7.45	122690	
<b>2-649-1090</b> Tamper Switch for 4940 and 4941 alarm kits	-	169.47	137590	
<b>2-649-1108</b> 4501 CVR Top Latch Assembly Replacement Kit	-	102.25	-	
<b>2-649-1109</b> 4501 CVR Bottom Latch Assembly Replacement Kit	-	102.25	150416	
<b>2-649-0440</b> 4500 Series Mortise Exit Strike	US10B	30.96	070809	
<b>2-649-0441</b> 4500 Series Mortise Exit Strike	US26D	30.96	070801	
<b>2-649-0442</b> 4500 Series Mortise Exit Strike	US32D	30.96	070791	
<b>2-649-0443</b> 4500 Series Fire Rated Mortise Exit Strike	US10B	30.96	070792	
<b>2-649-0444</b> 4500 Series Fire Rated Mortise Exit Strike	US26D	30.96	070793	
<b>2-649-0445</b> 4500 Series Fire Rated Mortise Exit Strike	US32D	30.96	070788	
<b>2-649-0250</b> 4500/4600 Series 36" Photoluminescent Push Bar		307.80	185696	
<b>2-649-0257</b> 4500/4600 Series 48" Photoluminescent Push Bar		369.36	185792	



## Exit Devices - 4600



Description	Length	Finish	2022 List	Stock No.	List Fire Rated	Stock No.	Case Qty.
<b>4601 RIM</b>	36"	US3	1,758.28	158394	1,965.98	158413	3
Narrow Stile Rim	Exit Only	US4	1,758.28	158396	1,965.98	158347	
Grade 1		US10B	1,758.28	158343	1,965.98	158345	
Non-Handed		US26	1,758.28	158390	1,965.98	158411	
		US26D	1,610.41	158324	1803.34	158412	
		US32D	1,758.28	158344	1,965.98	158346	
For cylinder dogging (specify CD), add \$52.21 to the list price. 3902 mortise cylinder with standard cam must be ordered separately.	48"	US3	1,810.73	158401	2,022.37	-	3
	Exit Only	US4	1,810.73	158402	2,022.37	-	
Refer to page 4 for electric modification pricing.		US10B	1,810.73	158398	2,022.37	-	
		US26	1,810.73	158399	2,022.37	-	
		US26D	1,657.50	156239	1,859.11	-	
Anti-microbial coating, add \$57.43 to list price.		US32D	1,810.73	156240	2,022.37	156242	
Less dogging (specify LD-NON FIRE RATED ONLY), add \$68.60 list price.							



<b>4601 CVR (Non-Fire Rated)</b>	36" x 84"	US3 <sup>3</sup>	2,487.02	-	-	-	3
Grade 1	Exit Only	US4 <sup>3</sup>	2,450.09	-	-	-	
Non-Handed		US10B <sup>3</sup>	2,450.09	-	-	-	
		US26 <sup>3</sup>	2,487.02	-	-	-	
Cylinder Dogging (specify CD), add \$52.21 to list price. 3902 mortise cylinder with standard cam must be ordered separately.		US26D	2,425.46	040789	-	-	
		US32D	2,450.09	040784	-	-	
		BLK <sup>3</sup>	2,450.09	-	-	-	
Refer to page 4 for electric modification pricing.	36" x 96"	US3 <sup>3</sup>	2,536.27	-	-	-	3
	Exit Only	US4 <sup>3</sup>	2,499.34	-	-	-	
		US10B <sup>3</sup>	2,499.34	-	-	-	
Refer to page 25 for extension rod kits for doors over 8 feet in height.		US26 <sup>3</sup>	2,536.27	-	-	-	
		US26D <sup>3</sup>	2,474.71	-	-	-	
Anti-microbial coating, add \$57.43 to list price.		US32D <sup>3</sup>	2,499.34	-	-	-	
		BLK <sup>3</sup>	2,499.34	-	-	-	
Less dogging (specify LD-NON FIRE RATED ONLY), add \$48.60 list price.	48" x 84"	US3 <sup>3</sup>	2,560.90	-	-	-	3
	Exit Only	US4 <sup>3</sup>	2,536.27	-	-	-	
		US10B <sup>3</sup>	2,560.90	-	-	-	
		US26 <sup>3</sup>	2,560.90	-	-	-	
		US26D	2,499.34	040783	-	-	
		US32D	2,2536.27	040785	-	-	
		BLK <sup>3</sup>	2,536.27	-	-	-	
	48" x 96"	US3 <sup>3</sup>	2,610.14	-	-	-	3
	Exit Only	US4 <sup>3</sup>	2,585.52	-	-	-	
		US10B <sup>3</sup>	2,610.14	-	-	-	
		US26 <sup>3</sup>	2,610.14	-	-	-	
		US26D <sup>3</sup>	2,548.58	-	-	-	
		US32D <sup>3</sup>	2,585.52	-	-	-	
		BLK <sup>3</sup>	2,585.52	-	-	-	







Description	Length	Finish	2022 List	Stock No.	Listed Fire Rated	Stock No.	Case Qty.
<b>4601 CLB (Non-Fire Rated)</b>	36" x 84"	US3 <sup>3</sup>	2,487.02	-	-	-	3
Grade 1	Exit Only	US4 <sup>3</sup>	2,450.09	-	-	-	
Non-Handed		US10B <sup>3</sup>	2,450.09	-	-	-	
		US26 <sup>3</sup>	2,487.02	-	-	-	
Cylinder Dogging (specify CD)		US26D	2,425.46	035049	-	-	
add \$53.06 to list price. 3902		US32D	2,450.09	035050	-	-	
mortise cylinder with standard		BLK <sup>3</sup>	2,450.09	-	-	-	
cam must be ordered							
separately.							
	36" x 96"	US3 <sup>3</sup>	2,536.27	-	-	-	3
Refer to page 4 for electric	Exit Only	US4 <sup>3</sup>	2,499.34	-	-	-	
modification pricing.		US10B <sup>3</sup>	2,499.34	-	-	-	
		US26 <sup>3</sup>	2,536.27	-	-	-	
Refer to page 25 for extension		US26D <sup>3</sup>	2,474.71	-	-	-	
rod kits for doors over 8 feet in		US32D <sup>3</sup>	2,499.34	-	-	-	
height.		BLK <sup>3</sup>	2,499.34	-	-	-	
Anti-microbiakoatingadd	48" x 84"	US3 <sup>3</sup>	2,560.90	-	-	-	3
\$57.43to list price.	Exit Only	US4 <sup>3</sup>	2,536.27	-	-	-	
		US10B <sup>3</sup>	2,560.90	-	-	-	
Less dogging (specify LD-NON		US26 <sup>3</sup>	2,560.90	-	-	-	
FIRE RATED ONLY), add \$48.60		US26D	2,499.34	035051	-	-	
list price.		US32D	2,536.27	035052	-	-	
		BLK <sup>3</sup>	2,536.27	-	-	-	
	48" x 96"	US3 <sup>3</sup>	2,610.14	-	-	-	3
	Exit Only	US4 <sup>3</sup>	2,585.52	-	-	-	
		US10B <sup>3</sup>	2,610.14	-	-	-	
		US26 <sup>3</sup>	2,610.14	-	-	-	
		US26D <sup>3</sup>	2,548.58	-	-	-	
		US32D <sup>3</sup>	2,585.52	-	-	-	
		BLK <sup>3</sup>	2,585.52	-	-	-	

1. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.

2. U/M is each unless otherwise noted.

3. Available at extended lead time.



## Exit Devices - 4600



### 46BE

Blank Escutcheon

Tactile Warning - add \$452.21 to list price.

Anti-microbial coating - add \$57.43 to list price.

Description	Function	Finish	2022 List	Stock No.	Case Qty.
<b>Archer Lever</b>	14 Always Operable	US3	645.27	-	6
		US4	645.27	-	
		US10B	645.27	171033	
		US26	645.27	171089	
		US26D	619.79	171090	
<b>August Lever</b>		US3	645.27	-	6
		US4	645.27	-	
		US10B	645.27	-	
		US26	645.27	171088	
		US26D	619.79	171096	
<b>William Lever</b>		US3	645.27	-	6
		US4	645.27	-	
		US10B	645.27	171083	
		US26	645.27	-	
		US26D	619.79	171091	
<b>Withnell Lever</b>		US3	645.27	-	6
		US4	645.27	-	
		US10B	645.27	171085	
		US26	645.27	-	
		US26D	619.79	171097	



### 46CE

Cylinder Escutcheon

Requires a 3902 mortise cylinder (with 3976 L cam) sold separately. Tactile Warning - add \$52.21 to list price.

Anti-microbial coating - add \$57.43 to list price.

<b>Archer Lever</b>	08 Key locks or unlocks lever	US3	645.27	-	6
		US4	645.27	171514	
		US10B	645.27	171483	
		US26	645.27	171504	
		US26D	619.79	171508	
<b>August Lever</b>		US3	645.27	-	6
		US4	645.27	-	
		US10B	645.27	171503	
		US26	645.27	-	
		US26D	619.79	171212	



Description	Function	Finish	2022 List	Stock No.	Case Qty.
William Lever		US3	645.27	-	6
		US4	645.27	-	
		US10B	645.27	171484	
		US26	645.27	-	
		US26D	619.79	171211	
Withnell Lever		US3	645.27	171513	6
		US4	645.27	171518	
		US10B	645.27	171129	
		US26	645.27	171507	
		US26D	619.79	171509	
<hr/>					
46DT					
Dummy Trim					
Tactile Warning - add \$52.21to list price.					
Anti-microbial coating - add \$57.43 to list price.					
Archer Lever	02	US3	645.27	-	6
	Pull when	US4	645.27	-	
	device is	US10B	645.27	171228	
	dogged down	US26	645.27	171234	
		US26D	619.79	171283	
August Lever		US3	645.27	-	6
		US4	645.27	-	
		US10B	645.27	-	
		US26	645.27	-	
		US26D	619.79	171285	
William Lever		US3	645.27	-	6
		US4	645.27	-	
		US10B	645.27	171375	
		US26	645.27	-	
		US26D	619.79	-	
Withnell Lever		US3	645.27	-	6
		US4	645.27	171412	
		US10B	645.27	171233	
		US26	645.27	171282	
		US26D	619.79	171287	



## Exit Devices - 4600



Description	Function	Finish	2022 List	Stock No.	Case Qty.
<b>46NL</b>					
Night Latch					
Requires a 3901 rim cylinder (with long tailpiece) sold separately.					
Use an extra 1/4" blocking ring with IC Core cylinder.					
Maximum door thickness compatibility is 1-3/4" (44mm).					
Tactile Warning - add \$52.21 to list price.					
Anti-microbial coating - add \$57.43 to list price.					
<b>Archer Lever</b>	03	US3	645.27	171538	6
	Key retracts	US4	645.27	-	
	latchbolt	US10B	645.27	171527	
		US26	645.27	-	
		US26D	619.79	171534	
<b>August Lever</b>		US3	645.27	-	6
		US4	645.27	-	
		US10B	645.27	171529	
		US26	645.27	171533	
		US26D	619.79	171536	



Description	Length	Finish	2022 List	Stock No.	Case Qty.
<b>William Lever</b>		US3	645.27	-	6
		US4	645.27	-	
		US10B	645.27	171528	
		US26	645.27	-	
		US26D	619.79	171535	
<b>Withnell Lever</b>		US3	645.27	-	6
		US4	645.27	171545	
		US10B	645.27	171530	
		US26	645.27	-	
		US26D	619.79	171537	
<b>4920</b> Strike for use with 4500 or 4600 Series Rim Exit Device. Optional - order separately		US32D	88.77	16208	24
<b>4920F</b> Fire rated strike for use with 4500 or 4600 Series Fire Rated Rim Exit Device. Included standard with fire rated device.		US32D	123.06	16207	24
<b>4925C</b> Cylinder Dogging Conversion Kit for Panic Rated 4600 Series CVR and CLB Device.	36"	US10B	47.20	157216	48
		US26	47.20	157217	
		US26D	47.20	157218	
		US32D	47.20	157219	
Requires a 3902 mortise cylinder (with standard cam) sold separately.	48"	US10B	49.57	157274	36
		US26	49.57	157275	
		US26D	49.57	157276	
		US32D	49.57	157277	
<b>4925R</b> Cylinder Dogging Conversion Kit for Panic Rated 4600 Series Rim Device.	36"	US3	53.80	157187	48
		US4	53.80	157191	
		US10B	53.80	157193	
		US26	53.80	-	
		US26D	53.80	157195	
Requires a 3902 mortise cylinder (with standard cam) sold separately.		US32D	53.80	157196	
	48"	US3	56.51	-	36
		US4	56.51	-	
		US10B	56.51	157200	
		US26	56.51	157201	
		US26D	56.51	157202	
		US32D	56.51	157203	



## Exit Devices - 4600



Description	Length	Finish	2022 List	Stock No.	Case Qty.
<b>4941R</b>	36"	US3	449.02	-	
Alarm Kit for 4600 Series Rim Device		US4	449.02	-	
		US10B	449.02	-	
Latchbolt monitor switch and tamper switch available.		US26	449.02	-	
		US26D	449.02	167349	
		US32D	449.02	167464	
	48"	US3	449.02	-	
		US4	449.02	-	
		US10B	449.02	-	
		US26	449.02	-	
		US26D	449.02	147150	
		US32D	449.02	-	
<b>4950</b>		US32D	88.77	139746	24
Blade stop strike for use with 4600 Series Rim Exit Device.					
Included standard with panic rated device.					
<b>4951</b>		US32D	88.77	139748	24
Single rabbet strike for use with 4600 Series Rim Exit Device					
Optional - order separately					
<b>4952</b>		US32D	88.77	139747	24
Semi-flush mount strike for use with 4600 Series Rim Exit Device					
Optional - order separately					
<b>4960R</b>		US3	95.54	139716	24
Shim Kit for 4600 Series Rim Exit Device		US4	95.54	139717	
		US10B	95.54	139719	
Packaged 2 each 1/8" shims		US26	95.54	-	
		US26D	95.54	139721	
		US32D	112.35	139722	





Description	Finish	2022 List	Stock No.	Case Qty.
<b>4965R</b>	US3	95.54	139700	20
Replacement Head Cover for 4600 Rim Device	US4	95.54	139707	
	US10B	95.54	139709	
	US26	95.54	-	
	US26D	95.54	139711	
	US32D	112.35	139712	
<b>4965C</b>				20
Replacement Head Cover for 4600 CVR/CLB Device	US10B	95.54	166451	
	US26D	95.54	166453	
	US32D	112.35	166455	
<b>2-649-0038</b>	US3	37.00	3462	
End Cap Replacement	US4	37.00	3454	
<b>2-649-0039</b>	US10B	37.00	3435	
End Cap Replacement	US26	37.00	3433	
<b>2-649-0041</b>	US26D	37.00	3424	
End Cap Replacement	US32D	37.00	3414	
<b>2-649-0042</b>				
End Cap Replacement				
<b>2-649-0043</b>				
End Cap Replacement				
<b>2-649-0044</b>				
End Cap Replacement				
<b>2-649-0218</b>	US3	43.09	182923	
Flush End Cap	US4	43.09	182925	
<b>2-649-0220</b>	US10B	43.09	182920	
Flush End Cap	US26	43.09	182921	
<b>2-649-0215</b>	US26D	43.09	182922	
Flush End Cap	US32D	43.09	182924	
<b>2-649-0216</b>				
Flush End Cap				
<b>2-649-0217</b>				
Flush End Cap				
<b>2-649-0219</b>				
Flush End Cap				
Note: All end caps come with bracket and fasteners				
<b>2-649-0168</b>	-	169.47	124228	
Latchbolt Monitor Switch for 4940 and 4941 Alarm Kits				
<b>2-649-1074</b>	-	6.77	122690	
Hex Key for Dogging 5/32"				
10 pack				
<b>2-649-1090</b>	-	169.47	137590	
Tamper Switch for 4940 and 4941 Alarm Kits				



## Exit Devices - 4600



**4929C**  
4929 CVR/CLB Rod Replacement PK 46-5/8" US26D  
(4500/4600)

- 69.75 165570

Case  
Qty.



**2-649-0596**  
4600 CVR Bottom Strike Packaged Assembly

- 34.24 0039704



**2-649-0598**  
4600 CVR Top Strike Packaged Assembly

- 34.24 039700



**2-649-0581**  
4600 CVR Top Latch Assembly (no screws)

- 117.94 039696



**2-649-0582**  
4600 CVR Bottom Latch Assembly (no screws)

- 121.63 039697



**2-649-0580**  
4600 CVR Rod Connector Pack

- 19.02 039698



**2-649-0597**  
4600 Exit Device Chassis Screw Pack

- 7.61 039685



**2-649-0598**  
4600 CVR Latch Screw Pack, 26D

26D 6.34 039682



**2-649-0589**  
4600 CVR Latch Screw Pack, 32D

32D 6.34 039675



**2-649-0583**  
4600 CVR Latch Screw Pack, US3

US3 6.34 039671



**2-649-0584**  
4600 CVR Latch Screw Pack, US4

US4 6.34 039664



**2-649-0586**  
4600 CVR Latch Screw Pack, US10B

US10B 6.34 039658



**2-649-0587**  
4600 CVR Latch Screw Pack, US26

US26 6.34 039655




**2-649-0590**  
4600 CVR Latch Screw Pack, BLK

BLK 6.34 039652







Description	Length	Finish	2022 List	Stock No.	Listed Fire Rated	Stock No.	Case Qty.
<b>4701 RIM</b> Standard Duty Non-Handed	36" Exit Only	ALM	<b>384.50</b>	098945	<b>528.31</b>	098474	3
		DBZ	384.50	098823	528.31	098430	
		US3	647.98	099106	795.85	098531	
		US32D	<b>647.98</b>	015815	<b>795.85</b>	098530	
	48" Exit Only	ALM	<b>432.89</b>	098778	578.73	098389	3
		DBZ	432.89	098544	578.73	098387	
		US3	696.37	016113	842.20	098411	
		US32D	<b>696.37</b>	098788	842.20	098402	
<b>4701 SVR</b> Standard Duty Non-Handed  SVR panic devices available on 10' openings. Order extension rod kits separately.  Less dogging (specify L-NON FIRE RATED ONLY), add \$48.60 list price.	36" x 84" Exit Only	ALM	<b>625.08</b>	131988	<b>863.75</b>	132156	3
		DBZ	625.08	132022	863.75	132151	
		US3	889.97	131955	1,129.20	085302	
		US32D	<b>889.97</b>	131984	<b>1,129.20</b>	132153	
	36" x 96" Exit Only	ALM	674.88	132035	913.49	132156	3
		DBZ	674.88	132058	913.49	132183	
		US3	936.27	118174	1,177.64	085279	
		US32D	936.27	132026	1,177.64	132153	
	48" x 84" Exit Only	ALM	696.37	085312	936.27	132191	3
		DBZ	696.37	085281	936.27	118199	
		US3	942.36	118178	1,199.74	118195	
		US32D	942.36	132063	1,199.74	132186	
	48" x 96" Exit Only	ALM	720.56	132091	961.14	132193	3
		DBZ	720.56	098945	961.14	085299	
		US3	986.07	011813	1,226.64	085301	
		US32D	986.07	132073	1,226.64	085268	



Description	Function	Finish	2022 List	Stock No. LHR	2022 List	Stock No. RHR	Case Qty.
<b>47BE</b> Blank Escutcheon Must specify handing Steel body, zinc lever (US32D has stainless steel cover). For doors thicker than 1-3/4" or when used with a shim kit, specify total door thickness. Tactile Warning - add \$52.21 to list price of item.							
<b>Archer Lever</b>	14 Always Operable	ALM	<b>305.83</b>	92763	<b>305.83</b>	92825	6
		DBZ	305.83	92760	305.83	92774	
		US3	334.15	92764	334.15	92846	
		US32D	<b>334.15</b>	92772	<b>334.15</b>	92889	
<b>August Lever</b>		ALM	<b>305.83</b>	107647	<b>305.83</b>	107648	6
		DBZ	305.83	107650	305.83	107649	
		US3	334.15	107640	334.15	107643	
		US32D	<b>334.15</b>	107645	<b>334.15</b>	107646	
<b>Withnell Lever</b>		ALM	<b>305.83</b>	92917	<b>305.83</b>	93139	6
		DBZ	305.83	92906	305.83	93083	
		US3	334.15	92918	334.15	93173	
		US32D	<b>334.15</b>	92919	<b>334.15</b>	93199	



## Exit Devices - 4700



Description	Function	Finish	2022 List	Stock No. LHR	2022 List	Stock No. RHR	Case Qty.
<b>47CE</b> Cylinder Escutcheon Must specify handing Requires a 3902 mortise cylinder (with standard cam) sold separately. Steel body, zinc lever (US32D has stainless steel cover). For doors thicker than 1-3/4" or when used with a shim kit, specify total door thickness. Tactile Warning - add \$48.34 to list price of item.							
<b>Archer Lever</b>	08	ALM	<b>305.83</b>	93208	<b>305.83</b>	93829	6
	Key locks or unlocks lever	DBZ	305.83	93206	305.83	93819	
		US3	334.15	93219	334.15	93903	
		US32D	<b>334.15</b>	93220	<b>334.15</b>	93913	
<b>August Lever</b>		ALM	<b>305.83</b>	107658	<b>305.83</b>	107659	6
		DBZ	305.83	107660	305.83	107661	
		US3	334.15	107652	334.15	107654	
		US32D	<b>334.15</b>	107655	<b>334.15</b>	107657	
<b>Withnell Lever</b>		ALM	<b>305.83</b>	93778	<b>305.83</b>	95104	6
		DBZ	305.83	93765	305.83	95004	
		US3	334.15	93786	334.15	95118	
		US32D	<b>334.15</b>	93801	<b>334.15</b>	95143	



<b>47DT</b> Dummy Trim Must specify handing Steel body, zinc lever (US32D has stainless steel cover). For doors thicker than 1-3/4" or when used with a shim kit, specify total door thickness. Tactile Warning - add \$52.21 to list price of item.							
<b>Archer Lever</b>	02	ALM	<b>305.73</b>	92290	<b>305.73</b>	92306	6
	Pull when device is dogged down	DBZ	305.83	92257	305.83	92304	
		US3	334.15	92291	334.15	92320	
		US32D	<b>334.15</b>	92293	<b>334.15</b>	92322	
<b>August Lever</b>		ALM	<b>305.73</b>	107675	<b>305.73</b>	107674	6
		DBZ	305.83	107676	305.83	107677	
		US3	334.15	107669	334.15	107670	
		US32D	<b>334.15</b>	107671	<b>334.15</b>	107673	
<b>Withnell Lever</b>		ALM	<b>305.73</b>	92325	<b>305.73</b>	92391	6
		DBZ	305.83	92324	305.83	92386	
		US3	334.15	92367	334.15	92392	
		US32D	<b>334.15</b>	92189	<b>334.15</b>	92396	



**47NL**

Night Latch

Must specify handing

Requires a 3902 mortise cylinder (sold separately) with standard cam.

Steel body, zinc lever (US32D has stainless steel cover).

For doors thicker than 1-3/4" or when used with a shim kit, specify total door thickness.

Tactile Warning - add \$52.21 of list price of item.

Description	Function	Finish	2022 List	Stock No. LHR	2022 List	Stock No. RHR	Case Qty.
<b>Archer Lever</b>	03	ALM	305.83	160645	305.83	92500	6
	Key retracts latchbolt	DBZ	305.83	160657	305.83	92499	
		US3	334.15	160622	334.15	92531	
		US32D	334.15	160629	334.15	92532	
<b>August Lever</b>		ALM	305.83	160655	305.83	160656	6
		DBZ	305.83	160664	305.83	160665	
		US3	334.15	160627	334.15	160628	
		US32D	334.15	160643	334.15	160644	
<b>Withnell Lever</b>		ALM	305.83	160649	305.83	160652	6
		DBZ	305.83	160660	305.83	160662	
		US3	334.15	160624	334.15	160626	
		US32D	334.15	160637	334.15	160640	

**47KD**

Dummy Trim

Steel body and zinc lever (US32D stainless steel rose).

Tactile Warning - add 52.21 to list price of item.



Description	Function	Finish	2022 List	Stock No. Fixed Cyl	2022 List	Stock No. SFIC Hous.	Case Qty.
<b>Archer Lever</b>	02	ALM	<b>277.02</b>	109800	-	-	12
	Entrance by trim when device is dogged down	DBZ	277.02	109801	-	-	
		US3	305.83	109802	-	-	
		US32D	<b>305.83</b>	109803	-	-	
<b>August Lever</b>		ALM	<b>277.02</b>	109804	-	-	12
		DBZ	277.02	109805	-	-	
		US3	305.83	109806	-	-	
		US32D	<b>305.83</b>	109807	-	-	
<b>Withnell Lever</b>		ALM	<b>277.02</b>	109808	-	-	12
		DBZ	277.02	109809	-	-	
		US3	305.83	109810	-	-	
		US32D	<b>305.83</b>	109811	-	-	



## Exit Devices - 4700



Description	Function	Finish	2022 List	Stock No. Fixed Cyl	2022 List	Stock No. SFIC Hous.	Case Qty.
<b>47KE</b>							
Entrance							
Fixed cylinder standard or SFIC housing option for levers (SFIC cores sold separately, refer to locks section).							
Steel body and zinc lever or knob (US32D stainless steel rose).							
Tactile Warning - add \$52.21 to list price of item.							
<b>Archer Lever</b>	08	ALM	305.83	169423	305.83	169422	12
	Entrance by	DBZ	305.83	169430	305.83	169429	
	trim	US3	334.15	169436	334.15	169435	
	key locks or	US32D	334.15	169442	334.15	169441	
	unlocks trim						
<b>August Lever</b>		ALM	305.83	169426	305.83	169424	12
		DBZ	305.83	169432	305.83	169431	
		US3	334.15	169438	334.15	-	
		US32D	<b>334.15</b>	169444	<b>334.15</b>	169443	
<b>Withnell Lever</b>		ALM	<b>305.83</b>	169428	<b>305.83</b>	169427	12
		DBZ	305.83	169434	305.83	169433	
		US3	334.15	169440	334.15	169439	
		US32D	<b>334.15</b>	169446	<b>334.15</b>	169445	
<b>Apollo Knob</b>			US32D	334.15	149372	334.15	169447 12
(not ADA compliant)							



<b>47KN</b>							
Night Latch							
Fixed cylinder standard or SFIC housing option for levers (SFIC cores sold separately, refer to locks section).							
Steel body, zinc lever or knob (US32D stainless steel rose).							
Tactile Warning - add \$52.21 to list price of item.							
<b>Archer Lever</b>	03	ALM	305.83	127486	305.83	109767	12
	Key retracts	DBZ	305.83	127489	305.83	109768	
	latchbolt	US3	334.15	127480	334.15	109769	
		US32D	334.15	127483	334.15	109770	
<b>August Lever</b>		ALM	305.83	127487	305.83	109775	12
		DBZ	305.83	127490	305.83	109776	
		US3	334.15	127481	334.15	109777	
		US32D	334.15	127484	334.15	109778	
<b>Withnell Lever</b>		ALM	305.83	127488	305.83	109783	12
		DBZ	305.83	127491	305.83	109784	
		US3	334.15	127482	334.15	109785	
		US32D	334.15	127485	334.15	109786	
<b>Apollo Knob</b>			US32D	334.15	149373	334.15	- 12
(not ADA compliant)							






Description	Function	Finish	2022 List	Stock No. Fixed Cyl	2022 List	Stock No. SFIC Hous.	Case Qty.
<b>47KP</b> Passage Steel body, zinc lever (US32D stainless steel rose). Tactile Warning - add \$52.21 to list price of item.							
<b>Archer Lever</b>	14	ALM	277.02	109788	-	-	12
	Always	DBZ	277.02	109789	-	-	
	operable	US3	305.83	109790	-	-	
		US32D	305.83	109791	-	-	
<b>August Lever</b>		ALM	277.02	109792	-	-	12
		DBZ	277.02	109793	-	-	
		US3	305.83	109794	-	-	
		US32D	305.83	109795	-	-	
<b>Withnell Lever</b>		ALM	<b>277.02</b>	109796	-	-	12
		DBZ	277.02	109797	-	-	
		US3	305.83	109798	-	-	
		US32D	<b>305.83</b>	109799	-	-	

Description	Function	Finish	2022 List	Stock No.	2022 List	Stock No.	Case Qty.
<b>47BT</b> Pull Plate Thumb Piece Passage Must specify handing Tactile Warning - add \$52.21 to list price of item.	14 Always Operable	US32D	337.47	168977	337.47	168976	6
<b>47PT</b> Pull Plate Thumb Piece Entrance Must specify handing Tactile Warning - add \$52.21 to list price of item.	05 Key locks or unlocks thumb piece	US32D	337.47	159296	337.47	159297	6
<b>47PD</b> Pull Plate - Dummy Trim Plated steel for ALM, DBZ, and US3. Stainless steel for US32D. Tactile Warning - add \$52.21 to list price of item.	02	ALM	137.83	109019			12
	Pull when	DBZ	137.83	109020			
	device is	US3	137.83	109021			
	dogged down	US32D	137.83	109022			
<b>47PN</b> Pull Plate - Night Latch Requires a 3901 rim cylinder (sold separately). Includes retaining cup for 161 door prep. Plated steel for ALM, DBZ, and US3. Stainless steel for US32D. Tactile Warning - add \$52.21 to list price of item.	03	ALM	<b>157.63</b>	109023			12
	Key	DBZ	158.70	109026			
	retracts	US3	158.70	109027			
	latchbolt	US32D	<b>158.71</b>	109028			



## Exit Devices - 4700



Description	Function	Finish	2022 List	Stock No.	Case Qty.
<b>47RD</b> Raised Lip Pull - Dummy Trim Plated steel for ALM, DBZ, and US3. Stainless steel for US32D. Tactile Warning - add \$52.21 to list price of item.	02 Pull when device is dogged down	ALM DBZ US3 US32D	76.70 76.70 76.70 76.70	18956 18949 18934 18933	12
<b>47RN</b> Raised Lip Pull - Night Latch Requires a 3901 rim cylinder (sold separately). Tactile Warning - add \$52.21 to list price of item.	03 Key retracts latchbolt	ALM DBZ US3 US32D	<b>85.45</b> 85.45 85.45 <b>85.45</b>	177051 177053 018885 177050	12
<b>4910</b> Strike for use with 4700 Rim Exit Device Included standard with device.		US32D	85.45	20040	24
<b>4911</b> Double door strike for 4700 Surface Vertical Rod and Rim Exit Device. Not for fire-rated door. Optional - order separately.		DBZ US3 US32D	76.70 76.70 <b>76.70</b>	19301 19323 19322	24
<b>4913</b> Top strike for 4700 Surface Vertical Rod Exit Device Included standard with device.		US32D	54.48	16231	24
<b>4914</b> Bottom strike for 4700 Surface Vertical Rod Device Included standard with device.		US32D	54.48	16213	24
<b>4915</b> Threshold strike for use with 4500 Series or 4700 Series. Not for fire-rated doors. Optional order separately.		US32D	31.64	67426	48
<b>4917</b> Bottom Latch Assembly Includes latch, cover and screws. Included standard with panic-rated device.		ALM DBZ US3 US32D	80.03 80.03 80.03 80.03	56412 56401 56400 56398	50
<b>4917F</b> Bottom Latch Assembly Includes latch, cover and screws. Included standard with fire-rated device.		ALM DBZ US3 US32D	80.03 80.03 80.03 80.03	179943 179944 179941 179942	50
<b>4918</b> Top Latch Assembly Includes latch, cover and screws. Included standard with device.		ALM DBZ US3 US32D	80.03 80.03 80.03 80.03	56418 56410 56409 56407	50



Description	Length	Finish	2022 List	Stock No.	Case Qty.
<b>4919</b> Rod Replacement Kit (top or bottom) Includes rod (47-1/4"), rod guide, rod connector assembly and all appropriate screws.		ALM	40.38	73587	24
		DBZ	40.38	73574	
		US3	40.38	73568	
		US32D	40.38	73530	
<b>4931R</b> Shim Kit for 4700 Series Rim Device Packaged 2 ea. 1/8" shims. If using with 47BE, 47CE, 47NL trim, please specify thickness (door plus shim).		ALM	69.99	101773	24
		DBZ	69.99	101774	
		US3	80.03	101775	
		US32D	80.03	101776	
<b>4931S</b> Shim Kit for 4700 Series Surface Vertical Rod Device Packaged 2 ea. 1/8" shims. If using with 47BE, 47CE, 47NL trim, please specify thickness (door plus shim).		ALM	69.99	101783	24
		DBZ	69.99	101784	
		US3	80.03	101786	
		US32D	80.03	101787	
<b>4933R</b> Replacement Head Cover for 4700 Series Rim Device		ALM	50.42	105050	20
		DBZ	50.42	105051	
		US3	58.54	105052	
		US32D	58.54	105053	
<b>4933S</b> Replacement Head Cover for 4700 Series SVR Device		ALM	50.42	105054	20
		DBZ	50.42	105055	
		US3	58.54	105056	
		US32D	58.54	105057	
<b>4934</b> Replacement Dogging Plate for 4700 Series Panic Rated Device	36"	ALM	40.38	105058	20
		DBZ	40.38	105059	
		US3	40.38	105060	
		US32D	40.38	105061	
	48"	ALM	45.74	105062	20
		DBZ	45.74	105063	
		US3	45.74	105064	
		US32D	45.74	105065	
<b>4934F</b> Replacement Dogging Plate for 4700 Series Fire Rated Device	36"	ALM	40.38	105066	20
		DBZ	40.38	105076	
		US3	40.38	105068	
		US32D	40.38	105069	
	48"	ALM	45.74	105070	20
		DBZ	45.74	105071	
		US3	45.74	105072	
		US32D	45.74	105073	
<b>4936</b> 24" Extension Rod Kit Includes 24" extension rod, rod connector, rod guide, and wood and machine screws. Fire rated up to 8' on Surface Vertical Rod device.		ALM	35.64	129379	24
		DBZ	35.64	129380	
		US3	37.00	129372	
		US32D	37.00	129378	
<b>4937</b> 36" Extension Rod Kit Includes 36" extension rod, rod connector, rod guide, and wood and machine screws. Fire rated up to 8' on Surface Vertical Rod device.		ALM	40.38	129388	24
		DBZ	40.38	129389	
		US3	41.74	129381	
		US32D	41.74	129387	



## Exit Devices - 4700



Description	Finish	2022 List	Stock No.	Case Qty.
<b>2-649-0010</b> Rod Guide Replacement	US3	10.10	56131	
<b>2-649-0011</b> Rod Guide Replacement	US32D	10.10	56026	
<b>2-649-0012</b> Rod Guide Replacement	DBZ	10.10	56025	
<b>2-649-0013</b> Rod Guide Replacement	ALM	10.10	56027	
<b>2-649-0014</b> Trim Handing Pin - 5 pack	-	10.10	52275	
<b>2-649-0021</b> Top Latch Cover	ALM	43.71	56389	
<b>2-649-0022</b> Top Latch Cover	DBZ	43.71	56388	
<b>2-649-0023</b> Top Latch Cover	US3	43.71	56376	
<b>2-649-0024</b> Top Latch Cover	US32D	43.71	56375	
<b>2-649-0025</b> Bottom Latch Cover	ALM	43.71	56331	
<b>2-649-0026</b> Bottom Latch Cover	DBZ	43.71	56328	
<b>2-649-0027</b> Bottom Latch Cover	US3	43.71	56319	
<b>2-649-0028</b> Bottom Latch Cover	US32D	43.71	56296	
<b>2-649-0095</b> SVR Screwpack - Latch, rod, rod connector, rod guide	ALM	10.10	103572	
<b>2-649-0096</b> SVR Screwpack - Latch, rod, rod connector, rod guide	DBZ	10.10	103573	
<b>2-649-0097</b> SVR Screwpack - Latch, rod, rod connector, rod guide	US3	10.10	103574	
<b>2-649-0098</b> SVR Screwpack - Latch, rod, rod connector, rod guide	US32D	10.10	103575	
<b>2-649-0099</b> SVR Screwpack - Top and bottom strike	-	6.09	103576	
<b>2-649-0100</b> Screwpack - Chassis, end cap, head cover, rim strike	ALM	17.54	103577	
<b>2-649-0101</b> Screwpack - Chassis, end cap, head cover, rim strike	DBZ	17.54	103578	
<b>2-649-0102</b> Screwpack - Chassis, end cap, head cover, rim strike	US3	17.54	103579	





Description	Finish	2022 List	Stock No.	Case Qty.
<b>2-649-0103</b> Screwpack - Chassis, end cap, head cover, rim strike	US32D	17.54	103580	
<b>2-649-0141</b> Screwpack - 2" thick door, trim	-	3.39	103606	
<b>2-649-0142</b> Screwpack - 2-1/4" thick door, trim	-	3.39	103607	
<b>2-649-0144</b> End Cap Replacement Pack	ALM	21.61	104043	
<b>2-649-0145</b> End Cap Replacement Pack	DBZ	21.61	104044	
<b>2-649-0146</b> End Cap Replacement Pack	US3	21.61	104045	
<b>2-649-0147</b> End Cap Replacement Pack	US32D	21.61	104046	
Note: All end caps come with bracket and fasteners				
<b>2-649-0164</b> Pack of 8 Screws, trim (4700), 1/4 - 20 x 3/4" PHMS	-	10.10	112534	
<b>2-649-0177</b> Rod to Rod Connector	US3	10.10	129398	
<b>2-649-0183</b> Rod to Rod Connector	US32D	10.10	129404	
<b>2-649-0184</b> Rod to Rod Connector	ALM	10.10	129405	
<b>2-649-0185</b> Rod to Rod Connector	DBZ	10.10	-	
<b>2-649-0406</b> 45PN/47PN Cylinder Cup Spacer	-	10.83	182414	
<b>2-649-4703</b> Hex Key for Dogging 3/16" 10 pack	-	7.45	315	



## Exit Devices - 4900



Description	Height	Finish	2022 List	Stock No.	List Fire Rated	Stock No.	Case Qty
<b>4900U</b>	7'	USP	<b>635.85</b>	133007	951.04	133010	1
Non-Keyed Removable Mullion Set	8'	USP	635.85	133008	951.04	133011	1
11 Gauge Steel Tube, top bracket/ bottom bracket set	10'	USP	793.14	133009		-	1
Fire rated mullion requires a fire rated strike (sold separately).							
<b>4904</b>		-	278.93	133029	342.83	133031	5
Top/Bottom Bracket Set Removable (Non-Keyed)							
<b>2-649-0600</b>		-	70.03	17728			
NKR/KR Removable Mullion Bottom Bracket							
<b>4905</b>	7'	USP	408.08	133032		-	1
Mullion Tube (Keyed and Non-Keyed) 11 Gauge Steel	8'	USP	408.08	133033		-	1
	10'	USP	505.53	133034		-	1
<b>4912</b>		US32D		-	174.77	16232	24
Fire rated strike for use with 4500 Series and 4600 Series Fire Rated Exit Device and Mullion							
<b>4916</b>		US32D		-	174.77	115780	24
Fire rated strike for use with 4700 Series Fire Rated Exit Device and Mullion							
<b>4953</b>		US32D		-	68.64	139749	12
Mullion Stabilizer for use with 4900 Series Non-Keyed and Keyed Removable Mullion							





8

Description	Height	Finish	2022 List	Stock No.	List Fire Rated	Stock No. Stock No.	Case Qty
<b>4900X</b>	7'	USP	<b>1,311.35</b>	034158	1,551.99	034154	1
Keyed Removable Mullion Set	8'	USP	1,311.35	034164	1,551.99	034155	1
11 gauge steel tube, top bracket/ bottom bracket set.	10'	USP	1,511.67	034157		-	1
Requires a 3901 rim cylinder (sold separately).							
Fire rated mullion requires a fire rated strike (sold separately).							
<b>4903</b>		-	805.94	034143	988.13	034144	5
Top/Bottom Bracket Set Key Removable							
Requires a 3901 rim cylinder (sold separately).							
<b>4912</b>		US32D		-	199.23	16232	24
Fire rated strike for use with 4500 Series and 4600 Series Fire Rated Device and Mullion							
<b>4916</b>		US32D		-	174.77	115780	24
Fire rated strike for use with 4700 Series Fire Rated Exit Device and Mullion							
<b>4953</b>		US32D		-	68.64	139749	12
Mullion Stabilizer for use with 4900 Series Non-Keyed and Keyed Removable Mullion							
<b>3901</b>		US3	62.10				1
Rim Cylinder		US4	65.96				
Fixed cylinder and Small Format Interchangeable Core housing available (SFIC cores sold separately). Dummy		US10B	62.10				
rim cylinders also available.		US26	62.10				
		US26D	62.10				
Shipped standard with long break-off tailpiece.							
Specify 6-pin or 7-pin for SFIC housing.							
For additional cylinder information, please refer to the Locks section.							



## Exit Devices - 4700



Description	Finish	2022 List	Stock No.	Case Qty.
<b>3902</b>	US3	62.10		1
Mortise Cylinder	US4	65.95		
Fixed cylinder and Small Format Interchangeable Core housing available (SFIC cores sold separately). Dummy mortise cylinders also available.	US10B	62.10		
	US26	62.10		
	US26D	62.10		
Shipped with Schlage C keyway, standard cam attached, and Adams Rite cam loose in box.				
Specify length 1-1/8" or 1-1/4" for fixed cylinder or 1-1/4" (6-pin) or 1-3/8" (7-pin) for SFIC housing and cam required.				
For mortise exit device trim specify 1-5/8" with standard cam for fixed cylinder (Schlage C Keyway) or SFIC housing.				
For mortise exit device x cylinder/optional pull, use 1-3/8" cylinder with 11/16" cylinder collar.				
For additional cylinder information, please refer to the Locks section.				
<b>2-649-0137</b>	NF	12.13	103365	
Retaining Cup				
For use with Rim cylinder and 161 prep				
<b>2-649-0045</b>	US3	23.52	3404	
7/16" Cylinder Collar (4500 Pull Plate Trim)				
<b>2-649-0046</b>	US4	23.52	3395	
7/16" Cylinder Collar (4500 Pull Plate Trim)				
<b>2-649-0048</b>	US10B	23.52	3393	
7/16" Cylinder Collar (4500 Pull Plate Trim)				
<b>2-649-0050</b>	US26	23.52	3386	
7/16" Cylinder Collar (4500 Pull Plate Trim)				
<b>2-649-0051</b>	US26D	23.52	3384	
7/16" Cylinder Collar (4500 Pull Plate Trim)				
<b>2-649-0052</b>	US32D	23.52	3381	
7/16" Cylinder Collar (4500 Pull Plate Trim)				
Note: For use with 1-1/8" mortise cylinders				
Note: All cylinder collars come with wave washer and spacer				
<b>2-649-0053</b>	US3	23.52	3380	
11/16" Cylinder Collar (4500 Escutcheon Trim)				
<b>2-649-0054</b>	US4	23.52	3357	
11/16" Cylinder Collar (4500 Escutcheon Trim)				
<b>2-649-0056</b>	US10B	23.52	3340	
11/16" Cylinder Collar (4500 Escutcheon Trim)				
<b>2-649-0057</b>	US26	23.52	3339	
11/16" Cylinder Collar (4500 Escutcheon Trim)				





Description	Finish	2022 List	Stock No.	Case Qty.
<b>2-649-0058</b> 1 1/16" Cylinder Collar (4500 Escutcheon Trim)	US26D	23.52	3335	
<b>2-649-0059</b> 1 1/16" Cylinder Collar (4500 Escutcheon Trim)	US32D	23.52	3334	
Note: For use with 1-1/4" or 1-3/8" mortise cylinders Note: All cylinder collars come with wave washer and spacer				
<b>2-647-0012</b> 7/8" Cylinder Collar - 5, 6, 7 pin (4700 Escutcheon Trim)	US3	23.52	31809	
<b>2-647-0013</b> 7/8" Cylinder Collar - 5, 6, 7 pin (4700 Escutcheon Trim)	ALM	23.52	31804	
<b>2-647-0014</b> 7/8" Cylinder Collar - 5, 6, 7 pin (4700 Escutcheon Trim)	DBZ	23.52	31793	
<b>2-647-0015</b> 7/8" Cylinder Collar - 5, 6, 7 pin (4700 Escutcheon Trim)	US32D	23.52	31789	
Note: For use with 1-1/8" mortise cylinders Note: All cylinder collars come with wave washer and spacer				





**TABLE OF CONTENTS**

<b>A</b>	
Armor Fronts (Mortise) .....	52-53

<b>B</b>	
<b>Backset Extension Links</b>	
2500.....	9
3400.....	25
3500.....	33
Blocking Rings.....	65

<b>C</b>	
Cams (Fixed Cylinder).....	59-60
Cams (LFIC).....	65
Cams (SFIC).....	62-63
Cash Box Nut.....	66

<b>Cores</b>	
Small Format Interchangeable.....	60
Large Format Interchangeable.....	63

<b>Cylinders</b>	
Key-In-Lever .....	57
Mortise (Fixed Cylinder) .....	59
Mortise (LFIC).....	64
Mortise (SFIC).....	62
Mortise Dummy.....	59
Mortise ADA Turn Knob.....	59
Rim (Fixed Cylinder) .....	58
Rim (LFIC).....	64
Rim (SFIC) .....	62
Rim Dummy .....	58
Cylinder Aligning Sleeves.....	10, 26, 35, 38
Cylinder Collars.....	51, 66-67

<b>Cylindrical Locks</b>	
2500, Grade 2.....	8-11
3400, Grade 1.....	22-27
3500, Grade 2.....	30-35

<b>D</b>	
<b>Deadbolts</b>	
3100, Grade 1.....	12
3200, Grade 2.....	16
3700, Interconnected .....	39

<b>Deadlocks</b>	
3100, Grade 1.....	12-15
3200, Grade 2.....	16-19
Dustbox (ASA) .....	11, 26, 35, 38, 52
Dustbox (Deadbolt).....	13, 17, 41

<b>Decorative Locks</b>	
2300.....	5-7

<b>E</b>	
<b>Electric Options</b>	
Cylindrical Locks .....	24
Mortise Locks .....	47

<b>F</b>	
Faceplate Adapter .....	6, 9, 17, 33, 38, 40

<b>I</b>	
Interchangeable Cores (Small Format) .....	60
Interchangeable Cores (Large Format) .....	63
<b>Interconnected Locks</b>	
3700, Grade 2 .....	39-41

<b>K</b>	
Key Blanks (Fixed Cylinder) .....	56-57
Key Blanks (SFIC).....	61
Key Blanks (LFIC).....	63
Keying Charges (Fixed Cylinder) .....	56
Keying Charges (SFIC).....	61
Keying Charges (LFIC).....	63
Keying, Tools and Accessories.....	67-68
Keys, Cut (Fixed Cylinder) .....	56-57
Keys, Cut (SFIC).....	61
Keys, Cut (LFIC).....	63-64

<b>L</b>	
<b>Latchbolts</b>	
2300, Tubular .....	6
2500, Grade 2 Cylindrical .....	9-10
3400, Grade 1 Cylindrical .....	24-25
3500, Grade 2 Cylindrical .....	32-33
3600, Grade 2 Tubular .....	37
3700, Grade 2 Interconnected .....	40
Lead Lining.....	22, 30, 43, 45



# Locks

---

## M

Mortise Cam Screws .....	65-66
Mortise Cylinder .....	58-59, 62, 64

### Mortise Locks

Mortise Locks (Deadlocks) .....	48
Mortise Locks (Small Case Deadlocks) .....	49
Mortise Locks (Sectional) .....	43-44
Mortise Locks (Escutcheon) .....	45-46
Mortise Locks (Sliding Door) .....	50
Mortise Lock Accessories .....	51-55

## P

### Power Supplies

Cylindrical Lock .....	24
Mortise Lock .....	47

## R

Rim Cylinder .....	58 62, 64
--------------------	-----------

## S

### Screw Packs

2300, Tubular .....	7
2500, Grade 1 Deadlock .....	10
3100, Grade 2 Cylindrical .....	14
3200, Grade 2 Deadlock .....	18
3400, Grade 1 Cylindrical .....	27
3500, Grade 2 Cylindrical .....	35
3600, Grade 2 Tubular .....	38
3700, Grade 2 Interconnected .....	41
3800, Grade 1 Mortise .....	53-54
Stock Numbers .....	72-88

### Strikes

2300, Tubular .....	6
2500, Grade 2 Cylindrical .....	10
3100, Grade 1 Deadlock .....	13
3200, Grade 2 Deadlock .....	17
3300, Grade 3 Tubular .....	21
3400, Grade 1 Cylindrical .....	26
3500, Grade 2 Cylindrical .....	34
3600, Grade 2 Tubular .....	38
3700, Grade 2 Interconnected .....	41
3800, Grade 1 Mortise .....	51-52

## T

Tactile Warning .....	22, 30, 43, 45
Tailpieces (Fixed Cylinder) .....	57-58
Tailpieces (LFIC) .....	64
Tailpieces (SFIC) .....	61-62
Tailpieces (Rim Cylinder) .....	59, 64
Thumbturns (Mortise Lock) .....	53
Thru-bolt Jigs .....	11, 27, 35

### Tubular Locks

2300 .....	5-7
3300, Grade 3 .....	20-21
3600, Grade 2 .....	36-38



## **INTRODUCTION**

Hager Companies offers a variety of locks to meet a wide range of applications and solutions. Heavy Duty Grade 1 deadlocks, cylindrical locks, and mortise locks are ideal for schools, hospitals, and other high-use environments. Grade 2 deadlocks and cylindrical locks are ideal for less abusive environments, while Grade 2 tubular locks are suitable for heavy duty residential or medium duty commercial environments.

All Hager locks have been rigorously tested and certified to the highest standards. Most lock series are BHMA certified per the ANSI A156.2 standards. They are also UL/cUL Listed for all functions up to and including 3 hours for "A" labeled doors. In addition to the certifications, all Hager leversets are ADA compliant and most come with a lifetime warranty.

Most Hager locksets are either non-handed or field reversible in the case of the 3800 Series mortise lock. Conventional cylinder and small format interchangeable core are available on keyed functions. Most lock series offer three lever style options. Please check appropriate section for series specific options.

## **Online Ordering**

Products denoted with **red and bold** in the stock number listing in the back of the pricing section are available to order through the Online Ordering program in the MyHager portal.

## **Cancellation Notification**

Cancellation for made-to-order items must be communicated within 48 hours of order placement.



## 3453 2 3/4" US26D US26 WTN SCC KD ASA TW

<b>Function</b> 10 - Passage 17 - Single Dummy 40 - Privacy 50 - Entry/Office 53 - Entry 70 - Classroom 73 - Corridor 80 - Storeroom 95 - Intruder Classroom	<b>Finish</b> US3 - Knob/Lever US4 US10B US26 US26D US32D - Knob Only	<b>Interior Finish</b> (if different)	<b>Conventional Keyway</b> SCC - Schlage C AR1 - Arrow C60 - Corbin 60 C77 - Corbin 77 CL4 - Corbin L4 SCE - Schlage E SCF - Schlage F H1 - Hager 1 H2 - Hager 2 H3 - Hager 3 KW1 - Kwikset RD1 - Russwin D1 SGT - Sargent LA YAP - Yale E1R (Para) YGA - Yale GA WE - Weiser E NC - No Cylinder (SFIC) LF - No Cylinder (LFIC)	<b>Strike</b> ASA (Standard) Full RC Full TEE	<b>Options</b> TW - Tactile Warning LL - Leadlined ELEU - Fail safe/secure 12/24V (motor) ELEURX - Fail safe/secure w/ req to exit 12/14V (motor) 6PKEY - 6-pin Keyed 7PKEY - 7-pin Keyed (Hager only) SFIC* - Small Format Interchangeable Core Prep LFIC** - Large Format Interchangeable Core Prep (Leverset Only) ANTI - Antimicrobial Coating (26D only) 3/4L - 3/4" Latchbolt
<b>Backset/Faceplate</b> 2-3/4" (70 mm), SC (standard) 2-3/4" (70 mm), RC 2-3/8" (60 mm), SC 2-3/8" (60 mm), RC	<b>Lever Style</b> APL - Apollo Knob ARC - Archer Lever AUG - August Lever WTN - Withnell Lever		<b>Keying</b> KA - Keyed Alike KD - Keyed Different MK - Master Key CMK - Construction Master Key SK - Customer Specified Keying OBC - "0" Bitted Cylinder 1BC - "1" Bitted Cylinder CIC - Construction IC Core		
<b>Product Group</b> 34 - Cylindrical, Grade 1					

### Notes:

- If master-keyed, include master key instruction sheet with order (available online).
- For additional keying information, please refer to cylinder, core, and keying section of catalog.
- Quick Connect option available on 3400 series electrified models (EL, EU, RX). **Ordering example: 3480 2-3/4" US26D WTN SCC KD ASA ELEUQC.**
- Interchangeable construction core will be included with the lockset if "CIC" is specified in keying section. Customer must specify BLUE or RED color for SFIC.

\* Small format interchangeable core sold separately. Available in Best Keyways or Hager Keyways, A Standard. **Ordering example: 3453 2-3/4" US26D WTN NC ASA SFIC.**

Please refer to our Catalog or website ([www.hagerco.com](http://www.hagerco.com)) for more detailed and series specific ordering information along with additional information including functions available, additional options, and keying information. Ordering forms such as Master Keying Instruction Sheet and Cylinder Instructions and Ordering Guide are also available on our website ([www.hagerco.com](http://www.hagerco.com)).

## Description

### 2300 Series

Decorative Tubular Locks  
 2-3/8" (60 mm) backset (optional)  
 2-3/4" (70 mm) backset (standard)  
 2-1/4" x 1" (57 mm x 25 mm) SC and RC Faceplate (standard)

Round and square corner full lip strikes (standard)

Optional strikes available. For ASA strike, add \$8.70 adder to list price of the lock.

Refer to catalog or website for more detailed information on functions.

Finishes other than US10B, US15, and US26D, are subject to extended lead-times. Consult customer service for availability.

When ordering handed lever designs, LH=LHR and RH=RHR

Split finish available at extended lead time. Handing information required when ordering split finish.



Charles 



Johnston 



Joshua 



Louis 



Warren 

Function	Finish	2022 List	Case Qty.
<b>2310</b> Passage	US10B	135.25	24
	US15	129.98	
	US26	135.25	
	US26D	129.98	

<b>2317</b>	US10B	60.80	24
Single Dummy (Specify handing on Johnston and Warren Levers)	US15	58.50	
	US26	60.80	
	US26D	58.50	

Function	Finish	2022 List	Case Qty.
<b>2327</b> Double Dummy	US10B	121.53	24
	US15	116.87	
	US26	121.53	
	US26D	116.87	

<b>2340</b>	US10B	143.95	24
Privacy	US15	138.36	
	US26	143.95	
	US26D	138.36	



## Locks - 2300 Series



Latchbolts		Finish	2022 List	Box Qty.
Description				
<b>2-639-7607</b> Passage Spring Latch - (2300) 2-3/4" (70 mm) backset		n/a	24.96	10
<b>2-639-7609</b> Passage Spring Latch - (2300) 2-3/8" (60 mm) backset		n/a	24.96	10
<b>2-639-7608</b> Privacy Latch - (2300) 2-3/4" (70 mm) backset		n/a	24.96	10
<b>2-639-7610</b> Privacy Latch - (2300) 2-3/8" (60 mm) backset		n/a	24.96	10
Strikes		Finish	2022 List	Box Qty.
Description				
<b>3933</b> T-Strike with Plastic Dust Box 1-1/8" x 2-3/4" (29 mm x 70 mm), square corner		US10B	10.06	10
		US15	10.06	
		US26	10.06	
		US26D	10.06	
<b>2-639-7619</b> Full lip replacement strikes (2300) (Includes square and round corner)		US10B	15.03	10
<b>2-639-7620</b> Full lip replacement strikes (2300) (Includes square and round corner)		US15	15.03	10
<b>2-639-7621</b> Full lip replacement strikes (2300) (Includes square and round corner)		US26	15.03	10
<b>2-639-7622</b> Full lip replacement strikes (2300) (Includes square and round corner)		US26D	15.03	10
<b>3935</b> ASA Strike 1-1/4" x 4-7/8" (32 mm x 124 mm), square corner		US10B	15.21	10
		US15	15.21	
		US26	15.21	
		US26D	15.21	
<b>3959</b> Faceplate Adapter Converts 1" (25 mm) to 1/8" (29 mm) width		NF	3.29	10





Components and Screwpacks Description	Finish	2022 List	Box Qty.
<b>2-639-7603</b> Privacy Accessory Kit	US10B	10.56	10
<b>2-639-7604</b> Privacy Accessory Kit	US15	10.56	10
<b>2-639-7605</b> Privacy Accessory Kit	US26	10.56	10
<b>2-639-7606</b> Privacy Accessory Kit	US26D	10.56	10
<b>2-300-0092</b> Replacement Screw Packs	US10B	13.04	10
<b>2-300-0093</b> Replacement Screw Packs	US15/26/26D	13.04	10



## Locks - 2500 Series



Archer



Withnell



### Description

#### 2500 Series

Grade 2 Cylindrical - Economy  
Fixed Cylinder, Standard  
6 Pin Cylinders, 5-pin Keyed  
Schlage C Keyway - KD Standard  
2-3/4" (70 mm) Backset  
2-1/4" x 1-1/8" (57 mm x 29 mm) SC Faceplate  
ASA Strike

Small Format Interchangeable Core option Available (cores sold separately - refer to Keying/Core section).

Optional backsets, faceplates and strikes available.

Optional keying/keyways available.

Refer to catalog or website for more detailed information on functions.

If construction SFIC core is included with the lockset, \$63.59 will be added to the list price of the lock. Refer to keying/cores section for construction core options.

Function	Finish	2022 List	Case Qty.
<b>2510 (F75)</b>	US3	124.26	6
Passage	US10B	124.26	
	US26D	124.26	
<b>2517</b>	US3	74.58	12
Single Dummy	US10B	74.58	
	US26D	74.58	
<b>2525 (F111)</b>	US3	111.90	6
Exit	US10B	111.90	
	US26D	111.90	
<b>2527</b>	US3	146.31	6
Double Dummy	US10B	146.31	
	US26D	146.31	

Function	Finish	2022 List	Case Qty.
<b>2540 (F76A)</b>	US3	126.93	6
Privacy	US10B	126.93	
	US26D	126.93	
<b>2550 (F82A)</b>	US3	141.59	6
Office	US10B	141.59	
<b>2553 (F109)</b>	US26D	141.59	
Entry			
<b>2570 (F84)</b>			
Classroom			
<b>2580 (F86)</b>			
Storeroom			





Latchbolts Description	Finish	2022 List	Box Qty.
<b>3947</b> Spring Latch - Passage Only (2510) 2-3/4" (70 mm) Backset 2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate Must specify square or round corner.	US3 US10B US26D	39.99 39.99 39.99	10
<b>3949</b> Spring Latch - Passage Only (2510) 2-3/8" (60 mm) Backset 2-1/4" x 1" (57 mm x 25 mm) Faceplate Must specify square or round corner.	US3 US10B US26D	39.99 39.99 39.99	10
<b>3965</b> Spring Latch - Privacy Only (2540) 2-3/4" (70 mm) Backset 2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate Must specify square or round corner.	US3 US10B US26D	39.99 39.99 39.99	10
<b>3967</b> Spring Latch - Privacy Only (2540) 2-3/8" (60 mm) Backset 2-1/4" x 1" (57 mm x 25 mm) Faceplate Must specify square or round corner.	US3 US10B US26D	39.99 39.99 39.99	10
<b>3948</b> Dead Latch - 2525 and all keyed functions (2500 Series) 2-3/4" (70 mm) Backset 2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate Must specify square or round corner.	US3 US10B US26D	39.99 39.99 39.99	10
<b>3950</b> Dead Latch - 2525 and all keyed functions (2500 Series) 2-3/8" (60 mm) Backset 2-1/4" x 1" (57 mm x 25 mm) Faceplate Must specify square or round corner.	US3 US10B US26D	39.99 39.99 39.99	10
<b>3959</b> Faceplate Adapter Can be used with 2500 2-3/8" (60 mm) backset latchbolt. Converts 1" (25 mm) to 1-1/8" (29 mm) width.	NF	3.29	10
<b>3917</b> 3-3/4" (95 mm) Backset Extension Link Must be used with 2-3/8" (60 mm) backset latchbolt to achieve 3-3/4" total backset.	NF	26.45	
<b>3937</b> 5" (127) Backset Extension Link Must be used with 2-3/4" (70 mm) backset latchbolt to achieve 5" total backset.	NF	28.57	
Drive-In Latchbolts	Finish	2022 List	Box Qty.
<b>3922</b> 2-3/4" (70 mm) Drive-In Spring Latch - Passage only (2510)	NF	39.99	20
<b>3923</b> 2-3/4" (70 mm) Drive-In Spring Latch - Privacy only (2540)	NF	39.99	20
<b>3925</b> 2-3/8" (60 mm) Drive-In Spring Latch - Passage only (2510)	NF	39.99	20



## Locks - 2500 Series



Drive-In Latchbolts	Finish	2022 List	Box Qty.
<b>3926</b> 2-3/8" (60 mm) Drive-In Spring Latch - Privacy only (2540)	NF	39.99	20
<b>3924</b> 2-3/4" (70 mm) Drive-In Dead Latch - All keyed functions (2500 Series)	NF	39.99	20
<b>3927</b> 2-3/8" (60 mm) Drive-In Dead Latch - All keyed functions (2500 Series)	NF	39.99	20
Strikes Description	Finish	2022 List	Box Qty.
<b>3933</b> T-Strike with Plastic Dust Box 1-1/8" x 2-3/4" (29 mm x 70 mm), square corner	US3 US10B US26D	10.06 10.06 10.06	10
<b>3934</b> Full Lip Strike 1-5/8" x 2-1/4" (41 mm x 57 mm), square corner	US3 US10B US26D	10.06 10.06 10.06	10
<b>3935</b> ASA Strike Plate Shipped standard with 2500 Series 1-1/4" x 4-7/8" (32 mm x 124 mm), square corner 1-5/16" lip Order dust box separately	US3 US10B US26D	15.21 15.21 15.21	10
<b>3958</b> Round Corner Full Lip Strike 1-5/8" x 2-1/4" (41 mm x 57 mm), round corner (1/4" radius)	US3 US10B US26D	10.06 10.06 10.06	10
Components and Screwpacks Description	Finish	2022 List	
<b>2-639-3577</b> Cylinder Aligning Sleeve (10 pack)	NF	3.79	
<b>2-300-0048</b> Screwpack - 2500 Series Lever Locksets	US3	15.09	
<b>2-300-0050</b> Screwpack - 2500 Series Lever Locksets	US10B	15.09	
<b>2-300-0052</b> Screwpack - 2500 Series Lever Locksets	US26D	15.09	
<b>2-300-0058</b> Screwpack - 2517/2527 Lever Locksets only	NF	15.09	
<b>2-639-3523</b> 2500 Series Thru Bolt Posts	NF	4.97	






Components and Screwpacks Description		Finish	2022 List	
<b>2-669-0389</b>		NF	8.20	
ASA Metal Dust Box				
<b>3911</b>		NF	23.29	ea
2500 Series Leverset Thru-Post Drill Jig				



## Locks - 3100 Series



### Description

#### 3100 Series

Grade 1  
Fixed Cylinder Standard  
6 Pin Cylinders, 5-pin Keyed  
Schlage C Keyway - KD Standard  
2-3/4" (70 mm) Backset  
2-1/4" x 1-1/8" (57 mm x 29 mm) Square Corner Faceplate  
Square Corner Strike

Small Format Interchangeable Core option available (cores sold separately - refer to Keying/Core section).

Optional backsets, faceplates, and strikes available (see below).

ASA Strike Available. Add \$8.70 to list price of deadlock.

Optional keying/keyways available.

Refer to catalog or website for more detailed information on functions.

Function	Finish	2022 List	Case Qty.
<b>3114 (E2141)</b> Double Cylinder	US3	238.09	12
	US4	238.09	
	US10B	238.09	
	US26	238.09	
	US26D	228.96	
<b>3115 (E2151)</b> Cylinder x Thumbturn	US3	209.96	12
	US4	209.96	
	US10B	209.96	
	US26	209.96	
	US26D	201.89	

Function	Finish	2022 List	Case Qty.
<b>3118 (E2171)</b> Classroom	US3	217.23	12
	US4	217.23	
	US10B	217.23	
	US26	217.23	
	US26D	208.84	





Deadbolts Description	Finish	2022 List	Box Qty.
<b>3940</b> 2-3/4" (70 mm) Backset - Standard 2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate Must Specify Square or Round Corner	US3 US4 US10B US26D	39.99 42.60 39.99 39.99	10

<b>3941</b> 2-3/8" (60 mm) Backset 2-1/4"x 1" (57 mm x 25 mm) Faceplate Must specify square or round corner	US3 US4 US10B US26D	39.99 42.60 39.99 39.99	10
--	------------------------------	----------------------------------	----



Strikes Description	Finish	2022 List	Box Qty.
<b>3929</b> ASA Deadlock Strike 1-1/4" x 4-7/8" (32 mm x 124 mm), Square Corner 1 5/16" lip Order dust box separately.	US3 US4 US10B US26 US26D	24.47 26.02 24.47 24.47 24.47	10

<b>3930</b> Strike with plastic dust box 1-1/8" x 2-3/4" (29 mm x 70 mm), Square corner	US3 US4 US10B US26D	9.94 10.49 9.94 9.94	10
---	------------------------------	-------------------------------	----

<b>2-639-3109</b> Deadlock Dust Box	NF	4.78	10
--	----	------	----






Components and Screwpacks Description	Finish	2022 List
<b>2-639-3151</b> Collar Hanging Keys - 3118 - (RH and LH w/ set screw)	NF	7.95

<b>2-639-7146</b> Thumbturn Repair Kit - 3100 Series	US3	14.41
<b>2-639-7147</b> Thumbturn Repair Kit - 3100 Series	US4	14.41
<b>2-639-7149</b> Thumbturn Repair Kit - 3100 Series	US10B	14.41
<b>2-639-7150</b> Thumbturn Repair Kit - 3100 Series	US26	14.41
<b>2-639-3168</b> Thumbturn Repair Kit - 3100 Series	US26D	14.41



## Locks - 3100 Series

	Components and Screwpacks Description	Finish	2022 List
	<b>2-639-3152</b> Thumbturn Rose - 3100 Series	US3	11.55
	<b>2-639-3153</b> Thumbturn Rose - 3100 Series	US4	11.55
	<b>2-639-3154</b> Thumbturn Rose - 3100 Series	US10B	11.55
	<b>2-639-3155</b> Thumbturn Rose - 3100 Series	US26	11.55
	<b>2-639-3156</b> Thumbturn Rose - 3100 Series	US26D	11.55
	<b>2-639-3157</b> Thumbturn Rose - 3100 Series		
	<b>2-300-0000</b> Screwpack 3115/3118	US3	13.85
	<b>2-300-0001</b> Screwpack 3115/3118	US4	13.85
	<b>2-300-0003</b> Screwpack 3115/3118	US10B	13.85
	<b>2-300-0004</b> Screwpack 3115/3118	US26	13.85
	<b>2-300-0005</b> Screwpack 3115/3118	US26D	13.85
	<b>2-300-0006</b> Screwpack 3114	US3	13.85
	<b>2-300-0007</b> Screwpack 3114	US4	13.85
	<b>2-300-0009</b> Screwpack 3114	US10B	13.85
	<b>2-300-0010</b> Screwpack 3114	US26	13.85
	<b>2-300-0011</b> Screwpack 3114	US26D	13.85
	<b>2-639-3167</b> Tailpiece Kit for 2" - 2-1/4" Thick Door (3115/3118 Fixed Cylinder Only)		10.68
	<b>2-639-3236</b> Tailpiece Kit for 2" - 2-1/4" Thick Door (3114 Fixed Cylinder Only)	US3/US4/	10.68
	<b>2-639-3238</b> Tailpiece Kit for 2" - 2-1/4" Thick Door (3114 Fixed Cylinder Only)	US10B	10.68
	<b>2-639-3239</b> Tailpiece Kit for 2" - 2-1/4" Thick Door (3114 Fixed Cylinder Only)	US26/US26D	10.68



Components and Screwpacks Description	Finish	2022 List
<b>2-639-7164</b> SFIC Deadlock Cylinder Assembly - 3115/3118	US3	24.84
<b>2-639-7167</b> SFIC Deadlock Cylinder Assembly - 3115/3118	US4	24.84
<b>2-639-7160</b> SFIC Deadlock Cylinder Assembly - 3115/3118	US10B	24.84
<b>2-639-7161</b> SFIC Deadlock Cylinder Assembly - 3115/3118	US26D	24.84
<b>2-639-7163</b> SFIC Deadlock Cylinder Assembly - 3115/3118		



## Locks - 3200 Series



### Description

#### 3200 Series

Grade 2  
Fixed Cylinder, Standard  
6 Pin Cylinders, 5-pin Keyed  
Schlage C Keyway - KD Standard  
2-3/4" (70 mm) Backset  
2-1/4" x 1-1/8" SC Faceplate  
(57 mm x 29 mm)  
Square Corner Strike

Small Format Interchangeable Core option available (cores sold separately - refer to Keying/Core section).

Refer to Catalog or website for more detailed information on functions.

Optional backsets, faceplates, and strikes available (see next page).

ASA Strike Available. Add \$8.70 to list price of deadlock.

Optional keying/keyways available.

Function	Finish	2022 List	Case Qty.
<b>3214 (E2142)</b>	US3	138.98	12
Double Cylinder	US4	138.98	
	US10B	138.98	
	US26D	132.40	
	US32D	121.41	
<b>3215 (E2152)</b>	US3	113.21	12
Cylinder x Thumbturn	US4	113.21	
	US10B	113.21	
	US26D	107.81	
	US32D	98.93	
<b>3216</b>	US3	90.05	12
Thumbturn x Occupancy Indicator	US4	90.05	
	US10B	90.05	
	US26D	85.76	
	US32D	78.62	

Function	Finish	2022 List	Case Qty.
<b>3220 (E21112)</b>	US3	84.15	12
Thumbturn only w/ Blank Plate	US4	84.15	
	US10B	84.15	
	US26D	80.11	
	US32D	73.53	
<b>3221 (E2192)</b>	US3	69.18	12
Thumbturn only (Replaced 3219)	US4	69.18	
	US10B	69.18	
	US26D	65.89	
	US32D	60.49	
<b>3222</b>	US3	45.02	12
Retrofit Kit (Blank Plate & Screws to convert 3221 to 3220)	US4	45.02	
	US10B	45.02	
	US26D	42.91	
	US32D	39.37	





Deadbolts Description	Finish	2022 List	Box Qty.
<b>3940</b>	US3	39.99	10
2-3/4" (70 mm) Backset - Standard	US4	42.60	
2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate	US10B	39.99	
Must Specify Square or Round Corner	US26D	39.99	
US32D available in square corner only			

<b>3941</b>	US3	39.99	10
2-3/8" (60 mm) Backset	US4	42.60	
2-1/4" x 1" (57 mm x 25 mm) Faceplate	US10B	39.99	
Must specify square or round corner	US26D	39.99	
US32D available in square corner only			



<b>3942</b>	US3	39.99	10
2-3/8" - 2-3/4" (60 mm - 70 mm) Adjustable	US4	42.60	
2-1/4" x 1-1/8" (57 mm x 29 mm) Square Corner Faceplate	US10B	39.99	
For use with 3220, 3221 deadlocks only	US26D/US32D	39.99	
Round corner optional			
1" Wide faceplate available in square corner or round corner			
US32D available in square corner only			



<b>3959</b>	NF	3.29	10
Faceplate Adapter			
Can be used with 3220 and 3221 deadlock			
Converts 1" (25 mm) to 1-1/8" (29 mm) width			



Strikes Description	Finish	2022 List	Box Qty.
<b>3929</b>	US3	24.47	10
ASA Deadlock Strike	US4	26.02	
1-1/4" x 4-7/8" (32 mm x 124 mm), Square Corner	US10B	24.47	
1-5/16" lip	US26	24.47	
Optional Strike can be used with 3100/3200 Series.	US26D	24.47	
Order dust box separately.			
For use with 3200 Series US32D, order US26/US26D.			



<b>3930</b>	US3	9.94	10
Strike with plastic dust box	US4	10.49	
1-1/8" x 2-3/4" (29 mm x 70 mm), Square corner	US10B	9.94	
	US26D	9.94	



<b>2-639-3109</b>	NF	4.78	10
Deadlock Dust Box			
For use with standard strike, 3930.			



## Locks - 3200 Series



Components and Screwpacks Description	Finish	2022 List
<b>2-300-0018</b> Screwpack for 3214	US3	13.85
<b>2-300-0019</b> Screwpack for 3214	US4	13.85
<b>2-300-0021</b> Screwpack for 3214	US10B	13.85
<b>2-300-0023</b> Screwpack for 3214	US26D/US32D	13.85
<b>2-300-0024</b> Screwpack for 3215	US3	13.85
<b>2-300-0025</b> Screwpack for 3215	US4	13.85
<b>2-300-0027</b> Screwpack for 3215	US10B	13.85
<b>2-300-0029</b> Screwpack for 3215	US26D/US32D	13.85
<b>2-300-0105</b> Screwpack 3216/3220/3222	US3	13.85
<b>2-300-0106</b> Screwpack 3216/3220/3222	US4	13.85
<b>2-300-0108</b> Screwpack 3216/3220/3222	US10B	13.85
<b>2-300-0110</b> Screwpack 3216/3220/3222	US26D/US32D	13.85
<b>2-300-0111</b> Screwpack 3221	US3	13.85
<b>2-300-0112</b> Screwpack 3221	US4	13.85
<b>2-300-0114</b> Screwpack 3221	US10B	13.85
<b>2-300-0116</b> Screwpack 3221	US26D/US32D	13.85
<b>2-639-3218</b> Thumbturn Assembly - 3215	US3	14.16
<b>2-639-3219</b> Thumbturn Assembly - 3215	US4	14.16
<b>2-639-3221</b> Thumbturn Assembly - 3215	US10B	14.16
<b>2-639-7153</b> Thumbturn Assembly - 3215	US26D	14.16
<b>2-639-3223</b> Thumbturn Assembly - 3215	US32D	14.16





Components and Screwpacks Description	Finish	2022 List
<b>2-639-3230</b> Tailpiece Kit for 2" - 2-1/4" Door (3215 Fixed Cylinder Only)	US3	10.68
<b>2-639-3231</b> Tailpiece Kit for 2" - 2-1/4" Door (3215 Fixed Cylinder Only)	US4	10.68
<b>2-639-3233</b> Tailpiece Kit for 2" - 2-1/4" Door (3215 Fixed Cylinder Only)	US10B	10.68
<b>2-639-3235</b> Tailpiece Kit for 2" - 2-1/4" Door (3215 Fixed Cylinder Only)	US26D	10.68
<b>2-639-7151</b> Tailpiece Kit for 2" - 2-1/4" Door (3215 Fixed Cylinder Only)	US32D	10.68
<b>2-639-3236</b> Tailpiece Kit for 2" - 2-1/4" Door (3214 Fixed Cylinder Only)	US3/US4/	10.68
<b>2-639-3238</b> Tailpiece Kit for 2" - 2-1/4" Door (3214 Fixed Cylinder Only)	US10B	10.68
<b>2-639-3239</b> Tailpiece Kit for 2" - 2-1/4" Door (3214 Fixed Cylinder Only)	US26D	10.68
<b>2-639-7157</b> 3215 SFIC Deadlock Spacer	US3	8.51
<b>2-639-7158</b> 3215 SFIC Deadlock Spacer	US4	8.51
<b>2-639-7154</b> 3215 SFIC Deadlock Spacer	US10B	8.51
<b>2-639-7155</b> 3215 SFIC Deadlock Spacer	US26D	8.51
<b>2-639-7156</b> 3215 SFIC Deadlock Spacer	US32D	8.51
<b>2-639-7144</b> 3215 SFIC Deadlock Spacer		
<b>2-639-7164</b> SFIC Deadlock Cylinder Assembly - 3215	US3	24.84
<b>2-639-7167</b> SFIC Deadlock Cylinder Assembly - 3215	US4	24.84
<b>2-639-7160</b> SFIC Deadlock Cylinder Assembly - 3215	US10B	24.84
<b>2-639-7161</b> SFIC Deadlock Cylinder Assembly - 3215	US26D	24.84
<b>2-639-7163</b> SFIC Deadlock Cylinder Assembly - 3215	US32D	24.84
<b>2-639-7166</b> SFIC Deadlock Cylinder Assembly - 3215		
<b>2-639-7641</b> 3216 Emergency Key (10Pk)	NF	10.81

## Locks - 3300 Series



### 3300 Series

Grade 3 Tubular - Residential

Fixed Cylinder, Standard

5 Pin Keyed Different Cylinder only - no keying services available

Schlage C Keyway only

2-3/8" - 2-3/4" (60mm - 70mm) adjustable backset

2-1/4" - 1" (57mm x 25mm) RC Faceplate (Square corner faceplate loose in the box)

1-3/4" x 2-1/4" Full lip round corner strike, no box (standard)

Optional strikes must be purchased separately.

Refer to catalog or website for more detailed information on functions.

Finishes other than US26D will be subject to extended lead times. Consult customer service for availability.

When ordering handed lever designs, LH=LHR and RH=RHR.



**Archer**



**August**



**Johnston**



**Withnell**

Function	Finish	2022 List	Case Qty.
<b>3310</b>	US3	\$59.49	18
Passage	US10B	\$69.12	18
	US15	\$58.25	18
	US26	\$62.72	18
	US26D	\$62.72	18
<b>3317</b>	US3	\$28.50	27
Single Dummy (Specify Handing for Johnston lever)	US10B	\$33.29	27
	US15	\$28.50	27
	US26	\$30.74	27
	US26D	\$30.74	27

Function	Finish	2022 List	Case Qty.
<b>3340</b>	US3	\$62.72	18
Privacy	US10B	\$72.28	18
	US15	\$62.72	18
	US26	\$65.89	18
	US26D	\$65.89	18
<b>3353</b>	US3	\$73.59	18
Entry	US10B	\$83.15	18
	US15	\$73.59	18
	US26	\$76.76	18
	US26D	\$76.76	18





Strikes Description	Finish	2022 List
<b>2-639-7790</b> Full Lip Strike 1-3/4" x 2-1/4" (45mm x 57mm), square corner	US3	\$2.61
<b>2-639-7792</b> Full Lip Strike	US10B	\$2.61
<b>2-639-7793</b> Full Lip Strike	US15/US26/US26D	\$2.61
<b>2-639-7795</b> T-Strike 1-1/8" x 2-3/4" (29mm x 70mm), square corner	US3	\$2.61
<b>2-639-7797</b> T-Strike	US10B	\$2.61
<b>2-639-7798</b> T-Strike	US15/US26/US26D	\$2.61



Locks - 3400 Series

Description

3400 Series

Grade 1 Cylindrical  
Fixed Cylinder, Standard  
6 Pin Cylinders, 5-pin Keyed  
Schlage C Keyway - KD Standard  
2-3/4" (70 mm) Backset  
2-1/4" x 1-1/8" SC Faceplate (57 mm x 29 mm)  
ASA Strike

Small and Large Format Interchangeable Core option available (cores sold separately - refer to Keying/Core section).

If construction core is included with the lockset, \$63.59 (SFIC) or \$80.42 (LFIC) will be added to the list price of the lock. Refer to keying/cores section for construction core options.

Extended Lip ASA strike available. Add \$14.90 list price of the lock.

Lead Lined available. Add \$186.30 to the list price of the lock.

Tactile Warning available on levers only. Add \$62.10 to the list price of lock.

Anti-microbial available on 26D finish only. Add \$49.68 to the list price of the lock.

3/4" latchbolt available. Add \$146.56 to the list price of lock.

Split finish available. Priced at higher finish.

Optional backsets, faceplates, and strikes available (see next page).

Security Torx screws available. Add \$17.39 to list price of the lock.

Optional keying/keyways available.

3495 Intruder Classroom includes locking indicator rose.

Refer to catalog or website for more detailed information on functions.



Function	Finish	Lever 2022 List	Case Qty.
<b>3410 (F75)</b>	US3	369.50	6
Passage	US4	369.50	
	US10B	369.50	
	US26	369.50	
	US26D	355.27	
<b>3417</b>	US3	173.82	12
Single Dummy	US4	173.82	
	US10B	173.82	
	US26	173.82	
	US26D	167.11	
<b>3440 (F76A)</b>	US3	425.51	6
Privacy	US4	425.51	
	US10B	425.51	
	US26	425.51	
	US26D	409.11	





## Description

### 3400 Series (Continued)

Continued

Function	Finish	Lever 2022 List	Case Qty.
<b>3450 (F82A)</b>	US3	495.50	6
Office	US4	495.50	
<b>3453 (F109)</b>	US10B	495.50	
Entry	US26	495.50	
<b>3470 (F84)</b>	US26D	476.49	
Classroom			
<b>3473 (F90)</b>			
Corridor			
<b>3480 (F86)</b>			
Storeroom			
<b>3482 (F87)</b>	US3	643.91	6
Institution	US4	643.91	
	US10B	643.91	
	US26	643.91	
	US26D	547.66	
<b>3495 (F110)</b>	US3	603.80	6
Intruder Classroom*	US4	603.80	
	US10B	603.80	
	US26	603.80	
	US26D	580.64	




## Locks - 3400 Series



3400 Series Electrified Cylindrical Lockset Description	Add electrified charges to the list price of the lock Function	2022 List
Outside lever continuously locked (EL) or unlocked (EU) by 12 or 24V. Latchbolt retracted by key outside or lever inside. Auxiliary latch deadlocks latchbolt when door is closed. Inside always free for immediate egress.	<b>ELEU</b> 12V/24V Storeroom - Fail Safe/Fail Secure	273.86
Single switch (SPDT) mounted inside the spring cage monitors inside lever rotation to send a signal for a variety of applications: Shunt an alarm, sound an alarm, release an electromagnetic lock or signal a console.	<b>RX</b> Request to Exit	222.32

**QUICK CONNECT OPTION:** Locks will come with molex connector attached at no extra charge. Quick connect option allows rapid installation of locks when used with the Hager Quick Connect harness cable. See Commercial Hinges section (page 7) for available harness sizes.

**QUICK CONNECT ORDERING EXAMPLE:** 3480 US26D WTN ELEUQC



Power Supplies Description	Add electrified charges to the list price of the lock Function	2022 List
Provides power for Fail Safe or Fail Secure locking devices and interface with building alarm controls, card readers, keypads, and other door controls.	<b>2903</b> 24 Volt Power Supply	Reference Electrified products section
Provides power and control for openings with an electrified locking device and automatic door operator.	<b>2904</b> 24 Volt Power Supply	Reference Electrified products section
Provides up to 1 amp of 12 or 24 Volt DC Power for all Hager Electrified Products.	<b>2908</b> 24 Volt Power Supply	Reference Electrified products section
Provides up to 2 amps of 12 or 24 Volt DC Power for all Hager Electrified Products.	<b>2909</b> 24 Volt Power Supply	Reference Electrified products section



Latchbolts Description	Finish	2022 List	Box Qty.
<b>3943</b> Spring Latch - Passage Only (3410) 2-3/4" (70 mm) Backset 2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate *Must specify square or round corner.	US3 US4 US10B US26 US26D	42.04 44.71 42.04 42.04 42.04	10
<b>3945</b> Spring Latch - Passage Only (3410) 2-3/8" (60 mm) Backset 2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate *Must specify square or round corner.	US3 US4 US10B US26 US26D	42.04 44.71 42.04 42.04 42.04	10
<b>3964</b> Spring Latch - Privacy Only (3440) 2-3/4" (70 mm) Backset 2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate *Must specify square or round corner.	US3 US4 US10B US26 US26D	42.04 44.71 42.04 42.04 42.04	10



Latchbolts Description	Finish	2022 List	Box Qty.
<b>3966</b>	US3	42.04	10
Spring Latch - Privacy Only (3440)	US4	44.71	
2-3/8" (60 mm) Backset	US10B	42.04	
2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate	US26	42.04	
*Must specify square or round corner.	US26D	42.04	



<b>3944</b>	US3	42.04	10
Dead Latch - All keyed functions except Corridor	US4	44.71	
2-3/4" (70 mm) Backset	US10B	42.04	
2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate	US26	42.04	
*Must specify square or round corner.	US26D	42.04	



<b>3946</b>	US3	42.04	10
Dead Latch - All keyed functions except Corridor	US4	44.71	
2-3/8" (60 mm) Backset	US10B	42.04	
2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate	US26	42.04	
*Must specify square or round corner.	US26D	42.04	



<b>3992</b>	US3	42.04	10
Dead Latch - Corridor (3473)	US4	44.71	
2-3/8" (60 mm) Backset	US10B	42.04	
2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate	US26	42.04	
*Must specify square or round corner.	US26D	42.04	



<b>3993</b>	US3	42.04	10
Dead Latch - Corridor (3473)	US4	44.71	
2-3/4" (70 mm) Backset	US10B	42.04	
2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate	US26	42.04	
*Must specify square or round corner.	US26D	42.04	



<b>3932</b>	US3	146.99	10
3/4" Dead Latch (3450, 3453, 3470, 3480, 3495)	US4	146.99	
2-3/4" (70 mm) Backset	US10B	146.99	
2-1/4" x 1-1/8" (57 mm x 29 mm) square corner faceplate	US26	146.99	
	US26D	146.99	



<b>3916</b>	NF	26.45	10
3-3/4" (95 mm) Backset Extension Link			
Must be used with 2-3/8" backset latchbolt to achieve 3-3/4" total backset.			



<b>3936</b>	NF	28.57	10
5" (127 mm) Backset Extension Link			
Must be used with 2-3/4" backset latchbolt to achieve 5" total backset.			



## Locks - 3400 Series



Strikes Description	Finish	2022 List	Box Qty.
<b>3933</b> T-Strike with Plastic Dust Box 1-1/8" x 2-3/4" (29 x 70 mm), square corner	US3	10.06	10
	US4	10.56	
	US10B	10.06	
	US26	10.06	
	US26D	10.06	
<b>3934</b> Full Lip Strike 1-5/8" x 2-1/4" (41 mm x 57 mm), square corner	US3	10.06	10
	US4	10.56	
	US10B	10.06	
	US26	10.06	
	US26D	10.06	
<b>3935</b> ASA Strike Shipped standard with 3400 Series 1-1/4" x 4-7/8" (32 mm x 124 mm), square corner 1-5/16" lip Order dust box separately	US3	15.21	10
	US4	15.21	
	US15	15.21	
	US10B	15.21	
	US26	15.21	
	US26D	15.21	
	US32D	15.21	
<b>3958</b> Round Corner Full Lip Strike 1-5/8" x 2-1/4" (41 mm x 57 mm), round corner (1/4" radius)	US3	10.06	10
	US4	10.56	
	US10B	10.06	
	US26	10.06	
	US26D	10.06	
<b>2-669-0389</b> ASA Metal Dust Box	NF	8.20	10
Components and Screwpacks Description	Finish	2022 List	
<b>2-639-3490</b> Cylinder Aligning Sleeve (10 pack)	NF	4.04	







Components and Screwpacks Description	Finish	2022 List	
<b>2-300-0036</b> Screwpack - 3400 Series Lever Lockset	US3/US4/	15.09	
<b>2-300-0039</b> Screwpack - 3400 Series Lever Lockset	US10B	15.09	
<b>2-300-0041</b> Screwpack - 3400 Series Lever Lockset	US26/US26D	15.09	
<b>2-300-0042</b> Screwpack - 3417 Dummy Lever Only	NF	6.40	
<b>3911</b> 3400 Series Leverset Thru-Post Drill Jig	NF	23.29	ea



**This page intentionally left blank.**

**This page intentionally left blank.**

## Locks - 3500 Series

### Description



#### 3500 Series

Grade 2 Cylindrical  
Fixed Cylinder, Standard  
6 Pin Cylinders, 5-pin Keyed  
Schlage C Keyway - KD Standard  
2-3/4" (70 mm) Backset  
2-1/4" x 1-1/8" (57 mm x 29 mm) SC Faceplate  
ASA Strike

Small Format Interchangeable Core option available (cores sold separately - refer to Keying/Core section).

If construction SFIC core is included with the lockset, \$63.59 will be added to list price of the lock. Refer to keying/cores section for construction core options.

Extended Lip ASA strike available. Add \$14.90 to list price of the lock.

Lead Lining available for Leverlocks. Add \$186.30 to the list price of the lock.

Tactile Warning available (Levers only). Add \$62.10 to the list price of the lock.

Anti-microbial available on 26D finish only. Add \$49.68 to list price of lock.

3/4" latchbolt available. Add \$146.56 to the list price of the lock.

Split finish available. Priced at higher finish.

Optional backsets, faceplates and strikes available (see next page).

Security Torx screws available. Add \$14.90 to list price of the lock.

Optional keying/keyways available.

Apollo knob with SFIC will be subject to extended lead times, consult factory for availability.

\*3525 Exit, 3527 BTB Dummy, and 3573 Corridor functions are not available on Apollo knob.

Refer to catalog or website for more detailed information on functions.

Note: Hager Keyway is 7-pin only.



Apollo



Archer



August



Withnell



Function	Finish	Lever 2022 List	Case Qty.	Knob 2022 List	Case Qty.
<b>3510 (F75)</b> Passage	US3	218.96	6	73.77	20
	US4	218.96			
	US10B	218.96			
	US26	218.96			
	US26D	203.75			
	US32D			73.77	20
<b>3517</b> Single Dummy	US3	86.69	12	42.23	60
	US4	86.69			
	US10B	86.69			
	US26	86.69			
	US26D	80.61			
	US32D			42.23	60
<b>3525 (F111)</b> Exit*	US3	218.96	6		
	US4	218.96			
	US10B	218.96			
	US26	218.96			
	US26D	203.75			
<b>3527</b> Double Dummy*	US3	173.32	6		
	US4	173.32			
	US10B	173.32			
	US26	173.32			
	US26D	161.21			



## Description

### 3500 Series (Continued)

Continued

	Function	Finish	Lever 2022 List	Case Qty.	Knob 2022 List	Case Qty.
<b>3540 (F76A)</b>		US3	248.71	6	77.81	20
Privacy		US4	248.71			
		US10B	248.71			
		US26	248.71			
		US26D	231.38			
		US32D			77.81	20
<b>3550 (F82A)</b>		US3	275.97	6	112.40	20
Office		US4	275.97			
<b>3553 (F109)</b>		US10B	275.97			
Entry		US26	275.97			
<b>3570 (F84)</b>		US26D	256.72			
Classroom		US32D			112.40	20
<b>3573 (F90)</b>						
Corridor*/Dormitory						
<b>3579 (F113)</b>						
Keyed Communicating						
<b>3580 (F86)</b>						
Storeroom						



## Locks - 3500 Series



Latchbolts Description	Finish	2022 List	Box Qty.
<b>3947</b>	US3	39.99	10
Spring Latch - Passage only (3510) - Standard	US4	42.60	
2-3/4" (70 mm) Backset	US10B	39.99	
2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate	US26	39.99	
Must specify square or round corner.	US26D	39.99	
	US32D	39.99	
<b>3949</b>	US3	39.99	10
Spring Latch - Passage only (3510)	US4	42.60	
2-3/8" (60 mm) Backset	US10B	39.99	
2-1/4" x 1" (57 mm x 25 mm) Faceplate	US26	39.99	
Must specify square or round corner.	US26D	39.99	
	US32D	39.99	
<b>3965</b>	US3	39.99	10
Spring Latch - Privacy only (3540) - Standard	US4	42.60	
2-3/4" (70 mm) Backset	US10B	39.99	
2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate	US26	39.99	
Must specify square or round corner.	US26D	39.99	
	US32D	39.99	
<b>3967</b>	US3	39.99	10
Spring Latch - Privacy only (3540)	US4	42.60	
2-3/8" (60 mm) Backset	US10B	39.99	
2-1/4" x 1" (57 mm x 25 mm) Faceplate	US26	39.99	
Must specify square or round corner.	US26D	39.99	
	US32D	39.99	
<b>3948</b>	US3	39.99	10
Dead Latch - 3525 and all keyed functions except Corridor	US4	42.60	
2-3/4" (70 mm) Backset	US10B	39.99	
2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate	US26	39.99	
Must specify square or round corner.	US26D	39.99	
	US32D	39.99	
<b>3950</b>	US3	39.99	10
Dead Latch - 3525 and all keyed functions except Corridor	US4	42.60	
2-3/8" (60 mm) Backset	US10B	39.99	
2-1/4" x 1" (57 mm x 25 mm) Faceplate	US26	39.99	
Must specify square or round corner.	US26D	39.99	
	US32D	39.99	
<b>3994</b>	US3	39.99	10
Dead Latch - Corridor (3573)	US4	42.60	
2-3/8" (60 mm) Backset	US10B	39.99	
2-1/4" x 1" (57 mm x 25 mm) Faceplate	US26	39.99	
Must specify square or round corner.	US26D	39.99	
	US32D	39.99	



Latchbolts Description	Finish	2022 List	Box Qty.
<b>3995</b> Dead Latch - Corridor (3573) 2-3/4" (70 mm) Backset 2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate Must specify square or round corner.	US3 US4 US10B US26 US26D US32D	39.99 42.60 39.99 39.99 39.99 39.99	10
<b>3959</b> Faceplate Adapter Can be used with 3500 2-3/8" backset latchbolt. Converts to 1" (25 mm) to 1-1/8" (29 mm) width.	NF	3.29	10
<b>3932</b> 3/4" Dead Latch (3550, 3553, 3570, 3580) 2-3/4" (70 mm) Backset 2-1/4" x 1-1/8" (57 mm x 29 mm) square corner faceplate	US3 US4 US10B US26 US26D	146.99 146.99 146.99 146.99 146.99	10
<b>3917</b> 3-3/4" (95 mm) Backset extension link Must be used with 2-3/8" backset latchbolt to achieve 3-3/4" total backset.	NF	26.45	10
<b>3937</b> 5" (127 mm) Backset extension link Must be used with 2-3/4" backset latchbolt to achieve 5" total backset.	NF	28.57	10



## Locks - 3500 Series



Drive-in Latchbolts		Finish	2022 List	Box Qty.
<b>3922</b>	2-3/4" (70 mm) Drive-In Spring Latch - Passage only (3510)	NF	39.99	20
<b>3923</b>	2-3/4" (70 mm) Drive-In Spring Latch - Privacy only (3540)	NF	39.99	20
<b>3925</b>	2-3/8" (60 mm) Drive-In Spring Latch - Passage only (3510)	NF	39.99	20
<b>3926</b>	2-3/8" (60 mm) Drive-In Spring Latch - Privacy only (3540)	NF	39.99	20
<b>3924</b>	2-3/4" (70 mm) Drive-In Dead Latch - All keyed functions except corridor	NF	39.99	20
<b>3927</b>	2-3/8" (60 mm) Drive-In Dead Latch - All keyed functions except corridor	NF	39.99	20
<b>3996</b>	2-3/8" (60 mm) Drive-In Dead Latch - Corridor (3573)	NF	39.99	20
<b>3997</b>	2-3/4" (70 mm) Drive-In Dead Latch - Corridor (3573)	NF	39.99	20
Strikes		Finish	2022 List	Box Qty.
<b>3933</b>	T-Strike with Plastic Dust Box	US3	10.06	10
	1-1/8" x 2-3/4" (29 mm x 70 mm), square corner	US4	10.56	
	For use with US32D knobs, order US26D.	US10B	10.06	
		US26	10.06	
		US26D	10.06	
		US32D	10.06	
<b>3934</b>	Full Lip Strike	US3	10.06	10
	1-5/8" x 2-1/4" (41 mm x 57 mm), square corner	US4	10.56	
	For use with US32D knobs, order US26D.	US10B	10.06	
		US26	10.06	
		US26D	10.06	
		US32D	10.06	
<b>3935</b>	ASA Strike	US3	15.21	10
	Shipped Standard with 3500 Series	US4	15.21	
	1-1/4" x 4-7/8" (32 mm x 124 mm), square corner 1-5/16" lip	US15	15.21	
	Order dust box separately.	US10B	15.21	
		US26	15.21	
		US26D	15.21	
		US32D	15.21	
<b>3958</b>	Round Corner Full Lip Strike	US3	10.06	10
	1-5/8" x 2-1/4" (41 mm x 57 mm), round corner (1/4" radius)	US4	10.56	
	For use with US32D knobs, order US26D.	US10B	10.06	
		US26	10.06	
		US26D	10.06	
		US32D	10.06	







Strikes Description	Finish	2022 List	Box Qty.
<b>2-669-0389</b> ASA Metal Dust Box	NF	8.20	10



Components and Screwpacks Description	Finish	2022 List
<b>2-300-0048</b> Screwpack - 3500 Series Lever Locksets	US3/US4/	15.09
<b>2-300-0050</b> Screwpack - 3500 Series Lever Locksets	US10B	15.09
<b>2-300-0052</b> Screwpack - 3500 Series Lever Locksets	US26/US26D	15.09
<b>2-300-0059</b> Screwpack - 3500 Series Knob Locksets	US3	15.09
<b>2-300-0060</b> Screwpack - 3500 Series Knob Locksets	US32D	15.09
<b>2-300-0058</b> Screwpack - 3517/3527 Lever Locksets only	NF	15.09



<b>2-300-0045</b> Screwpack - 3517 Knob Lockset only	NF	6.40
---	----	------



<b>2-639-3523</b> 3500 Series thru bolt posts	NF	4.97
--	----	------



<b>2-639-3577</b> Cylinder Aligning Sleeve (10 pack)	NF	3.79
---	----	------



<b>3912</b> 3500 Series Leverset Thru-Post Drill Jig	NF	23.29	ea
---	----	-------	----



## Locks - 3600 Series



**Archer**  



**August**  



**Withnell**  

### Description

#### 3600 Series

Grade 2 Tubular Locks  
Fixed Cylinder, Standard  
6 Pin Cylinders, 5-Pin Keyed  
Schlage C Keyway - KD Standard  
2-3/8" - 2-3/4" (60 mm - 70 mm) adjustable backset  
2-1/4" x 1" (57 mm x 25 mm) SC Faceplate  
ASA Strike  
Levers only

Small Format Interchangeable Core option available (cores sold separately - refer to Keying/Core section).

If construction SFIC core is included with the lockset, \$63.59 will be added to the list price of the lock. Refer to keying/cores section for construction core options.

Extended Lip ASA strike available. Add \$14.90 to list price of the lock.

Split finish available, priced at higher finish.

Optional backsets, faceplates and strikes available (see next page).

Optional keying/keyways available.

Refer to catalog or website for more detailed information on functions.

Function	Finish	2022 List	Case Qty.
<b>3610 (F75)</b>			
Passage	US3	150.47	12
	US4	150.47	
	US10B	150.47	
	US26	150.47	
	US26D	139.97	
<b>3617</b>			
Single Dummy	US3	74.77	20
	US4	74.77	
	US10B	74.77	
	US26	74.77	
	US26D	69.49	

Function	Finish	2022 List	Case Qty.
<b>3640 (F76B)</b>			
Privacy	US3	160.96	12
	US4	160.96	
	US10B	160.96	
	US26	160.96	
	US26D	149.72	
<b>3653 (F82A)</b>			
Entry/Office	US3	204.43	12
	US4	204.43	
<b>3670 (F84)</b>			
Classroom	US10B	204.43	
	US26	204.43	
<b>3680 (F86)</b>			
Storeroom	US26D	190.27	





Latchbolts Description	Finish	2022 List	Box Qty.
<b>3951</b> Spring Latch - Non-keyed Functions (3600) - Standard 2-3/8" - 2-3/4" (60 mm - 70 mm) adjustable backset 2-1/4" x 1" (57 mm x 25 mm) square corner faceplate	US3	33.60	10
	US4	35.71	
	US10B	33.60	
	US26	33.60	
	US26D	33.60	



<b>3952</b> Dead Latch - All keyed functions (3600) - Standard 2-3/8" - 2-3/4" (60 mm - 70 mm) adjustable backset 2-1/4" x 1" (57 mm x 25 mm) square corner faceplate	US3	33.60	10
	US4	35.71	
	US10B	33.60	
	US26	33.60	
	US26D	33.60	



<b>3953</b> Spring Latch - Non-keyed Functions (3600) 2-3/8" - 2-3/4" (60 mm - 70 mm) adjustable backset 2-1/4" x 1" (57 mm x 25 mm) round corner faceplate	US3	33.60	10
	US4	35.71	
	US10B	33.60	
	US26	33.60	
	US26D	33.60	



<b>3954</b> Dead Latch - All keyed functions (3600) 2-3/8" - 2-3/4" (60 mm - 70 mm) adjustable backset 2-1/4" x 1" (57 mm x 25 mm) round corner faceplate	US3	33.60	10
	US4	35.71	
	US10B	33.60	
	US26	33.60	
	US26D	33.60	



<b>3938</b> Dead Latch - All keyed functions (3600) 5" (127 mm) Backset 2-1/4" x 1" (57 mm x 25 mm) Faceplate Must specify square or round corner.	US3	35.71	10
	US4	37.57	
	US10B	35.71	
	US26	35.71	
	US26D	35.71	



<b>3939</b> Spring Latch - Non-keyed functions (3600) 5" (127 mm) Backset 2-1/4" x 1" (57 mm x 25 mm) Faceplate Must specify square or round corner.	US3	35.71	10
	US4	37.57	
	US10B	35.71	
	US26	35.71	
	US26D	35.71	



Drive-in Latchbolts	Finish	2022 List	Box Qty.
<b>3914</b> 2-3/8" - 2-3/4" (60 mm - 70 mm) Adjustable Drive-In Spring Latch - All non-keyed functions	NF	33.60	20




<b>3915</b> 2-3/8" - 2-3/4" (60 mm - 70 mm) Adjustable Drive-In Dead Latch - All keyed functions	NF	33.60	20
---	----	-------	----



## Locks - 3600 Series

Strikes Description	Finish	2022 List	Box Qty.
<b>3933</b> T-Strike with Plastic Dust Box 1-1/8" x 2-3/4" (29 mm x 70 mm), square corner	US3 US4 US10B US26 US26D	10.06 10.56 10.06 10.06 10.06	10
<b>3934</b> Full Lip Strike 1-5/8" x 2-1/4" (41 mm x 57 mm), square corner	US3 US4 US10B US26 US26D	10.06 10.56 10.06 10.06 10.06	10
<b>3935</b> ASA Strike Shipped standard w/ 3600 Series 1-1/4" x 4-7/8" (32 mm x 124 mm), square corner 1-5/16" lip Order dust box separately	US3 US4 US15 US10B US26 US26D US32D	15.21 15.21 15.21 15.21 15.21 15.21 15.21	10
<b>3958</b> Round Corner Full Lip Strike 1-5/8" x 2-1/4" (41 mm x 57 mm) round corner (1/4" radius)	US3 US4 US10B US26 US26D	10.06 10.56 10.06 10.06 10.06	10
<b>2-669-0389</b> ASA Metal Dust Box	NF	8.20	10
<b>3959</b> Faceplate Adapter 3600 Series Standard Converts 1" (25 mm) to 1-1/8" (29 mm) width	NF	3.29	10
Components and Screwpacks Description	Finish	2022 List	
<b>2-300-0064</b> Screwpack - 3600 Series Lever Locksets	US3/US4	13.72	
<b>2-300-0066</b> Screwpack - 3600 Series Lever Locksets	US10B	13.72	
<b>2-300-0068</b> Screwpack - 3600 Series Lever Locksets	US26/US26D	13.72	
<b>2-300-0074</b> Screwpack - 3617 Lever Locksets only	NF	13.72	
<b>2-639-7159</b> Cylinder Aligning Sleeve (10 pack)	NF	3.48	





## Description

### 3700 Series

Grade 2 Interconnected  
Fixed Cylinder, Standard  
6 Pin Cylinders, 5-Pin Keyed  
Schlage C Keyway - KD Standard  
2-3/4" (70 mm) Backset  
2-1/4" x 1-1/8" (57 mm x 29 mm) SC Faceplate  
T-Strike  
Levers only

Small Format Interchangeable Core option available (cores sold separately - refer to Keying/Core section).

Split finish available, priced at higher finish.

Optional backsets, faceplates and strikes available (see next page).

Optional keying / keyways available.

Refer to catalog or website for more detailed information on functions.



Archer



August



Withnell



Function	Finish	2022 List	Case Qty.
<b>3710 (F95)</b>	US3	407.38	6
Entry Single Locking	US4	407.38	
	US10B	407.38	
	US26	407.38	
	US26D	395.45	

<b>3753 (F97)</b>	US3	448.36	6
Entry Double Locking	US4	448.36	
	US10B	448.36	
	US26	448.36	
	US26D	435.32	

Function	Finish	2022 List	Case Qty.
<b>3796</b>	US3	453.95	6
Privacy Single Locking	US4	453.95	
w/ Indicator	US10B	453.95	
	US26	453.95	
	US26D	440.72	



## Locks - 3700 Series



Latchbolts Description	Finish	2022 List	Box Qty.
<b>3920</b> 2-3/4" (70 mm) Backset - Standard 2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate Must specify square or round corner.	US3 US4 US10B US26 US26D	39.99 42.60 39.99 39.99 39.99	10
<b>3921</b> 2-3/8" (60 mm) Backset 2-1/4" x 1" (57 mm x 25 mm) Faceplate Must specify square or round corner.	US3 US4 US10B US26 US26D	39.99 42.60 39.99 39.99 39.99	10
<b>3947</b> Spring Latch - Entry Single Locking (3710) - Standard 2-3/4" (70 mm) Backset 2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate Must specify square or round corner.	US3 US4 US10B US26 US26D	39.99 42.60 39.99 39.99 39.99	10
<b>3949</b> Spring Latch - Entry Single Locking (3710) 2-3/8" (60 mm) Backset 2-1/4" x 1" (57 mm x 25 mm) Faceplate Must specify square or round corner.	US3 US4 US10B US26 US26D	39.99 42.60 39.99 39.99 39.99	10
<b>3948</b> Dead Latch - Entry Double Locking (3753) - Standard 2-3/4" (70 mm) Backset 2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate Must specify square or round corner.	US3 US4 US10B US26 US26D	39.99 42.60 39.99 39.99 39.99	10
<b>3950</b> Dead Latch - Entry Double Locking (3753) 2-3/8" (60 mm) Backset 2-1/4" x 1" (57 mm x 25 mm) Faceplate Must specify square or round corner.	US3 US4 US10B US26 US26D	39.99 42.60 39.99 39.99 39.99	10
<b>3959</b> Faceplate Adapter Can be used with 3700 2-3/8" backset latchbolt. Converts 1" (25 mm) to 1-1/8" (29 mm) width.	NF	3.29	10

Strikes Description	Finish	2022 List	Box Qty.
<b>3930</b> 3700 Series Deadlock, Standard Strike with Plastic Dust Box 1-1/8" x 2-3/4" (29 mm x 70 mm), square corner	US3 US4 US10B US26 US26D	9.94 10.49 9.94 9.94 9.94	10





Strikes Description	Finish	2022 List	Box Qty.
<b>3933</b>	US3	10.06	10
T-Strike with Plastic Dust Box	US4	10.56	
3700 Series Latchbolt, Standard	US10B	10.06	
1-1/8" x 2-3/4" (29 mm x 70 mm), square corner	US26	10.06	
	US26D	10.06	



<b>3934</b>	US3	10.06	10
Full Lip Strike	US4	10.56	
1-5/8" x 2-1/4" (41 mm x 57 mm), square corner	US10B	10.06	
	US26	10.06	
	US26D	10.06	



<b>3958</b>	US3	10.06	10
Round Corner Full Lip Strike	US4	10.56	
1-5/8" x 2-1/4" (41 mm x 57 mm), round corner (1/4" radius)	US10B	10.06	
	US26	10.06	
	US26D	10.06	



<b>2-639-3109</b>	NF	4.78	10
Deadlock Dust Box, Plastic			




Components and Screwpacks Description	Finish	2022 List
<b>2-300-0138</b>	US3/US4/	14.41
Screwpack - 3700 Series Lever Lockset		
<b>2-300-0140</b>	US10B	14.41
Screwpack - 3700 Series Lever Lockset		
<b>2-300-0141</b>	US26/US26D	14.41
Screwpack - 3700 Series Lever Lockset		



<b>2-639-7641</b>	NF	10.81
3796 Emergency Key (10Pk)		



## HOW TO ORDER EXAMPLE



### Notes:

- Finishes other than US10B, US15, US26D and US32D are subject to 90 day extended lead time.
  - If master-keyed, include master key instruction sheet with order (available online).
  - For additional keying information, refer to cylinder, core, and keying section of catalog.
  - Quick Connect option available on 3800Series Electrified Sectional and Escutcheon models (EL, EU, RX, DPM, and LM).
- Ordering example: 3880 SECT US26D WTN ELEUQC**
- Door width greater than 2-1/2", or doors with offset prep are POA with 90 day extended lead time.

Please refer to our Catalog or website ([www.hagerco.com](http://www.hagerco.com)) for more detailed and series specific ordering information along with additional information including functions available, additional options, and keying information.





## Description

### 3800 Series Sectional

Grade 1 Mortise  
Fixed Cylinder, Supplied Standard  
1-1/8" Mortise Cylinder w/ Schlage L Cam - Standard  
6 Pin Cylinders, 5-pin Keyed  
Schlage C Keyway - KD Standard  
2-3/4" (70 mm) Backset  
ASA Strike, 3985

Price includes mortise cylinder(s) where applicable and standard cylinder will be shipped with lock unless specified.

If keyed functions ordered less cylinder, subtract \$62.10 for each cylinder from list price.

Small and Large Format Interchangeable Core option available (cores sold separately - refer to Keying/Core section).

\*3857, 3861, and 3882 require two cylinders.

Must specify "Full" for fixed cylinder, "ICFULL6" for SFIC 6-Pin / LFIC 6-Pin, and "ICFull7" for SFIC 7-Pin.

#### Options

- Lead Lined available. Add \$229.77 to the list price of lock.

- Tactile Warning available. Add \$62.10 to the list price of lock.
- For Severe Windstorm Rating, add \$49.68 to the list price of lock (3853 and 3881 only).
- Optional strikes and armor fronts available.
- Optional keying/keyways available.
- Extended Lip ASA strike available, add \$18.63 to list price of the lock.
- Lock Handing available, add \$14.90 list price of the lock.
- ADA thumbturn available, add \$19.87 to list price of the lock.
- Security Torx screws available, add \$22.36 to the list price of the lock.

#### Finishes

Finishes other than 10B, 15, 26D and 32D will be subject to an extended lead time. Consult factory for availability.

\*\*32D look on cast zinc lever; for a true 32D, specify stainless steel levers (William - WLS, Withnell = WTS).

Special door thicknesses are POA and will be subject to long lead time.

Handing required when ordering Johnston and Warren lever design.



Archer



August



William



Withnell



Charles



Johnston



Joshua



Louis



Warren



Function	Finish	Zinc 2022 List	Case Qty.	S.S. 2022 List	Case Qty.
<b>3810S (F01)</b> Passage	US3	501.40	6		
	US4	501.40			
	US10B	501.40			
	US15	501.40			
	US26	501.40			
	US26D	482.08			
	US32D**	482.08		626.65	6
<b>3817S</b> Single Dummy	US3	170.53	6		
	US4	170.53			
	US10B	170.53			
	US15	170.53			
	US26	170.53			
	US26D	163.94			
	US32D**	163.94		213.13	6
<b>3827S</b> Double Dummy	US3	339.87	6		
	US4	339.87			
	US10B	339.87			
	US15	339.87			
	US26	339.87			
	US26D	326.77			
	US32D**	326.77		424.83	6



## Locks - 3800 Series



### Description

#### 3800 Series Sectional (Continued)

Continued

Function	Finish	Zinc 2022 List	Case Qty.	S.S. 2022 List	Case Qty.
<b>3840S (F22)</b> Privacy	US3	575.92	6		
	US4	575.92			
	US10B	575.92			
	US15	575.92			
	US26	575.92			
	US26D	553.81			
	US32D**	553.81		719.99	6
<b>3844S (F22)</b> Privacy w/ Cointurn	US3	627.15	6		
	US4	627.15			
	US10B	627.15			
	US15	627.15			
	US26	627.15			
	US26D	603.12			
	US32D**	603.12		784.07	6
<b>3850S</b> Office	US3	643.05	6		
	US4	643.05			
<b>3870S (F05)</b> Classroom	US10B	643.05			
	US15	643.05			
<b>3880S (F07)</b> Storeroom	US26	643.05			
	US26D	618.33			
	US32D**	618.33		803.82	6
<b>3853S (F20)</b> Entry	US3	666.21	6		
	US4	666.21			
<b>3856S (F13)</b> Corridor	US10B	666.21			
	US15	666.21			
	US26	666.21			
	US26D	640.62			
	US32D**	640.62		832.76	6

Function	Finish	Zinc 2022 List	Case Qty.	S.S. 2022 List	Case Qty.
<b>3857S* (F33)</b> Intruder Classroom w/ Deadbolt	US3	715.58	6		
	US4	715.58			
	US10B	715.58			
<b>3861S* (F09)</b> Apartment Entrance	US15	715.58			
	US26	715.58			
<b>3882S* (F30)</b> Institution	US26D	688.07			
	US32D**	688.07		894.43	6
<b>3881S</b> Storeroom w/ Deadbolt	US3	699.68	6		
	US4	699.68			
	US10B	699.68			
	US15	699.68			
	US26	699.68			
	US26D	672.73			
	US32D**	672.73		874.62	6
<b>3896S</b> Privacy w/ Indicator	US3	653.98	6		
	US4	653.98			
	US10B	653.98			
	US15	653.98			
	US26	653.98			
	US26D	628.82			
	US32D**	628.82		817.48	6



## Description

### 3800 Series Escutcheon

Grade 1 Mortise  
Fixed Cylinder, Supplied Standard  
1-1/8" Mortise Cylinder w/ Schlage L Cam - Standard  
6 Pin Cylinders, 5-pin Keyed  
Schlage C Keyway - KD Standard  
2-3/4" (70 mm) Backset  
ASA Strike, 3985

Price includes mortise cylinder(s) where applicable and standard cylinder will be shipped with lock unless specified.

If keyed functions ordered less cylinder, subtract \$62.10 for each cylinder from list price.

Small and Large Format Interchangeable Core option available (cores sold separately - refer to Keying/Core section).

If included with the lockset, \$62.10 will be added to list price of the lock. Refer to keying/cores section for construction core options.

\*3857, 3861, and 3882 require two cylinders.

Must specify "Full" for fixed cylinder, "ICFULL6" for SFIC 6-Pin / LFIC 6-Pin, and "ICFull7" for SFIC 7-Pin.

### Options

- Lead Lined available. Add \$229.77 to the list price of lock.
- Tactile Warning available. Add \$62.10 to the list price of lock.
- For Severe Windstorm Rating, add \$49.68 to the list price of lock (3853 and 3881 only).
- Optional strikes and armor fronts available.
- Optional keying/keyways available
- Extended Lip ASA strike available. Add \$18.63 to list price of the lock.
- Lock Handing Available. Add \$14.90 to list price of the lock.
- Security Torx screws available, add \$22.36 to the list price of the lock.

### Finishes

Finishes other than 10B, 15, 26D and 32D will be subject to an extended lead time. Consult factory for availability.

\*\*32D look on cast zinc lever; for a true 32D, specify stainless steel levers (William - WLS, Withnell = WTS).

Special door thicknesses are POA and will be subject to long lead time.

Handing required when ordering Johnston and Warren lever design.



Archer



August



William



Withnell



Charles



Johnston



Joshua



Louis



Warren



Function	Finish	Zinc 2022 List	Case Qty.	S.S. 2022 List	Case Qty.
<b>3810E (F01)</b> Passage	US3	544.00	6		
	US4	544.00			
	US10B	544.00			
	US15	544.00			
	US26	544.00			
	US26D	523.07			
	US32D**	523.07		679.93	6
<b>3817E</b> Single Dummy	US3	185.00	6		
	US4	185.00			
	US10B	185.00			
	US15	185.00			
	US26	185.00			
	US26D	177.92			
	US32D**	177.92		231.32	6
<b>3827E</b> Double Dummy	US3	368.69	6		
	US4	368.69			
	US10B	368.69			
	US15	368.69			
	US26	368.69			
	US26D	354.53			
	US32D**	354.53		460.91	6



## Locks - 3800 Series



### Description

#### 3800 Series Escutcheon (Continued)

Continued

Function	Finish	Zinc 2022 List	Case Qty.	S.S. 2022 List	Case Qty.
<b>3840E (F22)</b> Privacy	US3	624.91	6		
	US4	624.91			
	US10B	624.91			
	US15	624.91			
	US26	624.91			
	US26D	600.88			
	US32D**	600.88		781.09	6
<b>3844E (F22)</b> Privacy w/ Cointurn	US3	680.55	6		
	US4	680.55			
	US10B	680.55			
	US15	680.55			
	US26	680.55			
	US26D	654.35			
	US32D**	654.35		850.71	6
<b>3850E</b> Office	US3	697.69	6		
	US4	697.69			
<b>3870E (F05)</b> Classroom	US10B	697.69			
	US15	697.69			
<b>3880E (F07)</b> Storeroom	US26	697.69			
	US26D	670.87			
	US32D**	670.87		872.13	6
<b>3853E (F20)</b> Entry	US3	722.84	6		
	US4	722.84			
<b>3856E (F13)</b> Corridor	US10B	722.84			
	US15	722.84			
	US26	722.84			
	US26D	695.02			
	US32D**	695.02		903.49	6

Function	Finish	Zinc 2022 List	Case Qty.	S.S. 2022 List	Case Qty.
<b>3857E* (F33)</b> Intruder Classroom w/ Deadbolt	US3	776.37	6		
	US4	776.37			
	US10B	776.37			
<b>3861E* (F09)</b> Apartment Entrance	US15	776.37			
	US26	776.37			
<b>3882E* (F30)</b> Institution	US26D	746.50			
	US32D**	746.50		970.44	6
<b>3881E</b> Storeroom w/ Deadbolt	US3	759.17	6		
	US4	759.17			
	US10B	759.17			
	US15	759.17			
	US26	759.17			
	US26D	729.92			
	US32D**	729.92		948.89	6
<b>3896E</b> Privacy w/ Indicator	US3	709.62	6		
	US4	709.62			
	US10B	709.62			
	US15	709.62			
	US26	709.62			
	US26D	682.29			
	US32D**	682.29		886.97	6





3800 Series Electrified Options - Sectional or Escutcheon Models Description	Add electrified charges to the list price of the lock Function	2022 List
Outside lever continuously locked (EL) or unlocked (EU) by 12 or 24V. Latchbolt retracted by key outside or lever inside. Auxiliary latch deadlocks latchbolt when door is closed. Inside always free for immediate egress.	<b>3880ELEU</b> 12V/24V Storeroom - Fail Safe/Fail Secure	482.52
Both levers continuously locked (EL) or unlocked (EU) by 12 or 24V. Latchbolt retracted by key inside or outside. Auxiliary latch deadlocks latchbolt when door is closed.	<b>3882ELEU</b> 12V/24V Institution - Fail Safe/Fail Secure	482.52
Single switch (SPDT) mounted inside the lock body monitors inside lever rotation to send a signal for a variety of applications: Shunt an alarm, sound an alarm, release an electromagnetic lock or signal a console. Available on 3810, 3850, 3870, 3880, 3881 or in conjunction with 3880ELEU.	<b>RX</b> Request to Exit	245.92
Single switch (SPDT) mounted inside lockbody monitors the full extension of the latchbolt. Available on 3880, 3882, or in conjunction with 3880ELEU or 3882ELEU.	<b>LM</b> Latchbolt Monitoring	245.92
Single switch (SPDT Reed Magnetic Switch) mounted inside the lock monitors whether the door is fully closed. Available on 3880, 3882, or in conjunction with 3880ELEU or 3882ELEU.	<b>DPM</b> Door Position Monitoring	270.76

**Quick Connect Option:** Locks will come with molex connector attached at no extra charge. Quick connect option allows rapid installation of locks when used with the Hager Quick Connect harness cable. See Commercial Hinge section (page 7) for available harness sizes.

**Quick Connect Ordering Example:** 3880 SECT US26D WTN ELEUQC



Power Supplies Description	Add electrified charges to the list price of the lock Function	2022 List
Provides power for locking devices and interfaces with building alarm controls, card readers, keypads, and other door controls.	<b>2903</b> 24 Volt Power Supply	Reference Electrified products section
Provides power and control for openings with an electrified locking device and automatic door operator.	<b>2904</b> 24 Volt Power Supply	Reference Electrified products section
Provides up to 1 amp of 12 or 24 Volt DC Power for all Hager Electrified Products	<b>2908</b> 24 Volt Power Supply	Reference Electrified products section
Provides up to 2 amp of 12 or 24 Volt DC Power for all Hager Electrified Products	<b>2909</b> 24 Volt Power Supply	Reference Electrified products section



## Locks - 3800 Series



### Description

#### 3800 Series Deadlock

Grade 1 Mortise - Deadlock  
Fixed Cylinder, Standard  
1-1/8" Mortise Cylinder w/ Schlage 'L' Cam Standard  
6 Pin Cylinders, 5-pin Keyed  
Schlage C Keyway - KD Standard  
2-3/4" (70 mm) Backset  
No Lip Strike, 3991

Price includes mortise cylinder(s) where applicable and standard cylinder will be shipped with deadlock unless specified.

If keyed deadlocks ordered less cylinder, subtract \$62.10 for each cylinder from list price.

Small and Large Format Interchangeable Core option available (cores sold separately - refer to Keying/Core section).

\*3862 requires two cylinders

Must specify "Full" for fixed cylinder, "ICFULL6" for SFIC 6-Pin / LFIC 6-Pin, and "ICFull7" for SFIC 7-Pin.

#### Options

- Optional keying/keyways available.

\*\*Hager Keyway is 7-Pin Only

Finishes other than 26D will be subject to an extended lead time. Consult factory for availability.

Refer to catalog or website for more detailed information on functions.

Function	Finish	2022 List	Case Qty.
<b>3860S (F17)</b>	US3	349.87	6
Cylinder x Thumbturn	US4	349.87	
	US10B	349.87	
	US26	349.87	
	US26D	333.17	
<b>3862S* (F16)</b>	US3	424.83	6
Double Cylinder	US4	424.83	
	US10B	424.83	
	US26	424.83	
	US26D	404.58	

Function	Finish	2022 List	Case Qty.
<b>3863S (F29)</b>	US3	424.83	6
Classroom	US4	424.83	
(Specify Handing)	US10B	424.83	
	US26	424.83	
	US26D	404.58	
<b>3864S (F18)</b>	US3	292.68	6
Cylinder	US4	292.68	
	US10B	292.68	
	US26	292.68	
	US26D	278.77	





## Description

### 3800 Series Small Case Deadlock

Grade 1 Mortise - Deadlock  
Fixed Cylinder, Standard  
1-1/8" Mortise Cylinder w/ Schlage 'L' Cam Standard  
6 Pin Cylinders, 5-pin Keyed  
Schlage C Keyway - KD Standard  
2-3/4" (70 mm) Backset  
No Lip Strike, 3999

Price includes mortise cylinder(s) where applicable and standard cylinder will be shipped with deadlock unless specified.

If keyed deadlocks ordered less cylinder, subtract \$62.10 for each cylinder from list price.

Small and Large Format Interchangeable Core option available (cores sold separately - refer to Keying/Core section).

\*3832 requires two cylinders

Must specify "Full" for fixed cylinder, "ICFULL6" for SFIC 6-Pin / LFIC 6-Pin, and "ICFull7" for SFIC 7-Pin.

#### Options

- Optional keying/keyways available.

\*\*Hager Keyway is 7-Pin Only

Finishes other than 26D will be subject to an extended lead time. Consult factory for availability.

Refer to catalog or website for more detailed information on functions.

Function	Finish	2022 List	Case Qty.
<b>3830S (E06071)</b>	US3	305.66	6
Cylinder x Thumbturn	US4	305.66	
	US10B	305.66	
	US26	305.66	
	US26D	291.12	
<b>3831S (E06181)</b>	US3	261.32	6
Door Bolt	US4	261.32	
Thumbturn only	US10B	261.32	
	US26	261.32	
	US26D	248.83	
<b>3832S* (E06061)</b>	US3	370.99	6
Double Cylinder	US4	370.99	
	US10B	370.99	
	US26	370.99	
	US26D	353.29	

Function	Finish	2022 List	Case Qty.
<b>3833S (E06091)</b>	US3	370.99	6
Classroom	US4	370.99	
(Specify Handing)	US10B	370.99	
	US26	370.99	
	US26D	353.29	
<b>3834S (E06081)</b>	US3	255.60	6
Cylinder	US4	255.60	
	US10B	255.60	
	US26	255.60	
	US26D	243.49	



## Locks - 3800 Series



### Description

#### 3800 Series Sliding Door Mortise Lock

Sliding Door Mortise Lock  
Fixed Cylinder, Standard  
1-1/8" Mortise Cylinder w/ Schlage 'L' Cam Standard  
6 Pin Cylinders, 5-pin Keyed  
Schlage C Keyway - KD Standard  
2-3/4" (70 mm) Backset  
No Lip Strike

Price includes mortise cylinder(s) where applicable and standard cylinder will be shipped with deadlock unless specified.

If keyed deadlocks ordered less cylinder, subtract \$62.10 for each cylinder from list price.

Small and Large Format Interchangeable Core option available (cores sold separately - refer to Keying/Core section).

\*3837 requires two cylinders

Must specify "Full" for fixed cylinder, "ICFULL6" for SFIC 6-Pin / LFIC 6-Pin, and "ICFull7" for SFIC 7-Pin.

#### Options

- Optional keying/keyways available.

\*\*Hager Keyway is 7-Pin Only

Refer to catalog or website for more detailed information on functions.

Function	Finish	2022 List	Case Qty.
<b>3835S</b> Cylinder x Thumbturn	US26D	231.32	6
<b>3836S</b> Single Cylinder	US26D	231.32	6
<b>3837S</b> Double Cylinder	US26D	272.37	6

Function	Finish	2022 List	Case Qty.
<b>3838S</b> Thumbturn Only	US26D	205.43	6
<b>3839S</b> Thumbturn w/ Emergency Key (Privacy)	US26D	221.88	6







<b>Components, Strikes, and Screwpacks Description</b>		<b>Finish</b>	<b>2022 List</b>
<b>Zinc Mortise Lock Levers (each)</b>		US26D/US32D	70.11
Consult factory for part numbers and other finishes. (May be subject to extended lead times)			
<b>Stainless Mortise Lock Levers (each)</b>		US32D	106.00
Consult factory for part numbers and other finishes. (May be subject to extended lead times)			
<b>3918</b>		US26D	14.47
Tapered Cylinder Collar		US10B	16.95
For use with sectional mortise lock, standard with 1-1/8" cylinder, 1-3/4" door.		US15 / US32D	14.47
Includes wave washer and shim.			
<b>3928</b>		US26D	14.47
Flat Cylinder Collar		US10B	16.95
1-3/8" diameter, 11/32" thick		US15 / US32D	14.47
For use with double cylinder sectional mortise locks and other special cylinders and door thicknesses.			
Consult factory. Includes wave washer and shim.			
<b>3985</b>		US10B	26.08
Standard Lip Strike		US32D*	24.41
Square corner			
1-1/4" x 4-7/8" x 1-3/16" (32 mm x 124 mm x 30 mm)			
<b>3986</b>		US10B	26.08
Extended Lip Strike		US32D*	24.41
Square corner			
1-1/4" x 4-7/8" x 1-1/2" (32 mm x 124 mm x 38 mm)			
<b>3987</b>		US10B	26.08
Standard Lip Strike		US32D*	24.41
Round corner			
1-1/4" x 4-7/8" x 1-3/16" (32 mm x 124 mm x 30 mm)			
<b>3988</b>		US10B	26.08
Extended Lip Strike		US32D*	24.41
Round corner			
1-1/4" x 4-7/8" x 1-1/2" (32 mm x 124 mm x 38 mm)			
<b>3989</b>		US10B	26.08
Flat Lip Strike		US32D*	24.41
Square corner			
1-1/4" x 4-7/8" x 7/8" (32 mm x 124 mm x 22 mm)			
<b>3990</b>		US10B	26.08
Extended Flat Lip Strike		US32D*	24.41
Square corner			
1-1/4" x 4-7/8" x 1-3/16" (32 mm x 124 mm x 30 mm)			
<b>3991</b>		US10B	22.67
Square corner		US32D*	21.18
Full Case Deadlock Strike (3860, 3862, 3863, 3864)			
1-1/4" x 4-7/8" (32 mm x 124 mm)			

\*For use with US15 and US26D mortise locks, order US32D finish.



## Locks - 3800 Series



Components, Strikes, and Screwpacks Description	Finish	2022 List
<b>3999</b>	US10B	22.67
For Small Case	US32D*	21.18
No Lip Strike		
Square corner		
1-1/8" x 3- 1/2" (29 mm x 89 mm)		
<b>2-669-0389</b>	NF	8.20
ASA Metal Dust Box		
<b>2-669-0224</b>	US10B	26.02
Armor Front 1-1/4" Square corner (Latch x Aux Latch x Deadbolt) - 3853, 3881		
<b>2-669-0226</b>	US32D*	24.28
Armor Front 1-1/4" Square corner (Latch x Aux Latch x Deadbolt) - 3853, 3881		
<b>2-669-0230</b>	US10B	26.02
Armor Front 1-1/4" Square corner (Latch x Aux Latch) - 3850, 3861, 3870, 3880, 3882		
<b>2-669-0232</b>	US32D*	24.28
Armor Front 1-1/4" Square corner (Latch x Aux Latch) - 3850, 3861, 3870, 3880, 3882		
<b>2-669-0236</b>	US10B	26.02
Armor Front 1-1/4" Square corner (Latch x Deadbolt) - 3856, 3857		
<b>2-669-0238</b>	US32D*	24.28
Armor Front 1-1/4" Square corner (Latch x Deadbolt) - 3856, 3857		
<b>2-669-0242</b>	US10B	26.02
Armor Front 1-1/4" Square corner (Latch) - 3810, 3840, 3844, 3896		
<b>2-669-0244</b>	US32D*	24.28
Armor Front 1-1/4" Square corner (Latch) - 3810, 3840, 3844, 3896		
<b>2-669-0248</b>	US10B	26.02
Armor Front 1-1/4" Square corner (Blank)		
<b>2-669-0250</b>	US32D*	24.28
Armor Front 1-1/4" Square corner (Blank)		
<b>2-669-0254</b>	US10B	26.02
Armor Front 1-1/4" Square corner (Deadbolt) - 3860, 3862, 3863, 3864		
<b>2-669-0256</b>	US32D*	24.28
Armor Front 1-1/4" Square corner (Deadbolt) - 3860, 3862, 3863, 3864		
<b>2-669-0296</b>	US10B	26.02
Armor Front 1-1/4" Round corner (Latch x Aux Latch x Deadbolt) - 3853, 3881		
<b>2-669-0298</b>	US32D*	24.28
Armor Front 1-1/4" Round corner (Latch x Aux Latch x Deadbolt) - 3853, 3881		
<b>2-669-0302</b>	US10B	26.02
Armor Front 1-1/4" Round corner (Latch x Aux Latch) - 3850, 3861, 3870, 3880, 3882		
<b>2-669-0304</b>	US32D*	24.28
Armor Front 1-1/4" Round corner (Latch x Aux Latch) - 3850, 3861, 3870, 3880, 3882		

\*For use with US15 and US26D mortise locks, order US32D finish.


Components, Strikes, and Screwpacks Description	Finish	2022 List
<b>2-669-0308</b> Armor Front 1-1/4" Round corner (Latch x Deadbolt) - 3856, 3857	US10B	26.02
<b>2-669-0310</b> Armor Front 1-1/4" Round corner (Latch x Deadbolt) - 3856, 3857	US32D*	24.28
<b>2-669-0314</b> Armor Front 1-1/4" Round corner (Latch) - 3810, 3840, 3844, 3896	US10B	26.02
<b>2-669-0316</b> Armor Front 1-1/4" Round corner (Latch) - 3810, 3840, 3844, 3896	US32D*	24.28
<b>2-669-0320</b> Armor Front 1-1/4" Round corner (Blank)	US10B	26.02
<b>2-669-0322</b> Armor Front 1-1/4" Round corner (Blank)	US32D*	24.28
<b>2-669-0326</b> Armor Front 1-1/4" Round corner (Deadbolt) - 3860, 3862, 3863, 3864	US10B	26.02
<b>2-669-0328</b> Armor Front 1-1/4" Round corner (Deadbolt) - 3860, 3862, 3863, 3864	US32D*	24.28
<b>2-669-0408</b> Thumbturn (3850, 3853, 3856, 3860, 3881)	US10B	42.41
<b>2-669-0410</b> Thumbturn (3850, 3853, 3856, 3860, 3881)	US26D	39.62
<b>2-669-0411</b> Thumbturn (3850, 3853, 3856, 3860, 3881)	US15/US32D	39.62
<b>2-669-0415</b> Thumbturn (3840, 3844, 3896)	US10B	42.41
<b>2-669-0417</b> Thumbturn (3840, 3844, 3896)	US26D	39.62
<b>2-669-0418</b> Thumbturn (3840, 3844, 3896)	US15/US32D	39.62
<b>2-669-0422</b> Emergency Release (3840, 3896)	US10B	9.25
<b>2-669-0424</b> Emergency Release (3840, 3896)	US26D	8.63
<b>2-669-0425</b> Emergency Release (3840, 3896)	US32D	8.63
<b>2-669-0111</b> Screwpack (3850S, 3853S, 3856S, 3840S, 3844S, 3896S)	US10B	33.78
<b>2-669-0112</b> Screwpack (3850S, 3853S, 3856S, 3840S, 3844S, 3896S)	US32D	31.55
<b>2-669-0115</b> Screwpack (3870S, 3861S, 3857S, 3865S, 3810S)	US10B	33.78
<b>2-669-0116</b> Screwpack (3870S, 3861S, 3857S, 3865S, 3810S)	US32D	31.55

\*For use with US15 and US26D mortise locks, order US32D finish.



## Locks - 3800 Series

Components, Strikes, and Screwpacks Description	Finish	2022 List
<b>2-669-0119</b> Screwpack (3850E, 3853E, 3870E, 3861E, 3857E, 3856E, 3840E, 3844E, 3810E, 3896E)	US10B	33.78
<b>2-669-0120</b> Screwpack (3850E, 3853E, 3870E, 3861E, 3857E, 3856E, 3840E, 3844E, 3810E, 3896E)	US32D	31.55
<b>2-669-0123</b> Screwpack (3881S)	US10B	33.78
<b>2-669-0124</b> Screwpack (3881S)	US32D	31.55
<b>2-669-0127</b> Screwpack (3880S)	US10B	33.78
<b>2-669-0128</b> Screwpack (3880S)	US32D	31.55
<b>2-669-0131</b> Screwpack (3880E, 3881E)	US10B	33.78
<b>2-669-0132</b> Screwpack (3880E, 3881E)	US32D	31.55
<b>2-669-0135</b> Screwpack (3862S, 3863S, 3864S)	US10B	16.89
<b>2-669-0136</b> Screwpack (3862S, 3863S, 3864S)	US32D	15.77
<b>2-669-0147</b> Screwpack (3860S)	US10B	16.89
<b>2-669-0148</b> Screwpack (3860S)	US32D	15.77
<b>2-669-0139</b> Screwpack (3882S)	US10B	21.98
<b>2-669-0140</b> Screwpack (3882S)	US32D	20.56
<b>2-669-0143</b> Screwpack (3882E)	US10B	21.98
<b>2-669-0144</b> Screwpack (3882E)	US32D	20.56
<b>2-669-0157</b> Screwpack (3827S)	NF	12.67
<b>2-669-0158</b> Screwpack (3827E)	NF	12.67
<b>2-669-0167</b> Screwpack (3817S)	NF	8.82
<b>2-669-0168</b> Screwpack (3817E)	NF	8.82
<b>2-669-0365</b> Thru-Bolt Bag (2 each) 1-3/8" to 2" door	NF	10.81
<b>2-669-0366</b> Thru-Bolt Bag (2 each) Over 2" to 2-1/2" door	NF	11.99
<b>2-669-0613</b> Square Spindles - 5-pk	NF	32.91





Components, Strikes, and Screwpacks Description	Finish	2022 List
<b>2-669-0597</b> Armor Front Screws - 10-pk	26D	13.79
<b>2-669-0615</b> Lock Case (3853)	NF	226.04
<b>2-669-0616</b> Lock Case (3881)	NF	226.04
<b>2-669-0600</b> Lock Case (3856, 3857)	NF	268.27
<b>2-669-0603</b> Lock Case (3850, 3870, 3861, 3876)	NF	222.01
<b>2-669-0604</b> Lock Case (3880)	NF	222.01
<b>2-669-0605</b> Lock Case (3810)	NF	158.79
<b>2-669-0641</b> Lock Case (3840, 3844, 3896)	NF	222.01
<b>2-669-0635</b> Lock Case (3853 Windstorm Rated)	NF	268.27
<b>2-669-0636</b> Lock Case (3881 Windstorm Rated)	NF	268.27
<b>2-669-0643</b> Lever Adapters (Keepers) for Stainless Levers	NF	7.95



## Locks - Cylinders/Keying



### Fixed Cylinders/Key-in-Lever - Keying Charges Description

Finish	2022 List
Keyed Different (KD) 5-pin (Standard), 6-pin, 7-pin (Hager Keyway only) available	N/C
Keyed Alike (KA) 5-pin (Standard), 6-pin, 7-pin (Hager Keyway Only). 0-Bitted and 1-Bitted available*	N/C
Master Keyed (MK) - Add to list price of lock**	26.21
Construction Master Keyed (CMK) - Add to the standard master key charge and the list price of lock (Schlage C / Hager H1 only)**	17.57
Keyed to specific or existing number - Add to list price of lock	9.32
Extra Cut Keys - specify change key, MK, GMK or CMK (3961 - 5-pin, 3962 - 6-pin, 3908 - 7-pin Hager only)	7.89
Key Markings - Standard key symbols (AA1) - Visual Key Control (VKC)	No Charge
Key Markings - Non-standard code - Visual Key Control (VKC)	7.51
Custom Cylinder Markings/ Concealed Key Control (CKC) - limited to 6 characters	7.51
3998 - Bitting List (No charge if ordered with master keying) - Factory Keyed	217.35
Bitting List - Hager designed system - Keyed by others	217.35
Other keyways available (refer to Catalog or website) - Add to list price of lock	19.44

\*Allow 7 working days for 0-bitted, 1-bitted, and KA orders

\*\* Allow 20 working days for factory master key orders.

Notes:

1. Lock prices do not include keying charges.
2. Locks furnished with 6-pin cylinder, 5-pin keyed, Schlage C keyway keyed different unless otherwise specified.
3. Please include Master Key Instruction Sheet with order, available online or in catalog. Failure to provide will delay order.

### Fixed Cylinder Key Description

Finish	2022 List	Box Qty.
<b>3955</b>	NF	2.30
Key Blank		
5-Pin		
C Keyway		
Other keyways available*		
<b>3956</b>	NF	2.73
Key Blank		
6-Pin		
C Keyway		
Other keyways available*		
<b>3961</b>	NF	7.89
Cut 5-Pin Key		
5-Pin		
C Keyway		
Other keyways available*		





Fixed Cylinder Key Description	Finish	2022 List	Box Qty.
<b>3962</b> Cut 6-Pin Key 6-Pin C Keyway Other keyways available*	NF	7.89	50
<b>3907</b> Key Blank 7-Pin H Keyways	NF	3.17	50
<b>3908</b> Cut 7-Pin Key 7-Pin H Keyways	NF	7.89	50

\*Refer to catalog or website for more information on available keyways.



Fixed Cylinder/ Tailpieces Description	Finish	2022 List
<b>3960 (Schlage C Keyway)</b> <b>3906 (Hager Keyway Only)</b> Fixed Cylinder Kit - Includes two keys 3960 - C Keyway; 6-pin cylinder, 5-pin keyed - Standard 3906 - H Keyways, 7-pin cylinder - Standard Additional options and keyways available at additional cost (refer to catalog or website). Tailpiece optional when ordering (No Charge) Please include cylinder instructions and ordering guide sheet with order (available online).	US4 US26D	65.64 65.64
<b>2-639-7000</b> Tailpiece 1 Pack of 10 tailpieces for use with 3453L, 3450L, 3480L, 3482L, 2580L	NF	16.83
<b>2-639-7001</b> Tailpiece 2 Pack of 10 tailpieces for use with 3470L.	NF	16.83
<b>2-639-7002</b> Tailpiece 3 Pack of 10 tailpieces for use with 3453K, 3480K, 3550L, 3553L, 3553K, 3579L, 3580L, 3580K, 3753L, 2550L, 2553L	NF	16.83
<b>2-639-7003</b> Tailpiece 4 Pack of 10 tailpieces for use with 3470K, 3570K	NF	16.83
<b>2-639-7005</b> Tailpiece 6 Pack of 10 tailpieces for use with 3114 (Exterior Cyl.), 3214 (Exterior	NF	16.83



## Locks - Cylinders/Keying



### Fixed Cylinder/ Tailpieces Description

#### 2-639-7006

Tailpiece 7

Pack of 10 tailpieces for use with 3114 (Interior Cyl.), 3214 (Interior

Finish

NF

2022 List

16.83

#### 2-639-7007

Tailpiece 8

Pack of 10 tailpieces for use with 3115, 3118, 3215

NF

16.83

#### 2-639-7008

Tailpiece 9

Pack of 10 tailpieces for use with 3653L, 3670L, 3680L

NF

16.83

#### 2-639-7018

Tailpiece W

Pack of 10 tailpieces for use with 3473L

NF

16.83

#### 2-639-7192

Tailpiece K

Pack of 10 tailpieces for use with 47KE, 47KN

NF

16.83

#### 2-639-7087

Tailpiece Z

Pack of 10 tailpieces for use with 3570L and 3573L

NF

16.83

#### 2-639-7094

Tailpiece X

Pack of 10 tailpieces for use with 3495L

NF

16.83

#### 2-639-7322

Tailpiece V

Pack of 10 tailpieces for use with 2570L

NF

16.83

### Fixed Cylinder - Rim Cylinder Description

#### 3901

Fixed Rim Cylinder

6-Pin Cylinder, 5-Pin Keyed; 7-Pin Cylinder (Hager Keyway Only)

Schlage C Keyway or Hager Keyway - Keyed Different Standard

Shipped with breakoff tailpiece attached.

Shipped with collar, mounting plate, and breakoff screws.

Finish

US3

US4

US10B

US26

US26D

2022 List

62.10

65.95

62.10

62.10

62.10

Box  
Qty.

1

#### 3903

Rim Dummy Cylinder

Shipped with mounting plate, and breakoff screws.

US3

US4

US10B

US26

US26D

41.48

41.48

41.48

41.48

41.48

1







## Fixed Cylinder - Rim Cylinder Accessories Description

### 2-639-7058

Long breakoff tailpiece - 2-3/8" (60 mm)

Finish

NF

2022 List

3.04

Box  
Qty.

1

### 2-300-0118

Extra long breakoff screws - 2-3/8" (60 mm) (2 each)

NF

2.11

2

### 2-649-0137

Retaining cup

Can be used with 45PN, 47PN, and 47RN

NF

11.12

1

## Fixed Cylinder - Mortise Cylinder Description

### 3902

Fixed Cylinder Mortise Cylinder

6-Pin Cylinder, 5-Pin Keyed, 7-Pin Cylinder (Hager Keyway Only)

Schlage C Keyway or Hager Keyways - Keyed Different Standard

Specify 1-1/8" (29 mm), 1-1/4" (32 mm) or 1-5/8" (41 mm)

Shipped with standard cam attached and Adams Rite cam loose in box; specify if different.

Specify Schlage L cam when ordering cylinders for use in Hager mortise locks.

Finish

US3

2022 List

62.10

Box  
Qty.

1

US4

65.95

US10B

62.10

US26

62.10

US26D

62.10

### 3904

Mortise Dummy

Specify 1-1/8" (29 mm) or 1-1/4" (32 mm)

US3

51.17

1

US4

54.40

US10B

51.17

US26

51.17

US26D

51.17

### 3905

Mortise ADA Turn Knob

Specify 1-1/8" (29 mm) or 1-1/4" (32 mm)

Shipped with Schlage L cam attached, specify if different.

US3

89.49

1

US10B

89.49

US26D

89.49

## Fixed Cylinder - Mortise Cylinder Cams Description

### 3971

Yale Cam

.722" (18 mm)

US2C

5.34 ea.

Box  
Qty.

1

### 3972

Adams Rite Cam

.560" (14 mm)

Shipped Loose in box w/ standard 3902

US2C

5.34 ea.

1

### 3973

Standard Cloverleaf

.741" (19 mm)

US2C

5.34 ea.

1

### 3974

Marks Cam

R.755" (19 mm)

US2C

5.34 ea.

1



## Locks - Cylinders/Keying



Fixed Cylinder - Mortise Cylinder Cams Description	Finish	2022 List	Box Qty.
<b>3975</b> Standard Cam R.723" (18 mm) Shipped standard w/ 3902	US2C	5.34 ea.	1
<b>3976</b> Schlage L Cam .637" (16 mm) For use w/ all keyed function 3800 Series Mortise Locks.	US2C	5.34 ea.	1
<b>3977</b> Sargent/Yale Cam .733" (18.6 mm)	US2C	5.34 ea.	1
<b>3978</b> Corbin Russwin/Best Cloverleaf Cam .725" (18.5 mm)	US2C	5.34 ea.	1
Small Format Interchangeable Core - Keying Charges/ Cores Description	Finish	2022 List	
<b>3981-U (Best Keyways)</b> Uncombined Core 6-Pin (includes two key blanks), specify US4 or US26D		52.04	
<b>3982-U (Best Keyways)</b> <b>3909 (Hager Keyways)</b> Uncombined Core 7-Pin (includes two key blanks), specify US4 or US26D		52.04	
<b>3981-C (Best Keyways)</b> Combined Core 6-Pin (includes two operating keys), specify US4, US26D. Specify KA*, KD*, MK**. Specify number of control keys needed.		63.59	
<b>3982-C (Best Keyways)</b> <b>3969-C (Hager Keyways)</b> Combined Core 7-Pin (includes two operating keys), specify US4, US26D. Specify KA*, KD*, MK**. Specify number of control keys needed.		63.59	
<b>3981-BLU or RED (Best A)</b> Construction Core 6-Pin (includes two operating keys). Specify number of control keys. Two control keys provided as a default.		63.59	
<b>3982-BLU or RED (Best A)</b> Construction Core 7-Pin (includes two operating keys). Specify number of control keys. Two control keys provided as a default.		63.59	
Key Markings: Standard key symbols (AA1) - Visual Key Control (VKC)		N/C	
Key Markings: Non-standard code - Visual Key Control (VKC)		7.51	
Custom Cylinder Markings/ Concealed Key Control (CKC) - Limited to 6 characters		7.51	
<b>3984</b> Cut Keys - Control Keys, Extra change keys, or Master Keys		7.89	
<b>3908</b> Cut Keys (Hager Keyway Only) - Control Keys, Extra change keys, or Master Keys		7.89	
<b>3998</b> Bitting list (no charge if ordered with master key) - Factory keyed		217.35	
Bitting list - Hager designed system - Keyed by others		217.35	



## Small Format Interchangeable Core - Keying Charges/ Cores Description

Finish 2022 List

\*Allow 7 working days for KD and KA orders

\*\* Allow 20 working days for factory master key orders.

Notes:

1. Lock price includes keying charges.
2. Cores are supplied Best A keyed different unless otherwise specified.
3. Please include Master Key Instruction Sheet with order, available online or in catalog. Failure to provide will delay order.
4. Construction Cores - Receive full credit, less shipping, of original cost upon return of cores and keys.

## Small Format Interchangeable Core - Keys Description

Finish 2022 List Box Qty.

### 3983

Small Format Interchangeable Core Key Blanks  
Best Keyways  
Used with 6-pin and 7-pin cores

NF 3.17 50

### 3984

Small Format Interchangeable Core Cut Key  
Best Keyways  
Used with 6-pin and 7-pin cores

NF 7.89 50

### 2-639-7168

SFIC 6-pin "BLUE" Construction Control Key  
Best A Keyway

NF 7.89 1

### 2-639-7169

SFIC 7-pin "BLUE" Construction Control Key  
Best A Keyway

NF 7.89 1

### 2-639-7113

SFIC 6-pin "RED" Construction Control Key  
Best A Keyway

NF 7.89 1

### 2-639-7170

SFIC 7-pin "RED" Construction Control Key  
Best A Keyway

NF 7.89 1

### 3907

Small Format Interchangeable Core Key Blanks  
Hager Keyways (7-pin cores only)

NF 3.17 50

### 3908

Small Format Interchangeable Core Cut Key  
Hager Keyways (7-pin cores only)

NF 7.89 50

## Small Format Interchangeable Core - Tailpieces Description

Finish 2022 List Box Qty.

### 2-639-7060

Pack of 10 tailpieces and compression springs for use with  
2500/3500 Series SFIC lever locksets.  
6-pin/7-pin cores

NF 19.38 10



## Locks - Cylinders/Keying



### Small Format Interchangeable Core - Tailpieces Description

<b>2-639-7061</b> Pack of 10 tailpieces and compression springs for use with 3400/3500 Series SFIC knob locksets. 6-pin/7-pin cores	NF	19.38	10
<b>2-639-7090</b> Pack of 10 tailpieces and compression springs for use with 3753 interconnected lock SFIC lever locksets. 6-pin/7-pin cores	NF	19.38	10
<b>2-639-7091</b> Pack of 10 tailpieces for use with 3114/3214 SFIC housing deadlock. 6-pin/7-pin cores	NF	19.38	10
<b>2-639-7095</b> Pack of 10 tailpieces for use with 3115/3118/3215/3710DL/3753DL SFIC housing deadlock. 6-pin/7-pin cores	NF	19.38	10

### Small Format Interchangeable Core - Rim Cylinder Housing Description

<b>3901</b>	US3	62.10	1
Rim Cylinder - Small Format Interchangeable Core Housing	US4	65.95	
Specify 6-pin or 7-pin	US10B	62.10	
Supplied with long tailpiece standard, collar, mounting plate, and breakoff screws.	US26	62.10	
Cores sold separately.	US26D	62.10	

### Small Format Interchangeable Core - Mortise Cylinder Housing Description

<b>3902</b>	US3	62.10	1
Mortise Cylinder - Small Format Interchangeable Core Housing	US4	65.95	
Specify length 1-1/4" (6-pin) or 1-3/8" (7-pin) or 1-5/8" for mortise exit devices.	US10B	62.10	
Shipped with standard cam attached and Adams Rite cam loose in box (specify if different).	US26	62.10	
Cores sold separately. 1/4" blocking ring included.	US26D	62.10	
Specify Schlage L cam when ordering new cylinders for use in Hager mortise lock.			

### Small Format Interchangeable Core - Mortise Cylinder Cams Description

<b>2-639-7082</b> Yale Standard Cam Shipped standard w/ 3902 Small Format Interchangeable Core (SFIC) Housing.	US2C	4.78 ea	1
<b>2-639-7083</b> Adams Rite Cam Shipped loose in box w/ standard 3902 Small Format Interchangeable Core (SFIC) Housing.	US2C	4.78 ea	1
<b>2-639-7084</b> Corbin/Best Cloverleaf Cam	US2C	4.78 ea	1



Small Format Interchangeable Core - Mortise Cylinder Cams Description	Finish	2022 List	Box Qty.
---	--------	-----------	----------

<b>2-639-7085</b> Schlage 'L' Cam For use w/ all keyed functions on 3800 Series Mortise Locks and 46CE.	US2C	4.78 ea	1
---	------	---------	---

<b>2-639-7086</b> Sargent Yale Cam	US2C	4.78 ea	1
---------------------------------------	------	---------	---

Large Format Interchangeable Core - Keying Charges/ Cores Description	Finish	2022 List
---	--------	-----------

<b>3919-Z</b> Zero Bitted Core 6-Pin (includes two key blanks), specify US4 or US26D		65.83
---	--	-------

<b>3919-C</b> Combinated Core 6-Pin (includes two change keys), specify US4 or US26D. Specify KA*, KD*, MK**. Specify number of control keys needed.		80.42
--	--	-------

<b>3919-BLA (Schlage C)</b> Construction Core 6-Pin (includes two operating keys). Specify number of control keys. Two control keys provided as a default.		80.42
---	--	-------

Key Markings: Standard key symbols (AA1) - Visual Key Control (VKC)		N/C
---	--	-----

Key Markings: Non-standard code - Visual Key Control (VKC)		7.51
--	--	------

Core Markings (Visual or Concealed)		7.51
-------------------------------------	--	------

<b>3998</b> Bitting list (no charge if ordered with master key) - Factory keyed		217.35
--	--	--------

Bitting list - Hager designed system - Keyed by others		217.35
--	--	--------

\*Allow 7 working days for KD and KA orders

\*\* Allow 20 working days for factory master key orders.

Notes:

1. Cores are available in Schlage C keyway only.
2. Please include Master Key Instruction Sheet with order, available online or in catalog. Failure to provide will delay order.
3. Construction Cores - Receive full credit, less shipping, of original cost upon return of cores and keys.

Large Format Interchangeable Core - Keys Description	Finish	2022 List
--	--------	-----------

<b>3956</b> LFIC Key Blanks Schlage C Keyway		2.73
--	--	------

<b>3962</b> LFIC Cut Keys Schlage C Keyway		7.89
--	--	------

<b>2-639-7649</b> LFIC Control Key Blanks Schlage C Keyway		2.73
--	--	------



## Locks - Cylinders/Keying

### Large Format Interchangeable Core - Keys Description

Finish	2022 List
<b>3963</b>	7.89
LFIC Control Cut Keys Schlage C Keyway	
<b>2-639-7132</b>	7.89
LFIC 6-Pin "Black" Construction Control Key Schlage C Keyway	



### Large Format Interchangeable Core - Tailpieces Description

Finish	2022 List	Box Qty.
<b>2-639-7645</b>	3.04	1
For use with 3450, 3453, 3480 and 3482 LFIC lever locksets		
<b>2-639-7646</b>	3.04	1
For use with 3470 LFIC lever locksets		
<b>2-639-7647</b>	3.04	1
For use with 3473 and 3495 LFIC lever locksets		



### Large Format Interchangeable Core - Rim Cylinder Housing Description

Finish	2022 List	Box Qty.
<b>3901</b>	62.10	1
Rim Cylinder - Large Format Interchangeable Core Housing		
Supplied with tailpiece, collar, mounting plate, and breakoff screws.		
6-Pin Only		
Cores sold separately.		
US3	65.95	
US4	62.10	
US10B	62.10	
US26	62.10	
US26D	62.10	



### LFIC - Rim Cylinder Accessories Description

Finish	2022 List	Box Qty.
<b>2-639-7578</b>	3.73	1
Breakoff Tailpiece Assembly		
<b>2-300-0175</b>	2.11	2
Breakoff Screws - 2-1/8" (54mm) (2each)		



### Large Format Interchangeable Core - Mortise Cylinder Housing Description

Finish	2022 List	Box Qty.
<b>3902</b>	62.10	1
Mortise Cylinder - Large Format Interchangeable Core Housing		
1-1/2" Length		
Shipped with standard cam attached and Adams Rite cam loose in box (specify if different).		
Cores sold separately.		
Specify Schlage L cam when ordering cylinders for use in Hager mortise locks.		
US3	65.95	
US4	62.10	
US10B	62.10	
US26	62.10	
US26D	62.10	





Large Format Interchangeable Core - Mortise Cylinder		Finish	2022 List	Box Qty.
Cams Description				
<b>2-639-7570</b> Yale Standard Cam Shipped standard w/ 3902 Large Format Interchangeable Core (LFIC) Housing.		US2C	5.59 ea	1
<b>2-639-7571</b> Adams Rite Cam Shipped loose in box w/ standard 3902 Large Format Interchangeable Core (LFIC) Housing.		US2C	5.59 ea	1
<b>2-639-7572</b> Schlage 'L' Cam For use w/ all keyed functions on 3800 Series Mortise Locks and 46CE.		US2C	5.59 ea	1
<b>2-639-7573</b> Corbin/Best Cloverleaf Cam		US2C	5.59 ea	1
<b>2-639-7574</b> Sargent/Yale Cam		US2C	5.59 ea	1
Miscellaneous		Finish	2022 List	Box Qty.
Description				
<b>3911</b> 2500/3400 Series Lever Thru-Bolt Jig - Steel		NF	23.29	ea
<b>3912</b> 3500 Series Lever Thru-Bolt Jig - Steel		NF	23.29	ea
<b>3959</b> Faceplate Adaptor Can be used with a 2-3/8" backset on the 2500, 3500, 3600, and 3700 Series lockset and 3200 Series deadlocks. Converts 1" (25 mm) to 1-1/8" (29 mm) width.		NF	3.29	ea
<b>3968</b> Aluminum Blocking Rings Sizes available 1/8" (3.2 mm), 3/16" (4.8 mm), 1/4" (6.4 mm), 5/16" (7.9 mm), 3/8" (9.5 mm), 1/2" (12.5 mm)		BGA	7.27	ea
		CLR	7.27	
		DBA	7.27	
<b>3968</b> Aluminum Blocking Rings Sizes available 1/8" (3.2 mm), 1/4" (6.4 mm),		US3	7.27	
		US4	7.27	
		US10B	7.27	
		US26	7.27	
		US26D	7.27	
<b>3979</b> Mortise Cam Screws - Fixed Cylinder Mortise Cylinder Only		NF	0.43	each



## Locks - Cylinders/Keying



Miscellaneous Description	Finish	2022 List	Box Qty.
<b>3980</b> Cash Box Nut	NF	10.43	each

<b>2-639-7680</b> Mortise Cam Screws - SFIC Mortise Cylinder Only	NF	0.43	each
--	----	------	------

Cylinder Collars Description	Finish	2022 List	Box Qty.
<b>2-647-0012</b> Cylinder Collar - 7/8" projection	US3	23.52	each
<b>2-647-0013</b> Cylinder Collar - 7/8" projection	ALM	23.52	each
<b>2-647-0014</b> Cylinder Collar - 7/8" projection	DBZ	23.52	each
<b>2-647-0015</b> Cylinder Collar - 7/8" projection	US15 / US32D	23.52	each
<b>2-647-0016</b> Cylinder Collar - 7/8" projection	US4	23.52	each
<b>2-647-0017</b> Cylinder Collar - 7/8" projection	US10B	23.52	each
<b>2-647-0018</b> Cylinder Collar - 7/8" projection	US26	23.52	each
<b>2-647-0019</b> Cylinder Collar - 7/8" projection	US26D	23.52	each
<b>2-647-0020</b> Cylinder Collar - 7/8" projection			

Above cylinder collars can be used with 4700 Series exit device trim and 1-1/8" - 1-3/8" long mortise cylinders.

<b>2-649-0045</b> Cylinder Collar - 7/16" projection	US3	23.52	each
<b>2-649-0046</b> Cylinder Collar - 7/16" projection	US4	23.52	each
<b>2-649-0048</b> Cylinder Collar - 7/16" projection	US10B	23.52	each
<b>2-649-0050</b> Cylinder Collar - 7/16" projection	US26	23.52	each
<b>2-649-0051</b> Cylinder Collar - 7/16" projection	US26D	23.52	each
<b>2-649-0052</b> Cylinder Collar - 7/16" projection	US15 / US32D	23.52	each

Above cylinder collars can be used with 4500 Series exit device trim and 1-1/8" long mortise cylinders.







Cylinder Collars Description	Finish	2022 List	Box Qty.
<b>2-649-0053</b> Cylinder Collar - 11/16" projection	US3	23.52	each
<b>2-649-0054</b> Cylinder Collar - 11/16" projection	US4	23.52	each
<b>2-649-0056</b> Cylinder Collar - 11/16" projection	US10B	23.52	each
<b>2-649-0057</b> Cylinder Collar - 11/16" projection	US26	23.52	each
<b>2-649-0058</b> Cylinder Collar - 11/16" projection	US26D	23.52	each
<b>2-649-0059</b> Cylinder Collar - 11/16" projection	US15 / US32D	23.52	each

Above cylinder collars can be used with 4500 Series exit device trim and 1-1/4" or 1-3/8" long mortise cylinders.

Cylinder Parts Description	Finish	2022 List
<b>2-650-3998</b> SFIC Capping Strip		73.28/ per 50
<b>2-639-7511</b> Pin Kit 100 each of all pins and springs, additional top pins. Please note that pin kit does NOT include SFIC caps.		428.49
<b>2-639-7512</b> Cylinder Lubricant		62.10
<b>2-639-7513</b> Shims Opens a locked conventional cylinder (at the workbench).		61.28/ per 100
<b>2-639-7517</b> Construction Ball Used for lost ball construction keying. (#6 increment)		68.31/ per 1,000
<b>2-650-3999</b> Cylinder Spring Pin tumbler spring for use in all cylinders.		7.59/ per 100
<b>2-639-7519</b> Cap Pin Spring Key-in-Knob/Lever cylinders including Retrofit, and Full Size (Schlage Retrofit) Interchangeable Core.		17.25/ per 100
<b>2-639-7520</b> Individual SFIC Cap For use with the individual capping block tool #6.		55.89/ per 500
<b>2-639-7522</b> Profile Cylinder Set Screws Caps the profile cylinder chambers		8.69/ per 10
<b>2-639-7523</b> Hager Screw Cap - (.280") height		18.63/ per 10



## Locks - Cylinders/Keying

Cylinder Parts Description	Finish	2022 List
<b>2-639-7526</b> Screw Cap Pin (KIK / LFIC)		18.63/ per 100
<b>2-639-7527</b> Follower (KIK) Holds top pins in place during assembly or disassembly		23.60
<b>2-639-7528</b> Tweezers		47.20
<b>2-639-7530</b> Capping Punch		70.79
<b>2-639-7531</b> Decombinating Block (punch included)		217.35
<b>2-639-7532</b> Manual Capping Block (punch included) (140 Spacing)		271.87
<b>2-639-7535</b> Key Punch (140 Spacing)		4,396.68
<b>2-639-7536</b> HPC 1200 Series Code Card (140 Spacing)		47.82



Top Pins (Hager H Keyways) Description	2022 List
<b>2-639-8188</b> #2 (0.025")	8.26 / per 100
<b>2-639-8189</b> #3 (0.037")	8.26 / per 100
<b>2-639-8190</b> #4 (0.050")	8.26 / per 100
<b>2-639-8191</b> #5 (0.062")	8.26 / per 100
<b>2-639-8192</b> #6 (0.075")	8.26 / per 100
<b>2-639-8193</b> #7 (0.087")	8.26 / per 100
<b>2-639-8194</b> #8 (0.100")	8.26 / per 100
<b>2-639-8195</b> #9 (0.112")	8.26 / per 100
<b>2-639-8196</b> #10 (0.125")	8.26 / per 100
<b>2-639-8197</b> #11 (0.137")	8.26 / per 100
<b>2-639-8198</b> #12 (0.150")	8.26 / per 100
<b>2-639-8199</b> #13 (0.162")	8.26 / per 100
<b>2-639-8200</b> #14 (0.175")	8.26 / per 100
<b>2-639-8201</b> #15 (0.187")	8.26 / per 100
<b>2-639-8202</b> #16 (0.200")	8.26 / per 100
<b>2-639-8203</b> #17 (0.212")	8.26 / per 100
<b>2-639-8204</b> #18 (0.225")	8.26 / per 100
<b>2-639-8205</b> #19 (0.237")	8.26 / per 100



## Locks - Full Bottom Pins

Full Bottom Pins (Hager H Keyways) Description	2022 List
<b>2-639-8210</b> #0 (0.185")	8.26 / per 100
<b>2-639-8211</b> #1 (0.1975")	8.26 / per 100
<b>2-639-8212</b> #2 (0.210")	8.26 / per 100
<b>2-639-8213</b> #3 (0.2225")	8.26 / per 100
<b>2-639-8214</b> #4 (0.2350")	8.26 / per 100
<b>2-639-8215</b> #5 (0.2475")	8.26 / per 100
<b>2-639-8216</b> #6 (0.2600")	8.26 / per 100
<b>2-639-8217</b> #7 (0.2725")	8.26 / per 100
<b>2-639-8218</b> #8 (0.2850")	8.26 / per 100
<b>2-639-8219</b> #9 (0.2975")	8.26 / per 100



SFIC Bottom Pins (Hager H Keyways) Description	2022 List
<b>2-639-8220</b> #0 (0.110")	8.26 / per 100
<b>2-639-8221</b> #1 (0.122")	8.26 / per 100
<b>2-639-8222</b> #2 (0.135")	8.26 / per 100
<b>2-639-8223</b> #3 (0.147")	8.26 / per 100
<b>2-639-8224</b> #4 (0.160")	8.26 / per 100
<b>2-639-8225</b> #5 (0.172")	8.26 / per 100
<b>2-639-8226</b> #6 (0.185")	8.26 / per 100
<b>2-639-8227</b> #7 (0.197")	8.26 / per 100
<b>2-639-8228</b> #8 (0.210")	8.26 / per 100
<b>2-639-8229</b> #9 (0.222")	8.26 / per 100



**2310**

2310 2-3/8" US10B JOS.	.074356
2310 2-3/8" 10B JHN	.184471
2310 2-3/8" 10B WRN	.091445
2310 2-3/8" 10B CHA	.184214
2310 2-3/8" US15 JOS.	.174156
2310 2-3/8" US15 JHN.	.184578
2310 2-3/8" US15 WRN	.108128
2310 2-3/8" US15 LOU	.178281
2310 2-3/8" US15 CHA	.192039
2310 2-3/8" US15 WRN	.195686
2310 2-3/8" US15 LOU	.139878
2310 2-3/8" US15 CHA	.185419
2310 2-3/8" 26D JOS.	.179735
2310 2-3/8" 26D JHN	.183038
2310 2-3/8" 26D WRN	.176929
2310 2-3/8" 26D LOU	.040846
2310 2-3/8" 26D CHA	.173293
2310 2 3/4" US10B JOS.	.169469
2310 2 3/4" US10B JHN.	.169738
2310 2 3/4" US10B WRN	.169741
2310 2 3/4" US10B LOU	.169744
2310 2 3/4" US10B CHA	.169747
2310 2 3/4" US15 JOS.	.169686
2310 2 3/4" US15 JHN.	.169701
2310 2 3/4" US15 WRN	.169709
2310 2 3/4" US15 LOU	.169716
2310 2 3/4" US15 CHA	.169722
2310 2 3/4" US26 JOS.	.169698
2310 2 3/4" US26 JHN.	.169737
2310 2 3/4" US26 WRN	.169740
2310 2 3/4" US26 LOU	.169743
2310 2 3/4" US26 CHA	.169746
2310 2 3/4" US26D JOS.	.169453
2310 2 3/4" US26D JHN.	.169617
2310 2 3/4" US26D WRN	.169622
2310 2 3/4" US26D LOU	.169628
2310 2 3/4" US26D CHA	.169631
2310 2 3/4" US4 JOS.	.169695
2310 2 3/4" US4 JHN.	.169735
2310 2 3/4" US4 WRN	.169739
2310 2 3/4" US4 LOU	.169742
2310 2 3/4" US4 CHA	.169745

**2317**

2317 US10B JOS	.169754
2317 US10B JHN HL	.171905
2317 US10B JHN RH.	.171906
2317 US10B WRN LH	.171917
2317 US10B WRN RH	.171918
2317 US10B LOU	.169772
2317 US10B CHA	.169778

**2317**

2317 US15 JOS.	.169748
2317 US15 JHN LH.	.171895
2317 US15 JHN RH.	.171896
2317 US15 WRN LH	.171909
2317 US15 WRN RH	.171910
2317 US15 LOU	.169768
2317 US15 CHA	.169774
2317 US26 JOS.	.169753
2317 US26 JHN LH.	.171902
2317 US26 JHN RH.	.171903
2317 US26 WRN LH	.171915
2317 US26 WRN RH	.171916
2317 US26 LOU	.169771
2317 US26 CHA	.169777
2317 US26D JOS	.167921
2317 US26D JHN LH.	.171893
2317 US26D JHN RH.	.171894
2317 US26D WRN LH	.171907
2317 US26D WRN RH	.171908
2317 US26D LOU	.169767
2317 US26D CHA	.169773
2317 US4 LOU	.169770
2317 US4 CHA	.169776
2317 US4 JOS.	.169752
2317 US4 JHN LH	.171900
2317 US4 JHN RH.	.171901
2317 US4 WRN LH	.171913
2317 US4 WRN RH	.171914

**2340**

2340 2-3/8" US10B JOS.	.92146
2340 2-3/8" US10B JHN	.80804
2340 2-3/8" US10B WRN	.91422
2340 2-3/8" US10B LOU	.51718
2340 2-3/8" US10B CHA	.194638
2340 2-3/8" US15 JOS.	.174157
2340 2-3/8" US15 JHN.	.184579
2340 2-3/8" US15 WRN	.108493
2340 2-3/8" US15 LOU	.178282
2340 2-3/8" US15 CHA	.193046
2340 2-3/8" US26 JOS.	.195688
2340 2-3/8" US26 JHN.	.139877
2340 2-3/8" US26 CHA	.112917
2340 2-3/8" 26D JOS.	.175754
2340 2-3/8" US26D JHN	.181458
2340 2-3/8" US26D WRN	.193850
2340 2-3/8" US26D LOU	.40825
2340 2-3/8" 26D CHA	.173294
2340 2 3/4" US10B JOS.	.169471

Items with the price in **bold and red** are available for online ordering in the MyHager portal.

**2340**

2340 2 3/4" US10B JHN . . . . .	169819
2340 2 3/4" US10B WRN . . . . .	169822
2340 2 3/4" US10B LOU . . . . .	169825
2340 2 3/4" US10B CHA . . . . .	169828
2340 2 3/4" US15 JOS . . . . .	169688
2340 2 3/4" US15 JHN . . . . .	169703
2340 2 3/4" US15 WRN . . . . .	169711
2340 2 3/4" US15 LOU . . . . .	169730
2340 2 3/4" US15 CHA . . . . .	169732
2340 2 3/4" US26 JOS . . . . .	169700
2340 2 3/4" US26 JHN . . . . .	169818
2340 2 3/4" US26 WRN . . . . .	169821
2340 2 3/4" US26 LOU . . . . .	169824
2340 2 3/4" US26 CHA . . . . .	169827
2340 2 3/4" US26D JOS . . . . .	169455
2340 2 3/4" US26D JOS . . . . .	169455
2340 2 3/4" US26D JHN . . . . .	169619
2340 2 3/4" US26D WRN . . . . .	169682
2340 2 3/4" US26D LOU . . . . .	169729
2340 2 3/4" US26D CHA . . . . .	169733
2340 2 3/4" US4 JOS . . . . .	169697
2340 2 3/4" US4 JHN . . . . .	169817
2340 2 3/4" US4 WRN . . . . .	169820
2340 2 3/4" US4 LOU . . . . .	169823
2340 2 3/4" US4 CHA . . . . .	169826

**2510**

2510 2-3/8" US10B ARC ASA . . . . .	143873
2510 2-3/8" US10B WTN ASA . . . . .	147186
2510 2-3/8" US26D ARC ASA . . . . .	134474
2510 2-3/8" US26D WTN ASA . . . . .	136277
2510 2-3/8" US3 ARC ASA . . . . .	78572
2510 2-3/8" US3 WTN ASA . . . . .	137318
2510 2-3/4" US10B ARC ASA . . . . .	128993
<b>2510 2-3/4" US10B WTN ASA . . . . .</b>	<b>129000</b>
<b>2510 2-3/4" US26D ARC ASA . . . . .</b>	<b>129001</b>
<b>2510 2-3/4" US26D WTN ASA . . . . .</b>	<b>129002</b>
2510 2-3/4" US3 ARC ASA . . . . .	129003
2510 2-3/4" US3 WTN ASA . . . . .	129004

**2517**

2517 US10B ARC . . . . .	130785
<b>2517 US10B WTN . . . . .</b>	<b>130786</b>
<b>2517 US26D ARC . . . . .</b>	<b>130787</b>
<b>2517 US26D WTN . . . . .</b>	<b>130788</b>
2517 US3 ARC . . . . .	130789
2517 US3 WTN . . . . .	130790

**2525**

2525 2-3/8" US10B ARC ASA . . . . .	176278
2525 2-3/8" US10B WTN ASA . . . . .	193167

Items with the price in **bold and red** are available for online ordering in the MyHager portal.

**2525**

2525 2-3/8" US26D ARC ASA . . . . .	156965
2525 2-3/8" US26D WTN ASA . . . . .	147316
2525 2-3/8" US3 ARC ASA . . . . .	196106
2525 2-3/8" US3 WTN ASA . . . . .	167674
2525 2-3/4" US10B ARC ASA . . . . .	129012
2525 2-3/4" US10B WTN ASA . . . . .	129013
2525 2-3/4" US26D ARC ASA . . . . .	129016
<b>2525 2-3/4" US26D WTN ASA . . . . .</b>	<b>129017</b>
2525 2-3/4" US3 ARC ASA . . . . .	129018
2525 2-3/4" US3 WTN ASA . . . . .	129020

**2540**

2540 2-3/8" US10B ARC ASA . . . . .	135767
2540 2-3/8" US10B WTN ASA . . . . .	147189
2540 2-3/8" US26D ARC ASA . . . . .	134473
2540 2-3/8" US26D WTN ASA . . . . .	144640
2540 2-3/8" US3 WTN ASA . . . . .	137317
2540 2-3/4" US10B ARC ASA . . . . .	129021
<b>2540 2-3/4" US10B WTN ASA . . . . .</b>	<b>129022</b>
<b>2540 2-3/4" US26D ARC ASA . . . . .</b>	<b>129023</b>
<b>2540 2-3/4" US26D WTN ASA . . . . .</b>	<b>129024</b>
2540 2-3/4" US3 ARC ASA . . . . .	129025
2540 2-3/4" US3 WTN ASA . . . . .	129026

**2550**

2550 2-3/8" US26D ARC SCC KD ASA . . . . .	150263
2550 2-3/8" US26D WTN SCC KD ASA . . . . .	148604
2550 2-3/4" US10B ARC SCC KD ASA . . . . .	129637
2550 2-3/4" US10B ARC NC ASA IC . . . . .	129032
2550 2-3/4" US10B WTN SCC KD ASA . . . . .	129638
2550 2-3/4" US10B WTN NC ASA IC . . . . .	129034
2550 2-3/4" US26D ARC SCC KD ASA . . . . .	129639
2550 2-3/4" US26D ARC NC ASA IC . . . . .	129036
2550 2-3/4" US26D WTN SCC KD ASA . . . . .	129642
2550 2-3/4" US26D WTN NC ASA IC . . . . .	129038
2550 2-3/4" US3 ARC SCC KD ASA . . . . .	129643
2550 2-3/4" US3 WTN SCC KD ASA . . . . .	129644

**2553**

2553 2-3/8" US10B ARC SCC KD ASA . . . . .	140478
2553 2-3/8" US10B WTN SCC KD ASA . . . . .	160465
2553 2-3/8" US26D ARC SCC KD ASA . . . . .	134768
2553 2-3/8" US26D WTN SCC KD ASA . . . . .	136279
2553 2-3/8" US3 ARC SCC KD ASA . . . . .	163970
2553 2-3/8" US3 WTN SCC KD ASA . . . . .	150220
2553 2-3/4" US10B ARC NC ASA IC . . . . .	129046
2553 2-3/4" US10B ARC SCC KD ASA . . . . .	129645
2553 2-3/4" US10B WTN NC ASA IC . . . . .	129048
<b>2553 2-3/4" US10B WTN SCC KD ASA . . . . .</b>	<b>129646</b>
2553 2-3/4" US26D ARC NC ASA IC . . . . .	129053
<b>2553 2-3/4" US26D ARC SCC KD ASA . . . . .</b>	<b>129647</b>
<b>2553 2-3/4" US26D WTN NC ASA IC . . . . .</b>	<b>129055</b>
<b>2553 2-3/4" US26D WTN SCC KD ASA . . . . .</b>	<b>129648</b>
2553 2-3/4" US3 ARC SCC KD ASA . . . . .	129649
2553 2-3/4" US3 WTN SCC KD ASA . . . . .	129650



**2570**

2570 2-3/8" US10B WTN SCC KD ASA	164364
2570 2-3/8" US26D WTN SCC KD ASA	143635
2570 2-3/8" US3 WTN SCC KD ASA	170761
2570 2-3/4" US10B ARC SCC KD ASA	129651
2570 2-3/4" US10B ARC NC ASA IC	129061
<b>2570 2-3/4" US10B WTN SCC KD ASA</b>	<b>129652</b>
2570 2-3/4" US10B WTN NC ASA IC	129063
<b>2570 2-3/4" US26D ARC SCC KD ASA</b>	<b>129653</b>
2570 2-3/4" US26D ARC NC ASA IC	129065
<b>2570 2-3/4" US26D WTN SCC KD ASA</b>	<b>129654</b>
<b>2570 2-3/4" US26D WTN NC ASA IC</b>	<b>129068</b>
2570 2-3/4" US3 ARC SCC KD ASA	129655
2570 2-3/4" US3 WTN SCC KD ASA	129656

**2580**

2580 2-3/8" US10B ARC SCC KD ASA	184569
2580 2-3/8" US10B WTN SCC KD ASA	151209
2580 2-3/8" US26D WTN SCC KD ASA	132617
2580 2-3/4" US10B ARC SCC KD ASA	129657
2580 2-3/4" US10B ARC NC ASA IC	129081
<b>2580 2-3/4" US10B WTN SCC KD ASA</b>	<b>129658</b>
2580 2-3/4" US10B WTN NC ASA IC	129085
<b>2580 2-3/4" US26D ARC SCC KD ASA</b>	<b>129659</b>
2580 2-3/4" US26D ARC NC ASA IC	129088
<b>2580 2-3/4" US26D WTN SCC KD ASA</b>	<b>129660</b>
<b>2580 2-3/4" US26D WTN NC ASA IC</b>	<b>129092</b>
2580 2-3/4" US3 ARC SCC KD ASA	129661
2580 2-3/4" US3 WTN SCC KD ASA	129662

**3114**

3114 2-3/4" US10 NC IC	034812
3114 2-3/4" US10 SCC KD	012596
3114 2-3/4" US10B NC IC	034811
3114 2-3/4" US10B SCC KD	012597
3114 2-3/4" US26 NC IC	034810
3114 2-3/4" US26 SCC KD	028119
<b>3114 2-3/4" US26D NC IC</b>	<b>034807</b>
<b>3114 2-3/4" US26D SCC KD</b>	<b>028118</b>
3114 2-3/4" US3 NC IC	034815
3114 2-3/4" US3 SCC KD	012594
3114 2-3/4" US4 NC IC	034814
3114 2-3/4" US4 SCC KD	012595

**3115**

3115 2-3/4" US10 NC IC	040420
3115 2-3/4" US10 SCC KD	012588
3115 2-3/4" US10B NC IC	040418
3115 2-3/4" US10B SCC KD	012592
3115 2-3/4" US26 NC IC	040449
3115 2-3/4" US26 SCC KD	028121
<b>3115 2-3/4" US26D NC IC</b>	<b>098283</b>
<b>3115 2-3/4" US26D SCC KD</b>	<b>028120</b>
3115 2-3/4" US3 NC IC	040425
3115 2-3/4" US3 SCC KD	012590
3115 2-3/4" US4 NC IC	050868
3115 2-3/4" US4 SCC KD	012589

**3118**

3118 2-3/4" US10 NC IC	038894
3118 2-3/4" US10 SCC KD	028133
3118 2-3/4" US10B NC IC	038887
3118 2-3/4" US10B SCC KD	050113
3118 2-3/4" US26 NC IC	039335
3118 2-3/4" US26 SCC KD	028126
<b>3118 2-3/4" US26D NC IC</b>	<b>098282</b>
<b>3118 2-3/4" US26D SCC KD</b>	<b>028123</b>
3118 2-3/4" US3 NC IC	038920
3118 2-3/4" US3 SCC KD	028129
3118 2-3/4" US4 NC IC	038899
3118 2-3/4" US4 SCC KD	028131

**3214**

3214 2-3/8" US10 SCC KD	099243
3214 2-3/4" US10 NC IC	034800
3214 2-3/4" US10 SCC KD	012650
3214 2-3/8" US10B NC IC	102016
3214 2-3/8" US10B SCC KD	058093
3214 2-3/4" US10B NC IC	034769
3214 2-3/4" US10B SCC KD	012651
3214 2-3/8" US26D NC IC	187062
3214 2-3/8" US26D SCC KD	113487
3214 2-3/4" US26D NC IC	034759
<b>3214 2-3/4" US26D SCC KD</b>	<b>098342</b>
3214 2-3/8" US3 NC IC	148520
3214 2-3/8" US3 SCC KD	044086
3214 2-3/4" US3 NC IC	034803
3214 2-3/4" US3 SCC KD	012647
3214 2-3/8" US32D SCC KD	096051
3214 2-3/4" US32D NC IC	034749
<b>3214 2-3/4" US32D SCC KD</b>	<b>012645</b>
3214 2-3/8" US4 SCC KD	130567
3214 2-3/4" US4 NC IC	034801
3214 2-3/4" US4 SCC KD	012649

**3215**

3215 2-3/8" US10 NC IC	136009
3215 2-3/8" US10 SCC KD	054763
3215 2-3/4" US10 NC IC	048992
3215 2-3/4" US10 SCC KD	012653
3215 2-3/8" US10B NC IC	007223
3215 2-3/8" US10B SCC KD	097759
3215 2-3/4" US10B NC IC	038848
<b>3215 2-3/4" US10B SCC KD</b>	<b>012652</b>
3215 2-3/8" US26D NC IC	046832
3215 2-3/8" US26D SCC KD	065836
<b>3215 2-3/4" US26D NC IC</b>	<b>098280</b>
<b>3215 2-3/4" US26D SCC KD</b>	<b>098341</b>
3215 2-3/8" US3 NC IC	005743
3215 2-3/8" US3 SCC KD	096177
3215 2-3/4" US3 NC IC	084949
3215 2-3/4" US3 SCC KD	012655
3215 2-3/8" US32D NC IC	031595
3215 2-3/8" US32D SCC KD	097015
3215 2-3/4" US32D NC IC	098220
<b>3215 2-3/4" US32D SCC KD</b>	<b>012657</b>

Items with the price in **bold and red** are available for online ordering in the MyHager portal.



**3215**

3215 2-3/8" US4 NC IC	.108489
3215 2-3/8" US4 SCC KD	.067222
3215 2-3/4" US4 NC IC	.038847
3215 2-3/4" US4 SCC KD	.012654

**3216**

3216 ADJ US10.	.143039
3216 ADJ US10B	.143040
<b>3216 ADJ US26D</b>	<b>143041</b>
3216 ADJ US3.	.143037
3216 ADJ US32D	.143043
3216 ADJ US4.	.143038

**3220**

3220 ADJ US10.	.111391
3220 ADJ US10B	.111392
<b>3220 ADJ US26D</b>	<b>118136</b>
3220 ADJ US3.	.111393
3220 ADJ US32D	.111395
3220 ADJ US4.	.111396

**3221**

3221 ADJ US10.	.111825
3221 ADJ US10B	.111832
3221 ADJ US26D	.118140
3221 ADJ US3.	.111833
3221 ADJ US32D	.111835
3221 ADJ US4.	.111837

**3222**

3222 ADJ US10.	.111415
3222 ADJ US10B	.111416
3222 ADJ US26D	.118139
3222 ADJ US3.	.111417
3222 ADJ US32D	.111419
3222 ADJ US4.	.111421

**3410**

3410 2-3/4" US10 ARC ASA	.012557
3410 2-3/4" US10 AUG ASA	.041178
3410 2-3/4" US10 WTN ASA	.012548
3410 2-3/4" US10B ARC ASA	.012560
3410 2-3/4" US10B AUG ASA	.041148
3410 2-3/4" US10B WTN ASA	.012549
3410 2-3/4" US26 ARC ASA	.012553
3410 2-3/4" US26 AUG ASA	.041141
3410 2-3/4" US26 WTN ASA	.012526
<b>3410 2-3/4" US26D ARC ASA</b>	<b>012550</b>
<b>3410 2-3/4" US26D AUG ASA</b>	<b>041139</b>
<b>3410 2-3/4" US26D WTN ASA</b>	<b>012525</b>
3410 2-3/4" US3 ARC ASA	.012554
3410 2-3/4" US3 AUG ASA	.041082
3410 2-3/4" US3 WTN ASA	.012528
3410 2-3/4" US4 ARC ASA	.012555
3410 2-3/4" US4 AUG ASA	.040960
3410 2-3/4" US4 WTN ASA	.012530

**3417**

3417 US10 ARC	.012576
3417 US10 AUG	.028522
3417 US10 WTN	.012569
3417 US10B ARC	.012577
3417 US10B AUG	.028542
3417 US10B WTN	.012570
3417 US26 ARC	.012572
3417 US26 AUG	.028516
3417 US26 WTN	.012566
3417 US26D ARC	.012571
3417 US26D AUG	.028530
<b>3417 US26D WTN</b>	<b>012563</b>
3417 US3 ARC	.012573
3417 US3 AUG	.028515
3417 US3 WTN	.012567
3417 US4 ARC	.012575
3417 US4 AUG	.028529
3417 US4 WTN	.012568

**3440**

3440 2-3/4" US10 ARC ASA	.012518
3440 2-3/4" US10 AUG ASA	.040751
3440 2-3/4" US10 WTN ASA	.012509
3440 2-3/4" US10B ARC ASA	.012519
3440 2-3/4" US10B AUG ASA	.040748
3440 2-3/4" US10B WTN ASA	.012510
3440 2-3/4" US26 ARC ASA	.012515
3440 2-3/4" US26 AUG ASA	.040718
3440 2-3/4" US26 WTN ASA	.012504
<b>3440 2-3/4" US26D ARC ASA</b>	<b>012514</b>
<b>3440 2-3/4" US26D AUG ASA</b>	<b>040658</b>
<b>3440 2-3/4" US26D WTN ASA</b>	<b>012499</b>
3440 2-3/4" US3 ARC ASA	.012516
3440 2-3/4" US3 APL ASA	.012502
3440 2-3/4" US3 AUG ASA	.040639
3440 2-3/4" US3 WTN ASA	.012505
3440 2-3/4" US32D APL ASA	.012503
3440 2-3/4" US4 ARC ASA	.012517
3440 2-3/4" US4 AUG ASA	.040618
3440 2-3/4" US4 WTN ASA	.012508

**3450**

3450 2-3/4" US10 ARC NC ASA IC	.038099
3450 2-3/4" US10 ARC SCC KD ASA	.038133
3450 2-3/4" US10 AUG NC ASA IC	.024940
3450 2-3/4" US10 AUG SCC KD ASA	.028445
3450 2-3/4" US10 WTN NC ASA IC	.038088
3450 2-3/4" US10 WTN SCC KD ASA	.038127
3450 2-3/4" US10B ARC LF ASA LFIC	.191995
3450 2-3/4" US10B ARC NC ASA IC	.038087
3450 2-3/4" US10B ARC SCC KD ASA	.038116
3450 2-3/4" US10B AUG LF ASA LFIC	.192006
3450 2-3/4" US10B AUG NC ASA IC	.024141
3450 2-3/4" US10B AUG SCC KD ASA	.028440
3450 2-3/4" US10B WTN LF ASA LFIC	.187523
3450 2-3/4" US10B WTN NC ASA IC	.038048
3450 2-3/4" US10B WTN SCC KD ASA	.038113

Items with the price in **bold and red** are available for online ordering in the MyHager portal.



**3450**

3450 2-3/4" US26 ARC NC ASA IC	.038824
3450 2-3/4" US26 ARC SCC KD ASA	.038170
3450 2-3/4" US26 AUG NC ASA IC	.024933
3450 2-3/4" US26 AUG SCC KD ASA	.028439
3450 2-3/4" US26 WTN NC ASA IC	.038823
3450 2-3/4" US26 WTN SCC KD ASA	.038169
3450 2-3/4" US26D ARC LF ASA LFIC	.187489
3450 2-3/4" US26D ARC NC ASA IC	.098296
<b>3450 2-3/4" US26D ARC SCC KD ASA</b>	<b>.098330</b>
3450 2-3/4" US26D AUG LF ASA LFIC	.191999
3450 2-3/4" US26D AUG NC ASA IC	.024987
<b>3450 2-3/4" US26D AUG SCC KD ASA</b>	<b>.028481</b>
3450 2-3/4" US26D WTN LF ASA LFIC	.182628
3450 2-3/4" US26D WTN NC ASA IC	.098323
<b>3450 2-3/4" US26D WTN SCC KD ASA</b>	<b>.098333</b>
3450 2-3/4" US3 ARC NC ASA IC	.038539
3450 2-3/4" US3 ARC SCC KD ASA	.038167
3450 2-3/4" US3 AUG NC ASA IC	.024928
3450 2-3/4" US3 AUG SCC KD ASA	.028431
3450 2-3/4" US3 WTN NC ASA IC	.038293
3450 2-3/4" US3 WTN SCC KD ASA	.038140
3450 2-3/4" US4 ARC NC ASA IC	.038135
3450 2-3/4" US4 ARC SCC KD ASA	.038139
3450 2-3/4" US4 AUG NC ASA IC	.024949
3450 2-3/4" US4 AUG SCC KD ASA	.028446
3450 2-3/4" US4 WTN NC ASA IC	.038112
3450 2-3/4" US4 WTN SCC KD ASA	.038134

**3453**

3453 2-3/4" US10 ARC NC ASA IC	.037850
3453 2-3/4" US10 ARC SCC KD ASA	.012442
3453 2-3/4" US10 AUG NC ASA IC	.024866
3453 2-3/4" US10 AUG SCC KD ASA	.028404
3453 2-3/4" US10 WTN NC ASA IC	.037795
3453 2-3/4" US10 WTN SCC KD ASA	.012435
3453 2-3/4" US10B ARC NC ASA IC	.192007
3453 2-3/4" US10B ARC NC ASA IC	.088953
3453 2-3/4" US10B ARC SCC KD ASA	.012443
3453 2-3/4" US10B AUG NC ASA IC	.192017
3453 2-3/4" US10B AUG NC ASA IC	.024855
3453 2-3/4" US10B AUG SCC KD ASA	.028393
3453 2-3/4" US10B WTN NC ASA IC	.187551
3453 2-3/4" US10B WTN NC ASA IC	.037776
3453 2-3/4" US10B WTN SCC KD ASA	.012437
3453 2-3/4" US26 ARC NC ASA IC	.038229
3453 2-3/4" US26 ARC SCC KD ASA	.012439
3453 2-3/4" US26 AUG NC ASA IC	.024761
3453 2-3/4" US26 AUG SCC KD ASA	.028391
3453 2-3/4" US26 WTN NC ASA IC	.038044
3453 2-3/4" US26 WTN SCC KD ASA	.012429
3453 2-3/4" US26D ARC NC ASA IC	.187488
<b>3453 2-3/4" US26D ARC NC ASA IC</b>	<b>.098295</b>
<b>3453 2-3/4" US26D ARC SCC KD ASA</b>	<b>.012438</b>
3453 2-3/4" US26D AUG NC ASA IC	.192016
3453 2-3/4" US26D AUG NC ASA IC	.024713
<b>3453 2-3/4" US26D AUG SCC KD ASA</b>	<b>.028390</b>

**3453**

3453 2-3/4" US26D WTN NC ASA IC	.182636
<b>3453 2-3/4" US26D WTN NC ASA IC</b>	<b>.098322</b>
<b>3453 2-3/4" US26D WTN SCC KD ASA</b>	<b>.012427</b>
3453 2-3/4" US3 ARC NC ASA IC	.038042
3453 2-3/4" US3 ARC SCC KD ASA	.012440
3453 2-3/4" US3 AUG NC ASA IC	.024712
3453 2-3/4" US3 AUG SCC KD ASA	.028389
3453 2-3/4" US3 WTN NC ASA IC	.038040
3453 2-3/4" US3 WTN SCC KD ASA	.012433
3453 2-3/4" US4 ARC NC ASA IC	.038018
3453 2-3/4" US4 ARC SCC KD ASA	.012441
3453 2-3/4" US4 AUG NC ASA IC	.024616
3453 2-3/4" US4 AUG SCC KD ASA	.028381
3453 2-3/4" US4 WTN NC ASA IC	.037886
3453 2-3/4" US4 WTN SCC KD ASA	.012434

**3470**

3470 2-3/4" US10 ARC NC ASA IC	.144666
3470 2-3/4" US10 ARC SCC KD ASA	.144670
3470 2-3/4" US10 AUG NC ASA IC	.144671
3470 2-3/4" US10 AUG SCC KD ASA	.144672
3470 2-3/4" US10 WTN NC ASA IC	.144673
3470 2-3/4" US10 WTN SCC KD ASA	.144674
3470 2-3/4" US10B ARC NC ASA IC	.144675
3470 2-3/4" US10B ARC SCC KD ASA	.144676
3470 2-3/4" US10B AUG NC ASA IC	.144677
3470 2-3/4" US10B AUG SCC KD ASA	.144678
3470 2-3/4" US10B WTN NC ASA IC	.144679
3470 2-3/4" US10B WTN SCC KD ASA	.144680
3470 2-3/4" US26 ARC NC ASA IC	.144683
3470 2-3/4" US26 ARC SCC KD ASA	.144684
3470 2-3/4" US26 AUG SCC KD ASA	.144686
3470 2-3/4" US26 WTN NC ASA IC	.144687
3470 2-3/4" US26 WTN SCC KD ASA	.144688
3470 2-3/4" US26D ARC NC ASA IC	.144689
<b>3470 2-3/4" US26D ARC SCC KD ASA</b>	<b>.144667</b>
3470 2-3/4" US26D AUG NC ASA IC	.144690
<b>3470 2-3/4" US26D AUG SCC KD ASA</b>	<b>.144691</b>
<b>3470 2-3/4" US26D WTN NC ASA IC</b>	<b>.144668</b>
<b>3470 2-3/4" US26D WTN SCC KD ASA</b>	<b>.144669</b>
3470 2-3/4" US3 ARC NC ASA IC	.144692
3470 2-3/4" US3 ARC SCC KD ASA	.144694
3470 2-3/4" US3 AUG NC ASA IC	.144696
3470 2-3/4" US3 AUG SCC KD ASA	.144697
3470 2-3/4" US3 WTN NC ASA IC	.144698
3470 2-3/4" US3 WTN SCC KD ASA	.144699
3470 2-3/4" US4 ARC NC ASA IC	.144702
3470 2-3/4" US4 ARC SCC KD ASA	.144703
3470 2-3/4" US4 AUG SCC KD ASA	.144705
3470 2-3/4" US4 WTN NC ASA IC	.144706
3470 2-3/4" US4 WTN SCC KD ASA	.144707

**3473**

3473 2-3/4" US10B ARC NC ASA IC (REV1)	.138470
3473 2-3/4" US10B ARC SCC KD ASA (REV1)	.138471
3473 2-3/4" US10B AUG NC ASA IC (REV1)	.138472
3473 2-3/4" US10B AUG SCC KD ASA (REV1)	.138473

Items with the price in **bold and red** are available for online ordering in the MyHager portal.

**3473**

3473 2-3/4" US10B WTN NC ASA IC (REV1) .....	138474
3473 2-3/4" US26D ARC LF ASA LFIC (REV1) .....	187494
3473 2-3/4" US26D ARC NC ASA IC (REV1) .....	138482
3473 2-3/4" US26D ARC SCC KD ASA (REV1) .....	138485
3473 2-3/4" US26D AUG LF ASA LFIC (REV1) .....	37101
3473 2-3/4" US26D AUG NC ASA IC (REV1) .....	138487
3473 2-3/4" US26D AUG SCC KD ASA (REV1) .....	138488
3473 2-3/4" US26D WTN LF ASA LFIC (REV1) .....	182638
3473 2-3/4" US26D WTN NC ASA IC (REV1) .....	138489
3473 2-3/4" US26D WTN SCC KD ASA (REV1) .....	138490

**3480**

3480 2-3/4" US10 ARC NC ASA IC .....	037343
3480 2-3/4" US10 ARC SCC KD ASA .....	012495
3480 2-3/4" US10 AUG NC ASA IC .....	024368
3480 2-3/4" US10 AUG SCC KD ASA .....	028031
3480 2-3/4" US10 WTN NC ASA IC .....	037330
3480 2-3/4" US10 WTN SCC KD ASA .....	012483
3480 2-3/4" US10B ARC LF ASA LFIC .....	192043
3480 2-3/4" US10B ARC NC ASA IC .....	037326
3480 2-3/4" US10B ARC SCC KD ASA .....	012496
3480 2-3/4" US10B AUG LF ASA LFIC .....	192371
3480 2-3/4" US10B AUG NC ASA IC .....	024348
3480 2-3/4" US10B AUG SCC KD ASA .....	028017
3480 2-3/4" US10B WTN LF ASA LFIC .....	187556
3480 2-3/4" US10B WTN NC ASA IC .....	037325
3480 2-3/4" US10B WTN SCC KD ASA .....	012490
3480 2-3/4" US26 ARC NC ASA IC .....	038085
3480 2-3/4" US26 ARC SCC KD ASA .....	012492
3480 2-3/4" US26 AUG NC ASA IC .....	024328
3480 2-3/4" US26 AUG SCC KD ASA .....	027994
3480 2-3/4" US26 WTN NC ASA IC .....	037531
3480 2-3/4" US26 WTN SCC KD ASA .....	012479
3480 2-3/4" US26D ARC NC ASA IC .....	187498
<b>3480 2-3/4" US26D ARC NC ASA IC .....</b>	<b>098292</b>
<b>3480 2 3/4 26D ARC SCC KD ASA .....</b>	<b>012491</b>
3480 2-3/4" US26D AUG NC ASA IC .....	024264
<b>3480 2-3/4" US26D AUG SCC KD ASA .....</b>	<b>027993</b>
3480 2-3/4" US26D WTN NC ASA IC .....	182639
<b>3480 2-3/4" US26D WTN NC ASA IC .....</b>	<b>098651</b>
<b>3480 2-3/4" US26D WTN SCC KD ASA .....</b>	<b>012478</b>
3480 2-3/4" US3 ARC NC ASA IC .....	037516
3480 2-3/4" US3 ARC SCC KD ASA .....	012493
3480 2-3/4" US3 AUG NC ASA IC .....	024233
3480 2-3/4" US3 AUG SCC KD ASA .....	027990
3480 2-3/4" US3 WTN NC ASA IC .....	037444
3480 2-3/4" US3 WTN SCC KD ASA .....	012481
3480 2-3/4" US4 ARC NC ASA IC .....	037408
3480 2-3/4" US4 ARC SCC KD ASA .....	012494
3480 2-3/4" US4 AUG NC ASA IC .....	024187
3480 2-3/4" US4 AUG SCC KD ASA .....	027988
3480 2-3/4" US4 WTN NC ASA IC .....	037388
3480 2-3/4" US4 WTN SCC KD ASA .....	012482

**3495**

3495 2-3/4" US10 ARC NC ASA IC .....	006810
3495 2-3/4" US10 ARC SCC KD ASA .....	007195
3495 2-3/4" US10 AUG NC ASA IC .....	006739
3495 2-3/4" US10 AUG SCC KD ASA .....	006847
3495 2-3/4" US10 WTN NC ASA IC .....	006765
3495 2-3/4" US10 WTN SCC KD ASA .....	007081
3495 2-3/4" US10B ARC NC ASA IC .....	006803
3495 2-3/4" US10B ARC SCC KD ASA .....	007192
3495 2-3/4" US10B AUG NC ASA IC .....	006738
3495 2-3/4" US10B AUG SCC KD ASA .....	006846
3495 2-3/4" US10B WTN NC ASA IC .....	006758
3495 2-3/4" US10B WTN SCC KD ASA .....	007074
3495 2-3/4" US26 ARC NC ASA IC .....	006798
3495 2-3/4" US26 ARC SCC KD ASA .....	007182
3495 2-3/4" US26 AUG NC ASA IC .....	006735
3495 2-3/4" US26 AUG SCC KD ASA .....	006841
3495 2-3/4" US26 WTN NC ASA IC .....	006754
3495 2-3/4" US26 WTN SCC KD ASA .....	007071
3495 2-3/4" US26D ARC LF ASA LFIC .....	187499
3495 2-3/4" US26D ARC NC ASA IC .....	006797
3495 2-3/4" US26D ARC SCC KD ASA .....	007180
3495 2-3/4" US26D AUG LF ASA LFIC .....	111736
3495 2-3/4" US26D AUG NC ASA IC .....	006705
3495 2-3/4" US26D AUG SCC KD ASA .....	006840
3495 2-3/4" US26D WTN NLF ASA LFIC .....	182640
3495 2-3/4" US26D WTN NC ASA IC .....	006753
<b>3495 2-3/4" US26D WTN SCC KD ASA .....</b>	<b>007070</b>
3495 2-3/4" US3 ARC NC ASA IC .....	007292
3495 2-3/4" US3 ARC SCC KD ASA .....	007295
3495 2-3/4" US3 AUG NC ASA IC .....	006745
3495 2-3/4" US3 AUG SCC KD ASA .....	007063
3495 2-3/4" US3 WTN NC ASA IC .....	006795
3495 2-3/4" US3 WTN SCC KD ASA .....	007176
3495 2-3/4" US4 ARC NC ASA IC .....	006819
3495 2-3/4" US4 ARC SCC KD ASA .....	007199
3495 2-3/4" US4 AUG NC ASA IC .....	006743
3495 2-3/4" US4 AUG SCC KD ASA .....	006848
3495 2-3/4" US4 WTN NC ASA IC .....	006792
3495 2-3/4" US4 WTN SCC KD ASA .....	007170

**34K**

34K1 2 3/4" US10B ARC NC ASA IC .....	194602
34K1 2 3/4" US10B ARC SCC KD ASA .....	194600
<del>34K1 2 3/4" US10B AUG NC ASA IC .....</del>	<del>194606</del>
<del>34K1 2 3/4" US10B AUG SCC KD ASA .....</del>	<del>194604</del>
<del>34K1 2 3/4" US10B AUG SCC KD ASA .....</del>	<del>190236</del>
<del>34K1 2 3/4" US10B WTN SCC KD ASA .....</del>	<del>190233</del>
<del>34K1 2 3/4" US26D ARC NC ASA IC (REV 1) .....</del>	<del>N/A</del>
<del>34K1 2 3/4" US26D ARC SCC KD ASA (REV 1) .....</del>	<del>N/A</del>
<del>34K1 2 3/4" US26D WTN NC ASA IC (REV 1) .....</del>	<del>N/A</del>
<del>34K1 2 3/4" US26D WTN SCC KD ASA (REV 1) .....</del>	<del>N/A</del>
<del>34K2 2 3/4" US10B ARC NC ASA IC .....</del>	<del>95455</del>
<del>34K2 2 3/4" US10B ARC SCC KD ASA .....</del>	<del>95473</del>
<del>34K2 2 3/4" US10B AUG NC ASA IC .....</del>	<del>95437</del>
<del>34K2 2 3/4" US10B AUG SCC KD ASA .....</del>	<del>95440</del>

Items with the price in **bold and red** are available for online ordering in the MyHager portal.



**34K**

34K2 2-3/4" US10B WTN NC ASA IC	191663
34K2 2-3/4" US10B WTN SCC KD ASA	191659
34K2 2-3/4" US26D ARC NC ASA IC	N/A
34K2 2-3/4" US26D ARC SCC KD ASA	N/A
34K2 2-3/4" US26D AUG SCC KD ASA	N/A
34K2 2-3/4" US26D WTN NC ASA IC	N/A
34K2 2-3/4" US26D WTN SCC KD ASA	N/A

**3510**

3510 2-3/4" US10 ARC ASA	000319
3510 2-3/4" US10 AUG ASA	038966
3510 2-3/4" US10 WTN ASA	000261
<b>3510 2-3/4" US10B ARC ASA</b>	<b>000320</b>
3510 2-3/4" US10B AUG ASA	037082
<b>3510 2-3/4" US10B WTN ASA</b>	<b>000262</b>
3510 2-3/4" US26 ARC ASA	000316
3510 2-3/4" US26 AUG ASA	036933
3510 2-3/4" US26 WTN ASA	000258
<b>3510 2-3/4" US26D ARC ASA</b>	<b>000313</b>
<b>3510 2-3/4" US26D AUG ASA</b>	<b>036892</b>
<b>3510 2-3/4" US26D WTN ASA</b>	<b>000256</b>
3510 2-3/4" US3 ARC ASA	000317
3510 2-3/4" US3 AUG ASA	036825
3510 2-3/4" US3 WTN ASA	000259
3510 2-3/4" US4 ARC ASA	000318
3510 2-3/4" US4 AUG ASA	036813
3510 2-3/4" US4 WTN ASA	000260
3510 2-3/4" US3 APL ASA	091147
<b>3510 2-3/4" US32D APL ASA</b>	<b>091148</b>

**3517**

3517 US10 ARC	000329
3517 US10 AUG	027799
3517 US10 WTN	000277
3517 US10B ARC	111284
3517 US10B AUG	111285
3517 US10B WTN	111286
3517 US26 ARC	000322
3517 US26 AUG	027791
3517 US26 WTN	111288
<b>3517 US26D ARC</b>	<b>111289</b>
<b>3517 US26D AUG</b>	<b>111290</b>
<b>3517 US26D WTN</b>	<b>111291</b>
3517 US3 ARC	000323
3517 US3 AUG	027775
3517 US3 WTN	111294
3517 US4 ARC	000325
3517 US4 AUG	027768
3517 US4 WTN	000276
3517 US3 APL	000102
3517 US32D APL	000105

**3525**

3525 2-3/4" US10 ARC ASA	095545
3525 2-3/4" US10 AUG ASA	038501
3525 2-3/4" US10 WTN ASA	095536

**3525**

3525 2-3/4" US10B ARC ASA	095546
3525 2-3/4" US10B AUG ASA	038434
3525 2-3/4" US10B WTN ASA	095537
3525 2-3/4" US26 ARC ASA	095547
3525 2-3/4" US26 AUG ASA	038492
3525 2-3/4" US26 WTN ASA	095543
3525 2-3/4" US26D ARC ASA	095550
3525 2-3/4" US26D AUG ASA	038430
<b>3525 2-3/4" US26D WTN ASA</b>	<b>095544</b>
3525 2-3/4" US3 ARC ASA	095533
3525 2-3/4" US3 AUG ASA	038519
3525 2-3/4" US3 WTN ASA	095532
3525 2-3/4" US4 ARC ASA	095534
3525 2-3/4" US4 AUG ASA	038390
3525 2-3/4" US4 WTN ASA	095535

**3527**

3527 US10 ARC	111169
3527 US10 AUG	111189
3527 US10 WTN	111191
3527 US10B ARC	111192
3527 US10B AUG	111193
3527 US10B WTN	111194
3527 US26 ARC	111195
3527 US26 AUG	111196
3527 US26 WTN	111197
3527 US26D ARC	111198
3527 US26D AUG	111199
3527 US26D WTN	111200
3527 US3 ARC	111201
3527 US3 AUG	111202
3527 US3 WTN	111203
3527 US4 ARC	111205
3527 US4 AUG	111206
3527 US4 WTN	111204

**3540**

3540 2-3/4" US10 ARC ASA	000311
3540 2-3/4" US10 AUG ASA	038384
3540 2-3/4" US10 WTN ASA	000252
<b>3540 2-3/4" US10B ARC ASA</b>	<b>000312</b>
3540 2-3/4" US10B AUG ASA	038280
<b>3540 2-3/4" US10B WTN ASA</b>	<b>000254</b>
3540 2-3/4" US26 ARC ASA	000308
3540 2-3/4" US26 AUG ASA	038266
3540 2-3/4" US26 WTN ASA	000248
<b>3540 2-3/4" US26D ARC ASA</b>	<b>000307</b>
<b>3540 2-3/4" US26D AUG ASA</b>	<b>038034</b>
<b>3540 2-3/4" US26D WTN ASA</b>	<b>000247</b>
3540 2-3/4" US3 ARC ASA	000309
3540 2-3/4" US3 AUG ASA	037999
3540 2-3/4" US3 WTN ASA	000249
3540 2-3/4" US4 ARC ASA	000310
3540 2-3/4" US4 AUG ASA	037979
3540 2-3/4" US4 WTN ASA	000250
3540 2-3/4" US3 APL ASA	091121
<b>3540 2-3/4" US32D APL ASA</b>	<b>091146</b>

Items with the price in **bold and red** are available for online ordering in the MyHager portal.



## 3550

3550 2-3/4" US10 ARC NC ASA IC	.037229
3550 2-3/4" US10 ARC SCC KD ASA	.037173
3550 2-3/4" US10 AUG NC ASA IC	.023439
3550 2-3/4" US10 AUG SCC KD ASA	.027728
3550 2-3/4" US10 WTN NC ASA IC	.037227
3550 2-3/4" US10 WTN SCC KD ASA	.037170
3550 2-3/4" US10B ARC NC ASA IC	.037208
3550 2-3/4" US10B ARC SCC KD ASA	.037169
3550 2-3/4" US10B AUG NC ASA IC	.023588
3550 2-3/4" US10B AUG SCC KD ASA	.027729
3550 2-3/4" US10B WTN NC ASA IC	.037206
3550 2-3/4" US10B WTN SCC KD ASA	.037162
3550 2-3/4" US26 ARC NC ASA IC	.038039
3550 2-3/4" US26 ARC SCC KD ASA	.037205
3550 2-3/4" US26 AUG NC ASA IC	.023554
3550 2-3/4" US26 AUG SCC KD ASA	.027726
3550 2-3/4" US26 WTN NC ASA IC	.037256
3550 2-3/4" US26 WTN SCC KD ASA	.037203
3550 2-3/4" US26D ARC NC ASA IC	.098290
<b>3550 2-3/4" US26D ARC SCC KD ASA</b>	<b>.098325</b>
3550 2-3/4" US26D AUG NC ASA IC	.023493
<b>3550 2-3/4" US26D AUG SCC KD ASA</b>	<b>.027719</b>
<b>3550 2-3/4" US26D WTN NC ASA IC</b>	<b>.098291</b>
<b>3550 2-3/4" US26D WTN SCC KD ASA</b>	<b>.098329</b>
3550 2-3/4" US3 ARC NC ASA IC	.037245
3550 2-3/4" US3 ARC SCC KD ASA	.050365
3550 2-3/4" US3 AUG NC ASA IC	.023438
3550 2-3/4" US3 AUG SCC KD ASA	.027713
3550 2-3/4" US3 WTN NC ASA IC	.037234
3550 2-3/4" US3 WTN SCC KD ASA	.037202
3550 2-3/4" US4 ARC NC ASA IC	.037232
3550 2-3/4" US4 ARC SCC KD ASA	.037200
3550 2-3/4" US4 AUG NC ASA IC	.023453
3550 2-3/4" US4 AUG SCC KD ASA	.027704
3550 2-3/4" US4 WTN NC ASA IC	.037230
3550 2-3/4" US4 WTN SCC KD ASA	.037191

## 3553

3553 2-3/4" US10 ARC NC ASA IC	.048993
3553 2-3/4" US10 ARC SCC KD ASA	.000290
3553 2-3/4" US10 AUG NC ASA IC	.023437
3553 2-3/4" US10 AUG SCC KD ASA	.027702
3553 2-3/4" US10 WTN NC ASA IC	.037888
3553 2-3/4" US10 WTN SCC KD ASA	.000095
3553 2-3/4" US10B ARC NC ASA IC	.037159
<b>3553 2-3/4" US10B ARC SCC KD ASA</b>	<b>.000291</b>
3553 2-3/4" US10B AUG NC ASA IC	.023436
3553 2-3/4" US10B AUG SCC KD ASA	.027701
3553 2-3/4" US10B WTN NC ASA IC	.045784
<b>3553 2-3/4" US10B WTN SCC KD ASA</b>	<b>.000096</b>
3553 2-3/4" US26 ARC NC ASA IC	.161159
3553 2-3/4" US26 ARC SCC KD ASA	.000286
3553 2-3/4" US26 AUG NC ASA IC	.023435
3553 2-3/4" US26 AUG SCC KD ASA	.027684
3553 2-3/4" US26 WTN NC ASA IC	.014395
3553 2-3/4" US26 WTN SCC KD ASA	.000092

## 3553

3553 2-3/4" US26D ARC NC ASA IC	.098289
<b>3553 2-3/4" US26D ARC SCC KD ASA</b>	<b>.000284</b>
3553 2-3/4" US26D AUG NC ASA IC	.023393
<b>3553 2-3/4" US26D AUG SCC KD ASA</b>	<b>.027683</b>
<b>3553 2-3/4" US26D WTN NC ASA IC</b>	<b>.098655</b>
<b>3553 2-3/4" US26D WTN SCC KD ASA</b>	<b>.000091</b>
3553 2-3/4" US3 ARC NC ASA IC	.053986
3553 2-3/4" US3 ARC SCC KD ASA	.000288
3553 2-3/4" US3 AUG NC ASA IC	.023377
3553 2-3/4" US3 AUG SCC KD ASA	.027682
3553 2-3/4" US3 WTN NC ASA IC	.084942
3553 2-3/4" US3 WTN SCC KD ASA	.000093
3553 2-3/4" US4 ARC NC ASA IC	.086632
3553 2-3/4" US4 ARC SCC KD ASA	.000289
3553 2-3/4" US4 AUG NC ASA IC	.023296
3553 2-3/4" US4 AUG SCC KD ASA	.027677
3553 2-3/4" US4 WTN NC ASA IC	.037153
3553 2-3/4" US4 WTN SCC KD ASA	.000094
3553 2-3/4" US3 APL SCC KD ASA	.090526
3553 2-3/4" US32D APL NC ASA IC	.117596
<b>3553 2-3/4" US32D APL SCC KD ASA</b>	<b>.091096</b>

## 3570

3570 2-3/4" US10 ARC NC ASA IC	.144716
3570 2-3/4" US10 ARC SCC KD ASA	.144417
3570 2-3/4" US10 AUG SCC KD ASA	.144719
3570 2-3/4" US10 WTN NC ASA IC	.144720
3570 2-3/4" US10 WTN SCC KD ASA	.144721
3570 2-3/4" US10B ARC NC ASA IC	.144722
3570 2-3/4" US10B ARC SCC KD ASA	.144723
3570 2-3/4" US10B AUG NC ASA IC	.144724
3570 2-3/4" US10B AUG SCC KD ASA	.144725
3570 2-3/4" US10B WTN NC ASA IC	.144726
<b>3570 2-3/4" US10B WTN SCC KD ASA</b>	<b>.144711</b>
3570 2-3/4" US26 ARC SCC KD ASA	.144728
3570 2-3/4" US26 AUG NC ASA IC	.144729
3570 2-3/4" US26 AUG SCC KD ASA	.144730
3570 2-3/4" US26 WTN NC ASA IC	.144731
3570 2-3/4" US26 WTN SCC KD ASA	.144732
3570 2-3/4" US26D ARC NC ASA IC	.144734
<b>3570 2-3/4" US26D ARC SCC KD ASA</b>	<b>.144712</b>
3570 2-3/4" US26D AUG NC ASA IC	.144735
<b>3570 2-3/4" US26D AUG SCC KD ASA</b>	<b>.144736</b>
3570 2-3/4" US26D WTN NC ASA IC	.144713
<b>3570 2-3/4" US26D WTN SCC KD ASA</b>	<b>.144714</b>
3570 2-3/4" US3 ARC NC ASA IC	.144737
3570 2-3/4" US3 ARC SCC KD ASA	.144738
3570 2-3/4" US3 AUG NC ASA IC	.144740
3570 2-3/4" US3 AUG SCC KD ASA	.144741
3570 2-3/4" US3 WTN NC ASA IC	.144742
3570 2-3/4" US3 WTN SCC KD ASA	.144743
3570 2-3/4" US4 ARC NC ASA IC	.144744
3570 2-3/4" US4 ARC SCC KD ASA	.144745
3570 2-3/4" US4 AUG NC ASA IC	.144746
3570 2-3/4" US4 AUG SCC KD ASA	.144747
3570 2-3/4" US4 WTN NC ASA IC	.97056

Items with the price in **bold and red** are available for online ordering in the MyHager portal.





**3570**

3570 2-3/4" US4 WTN SCC KD ASA . . . . .	144749
3570 2-3/4" US3 APL SCC KD ASA . . . . .	144739
<b>3570 2-3/4" US32D APL SCC KD ASA . . . . .</b>	<b>144715</b>

**3573**

3573 2-3/4" US10 ARC NC ASA IC (REV1) . . . . .	138416
3573 2-3/4" US10 ARC SCC KD ASA (REV1) . . . . .	138417
3573 2-3/4" US10 AUG NC ASA IC (REV1) . . . . .	138418
3573 2-3/4" US10 AUG SCC KD ASA (REV1) . . . . .	138419
3573 2-3/4" US10 WTN NC ASA IC (REV1) . . . . .	138420
3573 2-3/4" US10 WTN SCC KD ASA (REV1) . . . . .	138421
3573 2-3/4" US10B ARC NC ASA IC (REV1) . . . . .	138422
3573 2-3/4" US10B ARC SCC KD ASA (REV1) . . . . .	138423
3573 2-3/4" US10B AUG NC ASA IC (REV1) . . . . .	138424
3573 2-3/4" US10B AUG SCC KD ASA (REV1) . . . . .	138426
3573 2-3/4" US10B WTN NC ASA IC (REV1) . . . . .	138427
3573 2-3/4" US10B WTN SCC KD ASA (REV1) . . . . .	138428
3573 2-3/4" US26 ARC NC ASA IC (REV1) . . . . .	138429
3573 2-3/4" US26 ARC SCC KD ASA (REV1) . . . . .	138430
3573 2-3/4" US26 AUG NC ASA IC (REV1) . . . . .	138431
3573 2-3/4" US26 AUG SCC KD ASA (REV1) . . . . .	138432
3573 2-3/4" US26 WTN NC ASA IC (REV1) . . . . .	138433
3573 2-3/4" US26 WTN SCC KD ASA (REV1) . . . . .	138434
3573 2-3/4" US26D ARC NC ASA IC (REV1) . . . . .	138405
3573 2-3/4" US26D ARC SCC KD ASA (REV1) . . . . .	138435
3573 2-3/4" US26D AUG NC ASA IC (REV1) . . . . .	138407
3573 2-3/4" US26D AUG SCC KD ASA (REV1) . . . . .	138409
3573 2-3/4" US26D WTN NC ASA IC (REV1) . . . . .	138441
3573 2-3/4" US26D WTN SCC KD ASA (REV1) . . . . .	138412
3573 2-3/4" US3 ARC NC ASA IC (REV1) . . . . .	138448
3573 2-3/4" US3 ARC SCC KD ASA (REV1) . . . . .	138449
3573 2-3/4" US3 AUG NC ASA IC (REV1) . . . . .	138450
3573 2-3/4" US3 AUG SCC KD ASA (REV1) . . . . .	138452
3573 2-3/4" US3 WTN NC ASA IC (REV1) . . . . .	138453
3573 2-3/4" US3 WTN SCC KD ASA (REV1) . . . . .	138454
3573 2-3/4" US4 ARC NC ASA IC (REV1) . . . . .	138455
3573 2-3/4" US4 ARC SCC KD ASA (REV1) . . . . .	138456
3573 2-3/4" US4 AUG NC ASA IC (REV1) . . . . .	138457
3573 2-3/4" US4 AUG SCC KD ASA (REV1) . . . . .	138458
3573 2-3/4" US4 WTN NC ASA IC (REV1) . . . . .	138459
3573 2-3/4" US4 WTN SCC KD ASA (REV1) . . . . .	138460

**3579**

3579 2-3/4" US10 ARC SCC KD ASA . . . . .	095564
3579 2-3/4" US10 AUG NC ASA IC . . . . .	023240
3579 2-3/4" US10 AUG SCC KD ASA . . . . .	027417
3579 2-3/4" US10 WTN SCC KD ASA . . . . .	095555
3579 2-3/4" US10B ARC SCC KD ASA . . . . .	095563
3579 2-3/4" US10B AUG NC ASA IC . . . . .	023129
3579 2-3/4" US10B AUG SCC KD ASA . . . . .	027411
3579 2-3/4" US10B WTN NC ASA IC . . . . .	100241
3579 2-3/4" US10B WTN SCC KD ASA . . . . .	095556
3579 2-3/4" US26 ARC SCC KD ASA . . . . .	095560
3579 2-3/4" US26 AUG NC ASA IC . . . . .	023053
3579 2-3/4" US26 AUG SCC KD ASA . . . . .	027410
3579 2-3/4" US26 WTN SCC KD ASA . . . . .	095557
3579 2-3/4" US26D ARC NC ASA IC . . . . .	098284

I

**3579**

3579 2-3/4" US26D ARC SCC KD ASA . . . . .	095559
3579 2-3/4" US26D AUG NC ASA IC . . . . .	023041
3579 2-3/4" US26D AUG SCC KD ASA . . . . .	027408
3579 2-3/4" US26D WTN NC ASA IC . . . . .	098285
3579 2-3/4" US26D WTN SCC KD ASA . . . . .	095558
3579 2-3/4" US3 ARC SCC KD ASA . . . . .	095566
3579 2-3/4" US3 AUG NC ASA IC . . . . .	022986
3579 2-3/4" US3 AUG SCC KD ASA . . . . .	027420
3579 2-3/4" US3 WTN SCC KD ASA . . . . .	095552
3579 2-3/4" US4 ARC SCC KD ASA . . . . .	095565
3579 2-3/4" US4 AUG NC ASA IC . . . . .	023241
3579 2-3/4" US4 AUG SCC KD ASA . . . . .	027421
3579 2-3/4" US4 WTN SCC KD ASA . . . . .	095553

**3580**

3580 2-3/4" US10 ARC NC ASA IC . . . . .	037088
3580 2-3/4" US10 ARC SCC KD ASA . . . . .	000305
3580 2-3/4" US10 AUG NC ASA IC . . . . .	022937
3580 2-3/4" US10 AUG SCC KD ASA . . . . .	027351
3580 2-3/4" US10 WTN NC ASA IC . . . . .	037034
3580 2-3/4" US10 WTN SCC KD ASA . . . . .	000156
3580 2-3/4" US10B ARC NC ASA IC . . . . .	037031
3580 2-3/4" US10B ARC SCC KD ASA . . . . .	000306
3580 2-3/4" US10B AUG NC ASA IC . . . . .	022831
3580 2-3/4" US10B AUG SCC KD ASA . . . . .	027349
3580 2-3/4" US10B WTN NC ASA IC . . . . .	037018
<b>3580 2-3/4" US10B WTN SCC KD ASA . . . . .</b>	<b>000160</b>
3580 2-3/4" US26 ARC NC ASA IC . . . . .	037752
3580 2-3/4" US26 ARC SCC KD ASA . . . . .	000301
3580 2-3/4" US26 AUG NC ASA IC . . . . .	022737
3580 2-3/4" US26 AUG SCC KD ASA . . . . .	027347
3580 2-3/4" US26 WTN NC ASA IC . . . . .	037103
3580 2-3/4" US26 WTN SCC KD ASA . . . . .	000144
3580 2-3/4" US26D ARC NC ASA IC . . . . .	098286
<b>3580 2-3/4" US26D ARC SCC KD ASA . . . . .</b>	<b>000300</b>
3580 2-3/4" US26D AUG NC ASA IC . . . . .	022700
<b>3580 2-3/4" US26D AUG SCC KD ASA . . . . .</b>	<b>027338</b>
<b>3580 2-3/4" US26D WTN NC ASA IC . . . . .</b>	<b>098652</b>
<b>3580 2-3/4" US26D WTN SCC KD ASA . . . . .</b>	<b>000143</b>
3580 2-3/4" US3 ARC NC ASA IC . . . . .	037098
3580 2-3/4" US3 ARC SCC KD ASA . . . . .	000302
3580 2-3/4" US3 AUG NC ASA IC . . . . .	022615
3580 2-3/4" US3 AUG SCC KD ASA . . . . .	027337
3580 2-3/4" US3 WTN NC ASA IC . . . . .	084892
3580 2-3/4" US3 WTN SCC KD ASA . . . . .	000154
3580 2-3/4" US4 ARC NC ASA IC . . . . .	086636
3580 2-3/4" US4 ARC SCC KD ASA . . . . .	000303
3580 2-3/4" US4 AUG NC ASA IC . . . . .	022602
3580 2-3/4" US4 AUG SCC KD ASA . . . . .	027328
3580 2-3/4" US4 WTN NC ASA IC . . . . .	037089
3580 2-3/4" US4 WTN SCC KD ASA . . . . .	000155
3580 2-3/4" US3 APL SCC KD ASA . . . . .	090565
<b>3580 2-3/4" US32D APL SCC KD ASA . . . . .</b>	<b>091101</b>

**3610**

3610 ADJ 2-3/8 TO 2-3/4 US10 ARC ASA . . . . .	092398
3610 ADJ 2-3/8 TO 2-3/4 US10 AUG ASA . . . . .	027301

Items with the price in **bold and red** are available for online ordering in the MyHager portal.

**3610**

3610 ADJ 2-3/8 TO 2-3/4 US10 WTN ASA . . . . .	.092402
3610 ADJ 2-3/8 TO 2-3/4 US10B ARC ASA . . . . .	.092404
3610 ADJ 2-3/8 TO 2-3/4 US10B AUG ASA . . . . .	.027299
3610 ADJ 2-3/8 TO 2-3/4 US10B WTN ASA . . . . .	.092403
3610 ADJ 2-3/8 TO 2-3/4 US26 ARC ASA . . . . .	.092406
3610 ADJ 2-3/8 TO 2-3/4 US26 AUG ASA . . . . .	.027295
3610 ADJ 2-3/8 TO 2-3/4 US26 WTN ASA . . . . .	.092405
<b>3610 ADJ 2-3/8 TO 2-3/4 US26D ARC ASA . . . . .</b>	<b>.092408</b>
3610 ADJ 2-3/8 TO 2-3/4 US26D AUG ASA . . . . .	.027294
<b>3610 ADJ 2-3/8 TO 2-3/4 US26D WTN ASA . . . . .</b>	<b>.092410</b>
3610 ADJ 2-3/8 TO 2-3/4 US3 ARC ASA . . . . .	.092416
3610 ADJ 2-3/8 TO 2-3/4 US3 AUG ASA . . . . .	.027292
3610 ADJ 2-3/8 TO 2-3/4 US3 WTN ASA . . . . .	.092411
3610 ADJ 2-3/8 TO 2-3/4 US4 ARC ASA . . . . .	.092418
3610 ADJ 2-3/8 TO 2-3/4 US4 AUG ASA . . . . .	.027291
3610 ADJ 2-3/8 TO 2-3/4 US4 WTN ASA . . . . .	.092419

**3617**

3617 US10 ARC . . . . .	.013176
3617 US10 AUG . . . . .	.027277
3617 US10 WTN . . . . .	.013170
3617 US10B ARC . . . . .	.013175
3617 US10B AUG . . . . .	.027275
3617 US10B WTN . . . . .	.013169
3617 US26 ARC . . . . .	.013172
3617 US26 AUG . . . . .	.027276
3617 US26 WTN . . . . .	.013166
<b>3617 US26D ARC . . . . .</b>	<b>.013171</b>
3617 US26D AUG . . . . .	.027272
<b>3617 US26D WTN . . . . .</b>	<b>.013165</b>
3617 US3 ARC . . . . .	.013173
3617 US3 AUG . . . . .	.027262
3617 US3 WTN . . . . .	.013167
3617 US4 ARC . . . . .	.013174
3617 US4 AUG . . . . .	.027278
3617 US4 WTN . . . . .	.013168

**3640**

3640 ADJ 2-3/8 TO 2-3/4 US10 ARC ASA . . . . .	.092422
3640 ADJ 2-3/8 TO 2-3/4 US10 AUG ASA . . . . .	.027238
3640 ADJ 2-3/8 TO 2-3/4 US10 WTN ASA . . . . .	.092421
3640 ADJ 2-3/8 TO 2-3/4 US10B ARC ASA . . . . .	.092423
3640 ADJ 2-3/8 TO 2-3/4 US10B AUG ASA . . . . .	.027232
3640 ADJ 2-3/8 TO 2-3/4 US10B WTN ASA . . . . .	.092424
3640 ADJ 2-3/8 TO 2-3/4 US26 ARC ASA . . . . .	.092428
3640 ADJ 2-3/8 TO 2-3/4 US26 AUG ASA . . . . .	.027230
3640 ADJ 2-3/8 TO 2-3/4 US26 WTN ASA . . . . .	.092427
<b>3640 ADJ 2-3/8 TO 2-3/4 US26D ARC ASA . . . . .</b>	<b>.092429</b>
3640 ADJ 2-3/8 TO 2-3/4 US26D AUG ASA . . . . .	.027229
<b>3640 ADJ 2-3/8 TO 2-3/4 US26D WTN ASA . . . . .</b>	<b>.092430</b>
3640 ADJ 2-3/8 TO 2-3/4 US3 ARC ASA . . . . .	.092431
3640 ADJ 2-3/8 TO 2-3/4 US3 AUG ASA . . . . .	.027227
3640 ADJ 2-3/8 TO 2-3/4 US3 WTN ASA . . . . .	.092433
3640 ADJ 2-3/8 TO 2-3/4 US4 ARC ASA . . . . .	.092435
3640 ADJ 2-3/8 TO 2-3/4 US4 AUG ASA . . . . .	.027225
3640 ADJ 2-3/8 TO 2-3/4 US4 WTN ASA . . . . .	.092434

Items with the price in **bold and red** are available for online ordering in the MyHager portal.

**3653**

3653 ADJ 2-3/8 TO 2-3/4 US10 ARC NC ASA IC . . . . .	.193999
3653 ADJ 2-3/8 TO 2-3/4 US10 ARC SCC KD ASA . . . . .	.092436
3653 ADJ 2-3/8 TO 2-3/4 US10 AUG NC ASA IC . . . . .	.194000
3653 ADJ 2-3/8 TO 2-3/4 US10 AUG SCC KD ASA . . . . .	.026938
3653 ADJ 2-3/8 TO 2-3/4 US10 WTN NC ASA IC . . . . .	.194001
3653 ADJ 2-3/8 TO 2-3/4 US10 WTN SCC KD ASA . . . . .	.092439
3653 ADJ 2-3/8 TO 2-3/4 US10B ARC NC ASA IC . . . . .	.194003
3653 ADJ 2-3/8 TO 2-3/4 US10B ARC SCC KD ASA . . . . .	.092440
3653 ADJ 2-3/8 TO 2-3/4 US10B AUG NC ASA IC . . . . .	.194005
3653 ADJ 2-3/8 TO 2-3/4 US10B AUG SCC KD ASA . . . . .	.026695
3653 ADJ 2-3/8 TO 2-3/4 US10B WTN NC ASA IC . . . . .	.194007
3653 ADJ 2-3/8 TO 2-3/4 US10B WTN SCC KD ASA . . . . .	.092452
3653 ADJ 2-3/8 TO 2-3/4 US26 ARC NC ASA IC . . . . .	.194011
3653 ADJ 2-3/8 TO 2-3/4 US26 ARC SCC KD ASA . . . . .	.092442
3653 ADJ 2-3/8 TO 2-3/4 US26 AUG NC ASA IC . . . . .	.194015
3653 ADJ 2-3/8 TO 2-3/4 US26 AUG SCC KD ASA . . . . .	.026868
3653 ADJ 2-3/8 TO 2-3/4 US26 WTN NC ASA IC . . . . .	.194016
3653 ADJ 2-3/8 TO 2-3/4 US26 WTN SCC KD ASA . . . . .	.092450
3653 ADJ 2-3/8 TO 2-3/4 US26D ARC NC ASA IC . . . . .	.194023
<b>3653 ADJ 2-3/8 TO 2-3/4 US26D ARC SCC KD ASA . . . . .</b>	<b>.092443</b>
3653 ADJ 2-3/8 TO 2-3/4 US26D AUG NC ASA IC . . . . .	.194027
3653 ADJ 2-3/8 TO 2-3/4 US26D AUG SCC KD ASA . . . . .	.026836
3653 ADJ 2-3/8 TO 2-3/4 US26D WTN NC ASA IC . . . . .	.194031
<b>3653 ADJ 2-3/8 TO 2-3/4 US26D WTN SCC KD ASA . . . . .</b>	<b>.092449</b>
3653 ADJ 2-3/8 TO 2-3/4 US3 ARC NC ASA IC . . . . .	.194037
3653 ADJ 2-3/8 TO 2-3/4 US3 ARC SCC KD ASA . . . . .	.092444
3653 ADJ 2-3/8 TO 2-3/4 US3 AUG NC ASA IC . . . . .	.194038
3653 ADJ 2-3/8 TO 2-3/4 US3 AUG SCC KD ASA . . . . .	.026788
3653 ADJ 2-3/8 TO 2-3/4 US3 WTN NC ASA IC . . . . .	.194039
3653 ADJ 2-3/8 TO 2-3/4 US3 WTN SCC KD ASA . . . . .	.092447
3653 ADJ 2-3/8 TO 2-3/4 US4 ARC NC ASA IC . . . . .	.194040
3653 ADJ 2-3/8 TO 2-3/4 US4 ARC SCC KD ASA . . . . .	.092445
3653 ADJ 2-3/8 TO 2-3/4 US4 AUG NC ASA IC . . . . .	.194042
3653 ADJ 2-3/8 TO 2-3/4 US4 AUG SCC KD ASA . . . . .	.026834
3653 ADJ 2-3/8 TO 2-3/4 US4 WTN NC ASA IC . . . . .	.194044
3653 ADJ 2-3/8 TO 2-3/4 US4 WTN SCC KD ASA . . . . .	.092446

**3670**

3670 ADJ 2-3/8 TO 2-3/4 US10 ARC NC ASA IC . . . . .	.127307
3670 ADJ 2-3/8 TO 2-3/4 US10 ARC SCC KD ASA . . . . .	.127308
3670 ADJ 2-3/8 TO 2-3/4 US10 AUG NC ASA IC . . . . .	.127309
3670 ADJ 2-3/8 TO 2-3/4 US10 AUG SCC KD ASA . . . . .	.127310
3670 ADJ 2-3/8 TO 2-3/4 US10 WTN NC ASA IC . . . . .	.127311
3670 ADJ 2-3/8 TO 2-3/4 US10 WTN SCC KD ASA . . . . .	.127312
3670 ADJ 2-3/8 TO 2-3/4 US10B ARC NC ASA IC . . . . .	.127291
3670 ADJ 2-3/8 TO 2-3/4 US10B ARC SCC KD ASA . . . . .	.127292
3670 ADJ 2-3/8 TO 2-3/4 US10B AUG NC ASA IC . . . . .	.127293
3670 ADJ 2-3/8 TO 2-3/4 US10B AUG SCC KD ASA . . . . .	.127294
3670 ADJ 2-3/8 TO 2-3/4 US10B WTN NC ASA IC . . . . .	.127295
3670 ADJ 2-3/8 TO 2-3/4 US10B WTN SCC KD ASA . . . . .	.127296
3670 ADJ 2-3/8 TO 2-3/4 US26 ARC NC ASA IC . . . . .	.127313
3670 ADJ 2-3/8 TO 2-3/4 US26 ARC SCC KD ASA . . . . .	.127314
3670 ADJ 2-3/8 TO 2-3/4 US26 AUG NC ASA IC . . . . .	.127315
3670 ADJ 2-3/8 TO 2-3/4 US26 AUG SCC KD ASA . . . . .	.127316
3670 ADJ 2-3/8 TO 2-3/4 US26 WTN NC ASA IC . . . . .	.127317
3670 ADJ 2-3/8 TO 2-3/4 US26 WTN SCC KD ASA . . . . .	.127318
3670 ADJ 2-3/8 TO 2-3/4 US26D ARC NC ASA IC . . . . .	.127279



**3670**

3670 ADJ 2-3/8 TO 2-3/4 US26D ARC SCC KD ASA . . . . .	127280
3670 ADJ 2-3/8" - 2-3/4" US26D AUG NC ASA IC . . . . .	127281
3670 ADJ 2-3/8" - 2-3/4" US26D AUG SCC KD ASA . . . . .	127282
3670 ADJ 2-3/8" - 2-3/4" US26D WTN NC ASA IC . . . . .	127283
3670 ADJ 2-3/8 - 2-3/4 US26D WTN SCC KD ASA . . . . .	127284
3670 ADJ 2-3/8" - 2-3/4" US3 ARC NC ASA IC . . . . .	127319
3670 ADJ 2-3/8" - 2-3/4" US3 ARC SCC KD ASA . . . . .	127320
3670 ADJ 2-3/8" - 2-3/4" US3 AUG NC ASA IC . . . . .	127321
3670 ADJ 2-3/8" - 2-3/4" US3 AUG SCC KD ASA . . . . .	127322
3670 ADJ 2-3/8" - 2-3/4" US3 WTN NC ASA IC . . . . .	127323
3670 ADJ 2-3/8" - 2-3/4" US3 WTN SCC KD ASA . . . . .	127324
3670 ADJ 2-3/8" - 2-3/4" US4 ARC NC ASA IC . . . . .	127325
3670 ADJ 2-3/8" - 2-3/4" US4 ARC SCC KD ASA . . . . .	127326
3670 ADJ 2-3/8" - 2-3/4" US4 AUG NC ASA IC . . . . .	127327
3670 ADJ 2-3/8" - 2-3/4" US4 AUG SCC KD ASA . . . . .	127328
3670 ADJ 2-3/8" - 2-3/4" US4 WTN NC ASA IC . . . . .	127329
3670 ADJ 2-3/8" - 2-3/4" US4 WTN SCC KD ASA . . . . .	127330

**3680**

3680 ADJ 2-3/8" - 2-3/4" US10 ARC NC ASA IC . . . . .	194114
3680 ADJ 2-3/8" - 2-3/4" US10 ARC SCC KD ASA . . . . .	127332
3680 ADJ 2-3/8" - 2-3/4" US10 AUG NC ASA IC . . . . .	194115
3680 ADJ 2-3/8" - 2-3/4" US10 AUG SCC KD ASA . . . . .	127334
3680 ADJ 2-3/8" - 2-3/4" US10 WTN NC ASA IC . . . . .	194116
3680 ADJ 2-3/8" - 2-3/4" US10 WTN SCC KD ASA . . . . .	127336
3680 ADJ 2-3/8" - 2-3/4" US10B ARC NC ASA IC . . . . .	194117
3680 ADJ 2-3/8" - 2-3/4" US10B ARC SCC KD ASA . . . . .	127298
3680 ADJ 2-3/8" - 2-3/4" US10B AUG NC ASA IC . . . . .	194118
3680 ADJ 2-3/8" - 2-3/4" US10B AUG SCC KD ASA . . . . .	127300
3680 ADJ 2-3/8" - 2-3/4" US10B WTN NC ASA IC . . . . .	194119
3680 ADJ 2-3/8" - 2-3/4" US10B WTN SCC KD ASA . . . . .	127302
3680 ADJ 2-3/8" - 2-3/4" US26 ARC NC ASA IC . . . . .	194120
3680 ADJ 2-3/8" - 2-3/4" US26 ARC SCC KD ASA . . . . .	127338
3680 ADJ 2-3/8" - 2-3/4" US26 AUG NC ASA IC . . . . .	194121
3680 ADJ 2-3/8" - 2-3/4" US26 AUG SCC KD ASA . . . . .	127340
3680 ADJ 2-3/8" - 2-3/4" US26 WTN NC ASA IC . . . . .	194122
3680 ADJ 2-3/8" - 2-3/4" US26 WTN SCC KD ASA . . . . .	127342
3680 ADJ 2-3/8" - 2-3/4" US26D ARC NC ASA IC . . . . .	194123
3680 ADJ 2-3/8 - 2-3/4 US26D ARC SCC KD ASA . . . . .	127286
3680 ADJ 2-3/8" - 2-3/4" US26D AUG NC ASA IC . . . . .	194130
3680 ADJ 2-3/8" - 2-3/4" US26D AUG SCC KD ASA . . . . .	127288
3680 ADJ 2-3/8" - 2-3/4" US26D WTN NC ASA IC . . . . .	194134

**3680 ADJ 2-3/8 - 2-3/4 US26D WTN SCC KD ASA . . . . . 127290**

3680 ADJ 2-3/8" - 2-3/4" US3 ARC NC ASA IC . . . . .	194139
3680 ADJ 2-3/8" - 2-3/4" US3 ARC SCC KD ASA . . . . .	127344
3680 ADJ 2-3/8" TO 2-3/4" US3 AUG NC ASA IC . . . . .	194140
3680 ADJ 2-3/8" - 2-3/4" US3 AUG SCC KD ASA . . . . .	127346
3680 ADJ 2-3/8" - 2-3/4" US3 WTN NC ASA IC . . . . .	194141
3680 ADJ 2-3/8" - 2-3/4" US3 WTN SCC KD ASA . . . . .	127348
3680 ADJ 2-3/8" - 2-3/4" US4 ARC NC ASA IC . . . . .	194142
3680 ADJ 2-3/8" - 2-3/4" US4 ARC SCC KD ASA . . . . .	127350
3680 ADJ 2-3/8" - 2-3/4" US4 AUG NC ASA IC . . . . .	194143
3680 ADJ 2-3/8" - 2-3/4" US4 AUG SCC KD ASA . . . . .	127352
3680 ADJ 2-3/8" - 2-3/4" US4 WTN NC ASA IC . . . . .	194145
3680 ADJ 2-3/8" 1 2-3/4" US4 WTN SCC KD ASA . . . . .	127354

**3710**

3710 2-3/4" US10 ARC NC TEE IC . . . . .	.005277
3710 2-3/4" US10 ARC SCC KD TEE . . . . .	.005365
3710 2-3/4" US10 AUG NC TEE IC . . . . .	.005268
3710 2-3/4" US10 AUG SCC KD TEE . . . . .	.005328
3710 2-3/4" US10 WTN NC TEE IC . . . . .	.005287
3710 2-3/4" US10 WTN SCC KD TEE . . . . .	.005663
3710 2-3/4" US10B ARC NC TEE IC . . . . .	.005275
3710 2-3/4" US10B ARC SCC KD TEE . . . . .	.005363
3710 2-3/4" US10B AUG NC TEE IC . . . . .	.005267
3710 2-3/4" US10B AUG SCC KD TEE . . . . .	.005316
3710 2-3/4" US10B WTN NC TEE IC . . . . .	.005242
3710 2-3/4" US10B WTN SCC KD TEE . . . . .	.005656
3710 2-3/4" US26 ARC NC TEE IC . . . . .	.005274
3710 2-3/4" US26 ARC SCC KD TEE . . . . .	.005355
3710 2-3/4" US26 AUG NC TEE IC . . . . .	.005263
3710 2-3/4" US26 AUG SCC KD TEE . . . . .	.005303
3710 2-3/4" US26 WTN NC TEE IC . . . . .	.005284
3710 2-3/4" US26 WTN SCC KD TEE . . . . .	.005651
3710 2-3/4" US26D ARC NC TEE IC . . . . .	.005273
3710 2-3/4" US26D ARC SCC KD TEE . . . . .	.005339
3710 2-3/4" US26D AUG NC TEE IC . . . . .	.005262
3710 2-3/4" US26D AUG SCC KD TEE . . . . .	.005302
3710 2-3/4" US26D WTN NC TEE IC . . . . .	.005283
3710 2-3/4" US26D WTN SCC KD TEE . . . . .	.005623
3710 2-3/4" US3 ARC NC TEE IC . . . . .	.005282
3710 2-3/4" US3 ARC SCC KD TEE . . . . .	.005369
3710 2-3/4" US3 AUG NC TEE IC . . . . .	.005272
3710 2-3/4" US3 AUG SCC KD TEE . . . . .	.005336
3710 2-3/4" US3 WTN NC TEE IC . . . . .	.005290
3710 2-3/4" US3 WTN SCC KD TEE . . . . .	.005684
3710 2-3/4" US4 ARC NC TEE IC . . . . .	.005281
3710 2-3/4" US4 ARC SCC KD TEE . . . . .	.005368
3710 2-3/4" US4 AUG NC TEE IC . . . . .	.005271
3710 2-3/4" US4 AUG SCC KD TEE . . . . .	.005335
3710 2-3/4" US4 WTN NC TEE IC . . . . .	.005289
3710 2-3/4" US4 WTN SCC KD TEE . . . . .	.005680

**3753**

3753 2-3/4" US10 WTN SCC KD TEE . . . . .	.115183
3753 2-3/4" US10B ARC SCC KD TEE . . . . .	.115191
3753 2-3/4" US10B AUG NC TEE IC . . . . .	.99508
3753 2-3/4" US10B AUG SCC KD TEE . . . . .	.115199
3753 2-3/4" US10B WTN NC TEE IC . . . . .	.31698
3753 2-3/4" US10B WTN SCC KD TEE . . . . .	.15184
3753 2-3/4" US26 ARC SCC KD TEE . . . . .	.115193
3753 2-3/4" US26 AUG SCC KD TEE . . . . .	.115201
3753 2-3/4" US26 WTN SCC KD TEE . . . . .	.115186
3753 2-3/4" US26D ARC SCC KD TEE . . . . .	.115194
3753 2-3/4" US26D AUG SCC KD TEE . . . . .	.115204
3753 2-3/4" US26D WTN SCC KD TEE . . . . .	.115187
3753 2-3/4" US3 ARC SCC KD TEE . . . . .	.115188
3753 2-3/4" US3 AUG SCC KD TEE . . . . .	.115195
3753 2-3/4" US3 WTN SCC KD TEE . . . . .	.115181
3753 2-3/4" US4 WTN SCC KD TEE . . . . .	.115182

Items with the price in **bold and red** are available for online ordering in the MyHager portal.



**3796**

3796 2-3/4" US10 WTN TEE . . . . .	164177
3796 2-3/4" US10B ARC TEE . . . . .	1184406
3796 2-3/4" US10B AUG TEE . . . . .	165131
3796 2-3/4" US10B WTN TEE . . . . .	155217
3796 2-3/4" US26 ARC TEE . . . . .	193321
3796 2-3/4" US26 WTN TEE . . . . .	132080
3796 2-3/4" US26D ARC TEE . . . . .	166874
3796 2-3/4" US26D AUG TEE . . . . .	161772
3796 2-3/4" US26D WTN TEE . . . . .	158627
3796 2-3/4" US3 WTN TEE . . . . .	92738
3796 2-3/4" US3 AUG TEE . . . . .	191000
3796 2-3/4" US3 WTN TEE . . . . .	197165
3796 2-3/4" US4 ARC TEE . . . . .	94890
3796 2-3/4" US4 ARC TEE . . . . .	80918

**3810**

3810 ESC US26D ARC . . . . .	001029
3810 ESC US26D WLM . . . . .	001118
3810 ESC US26D AUG . . . . .	141107
3810 ESC US26D WTN . . . . .	001070
3810 ESC US32D ARC . . . . .	101244
3810 ESC US32D WLM . . . . .	101245
3810 ESC US32D AUG . . . . .	150016
3810 ESC US32D WLS . . . . .	104202
3810 ESC US32D WTN . . . . .	101242
3810 ESC US32D WTS . . . . .	104198
3810 SECT US26D ARC . . . . .	001035
3810 SECT US26D WLM . . . . .	001132
3810 SECT US26D AUG . . . . .	121368
<b>3810 SECT US26D WTN . . . . .</b>	<b>001078</b>
3810 SECT US32D WLM . . . . .	100652
3810 SECT US32D WLS . . . . .	104201
3810 SECT US32D AUG . . . . .	142537
3810 SECT US32D WTN . . . . .	101241
3810 SECT US32D WTS . . . . .	104197

**3817**

3817 ESC 26D ARC . . . . .	101383
3817 ESC 26D WLM . . . . .	101384
3817 ESC 26D AUG . . . . .	186915
3817 ESC 26D WTN . . . . .	101380
3817 ESC 32D ARC . . . . .	101392
3817 ESC 32D WLM . . . . .	101394
3817 ESC 32D AUG . . . . .	176056
3817 ESC 32D WTN . . . . .	101387
3817 SECT 26D ARC . . . . .	101382
3817 SECT 26D WLM . . . . .	101385
3817 SECT US26D AUG . . . . .	122764
3817 SECT 26D WTN . . . . .	101379
3817 SECT 32D ARC . . . . .	101388

**3817**

3817 SECT 32D WLM . . . . .	101393
3817 SECT 32D AUG . . . . .	162223
3817 SECT 32D WTN . . . . .	101386

**3827**

3827 ESC 26D ARC . . . . .	101398
3827 ESC 26D WLM . . . . .	101399
3827 ESC 26D AUG . . . . .	124256
3827 ESC 26D WTN . . . . .	101396
3827 ESC 32D ARC . . . . .	101404
3827 ESC 32D WLM . . . . .	101412
3827 ESC 32D AUG . . . . .	173996
3827 ESC 32D WTN . . . . .	101402
3827 SECT 26D ARC . . . . .	101397
3827 SECT 26D WLM . . . . .	101400
3827 SECT US26D AUG . . . . .	122765
3827 SECT 26D WTN . . . . .	101395
3827 SECT 32D ARC . . . . .	101403
3827 SECT 32D WLM . . . . .	101411
3827 SECT US32D WLS . . . . .	110988
3827 SECT USU32D AUG . . . . .	160253
3827 SECT 32D WTN . . . . .	101401
3827 SECT US32D WTS . . . . .	141202

**3840**

3840 ESC US26D ARC . . . . .	000999
3840 ESC US26D WLM . . . . .	000992
3840 ESC US26D AUG . . . . .	118525
3840 ESC US26D WTN . . . . .	001023
3840 ESC US32D ARC . . . . .	101339
3840 ESC US32D WLM . . . . .	101340
3840 ESC US32D WLS . . . . .	104208
3840 ESC US32D WTN . . . . .	101337
3840 ESC US32D WTS . . . . .	104204
3840 SECT US26D ARC . . . . .	001000
3840 SECT US26D WLM . . . . .	000994
3840 SECT US26D AUG . . . . .	122766
<b>3840 SECT US26D WTN . . . . .</b>	<b>001098</b>
3840 SECT US32D ARC . . . . .	101338
3840 SECT US32D WLM . . . . .	100653
3840 SECT US32D WLS . . . . .	104207
3840 SECT US32D AUG . . . . .	131036
3840 SECT US32D WTN . . . . .	101336
3840 SECT US32D WTS . . . . .	104203

**3844**

3844 ESC US26D ARC . . . . .	163963
3844 ESC US26D WLM . . . . .	149362
3844 ESC US26D WTN . . . . .	135035
3844 ESC US32D WLM . . . . .	191634
3844 ESC US32D WTN . . . . .	135357
3844 SECT US26D ARC . . . . .	142322
3844 SECT US26D WLM . . . . .	152401
3844 SECT US26D WTN . . . . .	134987



**3844**

3844 SECT US26D WTS. ....	142453
3844 SECT US26D AUG. ....	170662
3844 SECT US32D ARC. ....	150965
3844 SECT US32D WTN. ....	135355
3844 SECT US32D WLM. ....	154720
3844 SECT US32D AUG. ....	93358

**3850**

3850 ESC US26D ARC. ....	100433
3850 ESC US26D ARC FULL6 SCC KD. ....	102922
3850 ESC US26D WLM. ....	100434
3850 ESC US26D WLM FULL6 SCC KD. ....	102924
3850 ESC US26D WTN. ....	100432
3850 ESC US26D WTN FULL6 SCC KD. ....	102920
3850 ESC US32D ARC. ....	101236
3850 ESC US32D ARC FULL6 SCC KD. ....	102969
3850 ESC US32D WLM. ....	101239
3850 ESC US32D WLM FULL6 SCC KD. ....	102971
3850 ESC US32D WLS. ....	103659
3850 ESC US32D WLS FULL6 SCC KD. ....	103660
3850 ESC US32D AUG FULL6 SCC KD. ....	146929
3850 ESC US32D WTN. ....	101232
3850 ESC US32D WTN FULL6 SCC KD. ....	102967
3850 ESC US32D WTS. ....	103746
3850 ESC US32D WTS FULL6 SCC KD. ....	103661
3850 SECT US26D ARC. ....	000965
3850 SECT US26D ARC FULL6 SCC KD. ....	102921
3850 SECT US26D WLM. ....	000959
3850 SECT US26D WLM FULL6 SCC KD. ....	102923
3850 SECT US26D AUG. ....	136008
3850 SECT US26D AUG FULL6 SCC KD. ....	122972
<b>3850 SECT US26D WTN. ....</b>	<b>000972</b>
3850 SECT US26D WTN FULL6 SCC KD. ....	102925
3850 SECT US32D ARC. ....	101234
3850 SECT US32D ARC FULL6 SCC KD. ....	102968
3850 SECT US32D WLM. ....	101238
3850 SECT US32D WLM FULL6 SCC KD. ....	102970
3850 SECT US32D WLS. ....	103662
3850 SECT US32D WLS FULL6 SCC KD. ....	103663
3850 SECT US32D AUG. ....	190593
3850 SECT US32D AUG FULL6 SCC KD. ....	121583
3850 SECT US32D WTN. ....	101230
3850 SECT US32D WTN FULL6 SCC KD. ....	102966
3850 SECT US32D WTS. ....	103358
3850 SECT US32D WTS FULL6 SCC KD. ....	103359

**3853**

3853 ESC US26D ARC REV 1. ....	115862
3853 ESC US26D ARC FULL6 SCC KD REV 1. ....	115630
3853 ESC US26D WLM REV 1. ....	115868
3853 ESC US26D WLM FULL6 SCC KD REV 1. ....	115631

**3853**

3853 ESC US26D AUG REV 1. ....	165082
3853 ESC US26D AUG FULL6 SCC KD REV 1. ....	125154
3853 ESC US26D WTN REV 1. ....	115873
3853 ESC US26D WTN FULL6 SCC KD. ....	115632
3853 ESC US32D ARC REV 1. ....	115878
3853 ESC US32D ARC FULL6 SCC KD REV 1. ....	115880
3853 ESC US32D WLM REV 1. ....	115883
3853 ESC US32D WLM FULL6 SCC KD REV 1. ....	115885
3853 ESC US32D WLS REV 1. ....	115890
3853 ESC US32D WLS FULL6 SCC KD REV 1. ....	115891
3853 ESC US32D AUG REV 1. ....	116214
3853 ESC US32D AUG FULL6 SCC KD REV 1. ....	150013
3853 ESC US32D WTN REV 1. ....	115892
3853 ESC US32D WTN FULL6 SCC KD REV 1. ....	115894
3853 ESC US32D WTS REV 1. ....	115895
3853 ESC US32D WTS FULL6 SCC KD REV 1. ....	115896
3853 SECT US26D ARC REV 1. ....	115900
3853 SECT US26D ARC FULL6 SCC KD. ....	115902
3853 SECT US26D WLM REV 1. ....	115905
3853 SECT US26D WLM FULL6 SCC KD REV 1. ....	115633
3853 SECT US26D AUG REV 1. ....	131092
3853 SECT US26D AUG FULL6 SCC KD REV.1. ....	120892
3853 SECT US26D WTN REV 1. ....	115909
3853 SECT US26D WTN FULL6 SCC KD. ....	115634
3853 SECT US32D ARC REV 1. ....	115914
3853 SECT US32D ARC FULL6 SCC KD REV 1. ....	115916
3853 SECT US32D WLM REV 1. ....	115919
3853 SECT US32D WLM FULL6 SCC KD REV 1. ....	115921
3853 SECT US32D WLS REV 1. ....	115922
3853 SECT US32D WLS FULL6 SCC KD REV 1. ....	115923
3853 SECT US32D AUG REV 1. ....	186817
3853 SECT US32D AUG FULL6 SCC KD REV.1. ....	121377
3853 SECT US32D WTN REV 1. ....	115924
3853 SECT US32D WTN FULL6 SCC KD REV 1. ....	115926
3853 SECT US32D WTS REV 1. ....	115927
3853 SECT US32D WTS FULL6 SCC KD REV 1. ....	115928



**3856**

3856 ESC US26D ARC.....	143380
3856 ESC US26D ARC FULL6 SCC KD.....	143383
3856 ESC US26D WLM.....	151761
3856 ESC US26D WLM FULL6 SCC KD.....	089194
3856 ESC US26D WTN.....	135551
3856 ESC US26D WTN FULL6 SCC KD.....	135552
3856 ESC US26D AUG.....	183700
3856 ESC US26D AUG FULL6 SCC KD.....	156475
3856 ESC US32D WLM FULL6 SCC KD.....	155443
3856 ESC US32D WTN.....	135583
3856 ESC US32D WTN FULL6 SCC KD.....	135588
3856 ESC US32D AUG FULL6 SCC KD.....	155029
3856 SECT US26D ARC.....	143841
3856 SECT US26D ARC FULL6 SCC KD.....	143840
3856 SECT US26D WLM.....	154564
3856 SECT US26D WLM FULL6 SCC KD.....	154572
3856 SECT US26D WTN.....	135529
3856 SECT US26D WTN FULL6 SCC KD.....	109876
3856 SECT US26D AUG.....	148175
3856 SECT US26D AUG FULL6 SCC KD.....	148208
3856 SECT US32D ARC.....	040927
3856 SECT US32D ARC FULL6 SCC KD.....	097797
3856 SECT US32D WLM.....	177023
3856 SECT US32D WLM FULL6 SCC KD.....	171768
3856 SECT US32D WTN.....	135557
3856 SECT US32D WTN FULL6 SCC KD.....	135582
3856 SECT US32D AUG .....	149221
3856 SECT US32D AUG FULL6 SCC KD.....	149232

**3857**

3857 ESC US26D ARC REV 1 .....	123411
3857 ESC US26D ARC FULL6 SCC KD REV 1 .....	123830
3857 ESC US26D WLM REV 1 .....	23840
3857 ESC US26D WLM FULL6 SCC KD REV 1 .....	123868
3857 ESC US26D AUG .....	118526
3857 ESC US26D WTN REV 1 .....	123871
3857 ESC US26D WTN FULL6 SCC KD REV 1 .....	123872
3857 ESC US32D ARC REV 1 .....	123875
3857 ESC US32D ARC FULL6 SCC KD REV 1 .....	123876
3857 ESC US32D WLM REV 1 .....	123881
3857 ESC US32D WLM FULL6 SCC KD REV 1 .....	123882
3857 ESC US32D WLS REV 1 .....	123932
3857 ESC US32D WLS FULL6 SCC KD REV 1 .....	123933
3857 ESC US32D WTN REV 1 .....	123935
3857 ESC US32D WTN FULL6 SCC KD REV 1 .....	123936
3857 ESC US32D WTS REV 1 .....	123937
3857 ESC US32D WTS FULL6 SCC KD REV 1 .....	123938
3857 SECT US26D ARC REV 1 .....	123939
3857 SECT US26D ARC FULL6 SCC KD REV 1 .....	123940
3857 SECT US26D WLM REV 1 .....	123980
3857 SECT US26D WLM FULL6 SCC KD REV 1 .....	123981

**3857**

3857 SECT US26D AUG REV 1 .....	182060
3857 SECT US26D AUG FULL6 SCC KD REV 1 .....	139898
3857 SECT US26D WTN REV 1 .....	123984
3857 SECT US26D WTN FULL6 SCC KD REV 1 .....	123985
3857 SECT US32D ARC REV 1 .....	123989
3857 SECT US32D ARC FULL6 SCC KD REV 1 .....	123991
3857 SECT US32D WLM REV 1 .....	123994
3857 SECT US32D WLM FULL6 SCC KD REV 1 .....	123995
3857 SECT US32D WLS REV 1 .....	124068
3857 SECT US32D WLS FULL6 SCC KD REV 1 .....	124069
3857 SECT US32D AUG FULL6 SCC KD REV 1 .....	131477
3857 SECT US32D WTN REV 1 .....	124070
3857 SECT US32D WTN FULL6 SCC KD REV 1 .....	124071
3857 SECT US32D WTS REV 1 .....	124072
3857 SECT US32D WTS FULL6 SCC KD REV 1 .....	124073

**3870**

3870 ESC US26D ARC .....	100370
3870 ESC US26D ARC FULL6 SCC KD .....	102930
3870 ESC US26D WLM .....	100374
3870 ESC US26D WLM FULL6 SCC KD .....	102932
3870 ESC US26D AUG .....	169053
3870 ESC US26D AUG FULL6 SCC KD .....	160268
3870 ESC US26D WTN .....	100365
3870 ESC US26D WTN FULL6 SCC KD .....	102928
3870 ESC US32D ARC .....	101187
3870 ESC US32D ARC FULL6 SCC KD .....	102937
3870 ESC US32D WLM .....	101191
3870 ESC US32D WLM FULL6 SCC KD .....	102939
3870 ESC US32D AUG FULL6 SCC KD .....	155032
3870 ESC US32D WLS .....	103705
3870 ESC US32D WLS FULL6 SCC KD .....	103706
3870 ESC US32D WTN .....	101182
3870 ESC US32D WTN FULL6 SCC KD .....	102934
3870 ESC US32D WTS .....	103707
3870 ESC US32D WTS FULL6 SCC KD .....	103708
<b>3870 SECT US26D ARC .....</b>	<b>100368</b>
3870 SECT US26D ARC FULL6 SCC KD .....	102929
3870 SECT US26D WLM .....	100372
3870 SECT US26D WLM FULL6 SCC KD .....	102931
3870 SECT US26D AUG .....	143782
3870 SECT US26D AUG FULL6 SCC KD .....	121680
<b>3870 SECT US26D WTN .....</b>	<b>100362</b>
3870 SECT US26D WTN FULL6 SCC KD .....	102927
3870 SECT US32D ARC .....	101185
3870 SECT US32D ARC FULL6 SCC KD .....	102936
3870 SECT US32D WLM .....	101189
3870 SECT US32D WLM FULL6 SCC KD .....	102938
3870 SECT US32D WLS .....	103709



**3870**

3870 SECT US32D WLS FULL6 SCC KD	103710
3870 SECT US32D AUG.	172482
3870 SECT US32D AUG FULL6 SCC KD	165954
3870 SECT US32D WTN	101181
3870 SECT US32D WTN FULL6 SCC KD	102933
3870 SECT US32D WTS	103346
3870 SECT US32D WTS FULL6 SCC KD	103347

**3880**

3880 ESC US26D ARC	100447
3880 ESC US26D ARC FULL6 SCC KD	102981
3880 ESC US26D WLM	100444
3880 ESC US26D WLM FULL6 SCC KD	102983
3880 ESC US26D AUG.	118527
3880 ESC US26D AUG FULL6 SCC KD	136173
3880 ESC US26D WTN	100446
3880 ESC US26D WTN FULL6 SCC KD	102979
3880 ESC US32D ARC	101347
3880 ESC US32D ARC FULL6 SCC KD	102987
3880 ESC US32D WLM	101350
3880 ESC US32D WLM FULL6 SCC KD	102989
3880 ESC US32D AUG FULL6 SCC KD	155032
3880 ESC US32D WLS	103716
3880 ESC US32D WLS FULL6 SCC KD	103717
3880 ESC US32D WTN	101343
3880 ESC US32D WTN FULL6 SCC KD	102985
3880 ESC US32D WTS	103718
3880 ESC US32D WTS FULL6 SCC KD	103719
<b>3880 SECT US26D ARC</b>	<b>100438</b>
3880 SECT US26D ARC FULL6 SCC KD	102980
3880 SECT US26D WLM	100441
3880 SECT US26D WLM FULL6 SCC KD	102982
3880 SECT US26D AUG.	122767
3880 SECT US26D AUG FULL6 SCC KD	121692
<b>3880 SECT US26D WTN</b>	<b>100435</b>
3880 SECT US26D WTN FULL6 SCC KD	102975
3880 SECT US32D ARC	101345
3880 SECT US32D ARS FULL6 SCC KD	103356
3880 SECT US32D WLM	101349
3880 SECT US32D WLM FULL6 SCC KD	102988
3880 SECT US32D WLS	103720
3880 SECT US32D WLS FULL6 SCC KD	103721
3880 SECT US32D AUG.	154108
3880 SECT US32D AUG FULL6 SCC KD	124258
3880 SECT US32D WTN	101341
3880 SECT US32D WTN FULL6 SCC KD	102984
3880 SECT US32D WTS	103353
3880 SECT US32D WTS FULL6 SCC KD	103354

**3881**

3881 ESC US26D ARC REV 1	115636
3881 ESC US26D ARC FULL6 SCC KD REV 1	115637

**3881**

3881 ESC US26D WLM REV 1	115641
3881 ESC US26D WLM FULL6 SCC KD REV 1	115642
3881 ESC US26D AUG FULL6	183022
3881 ESC US26D WTN REV 1	115646
3881 ESC US26D WTN FULL6 SCC KD REV 1	115647
3881 ESC US32D ARC REV 1	115650
3881 ESC US32D ARC FULL6 SCC KD REV 1	115651
3881 ESC US32D WLM REV 1	115654
3881 ESC US32D WLM FULL6 SCC KD REV 1	115655
3881 ESC US32D WLS REV 1	115681
3881 ESC US32D WLS FULL6 SCC KD REV 1	115682
3881 ESC US32D AUG FULL6 SCC KD REV 1	155039
3881 ESC US32D WTN REV 1	115683
3881 ESC US32D WTN FULL6 SCC KD REV 1	115684
3881 ESC US32D WTS REV 1	115685
3881 ESC US32D WTS FULL6 SCC KD REV 1	115686
3881 SECT US26D ARC REV 1	115687
3881 SECT US26D ARC FULL6 SCC KD REV 1	115689
3881 SECT US26D WLM REV 1	115692
3881 SECT US26D WLM FULL6 SCC KD REV 1	115693
3881 SECT US26D AUG REV.1	123601
3881 SECT US26D AUG FULL6 SCC KD REV 1	130006
3881 SECT US26D WTN REV 1	115696
3881 SECT US26D WTN FULL6 SCC KD REV 1	115697
3881 SECT US32D ARC REV 1	115765
3881 SECT US32D ARC FULL6 SCC KD REV 1	115766
3881 SECT US32D WLM REV 1	115769
3881 SECT US32D WLM FULL6 SCC KD REV 1	115770
3881 SECT US32D WLS REV 1	115771
3881 SECT US32D WLS FULL6 SCC KD REV 1	115772
3881 SECT US32D AUG FULL6 SCC KD REV.1	146044
3881 SECT US32D WTN REV 1	115773
3881 SECT US32D WTN FULL6 SCC KD REV 1	115774
3881 SECT US32D WTS REV 1	115775
3881 SECT US32D WTS FULL6 SCC KD REV 1	115776

**3896**

3896 ESC US26D ARC	158649
3896 ESC US26D WLM	149413
3896 ESC US26D AUG.	183564
3896 ESC US26D WTN	135359
3896 ESC US32D ARC	145397
3896 ESC US32D WLM	166864
3896 ESC US32D WLS	174822
3896 ESC US32D AUG.	150088
3896 ESC US32D WTN	135527
3896 ESC US32D WTS	160745
3896 SECT US26D ARC	134470



**3896**

3896 SECT US26D WLM.....	154738
3896 SECT US26D AUG.....	139558
3896 SECT US32D ARC.....	137506
3896 SECT US32D WLM.....	137507
3896 SECT US32D WLS.....	145358
3896 SECT US32D AUG.....	152523
3896 SECT US32D WTN.....	135526
3896 SECT US32D WTS.....	150604

**3901**

3901 US10 7PCYL H1 KD 7PKEY.....	165023
3901 US10B 7PCYL H1 KD 7PKEY.....	165024
3901 US26 7PCYL H1 KD 7PKEY.....	165021
<b>3901 US26D 7PCYL H1 KD 7PKEY.....</b>	<b>165019</b>
3901 US3 7PCYL H1 KD 7PKEY.....	165022
3901 US4 7PCYL H1 KD 7PKEY.....	165020
3901 US10 6PCYL SCC KD .....	097960
3901 US10B 6PCYL SCC KD .....	097959
3901 US26 6PCYL SCC KD.....	097958
<b>3901 US26D 6PCYL SCC KD.....</b>	<b>097955</b>
3901 US3 6PCYL SCC KD.....	097962
3901 US4 6PCYL SCC KD.....	097961
3901 US10 NC IC6.....	018874
3901 US10B NC IC6.....	821186
3901 US26 NC IC6.....	186110
<b>3901 US26D NC IC6.....</b>	<b>017485</b>
3901 US3 NC IC6.....	082166
3901 US4 NC IC6.....	036952
3901 US10 NC IC7.....	109138
3901 US10B NC IC7.....	074697
3901 US26 NC IC7.....	116314
<b>3901 US26D NC IC7.....</b>	<b>057961</b>
3901 US3 NC IC7.....	067659
3901 US4 NC IC7.....	017000
3901 US10 LF LFIC.....	181627
3901 US10B LF LFIC.....	181628
3901 US26 LF LFIC.....	181630
3901 US26D LF LFIC.....	181633
3901 US3 LF LFIC.....	181625
3901 US4 LF LFIC.....	181626

**3902**

3902 1-1/8" US10 7PCYL H1 KD STD CAM.....	165035
3902 1-1/8" US10B 7PCYL H1 KD STD CAM.....	165030
3902 1-1/8" US26 7PCYL H1 KD STD CAM.....	165033
<b>3902 1-1/8" US26D 7PCYL H1 KD STD CAM.....</b>	<b>165031</b>
3902 1-1/8" US3 7PCYL H1 KD STD CAM .....	165028
3902 1-1/8" US4 7PCYL H1 KD STD CAM.....	165032
3902 1-1/4" US10 7PCYL H1 KD STD CAM.....	165063
3902 1-1/4" US10B 7PCYL H1 KD STD CAM.....	165064
3902 1-1/4" US26 7PCYL H1 KD STD CAM.....	165061
<b>3902 1-1/4" US26D 7PCYL H1 STD CAM.....</b>	<b>165059</b>
3902 1-1/4" US3 7PCYL H1 KD STD CAM.....	165062
3902 1-1/4" US4 7PCYL H1 KD STD CAM.....	165060
3902 1-1/8" US10 SCC KD STD CAM.....	097949
3902 1-1/8" US10B SCC KD STD CAM.....	097952

3902 1-1/8" US26 SCC KD STD CAM.....	097941
<b>3902 1-1/8" US26D SCC KD STD CAM.....</b>	<b>097939</b>
3902 1-1/8" US3 SCC KD STD CAM.....	097944
3902 1-1/8" US4 SCC KD STD CAM.....	097945
3902 1-1/4" US10 SCC KD STD CAM.....	097948
3902 1-1/4" US10B SCC KD STD CAM.....	097954
3902 1-1/4" US26 SCC KD STD CAM.....	097942
3902 1-1/4" US26D SCC KD STD CAM.....	097940
3902 1-1/4" US3 SCC KD STD CAM.....	097943
3902 1-1/4" US4 SCC KD STD CAM.....	097947
3902 1-1/4" US10 NC IC6 STD CAM.....	055419
3902 1-1/4" US10B NC IC6 STD CAM.....	014394
3902 1-1/4" US26 NC IC6 STD CAM.....	101470
<b>3902 1-1/4" US26D NC IC6 STD CAM.....</b>	<b>081777</b>
3902 1-1/4" US3 NC IC6 STD CAM.....	100683
3902 1-1/4" US4 NC IC6 STD CAM.....	124503
3902 1-3/8" US10 NC IC7 STD CAM.....	054177
3902 1-3/8" US10B NC IC7 STD CAM.....	102506
3902 1-3/8" US26 NC IC7 STD CAM.....	116344
<b>3902 1-3/8" US26D NC IC7 STD CAM.....</b>	<b>58154</b>
3902 1-3/8" US3 NC IC7 STD CAM.....	067670
3902 1-3/8" US4 NC IC7 STD CAM.....	113147
3902 1-1/2" US10 LF LFIC STD CAM.....	181609
3902 1-1/2" US10B LF LFIC STD CAM.....	181610
3902 1-1/2" US26 LF LFIC STD CAM.....	181611
3902 1-1/2" US26D LF LFIC STD CAM.....	181612
3902 1-1/2" US3 LF LFIC STD CAM.....	181606
3902 1-1/2" US4 LF LFIC STD CAM.....	181608

**3903**

3903 US10 DUMMY RIM CYL.....	123098
3903 US10B DUMMY RIM CYL.....	123099
3903 US26 DUMMY RIM CYL.....	123100
3903 US26D DUMMY RIM CYL.....	123101
3903 US3 DUMMY RIM CYL.....	123096
3903 US4 DUMMY RIM CYL.....	123097

**3904**

3904 1-1/8" US10 DUMMY MORTISE CYL.....	104063
3904 1-1/8" US10B DUMMY MORTISE CYL.....	104074
3904 1-1/8" US26 DUMMY MORTISE CYL.....	104065
3904 1-1/8" US26D DUMMY MORTISE CYL.....	104075
3904 1-1/8" US3 DUMMY MORTISE CYL.....	104061
3904 1-1/8" US4 DUMMY MORTISE CYL.....	104062
3904 1-1/4" US10B DUMMY MORTISE CYL.....	104070
3904 1-1/4" US26 DUMMY MORTISE CYL.....	104071
3904 1-1/4" US26D DUMMY MORTISE CYL.....	104072
3904 1-1/4" US3 DUMMY MORTISE CYL.....	104067

**3905**

3905 1-1/8" US10B ADA TURN MORTISE CYL AR CAM.....	141863
3905 1-1/8" US26D ADA TURN MORTISE CYL AR CAM.....	134838
3905 1-1/8" US10B ADA TURN MORTISE CYL SCH CAM.....	104056
3905 1-1/8" US26D ADA TURN MORTISE CYL SCH CAM.....	104057
3905 1-1/4" US10B ADA TURN MORTISE CYL SCH CAM.....	104059
3905 1-1/4" US26D ADA TURN MORTISE CYL SCH CAM.....	104060

**3906**

3906 US26D H1 KD 7PKEY.....	164999
3906 US4 H1 KD 7PKEY.....	165000

Items with the price in **bold and red** are available for online ordering in the MyHager portal.



**3907**

3907 H1 Key Blank .....	165065
-------------------------	--------

**3909**

3909 US26D H1 UNC IC7 .....	165005
-----------------------------	--------

3909 US4 H1 UNC IC7 .....	165006
---------------------------	--------

**3955**

3955 SCC KEY BLANK (5PIN) .....	96173
---------------------------------	-------

**3956**

3956 SCC KEY BLANK (6PIN) .....	96174
---------------------------------	-------

**3969**

3969 US26D H1 KD IC7 .....	170853
----------------------------	--------

3969 US4 H1 KD IC7 .....	170860
--------------------------	--------

Items with the price in **bold and red** are available for online ordering in the MyHager portal.





## TABLE OF CONTENTS

### A

#### Arms, 5100 Series

Main Arm Assembly.....	6
Extra Heavy Duty Parallel .....	7
Extra Heavy Duty Hold Open .....	7
Pull Side Stop .....	8
Pull Side Hold Open Stop .....	8
Extra Heavy Duty Stop .....	8
Extra Heavy Duty Hold Open Stop.....	9
Extra Heavy Duty Hold Open Cushion Stop.....	9
Extra Heavy Duty Cushion Stop .....	9
Standard Hold Open .....	7
Track Arms.....	9-10

#### Arms, 5200 Series

Main Arm Assembly.....	12
Extra Heavy Duty Hold Open Cushion Stop.....	15
Extra Heavy Duty Cushion Stop .....	15
Pull Side Stop .....	14
Pull Side Hold Open Stop .....	14
Extra Heavy Duty .....	13
Extra Heavy Duty Hold Open .....	13
Extra Heavy Duty Hold Open Stop.....	13
Extra Heavy Duty Stop.....	13
Standard Hold Open .....	13
Track Arms.....	15-16

#### Arms, 5300 Series

Main Arm Assembly.....	18
Extra Heavy Duty .....	19
Extra Heavy Duty Hold Open .....	19
Extra Heavy Duty Hold Open Stop.....	19
Extra Heavy Duty Stop.....	19
Extra Heavy Duty Hold Open Cushion Stop.....	20
Extra Heavy Duty Cushion Stop .....	21
Pull Side Stop .....	20
Pull Side Hold Open Stop.....	20
Standard Hold Open .....	19
Track Arms.....	21

#### Arms, 5400 Series

Main Arm Assembly.....	22
------------------------	----

### B

#### Blade Stop Spacer

5100 Series .....	7
5200 Series .....	14
5300 Series.....	20
5400 Series .....	23

#### Body Only

5100 Series, Cast Iron.....	6
5200 Series, Aluminum .....	12
5300 Series, Aluminum .....	18
5400 Series, Aluminum .....	22

### Brackets

Extra Clearance, 5100 Series .....	8
Extra Clearance, 5200 Series .....	15
Extra Clearance, 5300 Series .....	20
Extra Heavy Duty Parallel Arm, 5100 Series.....	7
Hold Open Parallel Arm, 5200 Series .....	14
Hold Open Parallel Arm, 5300 Series .....	19
Parallel Arm, 5100 Series.....	8
Parallel Arm, 5200 Series.....	13
Parallel Arm, 5300 Series.....	18
Parallel Arm, 5400 Series.....	23

### C

#### Closers

5100 Series, Grade 1 .....	5
5200 Series, Grade 1 .....	11
5300 Series, Grade 1 .....	17
5400 Series, Grade 2 .....	22

#### Covers

5100 Series, Full Plastic.....	6
5100 Series, Metal .....	9
5200 Series, Full Plastic.....	12
5200 Series, Slim Line Plastic .....	14
5200 Series, Metal .....	15
5300 Series, Full Plastic.....	18

### D

#### Drop Plates

5100 Series, Regular Arm .....	7
5100 Series, Low Clearance.....	7
5100 Series, Parallel Arm.....	7
5100 Series, Top Jamb.....	8
5200 Series, Top Jamb, Narrow Top Rail.....	14
5200 Series, Narrow Top Rail .....	14
5200 Series, Top Jamb, Parallel Arm.....	14
5200 Series, Parallel Arm .....	14
5300 Series, Narrow Rail, Parallel Arm.....	20
5300 Series, Low Clearance.....	20
5300 Series, OH Holder, Narrow.....	20

### E

#### Electromagnetic Door Holders & Accessories

Accessories .....	25-26
Floor Mount (Double Door) .....	24
Floor Mount (Single Door).....	24
Flush Mount .....	24
Recessed Mount .....	24
Surface Mount.....	24

### H

High Security Package, 5100 Series.....	6
How To Order .....	3-4





# Door Controls

<b>L</b>		<b>S</b>
Long Rod and Shoe, 5100 Series.....	7	<b>Screw Packs</b>
Long Rod and Shoe, 5200 Series.....	13	5100 Series ..... 7-9
Long Rod and Shoe, 5300 Series.....	19	5200 Series ..... 12-13
<b>O</b>		5300 Series ..... 18-19
Overhead Door Holders and Stops .....	27-31	5400 Series ..... 23
<b>P</b>		Spring Cushion Kit ..... 9, 15, 20
<b>Pinion Cap</b>		<b>T</b>
5200 Series .....	14	<b>Track Arms</b>
5300 Series .....	18	5100 Series ..... 6, 9-10
5400 Series .....	23	5200 Series ..... 12, 15-16
		5300 Series ..... 18, 20-21

## INTRODUCTION

Hager door controls offer architects, contractors, and building owners a superior product with proven reliability. In fact, our 5100, 5200, and 5300 Series Grade 1 models are the only closers in the industry that are both BHMA certified and backed by a lifetime warranty. That makes them a no-risk choice for virtually any building type.

With Hager, you get door controls that are packaged with everything needed for quick installation, regardless of the application. Hager door closers are tri-packed for mounting three ways: parallel arm, regular arm, and top jamb. They are non-handed, packaged with a parallel arm bracket and thru-bolts at no extra charge, and adjustable for various door sizes.

## Online Ordering

Products denoted with **red and bold** pricing are available to order through the MyHager portal.

## New Finish

Painted flat black finish (BHMA 693) is now available. Use BLK to designate finish. Extended lead time and MOQ may apply.

## Cancellation Notification

Cancellation for made-to-order items must be communicated within 48 hours of order placement.

## HOW TO ORDER

5100	TRK	1-6	ALM	HOTA	FC	SX1G	DLY
<b>Product Group</b> 5100-Cast Iron, Grade 1	<b>Mount</b> TRK- Track Arm Mount	<b>Size</b> 1-6 Adjustable	<b>Finish</b> ALM - Sprayed Aluminum BRZ - Sprayed Bronze DBZ - Sprayed Dark Bronze GOL - Sprayed Gold BLK - Sprayed Black	<b>Arm Options</b> HOTA - Hold Open/Stop Track Arm NHOTA - Non-Hold Open Stop Track Arm DEHOTA - Double Egress HO Stop Track Arm DENHOTA - Double Egress Non-HO Stop Track Arm PSS - Pull Side Stop Arm PSHOS - Pull Side Hold Open Stop Arm	<b>Covers</b> FC - Full Cover MC - Metal Cover	<b>Fastener Options</b> SX1G - Sex Bolts for 1-3/8" Door SX1N - Sex Bolts for 1-3/4" Door SX2 - Sex Bolts for 2" Door SX2D - Sex Bolts for 2-1/4" Door	<b>Miscellaneous</b> DLY -Delayed Action

## HOW TO ORDER

5200	TRK	1-6	DBZ	NHOTA	SLC	LH	SX2	DLY
<b>Product Group</b> 5200-Slim Body Aluminum, Grade 1	<b>Mount</b> MLT- Multi-Mount PAR- Parallel Arm Mount TRK- Track Arm Mount	<b>Size</b> 1-6 Adjustable	<b>Finish</b> ALM - Sprayed Aluminum BRZ - Sprayed Bronze DBZ - Sprayed Dark Bronze GOL - Sprayed Gold BLK - Sprayed Black	<b>Arm Options</b> HD - Extra Heavy Duty Arm HO - Hold Open Arm HDHO - Extra Heavy Duty Hold Open Arm LA - Long Arm HDHOS - Extra Heavy Duty Hold Open Stop Arm HDHOS - Extra Heavy Duty Hold Open Cushion Stop Arm HDS - Extra Heavy Duty Stop Arm HDOS - Extra Heavy Duty Cushion Stop Arm HOTA - Hold Open/Stop Track Arm NHOTA - Non Hold Open Stop Track Arm DEHOTA - Double Egress HO Stop Track Arm DENHOTA - Double Egress Non-HO Stop Track Arm PSS - Pull Side Stop Arm PSHOS - Pull Side Hold Open Stop Arm	<b>Covers</b> SLC - Slim Line Cover FC - Full Cover MC - Metal Cover PC - Pinion Cap	<b>Handing Options</b> RH - Right Hand LH - Left Hand (Specify when ordering 5912)	<b>Fastener Options</b> SX1G - Sex Bolts for 1-3/8" Door SX1N - Sex Bolts for 1-3/4" Door SX2 - Sex Bolts for 2" Door SX2D - Sex Bolts for 2-1/4" Door	<b>Miscellaneous</b> DLY -Delayed Action



## Door Controls

### HOW TO ORDER

5300	TRK	1-6	DBZ	HOTA	FC	RH	SX1G	DLY
<b>Product Group</b> 5300 - Aluminum, Grade 1	<b>Mount</b> MLT- Multi-Mount PAR- Parallel Arm Mount TRK- Track Arm Mount	<b>Size</b> 1-6 Adjustable	<b>Finish</b> ALM - Sprayed Aluminum BRZ - Sprayed Bronze DBZ - Sprayed Dark Bronze GOL - Sprayed Gold BLK - Sprayed Black	<b>Arm Options</b> HD - Extra Heavy Duty Arm HO - Hold Open Arm HDHO - Extra Heavy Duty Hold Open Arm LA - Long Arm HDHOS - Extra Heavy Duty Hold Open Stop Arm HDHOCS - Extra Heavy Duty Hold Open Cushion Stop Arm HDS - Extra Heavy Duty Stop Arm HDCS - Extra Heavy Duty Cushion Stop Arm HOTA - Hold Open/Stop Track Arm NHOTA - Non Hold Open Stop Track Arm PSS - Pull Side Stop Arm PSHOS - Pull Side Hold Open Stop Arm	<b>Covers</b> FC - Full Cover PC - Pinion Cap	<b>Handing Options</b> RH - Right Hand LH - Left Hand (Specify when ordering 5912)	<b>Fastener Options</b> SX1G - Sex Bolts for 1-3/8" Door SX1N - Sex Bolts for 1-3/4" Door SX2 - Sex Bolts for 2" Door SX2D - Sex Bolts for 2-1/4" Door	<b>Miscellaneous</b> DLY -Delayed Action





Description	Finish	2022 List	Stock No.	Case Qty.	Box Qty.
<b>5100 Series</b>	ALM	<b>386.22</b>	126470	4	1
Grade 1	BRZ	386.22	126473		
Adjustable sizes 1-6	DBZ	<b>386.22</b>	126472		
	GOL	386.22	126474		
	BLK	386.22	199292		
	32D	632.97	062640		

## ADA (Barrier Free) Door Closers:

Any certified BHMA/ANSI A156.4 door closer, regardless of manufacturer, that is installed and adjusted based on ADA or other reduced opening force requirements may not provide sufficient power to reliably close and latch a door.

If arms are ordered separately, there will be a significant difference in price than if purchased with a closer as a complete assembly. Adders are listed below. Add the list price of the option to the list price of the closer and take standard discounts.

Delayed Action Valve	21.03
Lead Lined Cover	132.34
Check with factory for pricing and availability of plated products.	POA

## Closers with non-standard arms

5100 Series 1-6 Closer, 5106 extra heavy duty arm, plastic cover	ALM	<b>443.60</b>	130952
	BRZ	443.60	130970
	DBZ	443.60	130973
	GOL	443.60	130976
	BLK	443.60	
5100 Series 1-6 Closer, 5107 standard hold open arm, plastic cover	ALM	<b>432.73</b>	126475
	BRZ	432.73	130899
	DBZ	432.73	130947
	GOL	432.73	130951
	BLK	432.73	
5100 Series 1-6 Closer, 5108 extra heavy duty hold open arm, plastic cover (left hand)	ALM	<b>428.51</b>	130956
	BRZ	428.51	149871
	DBZ	428.51	151034
	GOL	428.51	156482
	BLK	428.51	
5100 Series 1-6 Closer, 5108 extra heavy duty hold open arm , plastic cover (right hand)	ALM	<b>428.51</b>	130957
	BRZ	428.51	149872
	DBZ	428.51	151033
	GOL	428.51	156483
	BLK	428.51	
5100 Series 1-6 Closer, 5123 pull side stop arm, plastic cover	ALM	439.56	025181
	DBZ	439.56	025182
5100 Series 1-6 Closer, 5124 pull side hold open stop arm, plastic cover	ALM	463.32	025178
	DBZ	463.32	025171
5100 Series 1-6 Closer, 5125 extra heavy duty stop arm, plastic cover	ALM	<b>443.60</b>	130961
	BRZ	443.60	130972
	DBZ	443.60	130975
	GOL	443.60	130978
	BLK	443.60	
5100 Series 1-6 Closer, 5954 extra heavy duty hold open cushion stop arm, plastic cover	ALM	<b>610.28</b>	130959
	BRZ	610.28	149499
	DBZ	610.28	148985
	GOL	610.28	154060
	BLK	610.28	



## Door Controls - 5100 Series

Description	Finish	2022 List	Stock	Case Qty.	Box Qty.
5100 Series 1-6 Closer, 5955 extra heavy cushion stop arm, plastic cover	ALM	<b>554.56</b>	<b>130962</b>		
	BRZ	554.56	151220		
	DBZ	554.56	150847		
	GOL	554.56	155760		
	BLK	554.56			
5100 Series 1-6 Closer, 5961 extra heavy hold open stop arm, plastic cover	ALM	<b>500.62</b>	130958		
	BRZ	500.62	130971		
	DBZ	500.62	130974		
	GOL	500.62	130977		
	BLK	500.62			
5100M16GALMOMOX 5100 Series High Security Package Package Contains: Closer, main arm assembly, parallel arm bracket, standard screw pack, SNB screw pack, torx screw pack and painted metal cover.	ALM	449.18	152114	4	1
5100 Closer w/ Non Hold Open Stop Track Arm	ALM	<b>439.74</b>	166331	10	1
	BRZ	439.74	166352		
	DBZ	439.74	166332		
	GOL	439.74	166353		
	BLK	439.74			
5100 Closer w/ Hold Open Stop Track Arm	ALM	<b>455.95</b>	166337	10	1
	BRZ	455.95	166219		
	DBZ	455.95	166338		
	GOL	455.95	167220		
	BLK	455.95			
5100 Closer w/ Double Egress Non Hold Open Stop Track Arm	ALM	<b>474.84</b>	166344	10	1
	BRZ	474.84	167235		
	DBZ	474.84	166345		
	GOL	474.84	167236		
5100 Closer w/ Double Egress Hold Open Stop Track Arm	ALM	491.06	166348	10	1
	BRZ	491.06	167239		
	DBZ	491.06	166349		
	GOL	491.06	167240		
Description	Finish	2022 List	Stock	Case Qty.	Box Qty.
<b>5101</b> 5100 Series Closer Body Only Adjustable sizes 1-6	ALM	291.89	148803	4	1
	BRZ	291.89	148805		
	DBZ	291.89	148804		
	GOL	291.89	148806		
	BLK	291.89	199347		
<b>5102</b> Full Plastic Cover 5100 Series	ALM	20.37	89003	25	1
	BRZ	20.37	88988		
	DBZ	20.37	88928		
	GOL	20.37	88730		
	BLK	20.37	199349		
<b>5103</b> Main Arm Assembly 5100 Series	ALM	40.39	72038	8	1
	BRZ	40.39	71384		
	DBZ	40.39	71378		
	GOL	40.39	71297		
	BLK	40.39	199350		



## Door Controls - 5100 Series



Description	Finish	2022 List	Stock	Case Qty.	Box Qty.
<b>5104</b> Standard Screw Pack 5100 Series	ALM	11.40	87683	80	1
	BRZ	11.40	87619		
	DBZ	11.40	87607		
	GOL	11.40	87089		
	BLK	11.40	75940		
<b>5106</b> Extra Heavy Duty Parallel Arm 5100 Series	ALM	110.72	71612	10	1
	BRZ	110.72	71144		
	DBZ	110.72	71129		
	GOL	110.72	71121		
	BLK	110.72	199357		
<b>5107</b> Standard Hold Open Arm 5100 Series	ALM	86.13	65492	10	1
	BRZ	86.13	65430		
	DBZ	86.13	65429		
	GOL	86.13	65422		
	BLK	86.13	199358		
<b>5108</b> Extra Heavy Duty Hold Open Arm 5100 Series Specify handing when ordering.	ALM	110.72	72742	10	1
	BRZ	110.72	71054		
	DBZ	110.72	71053		
	GOL	110.72	70883		
	BLK	110.72	-		
<b>5109</b> Drop Plate - Regular Arm Mount w/ Screws 5100 Series	ALM	47.52	62245	10	1
	BRZ	47.52	62028		
	DBZ	47.52	61745		
	GOL	47.52	61741		
	BLK	47.52	100464		
<b>5110</b> Drop Plate - Parallel Arm Mount w/ Screws 5100 Series	ALM	47.52	61739	10	1
	BRZ	47.52	61735		
	DBZ	47.52	61726		
	GOL	47.52	61725		
	BLK	47.52	199373		
<b>5111</b> Extra Heavy Duty Parallel Arm Bracket 5100 Series	ALM	20.37	61676	10	1
	BRZ	20.37	61506		
	DBZ	20.37	61432		
	GOL	20.37	61423		
	BLK	20.37	199374		
<b>5112</b> Long Rod and Shoe 5100 Series For door reveals between 3" - 5".	ALM	20.37	98370	10	1
	BRZ	20.37	97617		
	DBZ	20.37	95821		
	GOL	20.37	95735		
	BLK	20.37	62264		
<b>5113</b> Blade Stop Spacer	ALM	30.35	95278	15	1
	BRZ	30.35	95276		
	DBZ	30.35	94728		
	GOL	30.35	94438		
	BLK	30.35	199375		
<b>5114</b> Drop Plate Low Clearance Top Jamb Mount w/ Screws 5100 Series	ALM	47.52	36332	10	1
	BRZ	47.52	36326		
	DBZ	47.52	36325		
	GOL	47.52	36292		
	BLK	47.52	199376		

1. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering. 2. U/M is each unless otherwise noted.

05/01/2022  
www.hagerco.com



## Door Controls - 5100 Series



Description	Finish	2022 List	Stock	Case Qty.	Box Qty.
<b>5115</b> Drop Plate Top Jamb Mount w/ Screws 5100 Series	ALM	47.52	23471	10	1
	BRZ	47.52	36431		
	DBZ	47.52	36430		
	GOL	47.52	36380		
	BLK	47.52	074966		
<b>5123</b> Pull Side Stop Arm 5100 Series	ALM	124.74	41000	10	1
	DBZ	124.74	40989		
<b>5124</b> Pull Side Hold Open Stop Arm 5100 Series	ALM	148.50	40986	10	1
	DBZ	148.50	40975		
<b>5125</b> Extra Heavy Duty Stop Arm 5100 Series Can be combined with 5950, spring cushion kit.	ALM	110.72	120769	10	1
	BRZ	110.72	120770		
	DBZ	110.72	120771		
	GOL	110.72	120772		
	BLK	110.72	199552		
<b>5909</b> Parallel Arm Bracket 5100 Series	ALM	10.28	63220	20	1
	BRZ	10.28	63101		
	DBZ	10.28	63100		
	GOL	10.28	63078		
	BLK	10.28	084425		
<b>5935</b> 2" Extra Clearance Bracket 5100 Series	ALM	26.73	129572	36	6
	BRZ	26.73	129574		
	DBZ	26.73	129575		
	GOL	26.73	129576		
	BLK	26.73	-		
<b>5940</b> SNB Screw Pack, 1-3/4" Door 5100 Series	ALM	11.40	104380	200	1
	BRZ	11.40	104381		
	DBZ	11.40	104382		
	GOL	11.40	104383		
	BLK	11.40	-		
<b>5941</b> SNB Screw Pack, 1-3/8" Door 5100 Series	ALM	11.40	104384	200	1
	BRZ	11.40	104385		
	DBZ	11.40	104386		
	GOL	11.40	104387		
	BLK	11.40	-		
<b>5942</b> SNB Screw Pack, 2" Door 5100 Series	ALM	11.40	104388	200	1
	BRZ	11.40	104389		
	DBZ	11.40	104390		
	GOL	11.40	104391		
	BLK	11.40	-		
<b>5943</b> SNB Screw Pack, 2-1/4" Door 5100 Series	ALM	11.40	104392	200	1
	BRZ	11.40	104393		
	DBZ	11.40	104394		
	GOL	11.40	104395		
	BLK	11.40	-		



## Door Controls - 5100 Series

	Description	Finish	2022 List	Stock	Case Qty.	Box Qty.
	<b>5946</b> Tamper Resistant Torx Screwpack Sex Nuts and Bolts for 1-3/4" (44mm) doors 5100 Series Only	ALM	35.05	148410	1000	1
	<b>5950</b> Spring Cushion Kit 5100/5200/5300 Series	ALM	148.62	118353	10	1
		BRZ	148.62	120777		
		DBZ	148.62	120779		
		GOL	148.62	120780		
		BLK	148.62	199887		
	<b>5954</b> Extra Heavy Duty Hold Open Cushion Stop Arm 5100 Series Includes 5961 and 5950.	ALM	310.60	118337	10	1
		BRZ	310.60	118338		
		DBZ	310.60	118339		
		GOL	310.60	118340		
		BLK	310.60	-		
	<b>5955</b> Extra Heavy Duty Cushion Stop Arm 5100 Series Includes 5125 and 5950.	ALM	267.30	118341	10	1
		BRZ	267.30	118342		
		DBZ	267.30	118343		
		GOL	267.30	118344		
		BLK	267.30	-		
	<b>5961</b> Extra Heavy Duty Hold Open Stop Arm Can be combined with 5950, spring cushion kit.	ALM	221.09	192281	10	1
		BRZ	221.09	192282		
		DBZ	221.09	192283		
		GOL	221.09	192284		
		BLK	221.09	199888		
	<b>5962</b> 5100 Series Plated Metal Cover (Check with factory for availability)	US32D	246.75	198227	25	1
		ALM / Painted	172.74	144034		
		DBZ / Painted	172.74	144035		
		BLK/Painted	172.74	-		
	<b>2-659-0145</b> Non Hold Open Stop Track Arm 5100 Series	ALM	107.16	72256	10	1
	<b>2-659-0144</b> Non Hold Open Stop Track Arm 5100 Series	BRZ	107.16	72252		
	<b>2-659-0143</b> Non Hold Open Stop Track Arm 5100 Series	DBZ	107.16	72249		
	<b>2-659-0142</b> Non Hold Open Stop Track Arm 5100 Series	GOL	107.16	72246		
	<b>2-659-0137</b> Hold Open Stop Track Arm 5100 Series	ALM	123.55	190571	10	1
	<b>2-659-0136</b> Hold Open Stop Track Arm 5100 Series	BRZ	123.55	72215		
	<b>2-659-0135</b> Hold Open Stop Track Arm 5100 Series	DBZ	123.55	72207		

1. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering. 2. U/M is each unless otherwise noted.

05/01/2022  
www.hagerco.com





## Door Controls - 5100 Series



Description	Finish	Year	Stock	Case Qty.	Box Qty.
<b>2-659-0134</b> Hold Open Stop Track Arm 5100 Series	GOL	123.55	72196		
<b>2-659-0203</b> Double Egress Non Hold Open Stop Track Arm 5100 Series	ALM	153.73	167865	10	1
<b>2-659-0204</b> Double Egress Non Hold Open Stop Track Arm 5100 Series	BRZ	153.73	167866		
<b>2-659-0205</b> Double Egress Non Hold Open Stop Track Arm 5100 Series	DBZ	153.73	167867		
<b>2-659-0206</b> Double Egress Non Hold Open Stop Track Arm 5100 Series	GOL	153.73	167868		
<b>2-659-0207</b> Double Egress Hold Open Stop Track Arm 5100 Series	ALM	176.48	167869	10	1
<b>2-659-0208</b> Double Egress Hold Open Stop Track Arm 5100 Series	BRZ	176.48	167870		
<b>2-659-0209</b> Double Egress Hold Open Stop Track Arm 5100 Series	DBZ	176.48	167871		
<b>2-659-0210</b> Double Egress Hold Open Stop Track Arm 5100 Series	GOL	176.48	167873		

**Track arms only available in painted finishes shown**





Description	Finish	2022 List	Stock	Case Qty.	Box Qty.
<b>5200 Series</b>	ALM	<b>289.75</b>	126476	6	1
Grade 1	BRZ	289.75	126478		
Adjustable sizes 1-6	DBZ	<b>289.75</b>	126477		
	GOL	289.75	126479		
	BLK	289.75	199553		
<b>ADA (Barrier Free) Door Closers:</b>					
Any certified BHMA/ANSI A156.4 door closer, regardless of manufacturer, that is installed and adjusted based on ADA or other reduced opening force requirements may not provide sufficient power to reliably close and latch a door.					
If arms are ordered separately, there will be a significant difference in price than if purchased with a closer as a complete assembly. Adders are listed below. Add the list price of the option to the list price of the closer and take standard discounts.					
Delayed Action Valve		<b>21.03</b>			
Lead Lined Cover		<b>132.34</b>			
Check with factory for pricing and availability of plated products.		<b>POA</b>			
<b>Closers with non-standard arms</b>					
5200 Series 1-6 Closer, 5203 tri-pack arm, slim line plastic cover	ALM	<b>289.75</b>	145551		
	BRZ	289.75	166442		
	DBZ	289.75	149176		
	GOL	289.75	151746		
	BLK	289.75	199556		
5200 Series 1-6 Closer, 5910 hold open arm, plastic cover	ALM	<b>336.98</b>	145539		
	BRZ	336.98	145540		
	DBZ	<b>336.98</b>	145541		
	GOL	336.98	145542		
	BLK	336.98			
5200 Series 1-6 Closer, 5906 extra heavy duty hold open stop arm, plastic cover	ALM	<b>405.94</b>	145552		
	BRZ	405.94	145556		
	DBZ	405.94	145557		
	GOL	405.94	145558		
	BLK	405.94			
5200 Series 1-6 Closer, 5907 extra heavy duty stop arm, plastic cover	ALM	<b>348.02</b>	145560		
	BRZ	348.02	145561		
	DBZ	<b>348.02</b>	145562		
	GOL	348.02	145563		
	BLK	348.02			
5200 Series 1-6 Closer, 5911 extra heavy duty arm, plastic cover	ALM	<b>367.15</b>	149447		
	BRZ	367.15	154453		
	DBZ	367.15	148832		
	GOL	367.15	155891		
	BLK	367.15			
5200 Series 1-6 Closer, 5912 extra heavy duty hold open arm, plastic cover (left hand)	ALM	<b>332.70</b>	148835		
	BRZ	332.70	163413		
	DBZ	332.70	153689		
	GOL	332.70	156741		
	BLK	332.70			
5200 Series 1-6 Closer, 5912 extra heavy duty hold open arm, plastic cover (right hand)	ALM	332.70	148839		
	BRZ	332.70	163414		
	DBZ	332.70	153858		
	GOL	332.70	156742		
	BLK	332.70			
5200 Series 1-6 Closer, 5926 pull side stop arm, plastic cover	ALM	344.52	025240		
	DBZ	344.52	025172		



## Door Controls - 5200 Series

Description	Finish	2022 List	Stock	Case Qty.	Box Qty.
5200 Series 1-6 Closer, 5927 pull side hold open stop arm, plastic cover	ALM	368.28	025173		
	BRZ	368.28	-		
	DBZ	368.28	025174		
	GOL	368.28	-		
	BLK	368.28			
5200 Series 1-6 Closer, 5956 extra heavy duty hold open cushion stop arm, plastic cover	ALM	516.72	149802		
	BRZ	516.72	151691		
	DBZ	516.72	149732		
	GOL	516.72	162296		
	BLK	516.72			
5200 Series 1-6 Closer, 5957 extra heavy duty cushion stop arm, plastic cover	ALM	<b>468.84</b>	149011		
	BRZ	468.84	162252		
	DBZ	468.84	148977		
	GOL	468.84	162991		
	BLK	468.84			
5200 Closer w/ Non Hold Open Stop Track Arm	ALM	<b>345.17</b>	166333	10	1
	BRZ	345.17	166354		
	DBZ	345.17	166334		
	GOL	345.17	167045		
	BLK	345.17			
5200 Closer w/ Hold Open Stop Track Arm	ALM	<b>361.63</b>	166339	10	
	BRZ	361.63	167223		1
	DBZ	361.63	166341		
	GOL	361.63	167224		
	BLK	361.63			
5200 Closer w/ Double Egress Non Hold Open Stop Track Arm	ALM	397.21	166350	10	1
	BRZ	397.21	167241		
	DBZ	397.21	166351		
	GOL	397.21	167242		
5200 Closer w/ Double Egress Hold Open Stop Track Arm	ALM	<b>380.75</b>	166346	10	1
	BRZ	380.75	167237		
	DBZ	380.75	166347		
Description	Finish	2022	Stock	Case Qty.	Box Qty.
<b>5201</b>	ALM	204.45	148807	6	1
5200 Series Closer Body Only Adjustable sizes 1-6	BRZ	204.45	148809		
	DBZ	204.45	148808		
	GOL	204.45	148810		
	BLK	204.45	199708		
<b>5202</b>	ALM	20.37	88651	25	1
Full Plastic Cover 5200 Series	BRZ	20.37	88532		
	DBZ	20.37	88355		
	GOL	20.37	88343		
	BLK	20.37	199709		
<b>5203</b>	ALM	40.39	71694	8	1
Main Arm Assembly 5200 Series	BRZ	40.39	71296		
	DBZ	40.39	70681		
	GOL	40.39	71271		
	BLK	40.39	75941		
<b>5204</b>	ALM	11.76	72358	80	1
Standard Screw Pack 5200 Series	BRZ	11.76	72236		
	DBZ	11.76	72228		
	GOL	11.76	70684		
	BLK	11.76	75941		



## Door Controls - 5200 Series



Description	Finish	2022 List	Stock	Case Qty.	Box Qty.
<b>5900</b> Parallel Arm Bracket 5200/5300/5400 Series	ALM	10.28	99140	120	1
	BRZ	10.28	99138		
	DBZ	10.28	99135		
	GOL	10.28	99134		
	BLK	10.28	-		
<b>5902</b> SNB Screw Pack, 1-3/4" Door 5200/5300/5400 Series	ALM	11.76	99129	200	1
	BRZ	11.76	99128		
	DBZ	11.76	99127		
	GOL	11.76	99126		
	BLK	11.76	-		
<b>5903</b> SNB Screw Pack, 1-3/8" Door 5200/5300/5400 Series	ALM	11.76	99125	200	1
	BRZ	11.76	99124		
	DBZ	11.76	99123		
	GOL	11.76	99122		
	BLK	11.76	-		
<b>5904</b> SNB Screw Pack, 2" Door 5200/5300/5400 Series	ALM	11.76	99121	200	1
	BRZ	11.76	99118		
	DBZ	11.76	99117		
	GOL	11.76	99116		
	BLK	11.76	-		
<b>5905</b> SNB Screw Pack, 2-1/4" Door 5200/5300/5400 Series	ALM	11.76	99115	200	1
	BRZ	11.76	99114		
	DBZ	11.76	99113		
	GOL	11.76	99112		
	BLK	11.76	-		
<b>5906</b> Extra Heavy Duty Hold Open Stop Arm 5200/5300 Series Can be combined with 5950, spring cushion kit.	ALM	221.09	14583	10	1
	BRZ	221.09	14582		
	DBZ	221.09	14578		
	GOL	221.09	14570		
	BLK	221.09	199865		
<b>5907</b> Extra Heavy Duty Stop Arm 5200/5300 Series Can be combined with 5950, spring cushion kit.	ALM	110.72	14595	10	1
	BRZ	110.72	14591		
	DBZ	110.72	14587		
	GOL	110.72	14586		
	BLK	110.72	199866		
<b>5908</b> Long Rod and Shoe 5200/5300 Series	ALM	20.37	35989	25	1
	BRZ	20.37	35988		
	DBZ	20.37	35941		
	GOL	20.37	35929		
	BLK	20.37	-		
<b>5910</b> Standard Hold Open Arm 5200/5300 Series If ordered separately 5914, Rev 1 needed for parallel mount	ALM	88.62	191400	10	1
	BRZ	88.62	191402		
	DBZ	88.62	191401		
	GOL	88.62	191403		
	BLK	88.62	199868		
<b>5911</b> Extra Heavy Duty Arm 5200/5300 Series	ALM	110.72	73657		
	BRZ	110.72	73656		
	DBZ	110.72	73607		
	GOL	110.72	73487		
	BLK	110.72	199884		



## Door Controls - 5200 Series



### 5912

Extra Heavy Duty Hold Open Arm  
5200/5300 Series  
Specify handing when ordering.



### 5913

Blade Stop Spacer  
5200/5300/5400 Series



### 5914

Hold Open Parallel Arm Bracket  
5200/5300 Series  
For standard hold-open arm.



### 5918

Drop Plate - Top Jamb  
Narrow Top Rail w/ Mounting Screws  
5200 Series  
For use with slim line or no cover.



### 5919

Pinion Cap  
5200 Series



### 5920

Slim Line Plastic Cover  
5200 Series



### 5921

Drop Plate  
Narrow Top Rail w/ Mounting Screws  
5200 Series  
For use with full cover.



### 5922

Drop Plate - Top Jamb  
Parallel Arm with Mounting Screws  
5200 Series  
For use with slim line or no cover.



### 5923

Drop Plate  
Parallel Arm with Mounting Screws  
5200 Series  
For use with full cover.



### 5926

Pull Side Stop Arm  
5200/5300 Series



### 5927

Pull Side Hold Open Stop Arm  
5200/5300 Series

Description	Finish	2022 List	Stock	Case Qty.	Box Qty.
<b>5912</b> Extra Heavy Duty Hold Open Arm 5200/5300 Series Specify handing when ordering.	ALM	110.72	73446	10	1
	BRZ	110.72	73317		
	DBZ	110.72	73347		
	GOL	110.72	73283		
	BLK	110.72	-		
<b>5913</b> Blade Stop Spacer 5200/5300/5400 Series	ALM	31.24	73268	15	1
	BRZ	31.24	73244		
	DBZ	31.24	73076		
	GOL	31.24	73074		
	BLK	31.24	068591		
<b>5914</b> Hold Open Parallel Arm Bracket 5200/5300 Series For standard hold-open arm.	ALM	20.37	171426	60	1
	BRZ	20.37	191431		
	DBZ	20.37	191428		
	GOL	20.37	191432		
	BLK	20.37	71981		
<b>5918</b> Drop Plate - Top Jamb Narrow Top Rail w/ Mounting Screws 5200 Series For use with slim line or no cover.	ALM	47.52	72262	10	1
	BRZ	47.52	72242		
	DBZ	47.52	72248		
	GOL	47.52	72241		
	BLK	47.52	-		
<b>5919</b> Pinion Cap 5200 Series	ALM	2.26	72138	20	1
	BRZ	2.26	70989		
	DBZ	2.26	70779		
	GOL	2.26	70765		
	BLK	2.26			
<b>5920</b> Slim Line Plastic Cover 5200 Series	ALM	20.37	70962	18	1
	BRZ	20.37	70859		
	DBZ	20.37	70987		
	GOL	20.37	70984		
	BLK	20.37	74835		
<b>5921</b> Drop Plate Narrow Top Rail w/ Mounting Screws 5200 Series For use with full cover.	ALM	47.52	33996	10	1
	BRZ	47.52	33994		
	DBZ	47.52	33980		
	GOL	47.52	33979		
	BLK	47.52	39740		
<b>5922</b> Drop Plate - Top Jamb Parallel Arm with Mounting Screws 5200 Series For use with slim line or no cover.	ALM	47.52	33957	10	1
	BRZ	47.52	33943		
	DBZ	47.52	33941		
	GOL	47.52	33940		
	BLK	47.52	82349		
<b>5923</b> Drop Plate Parallel Arm with Mounting Screws 5200 Series For use with full cover.	ALM	47.52	33947	10	1
	BRZ	47.52	33936		
	DBZ	47.52	33934		
	GOL	47.52	33929		
	BLK	47.52	74827		
<b>5926</b> Pull Side Stop Arm 5200/5300 Series	ALM	124.74	40972	10	1
	DBZ	124.74	40968		
<b>5927</b> Pull Side Hold Open Stop Arm 5200/5300 Series	ALM	148.50	40969	10	1
	DBZ	148.50	40970		



## Door Controls - 5200 Series



Description	Finish	2022 List	Stock	Case Qty.	Box Qty.
<b>5932</b> Plated Metal Cover (Check with factory for availability) 5200 Series	US32D	201.01	198229	25	1
	ALM (painted)	201.01	191374		
	BLK (painted)	201.01	-		
<b>5936</b> Extra Clearance Bracket 5200/5300 Series	ALM	26.73	129577	48	8
	BRZ	26.73	129578		
	DBZ	26.73	129579		
	GOL	26.73	129580		
	BLK	26.73	100387		
<b>5950</b> Spring Cushion Kit 5100/5200/5300 Series	ALM	148.62	118353	10	1
	BRZ	148.62	120777		
	DBZ	148.62	120779		
	GOL	148.62	120780		
	BLK	148.62	199887		
<b>5956</b> Extra Heavy Duty Hold Open Cushion Stop Arm 5200/5300 Series Includes 5906 and 5950.	ALM	310.60	118345	10	1
	BRZ	310.60	118346		
	DBZ	310.60	118347		
	GOL	310.60	118348		
	BLK	310.60	084427		
<b>5957</b> Extra Heavy Duty Cushion Stop Arm 5200/5300 Series Includes 5907 and 5950.	ALM	267.30	118349	10	1
	BRZ	267.30	118350		
	DBZ	267.30	118351		
	GOL	267.30	118352		
	BLK	267.30	-		
<b>2-659-0141</b> Non Hold Open Stop Track Arm 5200/5300 Series	ALM	107.16	198619	10	1
<b>2-659-0140</b> Non Hold Open Stop Track Arm 5200/5300 Series	BRZ	107.16	72247		
<b>2-659-0139</b> Non Hold Open Stop Track Arm 5200/5300 Series	DBZ	107.16	72238		
<b>2-659-0138</b> Non Hold Open Stop Track Arm 5200/5300 Series	GOL	107.16	72239		
<b>2-659-0350</b> Hold Open Stop Track Arm 5200/5300 Series	ALM	123.55	72197	10	1
<b>2-659-0351</b> Hold Open Stop Track Arm 5200/5300 Series	BRZ	123.55	72198		
<b>2-659-0352</b> Hold Open Stop Track Arm 5200/5300 Series	DBZ	123.55	72192		
<b>2-659-0353</b> Hold Open Stop Track Arm 5200/5300 Series	GOL	123.55	72193		
<b>2-659-0211</b> Double Egress Non Hold Open Stop Track Arm 5200 Series	ALM	153.73	167874	10	1

1. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering. 2. U/M is each unless otherwise noted.

05/01/2022  
www.hagerco.com



## Door Controls - 5200 Series

Description	Finish	2022 List	Stock	Case Qty.	Box Qty.
<b>2-659-0212</b> Double Egress Non Hold Open Stop Track Arm 5200 Series	BRZ	153.73	167875		
<b>2-659-0213</b> Double Egress Non Hold Open Stop Track Arm 5200 Series	DBZ	153.73	167876		
<b>2-659-0214</b> Double Egress Non Hold Open Stop Track Arm 5200 Series	GOL	153.73	167877		
<b>2-659-0215</b> Double Egress Hold Open Stop Track Arm 5200 Series	ALM	176.48	167878	10	1
<b>2-659-0216</b> Double Egress Hold Open Stop Track Arm 5200 Series	BRZ	176.48	167879		
<b>2-659-0217</b> Double Egress Hold Open Stop Track Arm 5200 Series	DBZ	176.48	167880		
<b>2-659-0218</b> Double Egress Hold Open Stop Track Arm 5200 Series	GOL	176.48	167881		

**Track arms only available in painted finishes shown**





Description	Finish	2022 List	Stock	Case Qty.	Box Qty.
<b>5300 Series</b>	ALM	<b>231.54</b>	145672	6	1
Grade 1	BRZ	231.54	145673		
Adjustable sizes 1-6	DBZ	<b>231.54</b>	145674		
	GOL	231.54	145675		
	BLK	231.54	199793		
<b>ADA (Barrier Free) Door Closers:</b>					
Any certified BHMA/ANSI A156.4 door closer, regardless of manufacturer, that is installed and adjusted based on ADA or other reduced opening force requirements may not provide sufficient power to reliably close and latch a door.					
If arms are ordered separately, there will be a significant difference in price than if purchased with a closer as a complete assembly. Adders are listed below. Add the list price of the option to the list price of the closer and take standard discounts.					
Delayed Action Valve		<b>21.03</b>			
Lead Lined Cover		<b>132.34</b>			
Check with factory for pricing and availability of plated products.		<b>POA</b>			
<b>Closers with non-standard arms</b>					
5300 Series 1-6 Closer, 5910 hold open arm, plastic cover	ALM	<b>277.40</b>	145676		
	BRZ	277.40	145677		
	DBZ	<b>277.40</b>	145678		
	GOL	277.40	145679		
	BLK	277.40			
5300 Series 1-6 Closer, 5906 extra heavy duty hold open stop arm, plastic cover	ALM	<b>344.34</b>	145681		
	BRZ	344.34	145682		
	DBZ	344.34	145683		
	GOL	344.34	145684		
	BLK	344.34			
5300 Series 1-6 Closer, 5907 extra heavy duty stop arm, plastic cover	ALM	<b>288.03</b>	145686		
	BRZ	288.03	174460		
	DBZ	<b>288.03</b>	145687		
	GOL	288.03	164629		
	BLK	288.03			
5300 Series 1-6 Closer, 5911 extra heavy duty arm, plastic cover	ALM	<b>288.03</b>	150366		
	BRZ	288.03	173792		
	DBZ	288.03	152815		
	GOL	288.03	-		
	BLK	288.03			
5300 Series 1-6 Closer, 5912 extra heavy duty hold open arm, plastic cover (left hand)	ALM	272.29	152972		
	BRZ	272.29	-		
	DBZ	272.29	154681		
	GOL	272.29	-		
	BLK	272.29			
5300 Series 1-6 Closer, 5912 extra heavy duty hold open arm, plastic cover (right hand)	ALM	272.29	152973		
	BRZ	272.29	-		
	DBZ	272.29	154682		
	GOL	272.29	-		
	BLK	272.29			
5300 Series 1-6 Closer, 5926 pull side stop arm, plastic cover	ALM	285.12	027688		
	BRZ	285.12	-		
	DBZ	285.12	025167		
	GOL	285.12	-		
	BLK	285.12			
5300 Series 1-6 Closer, 5927 pull side hold open stop arm, plastic cover	ALM	308.88	026419		
	BRZ	308.88	-		
	DBZ	308.88	026152		
	GOL	308.88	-		
	BLK	308.88			





## Door Controls - 5300 Series

Description	Finish	2022 List	Stock	Case Qty.	Box Qty.
5300 Series 1-6 Closer, 5956 extra heavy duty hold open cushion stop arm, plastic cover	ALM	452.33	150916		
	BRZ	452.33	171199		
	DBZ	452.33	160007		
	GOL	452.33	-		
	BLK	452.33			
5300 Series 1-6 Closer, 5957 extra heavy duty cushion stop arm, plastic cover	ALM	<b>403.33</b>	149230		
	BRZ	403.33	149807		
	DBZ	403.33	149013		
	GOL	403.33	173080		
	BLK	403.33			
Description	Finish	2022 List	Stock	Case Qty.	Box Qty.
5300 Closer w/ Non Hold Open Stop Track Arm	ALM	<b>285.83</b>	166335	10	1
	BRZ	285.83	167062		
	DBZ	285.83	166336		
	GOL	285.83	167217		
	BLK	285.83			
5300 Closer w/ Hold Open Stop Track Arm	ALM	<b>300.45</b>	166342	10	1
	BRZ	300.45	167225		
	DBZ	300.45	166343		
	GOL	300.45	167234		
	BLK	300.45			
Description	Finish	2022 List	Stock	Case Qty.	Box Qty.
<b>5301</b> Closer Body Only Adjustable sizes 1-6	ALM	148.98	148811	6	1
	BRZ	148.98	148813		
	DBZ	148.98	148812		
	GOL	148.98	148814		
	BLK	148.98	75827		
<b>5302</b> Full Plastic Cover 5300 Series	ALM	20.37	88207	25	1
	BRZ	20.37	87873		
	DBZ	20.37	87843		
	GOL	20.37	87785		
	BLK	20.37	78432		
<b>5303</b> Main Arm Assembly 5300 Series	ALM	40.39	71270	8	1
	BRZ	40.39	71255		
	DBZ	40.39	71254		
	GOL	40.39	71234		
	BLK	40.39	199859		
<b>5304</b> Standard Screw Pack 5300 Series	ALM	11.76	72356	80	1
	BRZ	11.76	72210		
	DBZ	11.76	72180		
	GOL	11.76	72174		
	BLK	11.76	75942		
<b>5900</b> Parallel Arm Bracket 5200/5300/5400 Series	ALM	10.28	99140	120	1
	BRZ	10.28	99138		
	DBZ	10.28	99135		
	GOL	10.28	99134		
	BLK	10.28	-		
<b>5901</b> Pinion Cap 5300/5400 Series	ALM	2.32	99133	200	1
	BRZ	2.32	99132		
	DBZ	2.32	99131		
	GOL	2.32	99130		1
	BLK	2.32	-		



## Door Controls - 5300 Series



Description	Finish	2022 List	Stock	Case Qty.	Box Qty.
<b>5902</b> SNB Screw Pack, 1-3/4" Door 5200/5300/5400 Series	BRZ	11.76	99128		
	DBZ	11.76	99127		
	GOL	11.76	99126		
	BLK	11.76	-		
<b>5903</b> SNB Screw Pack, 1-3/8" Door 5200/5300/5400 Series	ALM	11.76	99125	200	1
	BRZ	11.76	99124		
	DBZ	11.76	99123		
	GOL	11.76	99122		
	BLK	11.76	-		
<b>5904</b> SNB Screw Pack, 2" Door 5200/5300/5400 Series	ALM	11.76	99121	200	1
	BRZ	11.76	99118		
	DBZ	11.76	99117		
	GOL	11.76	99116		
	BLK	11.76	-		
<b>5905</b> SNB Screw Pack, 2-1/4" Door 5200/5300/5400 Series	ALM	11.76	99115	200	1
	BRZ	11.76	99114		
	DBZ	11.76	99113		
	GOL	11.76	99112		
	BLK	11.76	-		
<b>5906</b> Extra Heavy Duty Hold Open Stop Arm 5200/5300 Series Can be combined with 5950, spring cushion kit.	ALM	221.09	14583	10	1
	BRZ	221.09	14582		
	DBZ	221.09	14578		
	GOL	221.09	14570		
	BLK	221.09	199865		
<b>5907</b> Extra Heavy Duty Stop Arm 5200/5300 Series Can be combined with 5950, spring cushion kit.	ALM	110.72	14595	10	1
	BRZ	110.72	14591		
	DBZ	110.72	14587		
	GOL	110.72	14586		
	BLK	110.72	199866		
<b>5908</b> Long Rod and Shoe 5200/5300 Series	ALM	20.37	35989	25	1
	BRZ	20.37	35988		
	DBZ	20.37	35941		
	GOL	20.37	35929		
	BLK	20.37	-		
<b>5910</b> Standard Hold Open Arm 5200/5300 Series If ordered separately 5914, Rev 1 needed for parallel mount.	ALM	88.62	191400		
	BRZ	88.62	191402		
	DBZ	88.62	191401		
	GOL	88.62	191403		
	BLK	88.62	199868		
<b>5911</b> Extra Heavy Duty Arm 5200/5300 Series	ALM	110.72	73657	10	1
	BRZ	110.72	73656		
	DBZ	110.72	73607		
	GOL	110.72	73487		
	BLK	110.72	199884		
<b>5912</b> Extra Heavy Duty Hold Open Arm 5200/5300 Series Specify handing when ordering.	ALM	110.72	73446	10	1
	BRZ	110.72	73317		
	DBZ	110.72	73347		
	GOL	110.72	73283		
	BLK	110.72	-		

1. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering. 2. U/M is each unless otherwise noted.

05/01/2022  
www.hagerco.com



## Door Controls - 5300 Series



Description	Finish	2022 List	Stock	Case Qty.	Box Qty.
<b>5913</b> Blade Stop Spacer 5200/5300/5400 Series	ALM	31.24	73268	15	1
	BRZ	31.24	73244		
	DBZ	31.24	73076		
	GOL	31.24	73074		
	BLK	31.24	68591		
<b>5914</b> Hold Open Parallel Arm Bracket 5200/5300 Series For standard hold-open arm.	ALM	20.37	191426	60	1
	BRZ	20.37	191431		
	DBZ	20.37	191428		
	GOL	20.37	191432		
	BLK	20.37	71981		
<b>5915</b> Drop Plate - OH Holder Narrow Rail w/ Mounting Screws 5300 Series For use with full cover.	ALM	47.52	72754	10	1
	BRZ	47.52	72741		
	DBZ	47.52	72750		
	GOL	47.52	72673		
	BLK	47.52	133059		
<b>5916</b> Drop Plate - Narrow Rail Parallel Arm Cover w/ Mounting Screws 5300 Series For use with full cover.	ALM	47.52	72669	10	1
	BRZ	47.52	72500		
	DBZ	47.52	72509		
	GOL	47.52	72468		
	BLK	47.52	100600		
<b>5917</b> Drop Plate - Low Clearance Overhead Holder w/ Mounting Screws 5300 Series For use with no cover.	ALM	47.52	72410	10	1
	BRZ	47.52	72281		
	DBZ	47.52	72372		
	GOL	47.52	72264		
	BLK	47.52	100599		
<b>5926</b> Pull Side Stop Arm 5200/5300 Series	ALM	124.74	40972	10	1
	DBZ	124.74	40968		
<b>5927</b> Pull Side Hold Open Stop Arm 5200/5300 Series	ALM	148.50	40969	10	1
	DBZ	148.50	40970		
<b>5936</b> Extra Clearance Bracket 5200/5300 Series	ALM	26.73	129577	48	1
	BRZ	26.73	129578		
	DBZ	26.73	129579		
	GOL	26.73	129580		
	BLK	26.73	100387		
<b>5950</b> Spring Cushion Kit (sold separately) 5100/5200/5300 Series	ALM	148.62	118353	10	1
	BRZ	148.62	120777		
	DBZ	148.62	120779		
	GOL	148.62	120780		
<b>5956</b> Extra Heavy Duty Hold Open Cushion Stop Arm 5200/5300 Series Includes 5906 and 5950.	ALM	310.60	118345	10	1
	BRZ	310.60	118346		
	DBZ	310.60	118347		
	GOL	310.60	118348		
	BLK	310.60	084427		



## Door Controls - 5300 Series



Description	Finish	2022 List	Stock	Case Qty.	Box Qty.
<b>5957</b> Extra Heavy Duty Cushion Stop Arm 5200/5300 Series Includes 5907 and 5950.	ALM	267.30	118349	10	1
	BRZ	267.30	118350		
	DBZ	267.30	118351		
	GOL	267.30	118352		
	BLK	267.30	-		
<b>2-659-0141</b> Non Hold Open Stop Track Arm 5200/5300 Series	ALM	107.16	198619	10	1
<b>2-659-0140</b> Non Hold Open Stop Track Arm 5200/5300 Series	BRZ	107.16	72247		
<b>2-659-0139</b> Non Hold Open Stop Track Arm 5200/5300 Series	DBZ	107.16	72238		
<b>2-659-0138</b> Non Hold Open Stop Track Arm 5200/5300 Series	GOL	107.16	72239		
<b>2-659-0350</b> Hold Open Stop Track Arm 5200/5300 Series	ALM	123.55	72197	10	1
<b>2-659-0351</b> Hold Open Stop Track Arm 5200/5300 Series	BRZ	123.55	72198		
<b>2-659-0352</b> Hold Open Stop Track Arm 5200/5300 Series	DBZ	123.55	72192		
<b>2-659-0353</b> Hold Open Stop Track Arm 5200/5300 Series	GOL	123.55	72193		

**Track arms only available in painted finishes shown**



## Door Controls - 5400 Series



Description	Finish	2022 List	Stock	Case Qty.	Box Qty.
<b>5400 Series</b>	ALM	142.92	85450	6	1
Grade 2	DBZ	142.92	85449		
Size 2 - 5	BLK	142.92	36779		
<b>5400 Series Adders:</b>		19.60			
Optional backcheck available (add to list price)					
<b>5401</b>	ALM	109.95	67779	6	1
5400 Series Closer Body Only	DBZ	109.95	76407		
Size 2 - 5	BLK	109.95	76416		
<b>5402</b>	ALM	20.37	77881		
Plastic Cover	DBZ	20.37	77819		
5400 Series					
<b>5403</b>	ALM	36.06	71659	8	1
Main Arm Assembly	DBZ	36.06	71218		
5400 Series	BLK	36.06	-		
<b>5404</b>	ALM	11.17	72336	80	1
Standard Screw Pack	DBZ	11.17	72171		
5400 Series	BLK	11.17	-		



## Door Controls - 5400 Series



Description	Finish	2022 List	Stock	Case Qty.	Box Qty.
<b>5900</b> Parallel Arm Bracket 5200/5300/5400 Series	ALM DBZ BLK	10.28 10.28 10.28	99140 99135 -	120	1
<b>5901</b> Pinion Cap 5300/5400 Series	ALM DBZ BLK	2.32 2.32 2.32	99133 99131 -	200	1
<b>5902</b> SNB Screw Pack, 1-3/4" Door 5200/5300/5400 Series	ALM DBZ BLK	11.76 11.76 11.76	9129 9127 -	200	1
<b>5903</b> SNB Screw Pack, 1-3/8" Door 5200/5300/5400 Series	ALM DBZ BLK	11.76 11.76 11.76	99125 99123 -	200	1
<b>5904</b> SNB Screw Pack, 2" Door 5200/5300/5400 Series	ALM DBZ BLK	11.76 11.76 11.76	99121 99117 -	200	1
<b>5905</b> SNB Screw Pack, 2-1/4" Door 5200/5300/5400 Series	ALM DBZ BLK	11.76 11.76 11.76	99115 99113 -	200	1
<b>5913</b> Blade Stop Spacer 5200/5300/5400 Series	ALM DBZ BLK	31.24 31.24 31.24	73268 73076 -	15	1



## Door Controls - Electromagnetic Holders



Description	Voltage	Finish	2022 List	Stock	Case Qty.	Box Qty.
<b>380F</b> Electromagnetic Door Holder Flush Mount	12 & 24	US3	309.30	122598	25	1
		L2	309.30	113307		
		LS	309.30	107216		
	24 & 120	US3	309.30	-		
		L2	309.30	143678		
		LS	309.30	107443		
	24 & 220	US3	309.30	142090		
		L2	309.30	-		
		LS	309.30	124474		



<b>380G</b> Electromagnetic Door Holder Floor Mount (Single Door)	12 & 24	US3	467.83	133360	18	1
		L2	467.83	-		
		LS	467.83	133362		
	24 & 120	US3	467.83	-		
		L2	467.83	-		
		LS	467.83	111432		
	24 & 220	US3	467.83	-		
		L2	467.83	122342		
		LS	467.83	139500		



<b>380H</b> Electromagnetic Door Holder Floor Mount (Double Door)	12 & 24	US3	547.13	-	6	1
		L2	547.13	-		
		LS	547.13	-		
	24 & 120	US3	547.13	-		
		L2	547.13	-		
		LS	547.13	114881		
	24 & 220	US3	547.13	-		
		L2	547.13	-		
		LS	547.13	-		



<b>380R</b> Electromagnetic Door Holder Recessed Mount	12 & 24	US3	309.30	129952	25	1
		L2	309.30	130390		
		LS	309.30	107442		
	24 & 120	US3	309.30	-		
		L2	309.30	-		
		LS	309.30	107446		
	24 & 220	US3	309.30	-		
		L2	309.30	-		
		LS	309.30	141037		



<b>380S</b> Electromagnetic Door Holder Surface Mount	12 & 24	US3	340.96	114503	25	1
		L2	340.96	113961		
		LS	340.96	107441		
	24 & 120	US3	340.96	120377		
		L2	340.96	116868		
		LS	340.96	107444		
	24 & 220	US3	340.96	-		
		L2	340.96	139499		
		LS	340.96	-		

## Door Controls - Electromagnetic Holders



Description	Size	Finish	2022 List	Stock	Case Qty.	Box Qty.
<b>381A</b> Adjustable Extension Rods	1-1/2"	US3	25.54	107528	25	1
		L2	25.54	107529		
		LS	25.54	107527		
	2"	US3	27.03	107532		
		L2	27.03	107533		
		LS	27.03	107530		
	4"	US3	30.12	107535		
		L2	30.12	107536		
		LS	30.12	107534		
<b>381B</b> Surface Back Box	4"	US3	47.58	107547	50	1
		L2	47.58	107548		
		LS	47.58	107545		
<b>381C</b> Catch Disc	2"	US3	31.84	107550	25	1
		L2	31.84	107551		
		LS	31.84	107549		
<b>381D</b> Drilling Fixture	4"	-	61.68	166584	1	1
<b>381E</b> Extension Rods	1/2"	US3	20.73	107450	25	1
		L2	20.73	107451		
		LS	20.73	107449		
	1"	US3	22.33	107453		
		L2	22.33	107452		
		LS	22.33	107455		
	1-1/2"	US3	23.88	107458		
		L2	23.88	107460		
		LS	23.88	107457		
	2"	US3	25.54	107467		
		L2	25.54	107468		
		LS	25.54	107462		
	3"	US3	27.03	107489		
		L2	27.03	107490		
		LS	27.03	107488		
	4"	US3	28.57	107492		
		L2	28.57	107493		
		LS	28.57	107491		
<b>381H</b> Hardware Package	4"	-	27.03	165884	25	1
<b>381S</b> Catch Plate Assembly	4"	US3	79.30	107543	50	1
		L2	79.30	107544		
		LS	79.30	107542		

1. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering. 2. U/M is each unless otherwise noted.

05/01/2022  
www.hagerco.com





# Door Controls - Electromagnetic Holders



Description	Voltage	Finish	2022 List	Stock	Case Qty.	Box Qty.
<b>381W</b> Extension Wrenches (2 pcs.)	4"	-	6.36	107552	25	1



1. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering. 2. U/M is each unless otherwise noted.

## Door Controls - Overhead Door Holders and Stops



Description	Material	Finish	2022 List	Stock	Case Qty.	Box Qty.
<b>6015 Series</b>						
<b>Medium Duty Surface Mount</b>						
<b>Grade 2</b>						
Friction	Stainless steel	US32D/630	202.14	140725	6	1
Size 1	Steel	US10B/640	202.14	140826		
20" - 33" Door Opening		ALM/powder coated	148.32	140886		
Friction	Stainless steel	US32D/630	202.14	140726		
Size 2	Steel	US10B/640	202.14	140827	6	1
33" - 51" Door Opening		ALM/powder coated	148.32	140887		
<b>6015 Series</b>						
<b>Medium Duty Concealed Mount</b>						
<b>Grade 2</b>						
Friction	Stainless steel	US32D/630	202.14	140731	6	1
Size 1	Steel	US10B/640	202.14	140832		
18" - 33" Door Opening		ALM/powder coated	148.32	140892		
Friction	Stainless steel	US32D/630	202.14	140732	6	1
Size 2	Steel	US10B/640	202.14	140833		
33" - 51" Door Opening		ALM/powder coated	148.32	140893		
<b>6016 Series</b>						
<b>Medium Duty Surface Mount</b>						
<b>Grade 2</b>						
Stop ONLY	Stainless steel	US32D/630	202.14	140720	6	1
Size 1	Steel	US10B/640	202.14	140822		
20" - 33" Door Opening		ALM/powder coated	148.32	140882		
Stop ONLY	Stainless steel	US32D/630	<b>202.14</b>	140721	6	1
Size 2	Steel	US10B/640	202.14	140823		
33" - 51" Door Opening		ALM/powder coated	<b>148.32</b>	140883		
<b>6016 Series</b>						
<b>Medium Duty Concealed Mount</b>						
<b>Grade 2</b>						
Stop ONLY	Stainless steel	US32D/630	202.14	140727	6	1
Size 1	Steel	US10B/640	202.14	140828		
18" - 33" Door Opening		ALM/powder coated	148.32	140888		
Stop ONLY	Stainless steel	US32D/630	202.14	140728	6	1
Size 2	Steel	US10B/640	202.14	140829		
33" - 51" Door Opening		ALM/powder coated	148.32	140889		



## Door Controls - Overhead Door Holders and Stops



Description	Material	Finish	2022 List	Stock	Case Qty.	Box Qty.
<b>6017 Series</b>						
<b>Medium Duty Surface Mount</b>						
<b>Grade 2</b>						
Hold Open	Stainless steel	US32D/630	202.14	140722	6	1
Size 1	Steel	US10B/640	202.14	140824		
20" - 33" Door Opening		ALM/powder coated	148.32	140884		
Hold Open	Stainless steel	US32D/630	202.14	140723	6	1
Size 2	Steel	US10B/640	202.14	140825		
33" - 51" Door Opening		ALM/powder coated	148.32	140885		
<b>6017 Series</b>						
<b>Medium Duty Concealed Mount</b>						
<b>Grade 2</b>						
Hold Open	Stainless steel	US32D/630	202.14	140729	6	1
Size 1	Steel	US10B/640	202.14	140830		
18" - 33" Door Opening		ALM/powder coated	148.32	140890		
Hold Open	Stainless steel	US32D/630	202.14	140730	6	1
Size 2	Steel	US10B/640	202.14	140831		
33" - 51" Door Opening		ALM/powder coated	148.32	140891		
<b>6000 Series Accessories</b>						
Surface Mounted End Cap and	2-659-0101	US26D	16.28	141691		
Spring Replacement Kit	2-659-0102	US10B	16.28	141692		
	2-659-0103	US3	16.28	141693		
<b>6000 Series Accessories</b>						
Concealed Mounted End Cap and	2-659-0104	-	16.28	141695		
Spring Replacement Kit						
<b>6000 Series Accessories</b>						
Hold Open Replacement Kit	2-659-0105	-	24.35	141696		
<b>6000 Series Accessories</b>						
Friction Replacement Kit	2-659-0106	-	24.35	141697		
<b>6000 Series Screwpacks</b>						
Standard screwpack includes	2-659-0098	US26D	12.24	141688		
machine screws, wood screws, sex	2-659-0099	US10B	12.24	141689		
nuts & bolts for 1-3/4" doors, arm						
set screws, Allen wrench, for both						
concealed and surface mounted						
<b>6000 Series Screwpacks</b>						
SNB screwpack includes sex nuts	2-659-0107	US26D	9.56	141698		
and bolts for 1-3/8" doors	2-659-0108	US10B	9.56	141699		
<b>6000 Series Screwpacks</b>						
SNB screwpack includes sex nuts	2-659-0110	US26D	9.56	141701		
and bolts for 2" doors	2-659-0111	US10B	9.56	141702		



## Door Controls - Overhead Door Holders and Stops



Description	Material	Finish	2022 List	Stock	Case Qty.	Box Qty.
<b>6000 Series Screwpacks</b>	2-659-0113	US26D	9.56	141704		
SNB screwpack includes sex nuts and bolts for 2-1/4" doors	2-659-0114	US10B	9.56	141705		



Description	Material	Finish	2022	Stock	Case Qty.	Box Qty.
<b>7015 Series Heavy Duty Surface Mount Grade 1</b>						
Friction						
Size 1	Stainless steel	US32D/630	384.08	140712	6	1
24" - 40" Door Opening	Steel	US10B/640	384.08	140814		
		ALM/powder coated	310.01	140874		
Friction	Stainless steel	US32D/630	384.08	140713	6	1
Size 2	Steel	US10B/640	384.08	140815		
41" - 55" Door Opening		ALM/powder coated	310.01	140875		

### 7015 Series Heavy Duty Concealed Mount Grade 1

Friction	Stainless steel	US32D/630	384.08	140718	6	1
Size 1	Steel	US10B/640	384.08	140820		
24" - 40" Door Opening		ALM/powder coated	310.01	140880		
Friction	Stainless steel	US32D/630	384.08	140719	6	1
Size 2	Steel	US10B/640	384.08	140821		
41" - 55" Door Opening		ALM/powder coated	310.01	140881		



### 7016 Series Heavy Duty Surface Mount Grade 1

Stop ONLY	Stainless steel	US32D/630	<b>384.08</b>	140680	6	1
Size 1	Steel	US10B/640	384.08	140805		
24" - 40" Door Opening		ALM/powder coated	310.01	140870		
Stop ONLY	Stainless steel	US32D/630	<b>384.08</b>	140701	6	1
Size 2	Steel	US10B/640	384.08	140807		
41" - 55" Door Opening		ALM/powder coated	310.01	140871		



### 7016 Series Heavy Duty Concealed Mount Grade 1

Stop ONLY	Stainless steel	US32D/630	384.08	140714	6	1
Size 1	Steel	US10B/640	384.08	140816		
24" - 40" Door Opening		ALM/powder coated	310.01	140876		
Stop ONLY	Stainless steel	US32D/630	384.08	140715	6	1
Size 2	Steel	US10B/640	384.08	140817		
41" - 55" Door Opening		ALM/powder coated	310.01	140877		



## Door Controls - Overhead Door Holders and Stops



Description	Material	Finish	2022 List	Stock	Case Qty.	Box Qty.
<b>7017 Series Heavy Duty Surface Mount Grade 1</b>						
Hold Open						
Size 1	Stainless steel	US32D/630	<b>384.08</b>	140710	6	1
24" - 40" Door Opening	Steel	US10B/640	384.08	140810		
		ALM/powder coated	310.01	140872		
Hold Open	Stainless steel	US32D/630	384.08	140711	6	1
Size 2	Steel	US10B/640	384.08	140813		
41" - 55" Door Opening		ALM/powder coated	310.01	140873		

### 7017 Series Heavy Duty Concealed Mount Grade 1

Hold Open						
Size 1	Stainless steel	US32D/630	384.08	140716	6	1
24" - 40" Door Opening	Steel	US10B/640	384.08	140818		
Hold Open	Stainless steel	US32D/630	384.08	140717	6	1
Size 2	Steel	US10B/640	384.08	140819		
41" - 55" Door Opening						




<b>7000 Series Accessories</b>	2-659-0119	US26D	22.28	141711		
Surface Mounted End Cap and Spring Replacement Kit	2-659-0120	US10B	22.28	141712		



<b>7000 Series Accessories</b>	2-659-0122	-	22.28	141714		
Concealed Mounted End Cap and Spring Replacement Kit						



<b>7000 Series Accessories</b>	2-659-0123	-	26.97	141715		
Hold Open Replacement Kit						



<b>7000 Series Accessories</b>	2-659-0124	-	26.97	141716		
Friction Replacement Kit						



<b>7000 Series Screwpacks</b>	2-659-0116	US26D	18.59	141707		
Standard screwpack includes machine screws, wood screws, sex nuts & bolts for 1-3/4" doors, arm set screws, Allen wrench, for both concealed and surface mounted	2-659-0117	US10B	18.59	141708		



<b>7000 Series Screwpacks</b>	2-659-0125	US26D	13.48	141717		
SNB screwpack includes sex nuts and bolts for 1-3/8" doors	2-659-0126	US10B	13.48	141718		



<b>7000 Series Screwpacks</b>	2-659-0128	US26D	13.48	141720		
SNB screwpack includes sex nuts and bolts for 2" doors	2-659-0129	US10B	13.48	141721		



## Door Controls - Overhead Door Holders and Stops



Description	Material	Finish	2022 List	Stock	Case Qty.	Box Qty.
<b>7000 Series Screwpacks</b>	2-659-0131	US26D	13.48	141723		
SNB screwpack includes sex nuts and bolts for 2-1/4" doors	2-659-0132	US10B	13.48	141724		





**TABLE OF CONTENTS**

<b>A</b>	
Actuators .....	17-19
Adjustable Angle Bracket (2941/2942) .....	6
Angle Brackets (2950 Series) .....	9
Armature Mounting Plates (2950 Series).....	7-8
Arm Assemblies (8300 Series) .....	16
Arm Assemblies (8400 Series) .....	13
<b>B</b>	
Battery Backup (8300 Series) .....	15
Bollard Posts .....	19
<b>C</b>	
Concealed Magnetic Contact .....	11
Coordinator Mounting Bracket (2950 Series) .....	8
Covers (8400 Series) .....	13-14
<b>D</b>	
Delayed Egress Magnetic Lock.....	9-10
Door Prop Alarms.....	3
Drop Plates (8400 Series) .....	13
<b>E</b>	
Egress Sensors.....	11
Electric Strikes.....	5-6
Emergency Door Release.....	11
Exit Switches .....	10
<b>F</b>	
Filler Bars (2941/2942 Series) .....	6
Filler Bars (2950 Series) .....	8
<b>G</b>	
Gang Boxes .....	11
Glass Door Kits (2941/2942) .....	6
Glass Door Kits (2950 Series) .....	7
<b>H</b>	
Handheld Programmer (8300 Series) .....	16
<b>K</b>	
Key Switch.....	3
Keypads .....	4

<b>L</b>	
8300 Series Low Energy Power Operators .....	15-16
8400 Series Low Energy Power Operators .....	12-14
<b>M</b>	
Magnetic Locks (2941/2942 Series).....	6
Magnetic Locks (2950 Series) .....	7-9
Magnetic Shear Locks (2961/2965) .....	9
Magnetic Switches .....	11
<b>O</b>	
On-Board Power Supply (8400 Series) .....	14
Outdoor Shrouds .....	4, 11
<b>P</b>	
Power Supply .....	3-4
Power Transfers .....	11
Pressure Sense Bars .....	10
Proximity Cards & Keys... ..	4-5
Pedestrian Presence Sensors .....	20
<b>R</b>	
Relay & Door Sequencer .....	20
Relay Board (8400 Series) .....	14
<b>S</b>	
Spacer Brackets (2950 Series) .....	7
Spindles (8300 Series) .....	16
Spindles (8400 Series) .....	13
<b>T</b>	
Top Jamb Kits (2941/2942) .....	6
Top Jamb Kits (2950 Series) .....	7
<b>U</b>	
Universal Brackets (2950 Series) .....	7
Underdesk Switch .....	11
<b>W</b>	
Wireless Receiver .....	20
Wireless Transmitters .....	20





## Electrified Products

---

### Online Ordering

Products denoted with **red and bold** pricing are available to order through the MyHager portal.

### Cancellation Notification

Cancellation for made-to-order items must be communicated within 48 hours of order placement.






Description	Finish	2022 List	Stock No.	Case Qty.
<b>29KS ASD</b> Key switch - Alternate, SPDT	US32D	133.29	156361	12
<b>29KS MSD</b> Key switch - Momentary, SPDT	US32D	133.29	156367	12
<b>29KS ADD</b> Key switch - Alternate, DPDT	US32D	154.39	156366	12
<b>29KS MDD</b> Key switch - Momentary, DPDT	US32D	147.40	156369	12
Options: Red LED \$29.77 list price adder Green LED \$29.77list price adder 2 LED's \$37.17 list price adder				
<b>29EA NS</b> Door Prop Alarm, Single Gang Mount, No Key Switch		382.19	199478	
<b>29EA KS</b> Door Prop Alarm, Double Gang Mount, Key Switch		538.59	199474	
<b>29EA MKNC</b> Door Prop Alarm, Double Gang Mount, Mortise Cylinder Switch		486.40	199473	
<b>2901</b> For use with 4500 Series electric latch retraction battery back up option available		773.58	114909	
<b>2902</b> For use with 4500 Series electric latch retraction in a day/night mode of operation, battery backup option available		853.78	114990	
<b>2903</b> Provides 24 volt DC power for Fail Safe or Fail Secure locking devices and interface with building alarm controls, card readers, keypads, and other door controls.		666.73	114455	
<b>2904</b> Provides 24 volt DC power and control for opening with an electrified locking device and automatic door operator		706.77	136899	
<b>2908</b> Provides up to 1 amp of 12 or 24 volt DC power for all Hager Electrified Products except (ELR)		460.96	149931	1
<b>2909</b> Provides up to 2 amps of 12 or 24 volt DC power for all Hager Electrified Products		702.80	177262	



## Electrified Products



Description	Finish	2022 List	Stock No.	Case Qty.
<b>2910</b> Provides up to 4 amps of 12 or 24 volt DC power for all Hager Electrified Products		1,186.65	198523	
<b>2911</b> Provides up to 6 amps of 12 or 24 volt DC power for all Hager Electrified Products		1,385.35	198524	
<b>2-679-0661</b> 5 Amp hour battery backup for use with 2908 & 2909		61.77	153208	
<b>2-679-0662</b> 12 VDC output regulator module for use with 2908 & 2909		79.21	159033	
<b>2-679-0664</b> Universal Relay Module for use with 2908 & 2909		152.12	156812	
<b>2-679-0703</b> Electric Retraction Sequencer for use with 2908 & 2909		229.88	177267	
<b>2-679-0704</b> Access Control Module for use with 2908 & 2909		251.23	177263	
<b>2-679-0705</b> 16 AMP Power Booster for use with 2909 only		229.88	177264	
<b>2-679-0706</b> Power Supply Remote Monitoring Module for use with 2908 & 2909		334.02	177266	
<b>2-679-0708</b> Underdesk Push Switch		144.82	176289	
<b>2915</b> Heavy Duty Keypad - Indoor 500 users, 4-6 digit PIN codes 12/24V AC/DC	US3	315.37	150749	12
	US4	315.37	150750	
	US10B	315.37	150751	
	US26	315.37	150752	
	US32D	327.05	149619	
<b>2916</b> Heavy Duty Keypad - Outdoor 500 users, 4-6 digit PIN Codes 12/24V AC/DC	32D	320.68	173204	8
<b>2916P</b> Heavy Duty Keypad / Prox-Outdoor 500 users, 4-6 digit PIN codes 12/24V AC/DC	32D	881.68	189700	8
<b>2-679-0669</b> Shroud Cover	-	206.21	176541	
<b>2-679-0700</b> Surface Mount Box	-	41.46	172698	
<b>2-679-0021</b> HID ProxCard II, 25 Cards	-	245.56	149627	
<b>2-679-0022</b> HID ProxCard II, 100 Cards	-	981.99	153893	



Description	Finish	2022 List	Stock No.	Case Qty.
<b>2-679-0023</b> HID ProxKey, 10 Key fobs	-	196.45	150753	
<b>2-679-0024</b> HID ProxKey, 100 Key fobs Note: Prox cards and keys cannot be broken into smaller quantities	-	1,963.91	153894	
<b>2925</b> Electric Strike - 5/8" Latch Field Reversible Failsafe/Failsecure 12/24VDC 4-7/8" Sq Corner Stainless Steel Faceplate	US32D	176.02	149637	8
<b>2928 SC</b> Electric Strike - 1/2" to 3/4" latch Failsafe/Failsecure 12/24V AC/DC 4-7/8" Sq Corner Stainless Steel Faceplate	US32D	273.58	149638	8
<b>2928 RC</b> Electric Strike - 1/2" to 3/4" latch Failsafe/Failsecure 12/24V AC/DC 4-7/8" Radius Corner Faceplate	ALM	238.57	150333	8
<b>2928 6R</b> Electric Strike - 1/2" to 3/4" latch Failsafe/Failsecure 12/24V AC/DC 6-7/8" Radius Corner Faceplate	ALM	245.56	154920	8
<b>2928 7R</b> Electric Strike - 1/2" to 3/4" latch Failsafe/Failsecure 12/24V AC/DC 7-15/16" Radius Corner Faceplate	ALM	252.55	173212	8
Options: Keeper open/closed status \$66.94 list price adder Note: Additional finishes available for 2928. Inquire with Hager Customer Service for pricing.				
<b>2930 CYL</b> Electric Strike - Cylindrical lock Dual Voltage 12/24VDC ANSI/BHMA A156.31 Grade 1 UL Listed 3-hour fire rated Non-handed	US4 US10 US10B US26 US26D US32D	708.47 708.47 708.47 708.47 708.47 734.71	175715 156216 160255 175075 149642 149641	12
<b>2930 MOR</b> Electric Strike - Mortise lock Dual Voltage 12/24VDC ANSI/BHMA A156.31 Grade 1 UL Listed 3-hour fire rated Non-handed	US4 US10 US10B US26 US26D US32D	736.49 736.49 736.49 736.49 736.49 763.77	167282 160328 163253 149646 149645	12



## Electrified Products

Description	Finish	2022 List	Stock No.	Case Qty.
<b>2930 MDB</b>	US4	771.56		12
Electric Strike - Mortise lock w/ Deadbolt	US10	771.56	175970	
Dual Voltage 12/24VDC	US10B	771.56	176007	
ANSI/BHMA A156.31 Grade 1	US26	771.56		
UL Listed 3-hour fire rated	US26D	771.56	149649	
Non-handed	US32D	800.14	149648	
Options: Latchbolt Monitor (LBM) \$97.44 list price adder				
Door secure monitor (DSM) \$200.83 list price adder				
Deadbolt monitor - (DBM) LH \$104.12 list price adder				
Deadbolt monitor - (DBM) RH \$104.12 list price adder				
<b>2-679-0028</b>	-	55.60	153474	12
Buzzer 12/24V AC/DC operation for 2925/2928/2930				
<b>2-679-0029</b>	-	30.92	155676	12
Rectifier for AC operation for 2925/2928/2930				
<b>2941 Magnetic Lock</b>	ALM	315.70	55407	4
600 lb. holding force				
12/24VDC, field selectable				
<b>2942 Magnetic Lock</b>	ALM	378.85	55408	4
1200 lb. holding force				
12/24VDC, field selectable				





Description	Finish	2022 List	Stock No.	Case Qty.
<b>2951 Magnetic Lock</b> 1,650 lb. holding force Surface mount - single 12/24VDC	ALM	674.65	149701	2
	DBZ	769.10	153513	2
<b>2952 Magnetic Lock</b> 1,650 lb. holding force Surface mount - double 12/24VDC	ALM	1,311.67	152042	2
	DBZ	1,495.30	153528	2
<b>2953 Magnetic Lock</b> 1,200 lb. holding force Surface mount - single 12/24VDC	ALM	610.31	149707	2
	DBZ	695.75	153533	2
<b>2954 Magnetic Lock</b> 1,200 lb. holding force Surface mount - double 12/24VDC	ALM	1,234.54	152043	2
	DBZ	1,407.37	153538	2
Options: Adjustable timer input (TIME) \$101.12 (2-679-0109) Door Position Sensor (DPS) \$63.54 (2-679-0110)* Magnetic Bond Sensor (MBS) \$95.30 (2-679-0111)* Anti Tamper Switch (ATS) \$77.48 (2-679-0112) Note: Additional finishes available for 2951, 2952, 2953, 2954. Inquire with Hager Customer Service for pricing. * Must order two for use with the 2952 or 2954				
<b>2-679-0120</b> Top jamb kit 2951/2953	ALM	150.17	149709	4
<b>2-679-0121</b> Top jamb kit 2951/2953	DBZ	273.58		4
<b>2-679-0130</b> Top jamb kit 2952/2954	ALM	301.66	153861	4
<b>2-679-0131</b> Top jamb kit 2952/2954	DBZ	548.54		4
<b>2-679-0160</b> Glass door kit 2951/2953 *Order 2 ea. for double door	ALM	277.80	168468	8
<b>2-679-0161</b> Glass door kit 2951/2953 *Order 2 ea. for double door	DBZ	401.27		8
<b>2-679-0180</b> Universal Bracket for 2951/2953	ALM	98.29	149710	12
<b>2-679-0181</b> Universal Bracket for 2951/2953	DBZ	144.50		12
<b>2-679-0190</b> Universal Bracket for 2952/2954	ALM	196.45	161684	9
<b>2-679-0191</b> Universal Bracket for 2952/2954	DBZ	289.00	167699	9



## Electrified Products



Description	Finish	2022 List	Stock No.	Case Qty.
<b>2-679-0200</b> Spacer Bracket for 2951/2953	ALM	138.96	153684	12
<b>2-679-0201</b> Spacer Bracket for 2952/2954	ALM	172.58	161686	9
<b>2-679-0204</b> Armature mounting plate	-	92.62	167666	3
<b>2-679-0205</b> Armature mounting platem w/sensor		154.39	-	3
Note: Additional finishes available on many of the 2950 magnetic lock series accessories. Inquire with Hager Customer Service for pricing.				
<b>2-679-0210</b> Coordinator mounting bracket for 2951/2953	ALM	185.24	160581	12
<b>2-679-0220</b> Coordinator mounting bracket for 2952/2954	ALM	339.56	166426	6
<b>2-679-0281</b> Filler bar - 1/8" x 1/-1/4" for 2951/2953	ALM	50.56	149711	12
<b>2-679-0283</b> Filler bar - 1/8" x 1/-1/4" for 2951/2953	DBZ	96.84	149712	12
<b>2-679-0291</b> Filler bar - 1/4" x 1/-1/4" for 2951/2953	ALM	52.01	149713	12
<b>2-679-0293</b> Filler bar - 1/4" x 1/-1/4" for 2951/2953	DBZ	98.29	149715	12
<b>2-679-0311</b> Filler bar - 1/2" x 1/-1/4" for 2951/2953	ALM	57.55	149716	12
<b>2-679-0313</b> Filler bar - 1/2" x 1/-1/4" for 2951/2953	DBZ	103.89	149738	12
<b>2-679-0321</b> Filler bar - 5/8" x 1/-1/4" for 2951/2953	ALM	61.77	149717	12
<b>2-679-0323</b> Filler bar - 5/8" x 1/-1/4" for 2951/2953	DBZ	108.05	149739	12
<b>2-679-0381</b> Filler bar - 1/8" x 1/-1/4" for 2952/2954	ALM	57.55	149718	12
<b>2-679-0383</b> Filler bar - 1/8" x 1/-1/4" for 2952/2954	DBZ	103.89	149740	12
<b>2-679-0391</b> Filler bar - 1/4" x 1/-1/4" for 2952/2954	ALM	61.77	149719	12
<b>2-679-0393</b> Filler bar - 1/4" x 1/-1/4" for 2952/2954	DBZ	108.05	149741	12
<b>2-679-0411</b> Filler bar - 1/2" x 1/-1/4" for 2952/2954	ALM	67.43	149720	12
<b>2-679-0413</b> Filler bar - 1/2" x 1/-1/4" for 2952/2954	DBZ	113.71	149742	12
<b>2-679-0421</b> Filler bar - 5/8" x 1/-1/4" for 2952/2954	ALM	70.20	149721	12





Description	Finish	2022 List	Stock No.	Case Qty.
<b>2-679-0423</b> Filler bar - 5/8" x 1-1/4" for 2952/2954	DBZ	116.48	149743	12
<b>2-679-0491</b> Angle Bracket - 1-1/2" x 1-1/2" for 2951/2953	ALM	67.43	149734	12
<b>2-679-0493</b> Angle Bracket - 1-1/2" x 1-1/2" for 2951/2953	DBZ	113.71	149744	12
<b>2-679-0501</b> Angle Bracket - 2" x 1-1/2" for 2951/2953	ALM	70.20	149735	12
<b>2-679-0503</b> Angle Bracket - 2" x 1-1/2" for 2951/2953	DBZ	116.48	149745	12
<b>2-679-0571</b> Angle Bracket - 1-1/2" x 1-1/2" for 2952/2954	ALM	89.85	149736	12
<b>2-679-0573</b> Angle Bracket - 1-1/2" x 1-1/2" for 2952/2954	DBZ	136.13	149746	12
<b>2-679-0581</b> Angle Bracket - 2" x 1-1/2" for 2952/2954	ALM	95.45	149737	12
<b>2-679-0583</b> Angle Bracket - 2" x 1-1/2" for 2952/2954	DBZ	141.73	149747	12
Note: Additional finishes available on many of the 2950 magnetic lock series accessories. Inquire with Hager Customer Service for pricing				
<b>2961 Magnetic Shear Lock</b> 2,000 lb. holding force 1-5/8" depth, integrated electronics	US32D	1,108.23	151837	6
<b>2965 Magnetic Shear Lock</b> 2,700 lb. holding force 1-5/8" depth, integrated electronics ITC, FTC, HTC Same Price	US32D	1,199.40	151838	6
Options: ITC for standard mounting armature kit for aluminum and hollow metal doors with 7/8" to 1-1/8" deep top channels, wood doors, and factory prepared hollow metal flush edge doors. FTC for mounting for field prepared horizontal mounting in hollow metal doors with flush edge. HTC for mounting 1-15/16" deep Herculite channels. Herculite top rail armature adjustment bracket for leading edge adjustments (HTR) \$429.88 list price adder Magnetic bond sensor (MBS) \$138.70 list price adder Door Position sensor (DPS) \$63.07 list price adder				
<b>2-679-0600</b> Wood Door reinforcement box for 2961	-	61.77	158750	6
<b>2-679-0601</b> Wood Door reinforcement box for 2965		61.77		6
<b>2958 Delayed Egress Magnetic Lock</b> 1,650 lb. holding force Surface mount - single 12/24 VDC	ALM DBZ	1,697.45 1,935.09	149748 176098	6
<b>2958 T Tandem Delayed Egress Magnetic Lock</b> 1,650 lb. holding force Surface mount - double 12/24 VDC	ALM DBZ	2,854.72 3,254.39	159818	6






## Electrified Products



Description	Finish	2022 List	Stock No.	Case Qty.
Operation (Must Specify): NA - IBC, IFC, NFPA101, NFPA1-UFC, UBC, SBC Compliant ND - IBC, IFC, California Building Code OSHPD, NFPA 101, NFPA1-UFC, UBC, SBC Compliant BD - BOCA National Building Code CH - City of Chicago Building Code Reset Control: Built in key switch - 1-30 second timed bypass, sustained bypass and alarm reset (std) (Not available with BOCA and Chicago operation) Built in reset push switch. Available with NFPA (NA) only Less key or push switch (No price reduction) Options: Door Position Status (DPS) \$59.54 list price adder Magnetic Bond Sensor (MBS) \$97.44 list price adder Anti-Tamper Switch (ATS) \$81.83 list price adder				
<b>2972 Exit Switch</b> MSD 2" Square button Momentary, SPDT 10 AMP contact	US32D	102.72	149630	12
<b>2972T Exit Switch with Integrated Adjustable Timer</b> 2" Square Button Adjustable 1-60 second timer Note: Not Code Compliant	US32D	198.07	151710	6
Options: Red LED \$29.77 list price adder Green LED \$29.77 list price adder 2 LED's \$37.17 list price adder				
<b>2973 Code Compliant Exit Switch</b> 2" Square Button Integrated fixed 30- second timer CSFM Listed, NFPA, IBC, IFC code compliance for Access Controlled Egress Doors LED illumination	US32D	205.37	149631	6
Options: Red LED \$29.77 list price adder Green LED \$29.77 list price adder 2 LED's \$37.17 list price adder				
<b>2977 Exit Switch</b> Piezoelectric Button Green & Red Illumination Adj. 1-35 sec. 12/24VDC Timer	US32D	196.45	149634	12
<b>2978 Touchless Exit Switch</b> Infrared sensor Illuminated status indication	US32D	115.79	149636	12
<b>4801 Pressure Sense Bar</b> Pressure sense technology; Tri-failsafe 12/24 VDC voltage sense input includes 10 ft. cable and connector; armored power transfer loop 36" Standard, Optional 42" & 48" available	ALM	509.25	156360	6
	BLK	509.25	167722	



Description	Finish	2022 List	Stock No.	Case Qty.
<b>2-679-0611 PIR Egress Sensor</b>	White	336.73	149632	12
<b>2-679-0612 PIR Egress Sensor</b>	Black	336.73	62176	12
<b>2-679-0708</b> Under Desk Push Switch	White	144.82	176289	1
<b>2-679-0620</b> Concealed Mortise Power Transfer Loop	-	92.62	149750	12
<b>2-679-0621</b> Heavy Duty Power Transfer 2-Wire	ALM	554.15	152079	6
<b>2-679-0622</b> Heavy Duty Power Transfer 2-Wire	DBZ	554.15	160604	6
<b>2-679-0623</b> Heavy Duty Power Transfer 10-Wire	ALM	554.15	149751	6
<b>2-679-0624</b> Heavy Duty Power Transfer 10-Wire	DBZ	554.15	154018	6
<b>2-679-0625</b> Concealed Magnetic Contact	ALM	153.25	152890	12
<b>2-679-0626</b> Magnetic Switch	-	49.17	182672	1
<b>2-679-0640</b> Single gang back box	-	18.64	149752	1
<b>2-679-0641</b> 3-gang interior mount box	-	138.96	166911	1
<b>2-679-0642</b> Shroud for surface mount box outdoor use	-	88.21	166912	1
<b>2-679-0650</b> Emergency Door Release Blue break glass station	-	257.69	149754	6
<b>2-659-0368</b> Restroom Kit Includes relay, DPS, push to lock and indicator	-	635.36	34130	6
<b>2-659-0372</b> Emergency Kit Includes light, button and sign	-	250.14	149754	6



## 8400 Series - Low Energy Power Operator



Description	Mount	Finish	2022 List	Stock No.	Box Qty.
<b>8418 Single Operator</b>	Push	ALM	5,512.05	162136	1
1 unit, 1 controller, single cover, handed		DBZ	5,512.05	162141	
Standard Sizes - 36"	Pull	ALM	5,549.27	162138	
42", 44" and 48" - add \$294.56 to list price		DBZ	5,549.27	162143	
Specify Push or Pull side of door					
<b>8419 Simultaneous Pair</b>	Push	ALM	9,892.94	162145	1
2 units, 1 controller, double cover, non-handed		DBZ	9,898.94	162147	
Standard Sizes - 60" and 72"	Pull	ALM	10,014.86	162146	
84", 88", 92" and 96" - add \$294.56 to list price		DBZ	10,014.86	162148	
Specify Push or Pull side of door					
<b>8420 Independent Pair</b>	Push	ALM	10,812.25	162149	1
2 units, 2 controllers, double cover, non-handed		DBZ	10,812.25	162151	
Standard Sizes - 60" and 72"	Pull	ALM	10,938.03	162150	
84", 88", 92" and 96" - add \$294.56 to list price		DBZ	10,938.03	162152	
Specify Push or Pull side of door					
<b>8421 Double Egress Simultaneous Pair</b>	Push/Pull	ALM	10,508.92	162153	1
2 units, 1 controller, double cover, non-handed		DBZ	10,508.92	162154	
Standard Sizes - 60 "and 72"					
84", 88", 92" and 96" - add \$294.56 to list price					
<b>8422 Double Egress Independent Pair</b>	Push/Pull	ALM	11,484.97	162155	1
2 units, 2 controllers, double cover, non-handed		DBZ	11,484.97	162156	
Standard Sizes - 60" and 72"					
84", 88", 92" and 96" - add \$294.56 to list price					
<b>8423 Single Operator with Mechanical Closer</b>	Push	ALM	7,446.95		1
1 unit, 1 controller, 1-5100 Series Door Closer,		DBZ	7,446.95		
double cover, handed	Pull	ALM	7,446.95		
Standard Sizes - 60" and 72"		DBZ	7,446.95		
84", 88", 92" and 96" - add \$294.56 to list price					
Specify Push or Pull side of door					
*Note: Non-standard door widths in quantities under 50 units: please contact Technical Support for list adder.					
*Note: Curtain wall operators are available. Please contact Technical Support					

## 8400 Series - Low Energy Power Operator



Description	Finish	2022 List	Stock No.	Case Qty.	Box Qty.
<b>2-659-0151</b> Pull Side Track Arm with 20mm Spindle	ALM	532.87	162512	-	1
<b>2-659-0152</b> Pull Side Track Arm with 20mm Spindle	DBZ	648.45	162513	-	
<b>2-659-0153</b> Push Side Standard Arm with 35mm Spindle	ALM	532.87	162515	-	1
<b>2-659-0154</b> Push Side Standard Arm with 35mm Spindle	DBZ	648.45	162516	-	
<b>2-659-0220</b> Push Side Standard Arm with 50mm Spindle For use with double egress assemblies	ALM	532.87	162561	-	1
<b>2-659-0221</b> Push Side Standard Arm with 50mm Spindle For use with double egress assemblies	DBZ	648.45	162562	-	
<b>2-659-0222</b> Double Egress Arm Assembly Track arm with 20mm Spindle	ALM	963.00	162563	-	1
<b>2-659-0223</b> Double Egress Arm Assembly Track arm with 20mm Spindle	DBZ	1,091.39	162564	-	
<b>2-659-0224</b> 20mm Replacement Spindle For use with double egress and track arm assembly	ALM	184.31	162565	-	1
<b>2-659-0225</b> 20mm Replacement Spindle For use with double egress and track arm assembly	DBZ	224.74	162566	-	
<b>2-659-0226</b> 35mm Replacement Spindle For use with standard single and standard pair applications	ALM	184.31	162567	-	1
<b>2-659-0227</b> 35mm Replacement Spindle For use with standard single and standard pair applications	DBZ	224.74	162568	-	
<b>2-659-0228</b> 50mm Replacement Spindle	ALM	184.31	162570	-	1
<b>2-659-0229</b> 50mm Replacement Spindle For use with push side standard arm - double egress only	DBZ	2,224.74	162573	-	
<b>2-659-0230</b> Narrow Top Rail Drop Plate	ALM	163.12	162693	-	1
<b>2-659-0231</b> Narrow Top Rail Drop Plate	DBZ	163.12	162694	-	
<b>2-659-0232</b> Cover for Single Operator - 36"	ALM	308.20	162574	-	1
<b>2-659-0233</b> Cover for Single Operator - 36"	DBZ	308.20	162661	-	



## 8400 Series - Low Energy Power Operator



Description	Finish	2022 List	Stock No.	Case Qty.	Box Qty.
<b>2-659-0234</b> Cover for Dual Operators - 72"	ALM	539.29	162663	-	1
<b>2-659-0235</b> Cover for Dual Operators - 72"	DBZ	539.29	162692	-	
Note: Additional sizes available. Inquire with Hager customer service for pricing.					
<b>2-659-0236</b> Power Supply On-Board 115 VAC 60Hz 24 VDC 500mA		1,007.93	162696	-	1
<b>2-659-0237</b> Relay Board 24VDC 40mA 5 amp/ 220 VAC or 28VDC DPDT contacts		39.24	162697	-	1



## 8300 Series - Low Energy Power Operator



Description	Mount	Finish	2022 List	Stock No.	Box Qty.
<b>8318 Single Operator</b>	Push	ALM	3,858.40	75963	1
1 unit, single cover, non-handed		DBZ	4,303.60	75960	1
Standard Sizes - 36"	Pull	ALM	3,858.40	75956	1
42", 44" and 48"		DBZ	4,303.60	75937	1
Specify Push or Pull side of door					
<b>8319 Simultaneous Pair</b>	Push	ALM	7,716.80	75652	1
2 units, double cover, non-handed		DBZ	9,105.82	75653	1
Standard Sizes - 72"	Pull	ALM	7,716.80	75650	1
84", 88", and 96"		DBZ	9,105.82	75644	1
Specify Push or Pull side of door					
<b>8321 Double Egress Simultaneous Pair</b>	Push/Pull	ALM	8,553.78	75584	1
2 units, double cover, non-handed					
Standard Sizes - 72"					
84", 88", 96"					

For non-standard sizes, add \$278.78 to single operator list price. For doubles, add \$416.18 to the list price.



## 8300 Series - Low Energy Power Operator

Description	Finish	2022 List	Stock No.	Case Qty.	Box Qty.
<b>2-679-0901</b> 8300 - 20mm Replacement Spindle		120.47	75504	-	1
<b>2-679-0902</b> 8300 - 35mm Replacement Spindle		120.47	75500	-	1
<b>2-679-0903</b> 8300 - 50mm Replacement Spindle		120.47	75501	-	1
<b>2-679-0904</b> 8300 - 80mm Replacement Spindle		144.58	75502	-	1
<b>2-679-0896</b> 8300 - Standard Arm w/ 35mm Spindle (Push)	ALM	361.35	75498	-	1
<b>2-679-0897</b> 8300 - Standard Arm w/ 35mm Spindle (Push)	BLK	361.35	75494	-	1
<b>2-679-0898</b> 8300 - Track Arm w/ 20mm Spindle (Pull)	ALM	457.81	75495	-	1
<b>2-679-0899</b> 8300 - Track Arm w/ 20mm Spindle (Pull)	BLK	457.81	75485	-	1
<b>2-679-0900</b> 8300 - Dbl Egress Arm w/ 20mm Spindle (Pull)	ALM	144.58	75482	-	1
<b>2-679-0905</b> 8300 - Standard Arm Extension	ALM	240.89	75478	-	1
<b>2-679-0906</b> 8300 - Standard Arm Extension	BLK	936.70	75472	-	1
<b>2-679-0907</b> 8300 - KP EVO Programming Device		1,252.81	75470	-	1



## Electrified Products - Low Energy Power Operator Controls



Description	Finish	2022 List	Stock No.	Case Qty.	Box Qty.
<b>2-659-0303</b> 6" Round with Text & Logo	US32D/Blue	242.93	185055	12	1
<b>2-659-0304</b> 6" Round with Logo Only	US32D/Blue	242.93	185058	12	1
<b>2-659-0305</b> 4-3/4" Square with Text & Logo	US32D/Blue	242.93	185056	12	1
<b>2-659-0306</b> 4-3/4" Square with Logo Only	US32D/Blue	242.93	185059	12	1
<b>2-659-0307</b> 4-3/4" Square with Logo Only	US32D/Blue	242.93	186793	12	1
<b>2-659-0308</b> 4-3/4" Square with Text Only	US32D/Blue	242.93	186794	12	1
<b>2-659-0161</b> 6" Round Actuator Push To Open and Handicap Symbol	US32D/Blue	145.79	162698	20	1
<b>2-659-0162</b> 6" Round Actuator Handicap Symbol	US32D/Blue	145.79	162699	20	1
<b>2-659-0357</b> 4.5" Square Actuator Push to Open text and Accessibility Logo	US32D/Blue	115.05	068110	20	1
<b>2-659-0358</b> 6" Round Actuator Push to Open text and Accessibility Logo	US32D/Blue	115.05	068104	20	1
<b>2-659-0163</b> Surface Mount Box For 6" Round Actuator	Black	48.06	162700	20	1





## Electrified Products - Low Energy Power Operator Controls



Description	Finish	2022 List	Stock No.	Case Qty.	Box Qty.
<b>2-659-0164</b> Weather Ring For 6" Round Actuator	Black	9.73	162701	10	1
<b>2-659-0162</b> 6" Round Actuator Handicap Symbol	US32D/Blue	134.99	162699	20	1
<b>2-659-0165</b> 4.5" Round Actuator Push To Open and Handicap Symbol	US32D/Blue	126.39	162703	20	1
<b>2-659-0166</b> 4.5" Round Actuator Handicap Symbol	US32D/Blue	126.39	162704	20	1
<b>2-659-0167</b> Surface Mount Box For 4.5" Round Actuator	Black	38.92	162705	20	1
<b>2-659-0168</b> Weather Ring For 4.5" Round Actuator	Black	9.73	162706	10	1
<b>2-659-0241</b> Universal Back Plate For use when mounting 4.5" round or 4.5" square actuator to bollard post	US32D	31.65	162743	10	1
<b>2-659-0169</b> 6" Square Actuator Push To Open and Handicap Symbol	US32D/Blue	145.79	162707	20	1
<b>2-659-0170</b> 6" Square Actuator Handicap Symbol	US32D/Blue	145.79	162708	20	1
<b>2-659-0171</b> Surface Mount Box For 6" Square Actuator	Black	38.92	162709	20	1
<b>2-659-0172</b> 4.5" Square Actuator Push To Open and Handicap Symbol	US32D/Blue	119.06	162710	20	1

## Electrified Products - Low Energy Power Operator Controls



Description	Finish	2022 List	Stock No.	Case Qty.	Box Qty.
<b>2-659-0173</b> 4.5" Square Actuator Handicap Symbol	US32D/Blue	119.06	162711	20	1
<b>2-659-0174</b> Surface Mount Box For 4.5" Square Actuator	Black	38.92	162712	45	1
<b>2-659-0175</b> 1.5" x 4.75" Jamb Actuator Push To Open and Handicap Symbol	US32D/Blue	115.40	162713	20	1
<b>2-659-0176</b> 1.5" x 4.75" Jamb Actuator Handicap Symbol	US32D/Blue	115.40	162714	20	1
<b>2-659-0177</b> Surface Mount Box For 1.5" x 4.75" Jamb Actuator	Black	24.33	162715	20	1
<b>2-659-0178</b> 36" Low Profile Actuator Push To Open and Handicap Symbol  Wireless Includes 433 MHz wireless transmitter Exceeds California Building Code, Section 1117B.6	US32D/Blue	850.19	162716	2	1
<b>2-659-0179</b> 36" Low Profile Actuator Push To Open and Handicap Symbol  Hard Wired Exceeds California Building Code, Section 1117B.6	US32D/Blue	783.39	162717	2	1
<b>2-659-0242</b> 4.75" Vestibule Actuator Push To Open and Handicap Symbol	US32D/Blue	291.52	162741	20	1
<b>2-659-0243</b> Surface Mount Box For 4.75" Vestibule Actuator	Black	91.13	162742	42	1
<b>2-659-0180</b> Bollard Post For use with 4.5" round and 4.5" square push plates	Black	607.26	162720	1	1



## Electrified Products - Low Energy Power Operator Controls



Description	Finish	2022 List	Stock No.	Case Qty.	Box Qty.
<b>2-659-0181</b> Bollard Post For use with 4.5" round and 4.5" square push plates	Bronze	607.26	162724	1	1
<b>2-659-0182</b> Bollard Post For use with 4.5" round and 4.5" square push plates	Silver	607.26	162725	1	1
<b>2-659-0183</b> 433 MHz Receiver Digital, Radio Controlled	-	139.72	162726	20	1
<b>2-659-0184</b> 3-Volt Transmitter Wireless Hardwired to actuator	Black	133.60	162727	20	1
<b>2-659-0185</b> 9-Volt Transmitter Wireless	Black	133.60	162728	20	1
<b>2-659-0186</b> Wireless Transmitter One Button	Black	133.60	162729	20	1
<b>2-659-0240</b> Programmable Relay and Door Sequencer For door timing and advanced relay sequencing	-	205.43	082867	20	1
*Note: Actuators come standard hard-wired. Must order receiver and transmitter separately for wireless applications.					
<b>2-659-0332</b> Bodyguard Sensor Overhead Presence Sensor	Black	619.39	94685	24	1
<b>2-659-0333</b> Bodyguard Programming Remote		70.00	94645	1	1
<b>2-659-0334</b> Bodyguard Mounting Kit	Black	64.11	94641	20	1
<b>2-659-0335</b> Superscan I Safety Sensor Single Mount Unit	Black	448.53	94626	6	1
<b>2-659-0336</b> Superscan II Safety Sensor Single Mount Unit with Master and Slave Modules	Black	768.90	94623	6	1



## TABLE OF CONTENTS

<b>A</b>	<b>F</b>
Additions..... 4	Fasteners..... 4
Architectural Finish Symbols ..... 3	
Armor Plates.....6-8	
<b>C</b>	<b>Filler Plates</b>
Chain Door Check ..... 85	Filler Plate, Door Face..... 91
Coat Hooks ..... 102, 113-115	Filler Plate, Flush Bolt Strike ..... 91
Corner Guard ..... 69	Filler Plate, Door Edge ..... 91
<b>Custom Pulls</b>	Filler Plate, Template Hinge Shim ..... 92
18 Degree Pull ..... 128-129	Filler Plate, Frame Strike ..... 92
90 Degree Pull ..... 111	Filler Plate, Latch Adapter ..... 92
Acorn Tip Pull ..... 116-117	Filler Plate, Flush Bolt ..... 92
Colonial Pull ..... 112	Filler Plate, Frame Hinge..... 92
C-Shaped Pulls..... 105-110	
Curved Shape Pulls..... 110, 117, 125-127	<b>Flush Bolts</b>
Foot Pull ..... 69	Automatic Flush Bolts.....81-82
Offset Mount, Vertical Pull..... 103-104	Constant Latching Flush Bolt ..... 82
Offset Pulls..... 112-113, 128	Dust Proof Strike ..... 80
Segment Shape Pulls..... 121-124	Automatic Flush Bolt with Fire Bolt ..... 83
Square Tip Pull ..... 115	Manual Flush Bolts ..... 81
S-Shaped Pulls ..... 101-112	Residential Flush Bolts ..... 133-134
Steeple Tip Pull ..... 116	Slide Flush Bolt..... 80
Straight Mount, Vertical Pulls ..... 104-105, 124	
Crating ..... 3	<b>H</b>
<b>D</b>	Hand Rail Bracket..... 85, 137
<b>Door Coordinators</b>	<b>K</b>
Carry Bar..... 83	Kick Plates ..... 6-8
Coordinator with Filler Bar..... 84	
Filler Bars ..... 84	<b>L</b>
Gravity Coordinator ..... 84	<b>Latches</b>
Mounting Brackets..... 84	Hospital Latch, 2-3/4" Backset..... 86
<b>Door Edgings</b>	Hospital Latch, 5" Backset..... 86
Mortise Type..... 62-64	Hospital Latch, Lead Lined..... 86
Overlap Type..... 64-66	Latch Conversion Kit..... 86
Surface Type..... 67-69	Pocket Door Latch..... 86
Door Guard ..... 78, 133	Privacy Pocket Door Latch ..... 90
Door Knocker Viewer..... 87, 91	Latch Protectors ..... 93
Door Protection Plates..... 6-8	
Door Latch (Privacy) ..... 79	
<b>Door Silencers</b>	
Metal Door ..... 86	
Wood Door..... 86	
Door Viewers ..... 136	



### M

#### Miscellaneous Hardware

Closet Knobs.....	131
Closet Rod, Sockets.....	137
Concealed Edge Pull.....	24
Finger Pulls.....	130
Magnetic Catch .....	135
Pocket Door Edge Pulls.....	131,132
Mounting Options .....	5

### P

#### Pulls

Anti Vandal Trim .....	86
Back-to-Back Offset Pulls.....	23-24
Back-to-Back Straight Pulls.....	18-20
Cast Pulls .....	22, 35
Flush Cup Pulls .....	20-21, 25-26
Half Round .....	9
Offset Pulls.....	16-18, 25, 112
Oval.....	15
Rectangular.....	10
Round .....	11-13, 16-20
Straight Pulls .....	9-16
Wire Drawer Pulls.....	85

#### Pull Plates

Cylinder Pull.....	46
Pull Plate w/ Lip.....	46
Square Corner.....	29-38

#### Push Bars

Back-to-Back .....	50
Bent .....	47-49
Flat.....	47-48
Round .....	48-49

#### Push Plates

Beveled - Square Corner .....	41-43
Half Circle.....	46
Plastic Laminate .....	7, 41-42
Radius Corner .....	38-41, 43
Round Bevel Top and Bottom .....	44
Rounded Corner.....	40-41
Square Corner .....	28-29

#### Push/Pull Sets

Round Bar.....	47-57
Security Push/Pull Plate .....	46

### R

Recommended Application .....	3
Recommended Maintenance .....	3
Residential Trim.....	85, 88, 130-134

#### Roller Latch/Catches

Adjustable Ball Catch.....	87
Drive-In Ball Catch .....	135
Roller Latch.....	87
Roller Latch with Stop.....	87
Roller Latch w/ ASA Strike .....	129
Roller Latch w/ Full Lip Strike.....	129
Roller Latch w/ Tee Strike .....	87
Three-Way Ball Catch.....	88

### S

#### Signage

ADA Tactile, Plastic.....	98-101
International Symbols, Plastic .....	97
Men/Women, Plastic .....	96
Numbers, Plastic.....	95
Push/Pull, Plastic.....	94
Restroom/Restrooms, Plastic .....	95

#### Stops and Holders

Roller Bumper.....	78
Door Holder, Kickdown .....	77, 132
Floor Stops .....	71-77, 88-90, 132
Heavy Duty Floor Stop.....	76
Stops With Holder .....	73-75, 88-90
Wall Stops .....	69-70, 73-75, 88-89, 132
Hinge Pin Door Bumper .....	133, 137
Surface Bolts .....	79



**CRATING CHARGES**

When ordered separately, orders of less than 5 armor plates (plates over 22 inches high and wide) are subject to a \$27.00 net crating charge.

**ARCHITECTURAL FINISH SYMBOLS**

Unless specifically noted, finishes are priced as listed by each item on the following pages.

US & HAGER	DESCRIPTION	BASE MATERIAL	PRICING INSTRUCTIONS	BHMA SYMBOL
2C	Zinc Plated Steel	Steel	As Listed	603
3	Bright Brass	Brass	As Listed	605
4	Satin Brass	Brass	As Listed	606
5	Satin Brass, Oxidized	Brass Brass/Bronze	25% Above US10B	609
9	Bright Bronze	Brass Brass/Bronze	25% Above US10	611
10	Satin Bronze	Brass Brass/Bronze	As Listed	612
10B	Antique Bronze, Oiled	Brass Brass/Bronze	As Listed	613
10R	Matte Lacquer Antique Bronze	Brass Brass/Bronze	As Listed	-
15	Satin Nickel	Brass Brass/Bronze	Price Same as US26D	619
15A	Satin Nickel Oxidized	Brass Brass/Bronze	As Listed	620
19	Flat Black Coated	Any	As Listed <sup>1</sup>	-
26	Bright Chromium Plated	Brass Brass/Bronze	As Listed	625
26D	Satin Chromium Plated	Brass Brass/Bronze	As Listed	626
28	Satin Anodized Aluminum	Aluminum	As Listed	628
32	Stainless Steel Metal, Bright	300 Series	As Listed	629
32D	Stainless Steel Metal, Satin	300 Series	As Listed	630
DBZ	Dark Bronze Painted	Any	As Listed	695
PC	Clear Plastic	-	As Listed	-
PK	Plastic Laminate - Black	-	As Listed	-
CO	Plastic Laminate - Chocolate	-	As Listed	-
PG	Plastic Laminate - Grey	-	As Listed	-
S1	Sprayed Aluminum	Cast Iron	As Listed	-
S2	Sprayed Brass	Cast Iron	As Listed	-
S3	Sprayed Bronze	Cast Iron	As Listed	-

1. Same as DBZ unless otherwise listed.

NOTE: For any finish not listed in this Price Book, or explained above, price and availability on request.

**RECOMMENDED SPECIAL INSTRUCTIONS:**

**Application:** All accessory item installation should be made following the application of paint or other finishes. Under no circumstances should accessory items be installed prior to painting. Paint or other finish material must be dry before applying accessory items to door. Hager recommends that a 72 hour drying time be allowed prior to application of accessory items under normal atmospheric conditions.

**Maintenance:** For cleaning, use only a soft damp cloth. Do not use any chemicals, abrasive cleaners, waxes, or brass cleaners on items with a lacquer coating or on plastic plates.



## Trim & Auxiliary

### ADDITIONS WHERE NOT LISTED

#### Door Edgings

For quantities less than 20 of one type of door edging, add 30% to list price.

#### Pull, Push Plate, Pull Plate, or Kick Plate Options

Add to the list price of each unit:

Antimicrobial Powder Coat Protection (32D only)

To order use MV3 as suffix - \$18.78 list price each

Flush Back Mounting on Pull Plates

\$14.16 list each plate.

Cutouts - Standard Locations (Not available on Kick Plates)

Wrought (.050) thickness -

-Cut for 1-1/4" (CFC) Standard Cylinder, add \$19.33 each.

-Cut for 2-1/8" (CFC) Cylinder or Turn Piece, add \$19.33 each.

Other thickness plates -

-Cut for 1-1/4" (CFC) Standard Cylinder, add \$23.09 each.

-Cut for 2-1/8" (CFC) Cylinder or Turn Piece, add \$23.09 each.

### FASTENERS

Illustrated below are various types of fasteners that can be furnished by Hager Companies. Please specify type of fastening desired. All types of fastening cannot be used with all items of hardware. If specified method is not possible, we reserve the right to furnish whatever type we feel is best suited for the installation. When used with tempered glass doors, specify thickness of glass and hole diameter.



Hex bolt and machine screws  
(various sizes)




Lead anchor  
(used with floor stops in masonry applications)




Plastic anchor and full threaded screw  
(used in drywall or masonry applications)



Lag screw and shield



Toggle bolt  
(ideal for drywall applications)



Plastic toggle anchor  
(used with wall stops in drywall applications)



Thru-bolt and finish washer  
(flat or oval head; size as required)



Spanner head machine screws  
(various sizes furnished at extra charge)



Security torx head machine screws  
(various sizes furnished at extra charge)

Note: Torx and Spanner screws are available for select items.  
Please call Customer Service for availability and price.

Cutouts - Non-Standard Locations

Priced on application.

Engraving

For engraving standard "PUSH" or "PULL", "Men" or "Women" for stainless steel, add \$57.19 each, \$114.44 set.

For engraving standard "PUSH" or "PULL", "Men" or "Women" for all other materials, add \$38.84 each, \$77.75 set.

Tactile Warning

Available on limited items. Add \$53.06 to list.

Pull Plates - Non-Standard

To price pull plates not listed in price book, add list price of pull desired to the list price of the plate desired, plus \$6.22 list for assembly charge (and any other options required). Add \$5.40 list for punching two holes in push plates.

Accessibility Option

For Hager Special Accessibility Clearance - (2-1/2"), prefix "H".  
Add \$8.19 List for single pull and \$16.37 List for double pull.



## MOUNTINGS

Illustrated below are various types of mountings that can be furnished by Hager Companies. Please specify type of mounting desired. All types of mountings cannot be used with all items of hardware. If specified method is not possible, we reserve the right to furnish whatever type we feel is best suited for the installation. When used with tempered glass doors specify thickness of glass and hole diameter.

### Mounting Accessory Charges:

For Concealed Cone mountings, add \$14.16 list for each required fitting (Type 3).

For Concealed Cone mountings, add \$14.16 list for each required fitting (Type 5).

For Spanner Collar mountings, add \$24.32 list for each required fitting (Type 7).


For Concealed Cone and Lug mountings, add \$35.89 list for each required fitting. (.125" plate only)

### Temper Glass Door Installation:

Spanner Cap Mountings (Type 8) for tempered glass doors, add \$24.32 list for each spanner cap.

Note: Mounting back-to-back or spanner cap installation requires at least two fittings.

Stile Plates, add \$20.31 list each.



### Online Ordering

Products denoted with **red and bold** pricing are available to order through the MyHager portal. When ordering these products please visit [www.hagerco.com](http://www.hagerco.com) and log in to MyHager.

### Cancellation Notification


Cancellation for made-to-order items must be communicated within 48 hours of order placement.

## Trim & Auxiliary


DOOR PLATE HUNDRED SQUARE INCH SIZE CHART													
H/W	24"	26"	28"	30"	32"	34"	36"	38"	40"	42"	44"	46"	48" MAX
4"	0.96	1.04	1.12	1.20	1.28	1.36	1.44	1.52	1.60	1.68	1.76	1.84	1.92
6"	1.44	1.56	1.68	1.80	1.92	2.04	2.16	2.28	2.40	2.52	2.64	2.76	2.88
8"	1.92	2.08	2.24	2.40	2.56	2.72	2.88	3.04	3.20	3.36	3.52	3.68	3.84
10"	2.40	2.60	2.80	3.00	3.20	3.40	3.60	3.80	4.00	4.20	4.40	4.60	4.80
12"	2.88	3.12	3.36	3.60	3.84	4.08	4.32	4.56	4.80	5.04	5.28	5.52	5.76
14"	3.36	3.64	3.92	4.20	4.48	4.76	5.04	5.32	5.60	5.88	6.16	6.44	6.72
16"	3.84	4.16	4.48	4.80	5.12	5.44	5.76	6.08	6.40	6.72	7.04	7.36	7.68
18"	4.32	4.68	5.04	5.40	5.76	6.12	6.48	6.84	7.20	7.56	7.92	8.28	8.64
20"	4.80	5.20	5.60	6.00	6.40	6.80	7.20	7.60	8.00	8.40	8.80	9.20	9.60
22"	5.28	5.72	6.16	6.60	7.04	7.48	7.92	8.36	8.80	9.24	9.68	10.12	10.56
24"	5.76	6.24	6.72	7.20	7.68	8.16	8.64	9.12	9.60	10.08	10.56	11.04	11.52
26"	6.24	6.76	7.28	7.80	8.32	8.84	9.36	9.88	10.40	10.92	11.44	11.96	12.48
28"	6.72	7.28	7.84	8.40	8.96	9.52	10.08	10.64	11.20	11.76	12.32	12.88	13.44
30"	7.20	7.80	8.40	9.00	9.60	10.20	10.80	11.40	12.00	12.60	13.20	13.80	14.40
32"	7.68	8.32	8.96	9.60	10.24	10.88	11.52	12.16	12.80	13.44	14.08	14.72	15.36
34"	8.16	8.84	9.52	10.20	10.88	11.56	12.24	12.92	13.60	14.28	14.96	15.64	16.32
36"	8.64	9.36	10.08	10.80	11.52	12.24	12.96	13.68	14.40	15.12	15.84	16.56	17.28
38"	9.12	9.88	10.64	11.40	12.16	12.92	13.68	14.44	15.20	15.96	16.72	17.48	18.24
40"	9.60	10.40	11.20	12.00	12.80	13.60	14.40	15.20	16.00	16.80	17.60	18.40	19.20
42"	10.08	10.92	11.76	12.60	13.44	14.28	15.12	15.96	16.80	17.64	18.48	19.32	20.16
44"	10.56	11.44	12.32	13.20	14.08	14.96	15.84	16.72	17.60	18.48	19.36	20.24	21.12
46"	11.04	11.96	12.88	13.80	14.72	15.64	16.56	17.48	18.40	19.32	20.24	21.16	22.08
48" MAX	11.52	12.48	13.44	14.40	15.36	16.32	17.28	18.24	19.20	20.16	21.12	22.08	23.04

To figure the list price of a door protection plate, find the hundred square inch size on the chart above. For odd or fractional sizes use the next higher price (i.e. 8" x 31-1/2" - price as 8" x 32" = 2.56 sq. inches). Multiply the square inch size by the list price (for example, 2.56 sq. inches x US\$39.20 = \$100.35 list).

- #6 x 5/8" Phillips Oval Head undercut, Stainless Steel Sheet Metal Screws for counter sunk plates and Truss Head Stainless Steel Screws for non-counter sunk plates, to match plated finish. TEK Screws available at \$0.24 List price each.
- When ordered separately, orders of less than 5 armor plates are subject to a \$27.00 net crating charge (plates over 22 inches high and wide).
- Four rounded corners (196R) are available for \$24.62 list.
- Kickplates specified with adhesive tape will be supplied without holes.
- Armor plates available with UL listing. See page 7.
- Cutouts for kick and armor plates priced on application.




Mop Plate  
Up to 8"h x 48"w



Kick Plate  
6"-12"h x 48"w



Stretcher Plate  
6"-12"h x 48"w



Armor Plate  
Up to 48"h x 48"w

### NFPA 80 STANDARD 6.4.5.3

- Factory installed protection plates shall be installed in accordance with the listing of the door.
- Field installed protection plate shall be labeled and installed in accordance with their listing.

**Exception:** Labeling is not required where the top of the protection plate is not more than 16" (406 mm) above the bottom of the door.



Description	Height	US28	US3, US4, US10	US10B	DBZ US19, US9	US32	US32D
<b>190S</b>	Under 8" high	18.86	54.16	79.06	63.19	37.79	16.96
Four beveled edges	8" to 24" high	15.80	52.92	77.56	62.10	36.72	15.21
.050 Gauge	Over 24" to 36" high	15.96	67.72	96.26	76.98	37.13	15.55
Metal Door Protection Plate	Over 36" to 48" high	17.36	81.70	116.76	93.35	37.13	15.55
Note: UL Listed for US32 and US32D only	8" x 34" (List Pricing)	-	-	-	-	-	<b>41.38</b>
Note: US3 & US4 are unavailable above 24" tall.	10" x 34" (List Pricing)	-	-	-	-	-	<b>51.73</b>



<b>198S</b>	Under 8" high	-	-	-	-	-	16.04
.038 Gauge	8" to 24" high	-	-	-	-	-	14.31
Metal Door Protection Plate	Over 24" to 36" high	-	-	-	-	-	14.72
	Over 36" to 48" high	-	-	-	-	-	14.72

Note: UL labeling not required when top of plate is less than 16" above the bottom of the door, per NFPA 80 - 2007.

Description	Height	BGA
<b>199B</b>	Under 8" high	18.85
Bright Gold Anodized	8" to 24" high	15.88
100 square inches	Over 24" to 36" high	15.96
.038 Gauge	Over 36" to 48" high	17.36
Metal Door Protection Plate		

Description	Height	Clear Plastic	Black	Brown	Grey
<b>204S</b>	Up to 48" high	15.46	-	-	-
Clear Plastic					
.125 Gauge					
<b>214S</b>	Up to 48" high	-	25.64	25.64	25.64
Plastic Laminate					
.125 Gauge					

Description	Height	US28	US3, US4, US10	US10B	DBZ US19, US9	US32	US32D
<b>220S</b>	Under 8" high	23.90	55.73	95.47	76.41	-	38.95
Four beveled edges	8" to 24" high	23.90	55.73	95.47	76.41	-	38.95
.062 Gauge	Over 24" to 36" high	25.56	60.28	104.27	83.35	-	38.95
Metal Door Protection Plate	Over 36" to 48" high	27.95	64.91	112.61	109.97	-	38.95
Note: US3 & US4 are unavailable above 24" tall.							

Note: Diamond plate is available in US28. Use US3/US4/US10 pricing.



## Trim & Auxiliary



Description	Height	Black (Calcutta)	Brown (Chocolate)	Tan (Beige)
<b>225S</b>	Under 8" high	21.33	21.33	21.33
.060 Gauge	8" to 24" high	18.10	18.10	18.10
Kydex Door Protection Plate	Over 24" to 36" high	19.26	19.26	19.26
	Over 36" to 48" high	19.26	19.26	19.26

Note: UL labeling not required when top of plate is less than 16" above the bottom of the door, per NFPA 80 - 2007.

Option	Description	Price
<b>CSK</b>	Countersunk Holes	0.86 per 100 square inch price
<b>SA</b>	Self Adhesive Tape	0.86 per 100 square inch price
	Spanner Head Screws	0.86 each
	Torx Head Screws	0.86 each
	.125 Material	Price on Application
	Wrap Around Side & Bottom Return	Price on Application
	UL Label Stamp (No tape -voids UL Listing)	18.65





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>1E</b>					
Pull- Half Round	US3	78.72	052830	1	12
Material: Brass, bronze, aluminum, stainless steel	US4	84.72	063599		
Base: 1/2" x 1"	US10	84.72	052831		
Projection: 2"	US10B	105.88	052832		
Clearance: 1-1/2"	DBZ / US19	84.72	- /149513		
CTC: 6"	US26	84.72	022786		
Door Thickness: 1-3/4" standard	US26D	84.72	052834		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US28	45.17	052835		
Not suitable for BTB Mounting.	US32	82.34	074723		
	US32D	80.10	052836		



<b>1G</b>					
Pull- Half Round	US3	93.42	081562	1	12
Material: Brass, bronze, aluminum, stainless steel	US4	100.65	028588		
Base: 1/2" x 1"	US10	100.65	060015		
Projection: 2"	US10B	125.81	078323		
Clearance: 1-1/2"	DBZ / US19	100.65	- / 39191		
CTC: 8"	US26	100.65	030588		
Door Thickness: 1-3/4" standard	US26D	100.65	066243		
Fasteners: 1/4"-20 x 2-1/4" FPHS with washers	US28	47.63	056587		
Not suitable for BTB Mounting.	US32	100.65	032021		
	US32D	100.34	058307		



<b>1J</b>					
Pull- Half Round	US3	109.50	073346	1	12
Material: Brass, bronze, aluminum, stainless steel	US4	119.27	026724		
Base: 1/2" x 1"	US10	119.27	067206		
Projection: 2"	US10B	149.13	062739		
Clearance: 1-1/2"	DBZ / US19	119.27	- / -		
CTC: 10"	US26	119.27	013936		
Door Thickness: 1-3/4" standard	US26D	119.27	062738		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US28	53.71	010948		
Not suitable for BTB Mounting.	US32	116.04	092494		
	US32D	111.12	072255		



<b>1L</b>					
Pull- Half Round	US3	125.58	022469	1	12
Material: Brass, bronze, aluminum, stainless steel	US4	138.20	059759		
Base: 1/2" x 1"	US10	138.20	019781		
Projection: 2"	US10B	172.75	048642		
Clearance: 1-1/2"	DBZ / US19	138.20	- / -		
CTC: 12"	US26	138.20	-		
Door Thickness: 1-3/4" standard	US26D	138.20	085377		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US28	66.41	067536		
Not suitable for BTB Mounting.	US32	135.36	060054		
	US32D	128.66	060014		

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>2E</b>					
Pull - Rectangular	US3	72.72	052812	1	12
Material: Brass, bronze, aluminum, stainless steel	US4	75.03	002326		
Base: 3/8" x 1-1/4"	US10	75.03	091536		
Projection: 2"	US10B	93.80	015641		
Clearance: 1-5/8"	DBZ / US19	75.03	- / -		
CTC: 6"	US26	75.03	052815		
Door Thickness: 1-3/4" standard	US26D	75.03	052816		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US28	38.24	052817		
Not suitable for BTB Mounting.	US32	81.95	-		
	US32D	73.56	052818		



<b>2G</b>					
Pull - Rectangular	US3	87.26	052819	1	12
Material: Brass, bronze, aluminum, stainless steel	US4	92.57	-		
Base: 3/8" x 1-1/4"	US10	92.57	052820		
Projection: 2"	US10B	115.73	052821		
Clearance: 1-5/8"	DBZ / US19	92.57	- / -		
CTC: 8"	US26	92.57	120486		
Door Thickness: 1-3/4" standard	US26D	92.57	008573		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US28	41.17	052824		
Not suitable for BTB Mounting.	US32	95.11	175262		
	US32D	89.80	052825		



<b>2J</b>					
Pull - Rectangular	US3	103.11	099284	1	12
Material: Brass, bronze, aluminum, stainless steel	US4	111.81	111300		
Base: 3/8" x 1-1/4"	US10	111.81	-		
Projection: 2"	US10B	142.74	083743		
Clearance: 1-5/8"	DBZ / US19	114.19	- / -		
CTC: 10"	US26	114.19	-		
Door Thickness: 1-3/4" standard	US26D	114.19	067318		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US28	46.09	072355		
Not suitable for BTB Mounting.	US32	116.47	-		
	US32D	109.88	063689		



<b>2L</b>					
Pull - Rectangular	US3	108.27	137565	1	12
Material: Brass, bronze, aluminum, stainless steel	US4	115.58	078244		
Base: 3/8" x 1-1/4"	US10	120.50	036307		
Projection: 2"	US10B	150.59	001482		
Clearance: 1-5/8"	DBZ / US19	120.50	- / -		
CTC: 12"	US26	120.50	-		
Door Thickness: 1-3/4" standard	US26D	120.50	101506		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US28	59.94	016671		
Note suitable for BTB Mounting.	US32	121.81	036632		
	US32D	117.04	068545		





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>3E</b>					
Pull - Round	US3	82.41	052507	1	12
Material: Brass, bronze, aluminum, stainless steel	US4	82.41	082808		
Base: 3/4" diameter	US10	87.18	052508		
Projection: 2-1/4"	US10B	108.96	052510		
Clearance: 1-1/2"	DBZ / US19	87.18	- / 84082		
CTC: 6"	US26	87.18	052826		
Door Thickness: 1-3/4" standard	US26D	87.18	052705		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US28	34.86	052511		
	US32	85.57	003987		
	US32D	<b>59.61</b>	052512		



<b>3G</b>					
Pull - Round	US3	84.65	052706	1	12
Material: Brass, bronze, aluminum, stainless steel	US4	84.65	054828		
Base: 3/4" diameter	US10	89.57	052707		
Projection: 2-1/4"	US10B	111.96	052513		
Clearance: 1-1/2"	DBZ / US19	89.57	- / 122059		
CTC: 8"	US26	89.57	052827		
Door Thickness: 1-3/4" standard	US26D	89.57	052708		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US28	45.17	052709		
	US32	85.57	003987		
	US32D	<b>66.23</b>	052514		



<b>3J</b>					
Pull - Round	US3	86.80	058846	1	12
Material: Brass, bronze, aluminum, stainless steel	US4	86.80	017703		
Base: 3/4" diameter	US10	101.34	059315		
Projection: 2-1/4"	US10B	126.74	058929		
Clearance: 1-1/2"	DBZ / US19	101.34	24543 / 163936		
CTC: 10"	US26	101.34	067231		
Door Thickness: 1-3/4" standard	US26D	101.34	060904		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US28	58.64	064414		
	US32	88.34	009135		
	US32D	73.23	053788		



<b>3L</b>					
Pull - Round	US3	104.58	062658	1	12
Material: Brass, bronze, aluminum, stainless steel	US4	114.66	044307		
Base: 3/4" diameter	US10	123.43	084100		
Projection: 2-1/4"	US10B	154.28	067606		
Clearance: 1-1/2"	DBZ / US19	123.43	- / -		
CTC: 12"	US26	123.43	088253		
Door Thickness: 1-3/4" standard	US26D	123.43	070804		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US28	63.56	068010		
	US32	131.97	071641		
	US32D	93.88	056122		

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.

## Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>4E</b>					
Security Pull - Round	US32D	93.50	127369	1	12
Material: Stainless steel					
Base: 1" diameter					
Projection: 2-1/4"					
Clearance: 1-1/4"					
CTC: 6"					
Fasteners: Two (2) 1/4-20 x 2-1/4" FPHMS with finish washers					
<b>P4E</b>					
Security Pull - Round	US32D	109.27	085014	1	12
Material: Stainless steel					
Base: 1" diameter					
Projection: 2-1/4"					
Clearance: 1-1/4"					
CTC: 6"					
Fasteners: 3/8" - 16 x 1-1/4"					
Nyloc hex head cap screws					
Concealed mounting in door, use on hollow metal doors only.					
<b>T4E</b>					
Security Pull - Round	US32D	114.12	085015	1	12
Material: Stainless steel					
Base: 1" diameter					
Projection: 2-1/4"					
Clearance: 1-1/4"					
CTC: 6"					
Door Thickness: 1-3/4" standard					
Fasteners: 1/4" - 20 x 2-1/4" FTXMS with washers					
Security Torx, Thru Bolt Mounting					
<b>4G</b>					
Pull - Round					
Material: Brass, bronze, aluminum, stainless steel					
Base: 1" diameter	US3	119.12	052710	1	12
Projection: 2-3/4"	US4	128.66	071068		
Clearance: 1-3/4"	US10	144.90	052711		
CTC: 8"	US10B	186.45	052712		
Door Thickness: 1-3/4" standard	DBZ / US19	149.18	- / 44835		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US26	132.66	052828		
	US26D	132.66	052713		
	US28	59.87	051945		
	US32	114.96	056698		
	US32D	84.26	051946		
<b>4H</b>					
Pull - Round					
Material: Brass, bronze, aluminum, stainless steel	US3	117.66	116804	1	12
Base: 1" diameter	US4	117.66	-		
Projection: 2-3/4"	US10	129.43	154833		
Clearance: 1-3/4"	US10B	129.43	068290		
CTC: 9"	DBZ / US19	129.43	- / -		
Door Thickness: 1-3/4" standard	US26	129.43	139764		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US26D	129.43	016412		
	US28	112.77	099188		
	US32	148.67	075526		
	US32D	109.19	037214		







Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>4J</b>					
Pull - Round	US3	142.90	052714	1	12
Material: Brass, bronze, aluminum, stainless steel	US4	142.90	054807		
Base: 1" diameter	US10	144.90	052715		
Projection: 2-3/4"	US10B	186.45	052716		
Clearance: 1-3/4"	DBZ / US19	149.13	- / 140359		
CTC: 10"	US26	145.97	052829		
Door Thickness: 1-3/4" standard	US26D	145.97	052515		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US28	53.87	052717		
	US32	118.66	060648		
	US32D	93.65	052516		



<b>4L</b>					
Pull - Round	US3	133.82	056307	1	12
Material: Brass, bronze, aluminum, stainless steel	US4	133.82	062858		
Base: 1" diameter	US10	157.59	068316		
Projection: 2-3/4"	US10B	196.99	062875		
Clearance: 1-3/4"	DBZ / US19	157.59	- / 003293		
CTC: 12"	US26	157.59	054951		
Door Thickness: 1-3/4" standard	US26D	157.59	072906		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US28	79.64	059808		
	US32	173.52	069478		
	US32D	133.66	054672		



<b>5D</b>					
Pull - Round	US3	53.02	048492	1	12
Material: Brass, bronze, aluminum, stainless steel	US4	53.02	048493		
Base: 5/8" diameter	US10	57.33	048489		
Projection: 2-1/8"	US10B	71.64	048495		
Clearance: 1-1/2"	DBZ / US19	57.33	- / -		
CTC: 5-1/2"	US26	57.33	007765		
Door Thickness: 1-3/4" standard	US26D	57.33	048496		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US28	36.17	048491		
Not suitable for BTB Mounting.	US32	67.02	167480		
	US32D	49.86	048497		



<b>5N</b>					
Cast Pull					
Material: Brass, bronze, aluminum, stainless steel	US3	79.64	052289	1	12
Base: 5/8" x 1-3/16"	US4	85.57	052290		
Projection: 1-15/16"	US10	91.49	052291		
Clearance: 1-7/16"	US10B	114.35	052292		
O/A Length: 6-1/8"	DBZ / US19	91.49	- / -		
CTC: 5-1/2"	US26	91.49	052808		
Door Thickness: 1-3/4" standard	US26D	91.49	052701		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US28	55.94	138885		
Not suitable for BTB Mounting.	US32D	100.34	052294		



## Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>6N</b>					
Cast Pull	US3	61.48	052295	1	12
Material: Brass, bronze, aluminum, stainless steel	US4	68.79	052296		
Base: 1" diameter	US10	85.11	052297		
Projection: 1-7/8"	US10B	106.42	052298		
Clearance: 1-3/8"	DBZ / US19	85.11	- / -		
O/A Length: 6-1/2"	US26	85.11	028570		
CTC: 5-1/2"	US26D	85.11	052811		
Door Thickness: 1-3/4" standard	US28	44.40	052299		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US32D	87.80	052300		
Not suitable for BTB Mounting.					



<b>7N</b>					
Cast Pull					
Material: Brass, bronze, aluminum					
Base: 2" diameter	US3	77.64	052301	1	12
Projection: 1-7/8"	US4	77.64	053309		
Clearance: 1-3/8"	US10	90.34	052302		
O/A Length: 7-1/2"	US10B	112.96	052806		
CTC: 5-1/2"	DBZ / US19	90.34	- / -		
Door Thickness: 1-3/4" standard	US26	90.34	052807		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US26D	90.34	052304		
Not suitable for BTB Mounting.	US28	39.63	052303		



<b>8N</b>					
Material: Brass, bronze, aluminum					
Base: 2" diameter	US3	77.64	052305	1	12
Projection: 1-7/8"	US4	77.64	053310		
CTC: 5-1/2"	US10	82.41	052306		
Clearance: 1-3/8"	US10B	116.89	052700		
O/A Length: 7-1/2"	DBZ / US19	93.49	- / 18255		
Fasteners: #8 x 1 OPHWS	US26	71.33	052805		
Not suitable for BTB Mounting.	US26D	71.33	052308		
	US28	39.63	052307		



<b>P8N</b>					
Cast Pull	US4	87.42	081356	1	12
Material: Brass	US26D	87.42	084188		
Base: 1-1/2" x 1-5/8"					
Projection: 2-1/4"					
CTC: 7-3/4"					
Clearance: 1-9/16"					
O/A Length: 8-3/4"					
Fasteners: 3/8 - 16 x 3/4" FPHMS					
Not suitable for BTB Mounting.					





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>9E</b>					
Pull - Oval	US3	62.33	078724	1	12
Material: Brass, bronze, stainless steel	US4	62.33	031734		
Base: 1/2" x 3/4"	US10	70.18	017647		
Projection: 2"	US10B	87.65	083301		
Clearance: 1-1/2"	DBZ / US19	70.18	- / 35410		
CTC: 6"	US26	70.18	083270		
Door Thickness: 1-3/4" standard	US26D	70.18	082917		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US32	72.72	109645		
Not suitable for BTB Mounting.	US32D	71.87	066230		



<b>9G</b>					
Pull - Oval	US3	69.72	073348	1	12
Material: Brass, bronze, stainless steel	US4	69.72	129264		
Base: 1/2" x 3/4"	US10	77.33	071399		
Projection: 2"	US10B	96.73	076145		
Clearance: 1-1/2"	DBZ / US19	77.33	- / -		
CTC: 8"	US26	77.33	62005		
Door Thickness: 1-3/4" standard	US26D	77.33	073350		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US32	52.10	089854		
Not suitable for BTB Mounting.	US32D	62.25	073862		



<b>9J</b>					
Pull - Oval	US3	77.41	032128	1	12
Material: Brass, bronze, stainless steel	US4	77.41	021300		
Base: 1/2" x 3/4"	US10	84.72	026721		
Projection: 2"	US10B	105.88	020045		
Clearance: 1-1/2"	DBZ / US19	84.72	- / -		
CTC: 10"	US26	84.72	55471		
Door Thickness: 1-3/4" standard	US26D	84.72	068291		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US32	86.41	112592		
Not suitable for BTB Mounting.	US32D	75.56	089049		



<b>9L</b>					
Pull - Oval	US3	84.72	001447	1	12
Material: Brass, bronze, stainless steel	US4	84.72	090944		
Base: 1/2" x 3/4"	US10	92.26	018507		
Projection: 2"	US10B	115.35	095056		
Clearance: 1-1/2"	DBZ / US19	92.26	- / -		
CTC: 12"	US26	92.26	-		
Door Thickness: 1-3/4" standard	US26D	92.26	017368		
Fasteners: 1/4" x 2-1/4" FPHMS with washers	US32	96.19	064516		
Not suitable for BTB Mounting.	US32D	82.34	075733		

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>10L</b>					
Pull - Round	US3	421.69	079250	1	8
Material: Brass, bronze, stainless steel	US4	421.69	094670		
Base: 1-1/4" diameter	US10	468.09	002193		
Projection: 3"	US10B	585.13	084947		
Clearance: 1-3/4"	DBZ / US19	468.09	26031 / 152762		
CTC: 12"	US26	468.09	030731		
Door Thickness: 1-3/4" standard	US26D	468.09	023472		
Fasteners: 5/16" - 18 x 2-1/4" FPHMS with washers	US32	418.30	097312		
	US32D	355.12	067649		



<b>10Q</b>					
Pull - Round	US3	462.62	090612	2	8
Material: Brass, bronze, stainless steel	US4	462.62	010843		
Base: 1-1/4" diameter	US10	495.10	034458		
Projection: 3"	US10B	618.91	087786		
Clearance: 1-3/4"	DBZ / US19	495.10	- / 29094		
CTC: 18"	US26	495.10	-		
Door Thickness: 1-3/4" standard	US26D	495.10	039520		
Fasteners: 5/16" - 18 x 2-1/4" FPHMS with washers	US32	433.84	027254		
	US32D	402.45	072664		



<b>11E</b>					
90° Offset Pull - Round	US3	127.81	059597	-	2
Material: Brass, bronze, aluminum, stainless steel	US4	127.81	018312		
Base: 3/4" diameter	US10	133.66	060336		
Projection: 2-1/2"	US10B	167.06	060315		
Clearance: 1-3/4"	DBZ / US19	133.66	- / 176232		
CTC: 6"	US26	133.66	040696		
Offset: 2-1/2"	US26D	133.66	075266		
Door Thickness: 1-3/4" standard	US28	83.88	043401		
Fasteners: 5/16" - 18 x 2-1/4" FPHMS with washers	US32	136.59	-		
Available with 45° offset	US32D	106.58	057380		



<b>11G</b>					
90° Offset Pull - Round					
Material: Brass, bronze, aluminum, stainless steel	US3	134.66	063681	-	2
Base: 3/4" diameter	US4	134.66	047133		
Projection: 2-1/2"	US10	142.67	097774		
Clearance: 1-3/4"	US10B	178.37	068662		
CTC: 8"	DBZ / US19	142.67	34716 / -		
Offset: 2-1/2"	US26	142.67	013867		
Door Thickness: 1-3/4" standard	US26D	142.67	093586		
Fasteners: 5/16" - 18 x 2-1/4" FPHMS with washers	US28	94.96	067803		
Available with 45° offset	US32	144.90	109006		
	US32D	117.04	066983		





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>11J</b>					
90° Offset Pull - Round	US3	142.51	073589	-	2
Material: Brass, bronze, aluminum, stainless steel	US4	142.51	087629		
Base: 3/4" diameter	US10	154.75	074842		
Projection: 2-1/2"	US10B	193.38	056958		
Clearance: 1-3/4"	DBZ / US19	154.75	- / 153550		
CTC: 10"	US26	154.75	064743		
Offset: 2-1/2"	US26D	154.75	091336		
Door Thickness: 1-3/4" standard	US28	100.34	075928		
Fasteners: 5/16" - 18 x 2-1/4" FPHMS with washers	US32	150.51	091535		
Available with 45° offset	US32D	122.50	066497		



<b>11L</b>					
90° Offset Pull - Round					
Material: Brass, bronze, aluminum, stainless steel	US3	154.75	096446	-	2
Base: 3/4" diameter	US4	154.75	-		
Projection: 2-1/2"	US10	173.45	023215		
Clearance: 1-3/4"	US10B	216.77	070692		
CTC: 12"	DBZ / US19	173.45	- / -		
Offset: 2-1/2"	US26	173.45	062866		
Door Thickness: 1-3/4" standard	US26D	173.45	086064		
Fasteners: 5/16" - 18 x 2-1/4" FPHMS with washers	US28	107.65	073571		
Available with 45° offset	US32	161.60	078494		
	US32D	130.89	065800		



<b>12G</b>					
90° Offset Pull - Round					
Material: Brass, bronze, aluminum, stainless steel	US3	171.68	060314	-	2
Base: 1" diameter	US4	171.68	081233		
Projection: 2-3/4"	US10	197.07	043913		
Clearance: 1-3/4"	US10B	246.32	076432		
CTC: 8"	DBZ / US19	197.07	- / -		
Offset: 3"	US26	197.07	078220		
Door Thickness: 1-3/4" standard	US26D	197.07	062954		
Fasteners: 5/16" - 18 x 2-1/4" FPHMS with washers	US28	87.34	070404		
Available with 45° offset	US32	170.21	099416		
	US32D	138.82	060905		



<b>12J</b>					
90° Offset Pull - Round	US3	179.29	060159	-	2
Material: Brass, bronze, aluminum, stainless steel	US4	179.29	082215		
Base: 1" diameter	US10	201.15	069370		
Projection: 2-3/4"	US10B	251.47	059163		
Clearance: 1-3/4"	DBZ / US19	201.15	41957 / 42168		
CTC: 10"	US26	201.15	059778		
Offset: 3"	US26D	201.15	068450		
Door Thickness: 1-3/4" standard	US28	96.73	070967		
Fasteners: 5/16" - 18 x 2-1/4" FPHMS with washers	US32	189.14	059561		
Available with 45° offset	US32D	<b>149.59</b>	055174		

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>12L</b>					
90° Offset Pull - Round	US3	191.37	056782	-	2
Material: Brass, bronze, aluminum, stainless steel	US4	191.37	063686		
Base: 1" diameter	US10	213.77	059327		
Projection: 2-3/4"	US10B	267.17	061587		
Clearance: 1-3/4"	DBZ / US19	213.77	41947 / 12667		
CTC: 12"	US26	213.77	076229		
Offset: 3"	US26D	213.77	077083		
Door Thickness: 1-3/4" standard	US28	105.73	062011		
Fasteners: 5/16" - 18 x 2-1/4" FPHMS with washers	US32	208.15	067052		
Available with 45° offset	US32D	155.59	059815		



<b>13E</b>					
Push/Pull Set - Round	US3	203.07	061785	1	12
Type 7 mounting	US4	203.07	095631		
Material: Brass, bronze, aluminum, stainless steel	US10	206.92	002512		
Base: 3/4" diameter	US10B	258.71	028794		
Projection: 2-1/4"	DBZ / US19	206.92	17193 / 63858		
Clearance: 1-1/2"	US26	206.92	063688		
Door Thickness: 1-3/4"	US26D	206.92	060821		
CTC: 6"	US28	141.05	076294		
BTB Mounting type 7 concealed spanner (Required 3/8" min. holes in door)	US32	226.77	020838		
	US32D	185.76	055892		



<b>13G</b>					
Push/Pull Set - Round	US3	233.16	002452	1	12
Type 7 mounting	US4	233.16	018605		
Material: Brass, bronze, aluminum, stainless steel	US10	241.85	056543		
Base: 3/4" diameter	US10B	302.26	057132		
Projection: 2-1/4"	DBZ / US19	241.85	- / 52117		
Clearance: 1-1/2"	US26	241.85	058650		
Door Thickness: 1-3/4"	US26D	241.85	096884		
CTC: 8"	US28	154.21	057936		
BTB Mounting type 7 concealed spanner (Required 3/8" min. holes in door)	US32	258.78	016398		
	US32D	201.30	059203		



<b>13J</b>					
Push/Pull Set - Round	US3	257.40	067010	1	12
Type 7 mounting	US4	257.40	058379		
Material: Brass, bronze, aluminum, stainless steel	US10	269.09	013815		
Base: 3/4" diameter	US10B	336.35	006667		
Projection: 2-1/4"	DBZ / US19	269.09	- / 32226		
Clearance: 1-1/2"	US26	269.09	043759		
Door Thickness: 1-3/4"	US26D	269.09	068292		
CTC: 10"	US28	172.83	014475		
BTB Mounting type 7 concealed spanner (Required 3/8" min. holes in door)	US32	285.72	032231		
	US32D	220.31	063863		





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>13L</b>					
Push/Pull Set - Round	US3	277.25	095055	1	12
Type 7 mounting	US4	277.25	110600		
Material: Brass, bronze, aluminum, stainless steel	US10	314.73	060284		
Base: 3/4" diameter	US10B	393.45	039979		
Projection: 2-1/4"	DBZ / US19	314.73	- / 51614		
Clearance: 1-1/2"	US26	314.73	070322		
Door Thickness: 1-3/4"	US26D	314.73	070163		
CTC: 12"	US28	192.84	037236		
BTB Mounting type 7 concealed spanner (Required 3/8" min. holes in door)	US32	306.11	034594		
	US32D	253.55	084896		



<b>14G</b>					
Push/Pull Set - Round					
Type 7 mounting	US3	291.41	056325	1	12
Material: Brass, bronze, aluminum, stainless steel	US4	291.41	123899		
Base: 1" diameter	US10	313.42	027836		
Projection: 2-3/4"	US10B	391.75	019363		
Clearance: 1-3/4"	DBZ / US19	313.42	- / 77833		
Door Thickness: 1-3/4"	US26	313.42	029353		
CTC: 8"	US26D	313.42	077790		
BTB Mounting type 7 concealed spanner (Required 3/8" min. holes in door)	US28	200.07	091532		
	US32	338.73	088849		
	US32D	272.63	070068		



<b>14H</b>					
Push/Pull Set - Round					
Type 7 mounting	US3	320.88	125548	1	12
Material: Brass, bronze, aluminum, stainless steel	US4	337.27	143956		
Base: 1" diameter	US10	340.43	-		
Projection: 2-3/4"	US10B	425.53	018727		
Clearance: 1-3/4"	DBZ / US19	340.43	- / -		
Door Thickness: 1-3/4"	US26	340.43	-		
CTC: 9"	US26D	340.43	034117		
BTB Mounting type 7 concealed spanner (Required 3/8" min. holes in door)	US28	200.45	147101		
	US32	376.98	-		
	US32D	292.49	024734		



<b>14J</b>					
Push/Pull Set - Round					
Type 7 mounting	US3	323.50	056432	1	8
Material: Brass, bronze, aluminum, stainless steel	US4	323.50	028831		
Base: 1" diameter	US10	343.04	066033		
Projection: 2-3/4"	US10B	428.77	060441		
Clearance: 1-3/4"	DBZ / US19	343.04	- / 94143		
Door Thickness: 1-3/4"	US26	343.04	059309		
CTC: 10"	US26D	343.04	061594		
BTB Mounting type 7 concealed spanner (Required 3/8" min. holes in door)	US28	202.76	014601		
	US32	379.52	084135		
	US32D	294.87	067342		

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary



### Description

### Finish

### 2022 List

### Stock No.

### Box Qty.

### Case Qty.

#### 14L

Push/Pull Set - Round  
Type 7 mounting  
Material: Brass, bronze, aluminum, stainless steel  
Base: 1" diameter  
Projection: 2-3/4"  
Clearance: 1-3/4"  
Door Thickness: 1-3/4"  
CTC: 12"  
BTB Mounting type 7 concealed spanner (Required 3/8" min. holes in door)

US3	336.04	086803	1	8
US4	336.04	083099		
US10	383.44	071917		
US10B	479.32	071108		
DBZ / US19	383.44	- / 66580		
US26	383.44	010126		
US26D	383.44	023138		
US28	224.69	100725		
US32	411.53	063460		
US32D	333.73	057010		



#### 15C

Heavy Duty Flush Cup Pull  
Material: Stainless steel  
Face: 3-1/2" x 5"  
Opening: 1-3/4" x 3-1/16"  
Projection: 1/8"  
Cup Depth: 3/4" (Cup welded to face plate)  
Fasteners: #6 x5/8" OPHWS

US32D	102.50	026410	1	10
-------	--------	--------	---	----



#### 15N

Flush Cup Pull  
Material: Brass, bronze, aluminum, stainless steel  
Face: 3-1/2" x 5"  
Opening: 1-3/4" x 3-1/16"  
Projection: 1/8"  
Cup Depth: 3/4"  
Fasteners: #6 x5/8" OPHWS

US3	91.96	053114	2	20
US4	107.19	053115		
US10	105.73	053116		
US10B	132.20	053117		
DBZ / US19	105.73	24589 / 28545		
US26	105.73	053118		
US26D	99.11	053119		
US28	39.86	053120		
US32D	51.56	053121		



#### 15P

Heavy Duty Security Flush Cup Pull  
Material: Stainless steel  
Face: 3-1/2" x 5"  
Opening: 1-3/4" x 3-1/16"  
Projection: 3/16"  
Cup Depth: 3/4" (Cup welded to face plate)  
Welded studs for security (2) 6 -32 x 1-1/2" FPHMS (security torx)

US32D	108.50	085266	2	20
-------	--------	--------	---	----







Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>15S</b>					
Light Duty Flush Cup Pull	US3	82.49	014360	2	20
Material: Brass, bronze, aluminum, stainless steel	US4	93.42	039342		
Face: 3-1/2" x 5"	US10	105.73	025946		
Opening: 1-3/4" x 3-1/16"	US10B	132.20	042147		
Projection: 1/8"	DBZ / US19	105.73	- / -		
Cup Depth: 3/4"	US26	105.73	089124		
Fasteners: #6 x 5/8" PPHWS	US26D	105.73	020841		
Fasteners inside recessed cup	US28	67.02	091301		
	US32D	69.56	017661		



<b>16N</b>					
Light Duty Flush Cup Pull					
Material: Brass, bronze	US3	30.96	073983	2	20
Face: 1-15/16" x 3"	US4	39.95	010007		
Opening: 27/32" x 2-3/8"	US10	32.07	074227		
Projection: 1/16"	US10B	40.08	068253		
Cup Depth: 5/8"	US26	39.95	068254		
Fasteners: #8 x 3/4" OPHWS	US26D	32.07	067702		
Fasteners inside recessed cup					



<b>16R</b>					
Finger Pull Plate	US3	118.43	018081	2	20
Material: Brass, bronze, aluminum, stainless steel	US4	129.74	141082		
Size: 4" x 16"	US10	129.74	-		
Opening: 1-3/4" x 3-1/16"	US10B	162.21	060151		
Cup Depth: 13/16"	DBZ / US19	129.74	- / -		
Fasteners: #6 x 5/8" OPHWS	US26	129.74	085308		
	US26D	129.74	009524		
	US28	90.80	092065		
	US32	146.21	-		
	US32D	101.04	057855		



<b>17N</b>					
Light Duty Flush Cup Pull					
Material: Brass, bronze					
Face: 2-1/2" x 3-31/32"	US3	27.21	068535	2	20
Opening: 1-11/32" x 3-13/32"	US4	35.09	077871		
Projection: 3/32"	US10	28.93	068096		
Cup Depth: 5/8"	US10B	36.14	068255		
Fasteners: #8 x 13/16" OPHWS	US26	35.09	068256		
Fasteners inside recessed cup	US26D	27.89	067507		

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>19N</b>					
Cast Pull	US3	107.50	-	1	20
Material: Brass, bronze	US10	111.81	072477		
Base Diameter: 1-1/2"	US10B	144.13	076217		
Projection: 3-1/8"	US26	115.35	-		
Clearance: 1-11/16"	US26D	115.35	064247		
CTC: 6-3/16"					
Length O/A: 9"					
Fasteners: #8 x 1" OPHWS					
Suitable for BTB Mounting with sex nuts by special quotation					



<b>20N</b>					
Cast Pull					
Material: Bronze					
Base Diameter: 1-1/2"					
Projection: 3-1/4"	US3	107.50	058572	1	1
Clearance: 1-11/16"	US10	115.35	033608		
CTC: 5-7/32"	US10B	144.13	095243		
Length O/A: 8-3/4"	US26	115.35	017678		
Fasteners: 1/4" - 20 thru bolts with washers	US26D	115.35	058574		
Door Thickness: 1-3/4" standard					
Not suitable for BTB Mounting					



<b>20L</b>					
Push/Pull Set - Round	US3	915.01	140460	1	4
Type 7 mounting	US4	967.11	090986		
Material: Brass, bronze, stainless steel	US10	967.11	-		
Base: 1-1/4" diameter	US10B	1,208.88	019165		
Projection: 3"	DBZ / US19	967.11	- / -		
Clearance: 1-3/4"	US26	967.11	052420		
CTC: 12"	US26D	967.11	022949		
Door Thickness: 1-3/4" standard	US28	967.11	-		
BTB Mounting type 7 concealed spanner (Required 7/16" min. holes in door)	US32	855.38	030891		
	US32D	798.51	099136		



<b>20Q</b>					
Push/Pull Set - Round					
Type 7 mounting					
Material: Brass, bronze, stainless steel	US3	1,016.82	184392	1	4
Base: 1-1/4" diameter	US4	1,074.68	-		
Projection: 3"	US10	1,074.68	-		
Clearance: 1-3/4"	US10B	1,343.32	105155		
CTC: 18"	DBZ / US19	1,074.68	- / 29093		
Door Thickness: 1-3/4" standard	US26	1,074.68	163164		
BTB Mounting type 7 concealed spanner (Required 7/16" min. holes in door)	US26D	1,074.68	046330		
	US28	1,074.68	-		
	US32	661.85	066386		
	US32D	887.31	067607		





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>21E</b>					
90° Offset Push/Pull Set - Round	US3	320.27	138354	-	1
Material: Brass, bronze, aluminum, stainless steel	US4	320.27	-		
Base: 3/4" diameter	US10	335.50	-		
Projection: 2-1/2"	US10B	419.38	012325		
Clearance: 1-3/4"	DBZ / US19	335.50	- / 176233		
CTC: 6"	US26	335.50	071225		
Offset: 2-1/2"	US26D	335.50	028763		
Door Thickness: 1-3/4" standard	US28	233.70	019295		
BTB Mounting Type 7 concealed spanner (Required 3/8" minimum holes in door)	US32	339.27	161045		
Available with 45° offset	US32D	279.48	089757		



<b>21G</b>					
90° Offset Push/Pull Set - Round	US3	337.66	058679	-	1
Material: Brass, bronze, aluminum, stainless steel	US4	337.66	043225		
Base: 3/4" diameter	US10	353.35	-		
Projection: 2-1/2"	US10B	441.69	063310		
Clearance: 1-3/4"	DBZ / US19	353.35	- / -		
CTC: 8"	US26	353.35	018016		
Offset: 2-1/2"	US26D	353.35	066826		
Door Thickness: 1-3/4" standard	US28	256.01	075590		
BTB Mounting Type 7 concealed spanner (Required 3/8" minimum holes in door)	US32	356.12	025013		
Available with 45° offset	US32D	300.34	058003		



<b>21J</b>					
90° Offset Push/Pull Set - Round	US3	349.05	078909	-	1
Material: Brass, bronze, aluminum, stainless steel	US4	349.05	-		
Base: 3/4" diameter	US10	377.21	005255		
Projection: 2-1/2"	US10B	471.47	057372		
Clearance: 1-3/4"	DBZ / US19	377.21	- / -		
CTC: 10"	US26	377.21	005678		
Offset: 2-1/2"	US26D	377.21	067008		
Door Thickness: 1-3/4" standard	US28	262.55	112219		
BTB Mounting Type 7 concealed spanner (Required 3/8" minimum holes in door)	US32	366.97	019770		
Available with 45° offset	US32D	311.49	080009		



<b>21L</b>					
90° Offset Push/Pull Set - Round	US3	371.98	097140	-	1
Material: Brass, bronze, aluminum, stainless steel	US4	371.98	002578		
Base: 3/4" diameter	US10	414.84	-		
Projection: 2-1/2"	US10B	518.57	042312		
Clearance: 1-3/4"	DBZ / US19	414.84	- / 31812		
CTC: 12"	US26	414.84	007396		
Offset: 2-1/2"	US26D	414.84	032790		
Door Thickness: 1-3/4" standard	US28	281.10	047803		
BTB Mounting Type 7 concealed spanner (Required 3/8" minimum holes in door)	US32	389.29	027578		
Available with 45° offset	US32D	328.19	069905		

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary



### Description

### Finish

### 2022 List

### Stock No.

### Box Qty.

### Case Qty.

#### 22G

90° Offset Push/Pull Set - Round

Material: Brass, bronze, aluminum, stainless steel

Base: 1" diameter

Projection: 2-3/4"

Clearance: 1-3/4"

CTC: 8"

Offset: 3"

Door Thickness: 1-3/4" standard

BTB Mounting Type 7 concealed spanner (Required 3/8" minimum holes in door)

Available with 45° offset

US3

US4

US10

US10B

DBZ / US19

US26

US26D

US28

US32

US32D

404.45

404.45

453.39

566.74

453.39

453.39

453.39

246.39

407.14

401.53

079012

167031

075421

096184

- / -

048693

007328

024277

098201

067908

-

1



#### 22J

90° Offset Push/Pull Set - Round

Material: Brass, bronze, aluminum, stainless steel

Base: 1" diameter

Projection: 2-3/4"

Clearance: 1-3/4"

CTC: 10"

Offset: 3"

Door Thickness: 1-3/4" standard

BTB Mounting Type 7 concealed spanner (Required 3/8" minimum holes in door)

Available with 45° offset

US3

US4

US10

US10B

DBZ / US19

US26

US26D

US28

US32

US32D

426.53

426.53

477.78

597.21

477.78

477.78

477.78

264.86

444.39

432.61

075192

175712

050773

058192

28099 / 123275

005787

085517

002376

073277

076699

-

1



#### 22L

90° Offset Push/Pull Set - Round

Material: Brass, bronze, aluminum, stainless steel

Base: 1" diameter

Projection: 2-3/4"

Clearance: 1-3/4"

CTC: 12"

Offset: 3"

Door Thickness: 1-3/4" standard

BTB Mounting Type 7 concealed spanner (Required 3/8" minimum holes in door)

Available with 45° offset

US3

US4

US10

US10B

DBZ / US19

US26

US26D

US28

US32

US32D

448.62

448.62

507.33

634.14

507.33

507.33

507.33

507.33

283.02

481.09

464.32

073970

078417

000477

080383

- / -

015975

038687

000794

059202

064503

-

1



#### 22N

Concealed Edge Pull

Material: Solid brass

Size: 31/32" x 4-1/4" x 3/8"

Finger piece extends: 2-3/4"

Fasteners: #6 x 3/4" FPHWS

US3

US26D

114.04

123.97

086819

086820

1

10





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>23Q</b>					
90° Offset Pull - Round	US3	572.28	006390	-	2
Material: Brass, bronze, aluminum, stainless steel	US4	572.28	029999		
Base Diameter: 1-1/4"	US10	603.13	021472		
Projection: 3"	US10B	753.96	017369		
Clearance: 1-3/4"	DBZ / US19	603.13	- / -		
CTC: 18"	US26	603.13	019785		
Diamond plate available at price of US10	US26D	603.13	023673		
Offset: 3-3/4" standard	US28	214.69	049363		
Fasteners: 5/16" - 18 thru bolt w/ washer Door	US32	526.34	002751		
Thickness: 1-3/4" standard with 45° offset	US32D	451.16	080011		



<b>24Q</b>					
90° Offset Push/Pull Set - Round	US3	1,217.96	003843	-	1
Material: Brass, bronze, aluminum, stainless steel	US4	1,217.96	134285		
Base Diameter: 1-1/4"	US10	1,279.52	043201		
Projection: 3"	US10B	1,599.41	024989		
Clearance: 1-3/4"	DBZ / US19	1,279.52	- / -		
CTC: 18"	US26	1,279.52	-		
Offset: 3-3/4"	US26D	1,279.52	-		
Door Thickness: 1-3/4" standard	US28	458.78	095347		
BTB Mounting Type 7 concealed spanner (Required 3/8" minimum holes in door)	US32	1,127.01	-		
Available with 45° offset	US32D	973.88	067055		



<b>25B</b>					
Security Flush Pull Set	US32D	208.77	025035	1	10
Material: Stainless steel					
Face: 3-1/2" x 5"					
Opening: 1-3/4" x 3-1/16"					
Projection: 3/16"					
Cup Depth: 3/4"					
Fasteners: (2) 6 - 32 x 1-1/2" FPHMS (security torx)					



<b>25C</b>					
Heavy Duty Flush Pull Set	US32D	202.53	008405	1	10
Material: Stainless steel					
Face: 3-1/2" x 5"					
Opening: 1-3/4" x 3-1/16"					
Projection: 1/8"					
Cup Depth: 3/4"					
Fasteners: (4) 6 - 32 OPHMS with sex nuts and bolts					
Consists of 2 ea. 15C pulls BTB					

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary



### 25N

Flush Pull Set  
Material: Brass, bronze, aluminum, stainless steel  
Face: 3-1/2" x 5"  
Opening: 1-3/4" x 3-1/16"  
Projection: 1/8"  
Cup Depth: 3/4"  
Fasteners: (4) 6 -32 OPHMS with sex nuts and bolts  
Consists of 2 ea. 15N pulls BTB

Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
	US3	202.61	057171	1	10
	US4	202.61	069686		
	US10	208.46	064913		
	US10B	260.55	075384		
	DBZ / US19	208.46	- / -		
	US26	208.46	087487		
	US26D	208.46	055307		
	US28	155.29	074843		
	US32D	87.18	066502		



### 25P

Security Finger Pull/Push Plate Set  
Material: Stainless steel  
Base: 4" x 16"  
Opening: 1-3/4" x 3-1/16"  
Projection: 1/8"  
Fasteners: 8 - 32 x 3/4" FPHMS  
(security torx) sex nuts and bolts

US32D	424.61	089518	1	10
-------	--------	--------	---	----



### 26N

Security Finger Pull  
Material: Brass, stainless steel  
Face: 4" x 5"  
Opening: 1-5/8" x 3"  
Projection: 1/8"  
Cup Depth: 13/16"  
Fasteners: 1/4" - 20 x 3/4" security torx FPHMS

US4	113.04	024671	2	20
US26	154.75	036321		
US32D	162.60	017790		



### 27N

Security Flush Cup Pull  
Material: Stainless steel  
Face: 5" x 5"  
Opening: 3" x 3-1/2"  
Projection: 3/8"  
Cup Depth: 7/8"  
Fasteners: 10 - 24 FPHMS (security torx) sex nuts and thru bolts  
Not available for BTB Mounting

US32D	169.11	006749	2	20
-------	--------	--------	---	----



### 27P

Security Flush Cup Pull  
Material: Stainless steel  
Face: 5" x 5"  
Opening: 3" x 3-1/2"  
Projection: 3/8"  
Cup Depth: 7/8"  
Fasteners: 1/4 - 20 x 3/4" FPHMS (security torx)  
Not available for BTB Mounting

US32D	169.11	013714	2	20
-------	--------	--------	---	----



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>30S</b>					
Push-Plate - Square Corner					
Material: Brass, bronze, aluminum, stainless steel	US3	27.09	052473	5	50
Gauge: 0.050	US4	27.09	053057		
Fasteners: #6 x 5/8" OPH tapping screws	US10	32.32	052603		
3" x 12"	US10B	40.40	052604		
	DBZ / US19	32.32	- / -		
	US26	32.32	052788		
	US26D	32.32	052605		
	US28	17.01	052606		
	US32	24.39	060400		
	US32D	19.85	052607		
<hr/>					
3-1/2" x 15	US3	36.55	051947	5	50
	US4	38.86	053058		
	US10	44.40	052474		
	US10B	55.48	052475		
	DBZ / US19	44.40	042052 / 003748		
	US26	44.40	051948		
	US26D	42.78	052608		
	US28	16.16	051949		
	US32	22.16	067703		
	US32D	16.62	052476		
<hr/>					
4" x 16"	US3	42.78	052477	5	50
	US4	42.01	053059		
	US10	46.79	052478		
	US10B	58.48	052479		
	DBZ / US19	46.79	042048 / 67957		
	US26	46.79	052789		
	US26D	45.17	052480		
	US28	18.08	052481		
	US32	24.55	056570		
	US32D	17.54	052482		
<hr/>					
6" x 16"	US3	61.02	052609		5
	US4	61.02	016001		
	US10	68.95	052610		
	US10B	86.18	052611		
	DBZ / US19	68.95	- / 77834		
	US26	68.95	052612		
	US26D	67.41	052613		
	US28	24.93	052614		
	US32	37.09	059757		
	US32D	24.93	052615		
<hr/>					
8" x 16"	US3	75.03	052616		5
	US4	75.03	053054		
	US10	86.11	052617		
	US10B	107.58	052618		
	DBZ / US19	86.11	042049 / 001665		
	US26	86.11	052619		
	US26D	84.49	052620		
	US28	27.86	052621		
	US32	46.40	056697		
	US32D	33.93	052483		

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>A30S</b>					
Push-Plate - Square Corner					
Material: Brass, bronze, aluminum, stainless steel	US3	44.55	088064	5	50
Gauge: 0.062	US4	44.55	040610		
Fasteners: #6 x 5/8" OPH tapping screws	US10	51.71	089728		
3" x 12"	US10B	64.56	057228		
	DBZ / US19	51.71	- / 197562		
	US26	51.71	083774		
	US26D	51.71	002164		
	US28	21.78	161252		
	US32	41.40	154189		
	US32D	26.55	018593		
<hr/>					
3-1/2" x 15	US3	48.02	086010	5	50
	US4	48.02	125264		
	US10	58.10	060451		
	US10B	72.64	095370		
	DBZ / US19	58.10	- / -		
	US26	58.10	041812		
	US26D	58.10	050973		
	US28	24.24	095372		
	US32	50.40	014761		
	US32D	33.70	095371		
<hr/>					
4" x 16"	US3	54.33	088141	5	50
	US4	54.33	096314		
	US10	63.95	018240		
	US10B	79.95	026224		
	DBZ / US19	63.95	- / 137951		
	US26	63.95	068218		
	US26D	63.95	088369		
	US28	26.16	098928		
	US32	53.02	71242		
	US32D	36.86	084940		
<hr/>					
6" x 16"	US3	78.72	146109		5
	US4	78.72	147465		
	US10	88.42	008731		
	US10B	110.58	094683		
	DBZ / US19	88.42	- / -		
	US26	88.42	098852		
	US26D	88.42	001249		
	US28	34.32	098000		
	US32	90.03	-		
	US32D	61.33	052271		
<hr/>					
8" x 16"	US3	85.11	046204		5
	US4	85.11	065722		
	US10	94.73	089364		
	US10B	118.43	025549		
	DBZ / US19	94.73	- / -		
	US26	94.73	053802		
	US26D	94.73	092477		
	US28	45.63	155732		
	US32	110.96	104412		
	US32D	68.64	081011		







Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>31E</b>					
Pull Plate - Square Corner - Half Round Pull					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.050; CTC: 6"					
30S x 1E Pull					
Fasteners: #6 x 5/8" OPH tapping screws					
3-1/2" x 15"	US3	126.04	056433	1	10
	US4	126.04	060011		
	US10	133.97	055633		
	US10B	167.44	058712		
	DBZ / US19	133.97	- / 198285		
	US26	133.97	078715		
	US26D	126.04	054517		
	US28	61.02	054428		
	US32	126.51	071221		
	US32D	90.34	054029		
4" x 16"	US3	<b>127.58</b>	052652	1	10
	US4	127.58	053049		
	US10	135.51	052653		
	US10B	<b>169.44</b>	052493		
	DBZ / US19	135.51	41997 / 66037		
	US26	135.51	052800		
	US26D	127.97	054341		
	US28	62.64	052654		
	US32	142.67	062509		
	US32D	<b>108.11</b>	052494		



<b>31G</b>					
Pull Plate - Square Corner - Half Round Pull					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.050; CTC: 8"					
30S x 1G Pull					
Fasteners: #6 x 5/8" OPH tapping screws					
3-1/2" x 15"	US3	128.35	058350	1	10
	US4	128.35	085438		
	US10	140.90	057757		
	US10B	176.14	058681		
	DBZ / US19	140.90	- / -		
	US26	140.90	064372		
	US26D	140.90	058351		
	US28	67.41	055483		
	US32	158.36	041049		
	US32D	103.04	055482		
4" x 16"	US3	136.36	056514	1	10
	US4	136.36	064373		
	US10	143.36	058057		
	US10B	179.22	059416		
	DBZ / US19	143.36	- / 162072		
	US26	143.36	059035		
	US26D	143.36	056759		
	US28	71.33	056350		
	US32	167.67	095219		
	US32D	104.65	055297		

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>31J</b>					
Pull Plate - Square Corner - Half Round Pull					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.050; CTC: 10"					
30S x 1J Pull					
Fasteners: #6 x 5/8" OPH tapping screws					
3-1/2" x 15"					
	US3	145.97	011268	1	10
	US4	152.05	065208		
	US10	157.52	700006		
	US10B	196.84	067881		
	DBZ / US19	157.52	- / -		
	US26	157.52	-		
	US26D	157.52	081194		
	US28	78.18	116104		
	US32	176.22	077157		
	US32D	136.59	056322		
4" x 16"	US3	148.74	125465	1	10
	US4	153.90	049246		
	US10	163.29	063316		
	US10B	204.07	062373		
	DBZ / US19	163.29	- / -		
	US26	163.29	-		
	US26D	163.29	021574		
	US28	81.72	050497		
	US32	166.06	068294		
	US32D	141.97	062377		



<b>32E</b>					
Pull Plate - Square Corner - Rectangular Pull					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.050; CTC: 6"					
Fasteners: #6 x 5/8" OPH tapping screws					
30S x 2E Pull					
3-1/2" x 15"					
	US3	100.96	052642	1	10
	US4	96.65	053047		
	US10	126.04	052643		
	US10B	157.52	052644		
	DBZ / US19	126.04	- / -		
	US26	126.04	052797		
	US26D	126.04	052645		
	US28	53.10	052646		
	US32	106.11	067882		
	US32D	74.49	052647		
4" x 16"	US3	112.58	052648	1	10
	US4	112.58	053048		
	US10	129.20	052798		
	US10B	161.52	052492		
	DBZ / US19	129.20	- / 120695		
	US26	129.20	052799		
	US26D	129.20	052649		
	US28	56.25	052650		
	US32	122.58	060399		
	US32D	<b>77.64</b>	052651		





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>32G</b>					
Pull Plate - Square Corner - Rectangular Pull					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.050; CTC: 8"					
Fasteners: #6 x 5/8" OPH tapping screws					
30S x 2G Pull					
3-1/2" x 15"					
	US3	116.81	059981	1	10
	US4	116.81	085113		
	US10	136.43	163347		
	US10B	169.44	066040		
	DBZ / US19	135.51	- / 82073		
	US26	136.43	-		
	US26D	133.97	060646		
	US28	70.56	063926		
	US32	136.59	-		
	US32D	95.11	055010		
4" x 16"	US3	133.97	054727	1	10
	US4	133.97	003510		
	US10	141.90	056784		
	US10B	177.37	056756		
	DBZ / US19	141.90	- / -		
	US26	141.05	065122		
	US26D	141.90	069514		
	US28	76.87	069513		
	US32	147.82	017637		
	US32D	101.42	055389		
<b>32J</b>					
Pull Plate - Square Corner - Rectangular Pull					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.050; CTC: 10"					
Fasteners: #6 x 5/8" OPH tapping screws					
30S x 2J Pull					
3-1/2" x 15"					
	US3	136.43	043039	1	10
	US4	140.36	-		
	US10	150.13	118724		
	US10B	187.68	022532		
	DBZ / US19	150.13	- / -		
	US26	150.13	-		
	US26D	150.13	-		
	US28	64.41	-		
	US32	162.21	-		
	US32D	136.59	019279		
4" x 16"	US3	141.74	032063	1	10
	US4	149.44	139843		
	US10	154.75	117572		
	US10B	193.38	005155		
	DBZ / US19	154.75	- / 78327		
	US26	154.75	029867		
	US26D	154.75	044540		
	US28	69.87	-		
	US32	169.06	040153		
	US32D	144.90	069243		



1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.

## Trim & Auxiliary



### 33E

Pull Plate - Square Corner - 3/4" Round Pull  
Material: Brass, bronze, aluminum, stainless steel  
Gauge: 0.050; CTC: 6"  
Fasteners: #6 x 5/8" OPH tapping screws  
30S x 3E Pull  
3-1/2" x 15"

Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
	US3	106.19	052655	1	10
	US4	106.19	053044		
	US10	119.66	052656		
	US10B	149.59	052657		
	DBZ / US19	119.66	41990 / 64219		
	US26	119.66	052801		
	US26D	119.66	052658		
	US28	51.56	052659		
	US32	87.18	074228		
	US32D	59.25	052660		

4" x 16"

	US3	115.73	052661	1	10
	US4	115.73	016002		
	US10	125.66	053045		
	US10B	157.05	052662		
	DBZ / US19	125.66	41986 / 67949		
	US26	125.66	052802		
	US26D	125.66	052663		
	US28	57.87	052664		
	US32	98.27	056516		
	US32D	61.02	052665		



### 33G

Pull Plate - Square Corner - 3/4" Round Pull  
Material: Brass, bronze, aluminum, stainless steel  
Gauge: 0.050; CTC: 8"  
Fasteners: #6 x 5/8" OPH tapping screws  
30S x 3GPull  
3-1/2" x 15"

	US3	118.89	052667	1	10
	US4	118.89	053046		
	US10	130.82	052495		
	US10B	163.44	052668		
	DBZ / US19	130.82	- / 45893		
	US26	130.82	052803		
	US26D	120.50	052669		
	US28	56.25	052670		
	US32	95.11	002398		
	US32D	59.64	052666		

4" x 16"

	US3	126.97	052671	1	10
	US4	126.97	053060		
	US10	138.74	052672		
	US10B	173.37	052673		
	DBZ / US19	138.74	41981 / 06981		
	US26	138.74	052804		
	US26D	130.12	052674		
	US28	59.48	052675		
	US32	101.96	063728		
	US32D	62.79	052676		





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>33J</b>					
Pull Plate - Square Corner - 3/4" Round Pull					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.050; CTC: 10"					
Fasteners: #6 x 5/8" OPH tapping screws					
30S x 3J Pull					
3-1/2" x 15"	US3	121.97	076230	1	10
	US4	125.58	048521		
	US10	130.82	071881		
	US10B	163.44	006002		
	US26	130.82	113458		
	DBZ / US19	130.82	- / -		
	US26D	130.82	112480		
	US28	71.87	054673		
	US32	144.67	067662		
	US32D	118.50	065235		
4" x 16"	US3	131.28	087358	1	10
	US4	137.20	080814		
	US10	143.13	059652		
	US10B	178.91	077870		
	DBZ / US19	143.13	34206 / 47087		
	US26	143.13	135368		
	US26D	143.13	092249		
	US28	75.95	060024		
	US32	150.51	068874		
	US32D	122.43	057608		
<b>33L</b>					
Pull Plate - Square Corner - 3/4" Round Pull					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.050; CTC: 12"					
Fasteners: #6 x 5/8" OPH tapping screws					
30S x 3J Pull					
3-1/2" x 15"	US3	128.71	-	1	10
	US4	128.71	-		
	US10	134.73	179827		
	US10B	169.97	119366		
	US26	136.15	-		
	DBZ / US19	136.15	- / -		
	US26D	136.15	-		
	US28	75.47	17738		
	US32	151.88	-		
	US32D	124.40	56712		
4" x 16"	US3	131.29	-	1	10
	US4	131.29	-		
	US10	137.43	67315		
	US10B	173.34	73561		
	DBZ / US19	138.85	- / -		
	US26	138.85	180875		
	US26D	138.85	65614		
	US28	76.95	-		
	US32	154.91	-		
	US32D	126.90	71550		



1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.

## Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>34G</b>					
Pull Plate - Square Corner - 1" Round Pull					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.050; CTC: 8"					
Fasteners: #6 x 5/8" OPH tapping screws	US3	143.36	052888	1	10
30S x 4G Pull	US4	154.75	022822		
3-1/2" x 15"	US10	161.29	052890		
	US10B	201.61	052891		
	DBZ / US19	161.29	- / -		
	US26	161.29	068374		
	US26D	161.29	052893		
	US28	80.10	143095		
	US32	164.21	-		
	US32D	139.51	051944		
4" x 16"	US3	147.82	052894	1	10
	US4	157.52	052895		
	US10	165.98	052896		
	US10B	207.46	052897		
	DBZ / US19	165.98	- / 64220		
	US26	165.98	052898		
	US26D	165.98	052899		
	US28	81.72	052900		
	US32	167.44	062950		
	US32D	<b>144.67</b>	052901		



## Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>34J</b>					
Pull Plate - Square Corner - 1" Round Pull					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.050; CTC: 10"					
Fasteners: #6 x 5/8" OPH tapping screws					
30S x 4J Pull					
3-1/2" x 15"					
	US3	180.29	088937	1	10
	US4	180.29	023595		
	US10	195.68	065332		
	US10B	248.86	057755		
	DBZ / US19	199.07	- / 26973		
	US26	188.60	040243		
	US26D	188.60	068488		
	US28	63.79	095443		
	US32	139.51	069479		
	US32D	108.58	059558		
4" x 16"	US3	181.53	058218	1	10
	US4	181.53	076042		
	US10	197.38	054937		
	US10B	255.63	056339		
	DBZ / US19	204.46	41979 / 15783		
	US26	194.22	067490		
	US26D	194.22	063209		
	US28	65.02	065718		
	US32	144.44	074891		
	US32D	<b>110.35</b>	056278		



<b>35D</b>					
Pull Plate - Square Corner - 5/8" Round Pull					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.050; CTC: 5-1/2"					
Fasteners: #6 x 5/8" OPH tapping screws					
30S x 5D Pull					
3-1/2" x 15"					
	US3	92.72	048502		
	US4	92.72	029931		
	US10	98.50	048500		
	US10B	123.12	048503		
	DBZ / US19	98.50	- / -		
	US26	98.50	057278		
	US26D	98.50	024259		
	US28	46.09	048501		
	US32	94.96	163371		
	US32D	49.02	048505		
4" x 16"	US3	98.50	048508		
	US4	98.50	028846		
	US10	101.65	048506		
	US10B	127.12	048509		
	DBZ / US19	101.65	- / -		
	US26	101.65	012741		
	US26D	101.65	048510		
	US28	47.94	048507		
	US32	83.11	071154		
	US32D	53.48	048511		





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>35N</b>					
Pull Plate - Square Corner - Cast Pull					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.050; CTC: 5-1/2"					
Fasteners: #6 x 5/8" OPH tapping screws					
30S x 5N Pull					
3-1/2" x 15"					
	US3	97.73	052487	1	10
	US4	99.34	053051		
	US10	105.04	052637		
	US10B	131.28	052488		
	DBZ / US19	105.04	- / -		
	US26	105.04	052794		
	US26D	105.04	053052		
	US28	62.25	052489		
	US32	143.20	057091		
	US32D	89.88	052490		
4" x 16"	US3	99.88	052639	1	10
	US4	102.50	007485		
	US10	110.58	052795		
	US10B	138.20	052640		
	DBZ / US19	110.58	- / 114025		
	US26	110.58	028998		
	US26D	110.58	052641		
	US28	63.56	016004		
	US32	156.75	030733		
	US32D	93.03	052491		
<b>36N</b>					
Pull Plate - Square Corner					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.050; CTC: 5-1/2"					
Fasteners: #6 x 5/8" OPH tapping screws					
30S x 6N Pull					
3-1/2" x 15"					
	US3	91.72	052484	1	10
	US4	91.72	053056		
	US10	95.49	052628		
	US10B	<b>119.35</b>	052629		
	DBZ / US19	95.49	41973 / 68279		
	US26	95.49	052792		
	US26D	95.49	052630		
	US28	50.33	052485		
	US32	126.51	098946		
	US32D	72.95	052631		
4" x 16"	US3	94.88	052632	1	10
	US4	94.88	053050		
	US10	98.65	052633		
	US10B	123.35	052634		
	DBZ / US19	98.65	41960 / 34878		
	US26	98.65	052793		
	US26D	98.65	052635		
	US28	53.48	052636		
	US32	138.59	064685		
	US32D	<b>74.10</b>	052486		

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary



### 39E

Pull Plate - Square Corner - 3/4" Oval Pull  
Material: Brass, bronze, aluminum, stainless steel  
Gauge: 0.050; CTC: 6"  
Fasteners: #6 x 5/8" OPH tapping screws  
30S x 9E Pull  
3-1/2" x 15"

US3	91.19	066457	1	10
US4	91.19	068631		
US10	94.34	066451		
US10B	117.89	066452		
DBZ / US19	94.34	- / -		
US26	125.04	066453		
US26D	104.50	064908		
US32	110.96	092653		
US32D	85.57	066454		

4" x 16"

US3	94.34	066242	1	10
US4	94.34	094002		
US10	100.65	066459		
US10B	125.81	066460		
DBZ / US19	100.65	- / 128991		
US26	131.28	163380		
US26D	107.65	066286		
US32	117.27	083352		
US32D	87.18	066241		

### 39G

Pull Plate - Square Corner - 3/4" Oval Pull  
Material: Brass, bronze, aluminum, stainless steel  
Gauge: 0.050; CTC: 8"  
Fasteners: #6 x 5/8" OPH tapping screws  
30S x 9G Pull  
3-1/2" x 15"

US3	94.73	066446	1	10
US4	94.73	022286		
US10	101.96	066439		
US10B	127.43	066440		
DBZ / US19	101.96	- / -		
US26	130.66	125056		
US26D	109.19	021978		
US32	118.66	113343		
US32D	87.18	066442		

4" x 16"

US3	101.04	066448	1	10
US4	101.04	074705		
US10	108.81	066449		
US10B	136.05	066450		
DBZ / US19	108.81	- / 52958		
US26	137.05	066443		
US26D	115.50	070325		
US32	124.97	019174		
US32D	90.34	066444		





## 39J

Pull Plate - Square Corner - 3/4" Oval Pull  
Material: Brass, bronze, aluminum, stainless steel  
Gauge: 0.050; CTC: 10"  
Fasteners: #6 x 5/8" OPH tapping screws  
30S x 9J Pull  
3-1/2" x 15"

Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
	US3	121.04	086925	1	10
	US4	146.67	-		
	US10	146.67	124357		
	US10B	183.29	039926		
	DBZ / US19	146.67	- / -		
	US26	163.60	-		
	US26D	155.98	174973		
	US32	151.51	-		
	US32D	130.35	005157		
4" x 16"	US3	119.27	086628	1	10
	US4	147.51	-		
	US10	147.51	112185		
	US10B	184.37	033458		
	DBZ / US19	147.51	- / -		
	US26	168.44	106111		
	US26D	163.29	076007		
	US32	152.75	-		
	US32D	132.74	074073		



## 40R

Push Plate - Radius Corner - Beveled  
Material: Brass, bronze, aluminum, stainless steel  
Gauge: 0.050  
Fasteners: #6 x 5/8" OPH tapping screws  
3" x 12"

	US3	36.01	073770	10	50
	US4	37.32	076051		
	US10	43.25	066942		
	US10B	54.10	003979		
	DBZ / US19	43.25	- / -		
	US26	43.25	066131		
	US26D	43.25	074534		
	US28	22.55	043755		
	US32	33.70	152753		
	US32D	28.93	066229		
3-1/2" x 15"	US3	41.55	058476	10	50
	US4	46.09	080655		
	US10	49.86	057093		
	US10B	62.33	025774		
	DBZ / US19	49.86	- / 14566		
	US26	49.86	086949		
	US26D	49.86	059230		
	US28	24.24	-		
	US32	39.01	066906		
	US32D	33.70	059562		
4" x 16"	US3	45.79	058347	10	50
	US4	50.56	081497		
	US10	54.48	016005		
	US10B	68.10	060152		
	DBZ / US19	54.48	- / 52546		
	US26	54.48	059245		
	US26D	54.48	085378		
	US28	25.47	016006		
	US32	42.01	088231		
	US32D	36.17	052790		

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>40R</b> (Continued) 6" x 16"	US3	63.95	057640	-	5
	US4	68.79	047040		
	US10	74.72	006018		
	US10B	93.42	072734		
	DBZ / US19	74.72	- / -		
	US26	74.72	-		
	US26D	74.72	114027		
	US28	33.09	010887		
	US32	78.87	088229		
	US32D	55.10	057637		
8" x 16"	US3	75.03	025145	-	5
	US4	83.49	022787		
	US10	90.03	015792		
	US10B	112.58	061212		
	DBZ / US19	90.03	- / -		
	US26	90.03	126198		
	US26D	90.03	024628		
	US28	37.63	122600		
	US32	80.10	-		
	US32D	82.11	061211		



### A40R

Push Plate - Radius Corner - Beveled

Material: Brass, bronze, aluminum, stainless steel

Gauge: 0.062

Fasteners: #6 x 5/8" OPH tapping screws

3" x 12"

3" x 12"	US3	53.02	032130	10	50
	US4	53.02	131011		
	US10	60.33	185395		
	US10B	75.41	114771		
	DBZ / US19	60.33	- / -		
	US26	60.33	039363		
	US26D	60.33	114030		
	US28	36.17	084099		
	US32	52.71	194871		
	US32D	36.86	048868		
3-1/2" x 15"	US3	56.56	191065	10	50
	US4	56.56	049913		
	US10	66.56	181074		
	US10B	83.26	074760		
	DBZ / US19	66.56	- / -		
	US26	66.56	044606		
	US26D	66.56	038686		
	US28	32.47	-		
	US32	62.25	180893		
	US32D	43.48	059304		
4" x 16"	US3	62.79	029232	10	50
	US4	62.79	014136		
	US10	72.72	140485		
	US10B	90.88	077017		
	DBZ / US19	72.72	- / 199588		
	US26	72.72	150804		
	US26D	72.72	015454		
	US28	34.40	047411		
	US32	65.48	135831		
	US32D	47.40	099623		



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>A40R</b> (Continued) 6" x 16"	US3	83.26	45908	-	5
	US4	90.49	-		
	US10	90.49	-		
	US10B	113.12	199329		
	DBZ / US19	90.49	-		
	US26	90.49	-		
	US26D	90.49	055405		
	US28	42.48	-		
	US32	102.50	-		
	US32D	74.41	070607		
8" x 16"	US3	92.57	076399	-	5
	US4	101.57	-		
	US10	103.11	-		
	US10B	128.89	077019		
	DBZ / US19	103.11	-		
	US26	103.11	-		
	US26D	103.11	142995		
	US28	47.79	177968		
	US32	129.81	-		
	US32D	78.87	001398		
<b>50T</b> Push Plate - Round - Not Beveled Material: Brass, bronze, aluminum, stainless steel Gauge: 0.050 Fasteners: #6 x 5/8" OPH tapping screws 3" x 12"	US3	43.48	078618	5	50
	US4	43.48	007196		
	US10	47.40	006322		
	US10B	59.25	071333		
	DBZ / US19	47.40	-		
	US26	47.40	-		
	US26D	47.40	102851		
	US28	32.09	102662		
	US32	37.78	-		
	US32D	36.17	059934		
3-1/2" x 15"	US3	45.79	057418	5	50
	US4	45.79	077529		
	US10	54.33	088168		
	US10B	67.87	000846		
	DBZ / US19	54.33	- / -		
	US26	54.33	075140		
	US26D	54.33	062792		
	US28	35.47	041167		
	US32	43.25	015650		
	US32D	39.71	072371		
4" x 16"	US3	50.56	056970	5	50
	US4	50.56	068950		
	US10	58.10	058204		
	US10B	72.64	075002		
	DBZ / US19	58.10	- / -		
	US26	58.10	059593		
	US26D	58.10	092668		
	US28	37.78	018465		
	US32	42.01	000492		
	US32D	46.79	016007		

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>A50T</b>	US3	68.79	094264	5	50
Push Plate - Round - Beveled	US4	68.79	107968		
Material: Brass, bronze, aluminum, stainless steel	US10	76.26	074256		
Gauge: 0.062	US10B	95.34	095264		
Fasteners: #6 x 5/8" OPH tapping screws	DBZ / US19	76.26	- / -		
3" x 12"	US26	76.26	075708		
	US26D	76.26	079997		
	US28	43.25	097574		
	US32	59.94	189960		
	US32D	51.09	034543		
3-1/2" x 15"	US3	71.49	099962	5	50
	US4	71.49	094532		
	US10	83.88	-		
	US10B	104.81	054241		
	DBZ / US19	83.88	- / -		
	US26	83.88	014282		
	US26D	83.88	069277		
	US28	50.25	-		
	US32	62.25	-		
	US32D	52.71	084951		
4" x 16"	US3	77.49	084171	5	50
	US4	77.49	075929		
	US10	89.80	130057		
	US10B	112.27	111705		
	DBZ / US19	89.80	- / -		
	US26	89.80	134570		
	US26D	89.80	032134		
	US28	52.71	039648		
	US32	65.48	053431		
	US32D	57.64	031281		



<b>60S</b>					
Push Plate - Square Corner - Beveled					
Material: Plastic Laminate					
Gauge: 0.125					
Fasteners: #6 x 5/8" OPH tapping screws					
3" x 12"	PG - Gray	17.01	043566	5	50
	PK - Black	17.01	067121		
	CO - Brown	17.01	035206		
3-1/2" x 15"	PG - Gray	18.31	-	5	50
	PK - Black	18.31	055792		
	CO - Brown	18.31	085523		
4" x 16"	PG - Gray	19.31	072811	5	50
	PK - Black	19.31	056442		
	CO - Brown	19.31	076032		
6" x 16"	PG - Gray	24.24	094770	5	50
	PK - Black	24.24	056581		
	CO - Brown	24.24	076033		
8" x 16"	PG - Gray	28.93	029886	5	50
	PK - Black	28.93	-		
	CO - Brown	28.93	061399		



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>70S</b>					
Push Plate - Square Corner - Beveled					
Material: Clear Plastic Laminate					
Gauge: 0.125					
Fasteners: #6 x 5/8" OPH tapping screws					
3" x 12"	PC - Clear	17.01	057033	5	50
3-1/2" x 15"	PC - Clear	19.24	056757	5	50
4" x 16"	PC - Clear	20.39	055386	5	50
6" x 16"	PC - Clear	27.47	058687	5	50
8" x 16"	PC - Clear	31.70	062760	5	50
<b>80S</b>					
Push Plate - Square Corner - Beveled					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.125					
Fasteners: #6 x 5/8" OPH tapping screws					
3" x 12"	US3	77.33	018566	5	50
	US4	81.72	-		
	US10	90.49	110525		
	US10B	113.12	053549		
	US26	90.49	- / 29315		
	DBZ / US19	90.49	113461		
	US26D	90.49	064583		
	US28	38.24	147832		
	US32	82.49	142047		
	US32D	64.18	021042		
3-1/2" x 15"	US3	85.65	099583	5	50
	US4	93.88	000935		
	US10	99.65	080441		
	US10B	124.51	064035		
	DBZ / US19	99.65	- / -		
	US26	99.65	023445		
	US26D	99.65	098464		
	US28	44.17	085960		
	US32	90.19	123564		
	US32D	46.79	066719		
4" x 16"	US3	107.04	069050	5	50
	US4	107.04	053351		
	US10	110.96	070736		
	US10B	138.74	080514		
	DBZ / US19	110.96	038745 / 82660		
	US26	107.50	003451		
	US26D	107.50	099998		
	US28	46.63	000740		
	US32	93.73	081409		
	US32D	59.48	073791		

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>80S</b>					
Push Plate - Square Corner - Beveled	US3	126.20	125266	-	5
(Continued)	US4	129.74	138751		
6" x 16"	US10	133.82	134181		
	US10B	167.21	057343		
	DBZ / US19	133.82	- / 198595		
	US26	133.82	-		
	US26D	133.82	024257		
	US28	68.79	111496		
	US32	119.73	033372		
	US32D	92.11	062560		
8" x 16"	US3	160.21	024903	-	5
	US4	163.29	122088		
	US10	163.29	042324		
	US10B	210.23	041316		
	DBZ / US19	168.21	- / -		
	US26	168.21	078222		
	US26D	168.21	-		
	US28	83.88	-		
	US32	148.44	021592		
	US32D	114.35	073791		
<b>90R</b>					
Push Plate - Radius Corner - Not Beveled	US3	103.04	154614	5	50
Material: Brass, bronze, aluminum, stainless steel	US4	109.04	013671		
Gauge: 0.125	US10	116.19	-066374		
Fasteners: #6 x 5/8" OPH tapping screws	US10B	145.20	056839		
3" x 12"	DBZ / US19	116.19	- / -		
	US26	116.19	043374		
	US26D	116.19	097121		
	US28	62.25	026780		
	US32	107.96	-		
	US32D	84.26	099013		
3-1/2" x 15"	US3	111.19	116990	5	50
	US4	115.35	-		
	US10	125.12	140484		
	US10B	156.44	010106		
	DBZ / US19	125.12	- / -		
	US26	125.12	068575		
	US26D	125.12	032458		
	US28	69.10	078511		
	US32	116.58	-		
	US32D	90.34	068865		
4" x 16"	US3	117.81	086539	5	50
	US4	126.20	002134		
	US10	133.20	077793		
	US10B	166.52	035806		
	DBZ / US19	133.20	- / -		
	US26	133.20	013904		
	US26D	133.20	084672		
	US28	71.49	089584		
	US32	125.04	164545		
	US32D	92.11	075458		





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>90R</b>					
Push Plate - Radius Corner - Not Beveled					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.125					
Fasteners: #6 x 5/8" OPH tapping screws					
6" x 16"	US3	152.05	092195	-	5
	US4	155.44	165660		
	US10	159.44	-		
	US10B	199.30	087169		
	DBZ / US19	159.44	- / -		
	US26	159.44	-		
	US26D	159.44	018872		
	US28	94.03	-		
	US32	144.67	-		
	US32D	110.35	080425		
8" x 16"	US3	185.99	-	-	5
	US4	189.07	-		
	US10	193.53	-		
	US10B	241.93	046733		
	DBZ / US19	193.53	- / -		
	US26	193.53	-		
	US26D	193.53	-		
	US28	108.73	181583		
	US32	173.45	-		
	US32D	130.82	018249		



<b>100T</b>					
Push Plate - Radius Corner - Not Beveled					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.125					
Fasteners: #6 x 5/8" OPH tapping screws					
"3 x 12"	US3	100.65	80351	-	5
	US4	103.96	093144		
	US10	113.19	-		
	US10B	141.51	016836		
	DBZ / US19	113.19	- / -		
	US26	113.19	051749		
	US26D	113.19	025230		
	US28	60.17	181216		
	US32	105.11	094651		
	US32D	81.87	09486		
3-1/2" x 15"	US3	108.42	069291	-	5
	US4	112.58	040912		
	US10	122.27	068702		
	US10B	152.90	069149		
	DBZ / US19	122.27	- / -		
	US26	122.27	174234		
	US26D	122.27	007779		
	US28	67.02	121532		
	US32	113.81	071048		
	US32D	88.26	078531		

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.





## Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>100T</b>					
Push Plate - Radius Corner - Not Beveled					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.125					
Fasteners: #6 x 5/8" OPH tapping screws					
4" x 16"	US3	115.19	079375	5	50
	US4	130.35	120436		
	US10	130.35	036191		
	US10B	162.98	069394		
	DBZ / US19	130.35	- / 25284		
	US26	130.35	131710		
	US26D	130.35	068881		
	US28	79.41	187514		
	US32	119.81	080612		
	US32D	93.73	071810		
6" x 16"	US3	130.35	79375	-	5
	US4	140.36	120436		
	US10	145.97	36191		
	US10B	182.53	032106		
	DBZ / US19	145.97	- / -		
	US26	145.97	028999		
	US26D	145.97	146901		
	US28	90.95	138277		
	US32	119.73	159417		
	US32D	107.65	001305		
8" x 16"	US3	173.75	-	-	5
	US4	189.45	-		
	US10	196.68	-		
	US10B	245.93	016853		
	DBZ / US19	196.68	- / -		
	US26	196.68	-		
	US26D	196.68	146766		
	US28	156.21	-		
	US32	153.44	134422		
	US32D	146.05	012977		





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>110S</b>					
Half Circle Push Plate					
8" x 16"	US3	92.03	018809	1	10
Material: Brass, bronze, aluminum, stainless steel	US4	92.03	023148		
Gauge: 0.050	US10B	128.58	017836		
Fasteners: #6 x 5/8" OPH tapping screws	DBZ / US19	102.88	- / -		
	US26	102.88	018083		
	US26D	102.88	004595		
	US28	58.71	043858		
	US32	88.42	032334		
	US32D	71.87	001030		



<b>120L</b>					
Pull Plate - w/ Lip (Not beveled)	US3	134.74	052718	2	20
3-1/2"x16"	US4	134.74	054479		
Material: Brass, bronze, aluminum, stainless steel	US10	121.27	052719		
Lip Projection: 1-1/8"	US10B	151.59	052720		
Gauge: 0.125	DBZ / US19	121.27	- / -		
Fasteners: #6 x 5/8" OPH tapping screws	US26	121.27	052837		
	US26D	121.27	052721		
	US28	60.33	052517		
	US32	151.21	016965		
	US32D	65.87	052518		



<b>121L</b>					
Cylinder Pull	US3	78.49	082020	1	10
2" x 3-3/4"	US4	60.33	080813		
Material: Brass, bronze, aluminum, stainless steel	US10	83.26	074977		
Beveled Lip Projection: 1-1/8"	US10B	104.04	073385		
Gauge: 0.125	DBZ / US19	83.26	- / 15874		
Cylinder Cutout: 1-1/4" diameter	US26	61.48	020459		
Cylinder sold separately. Stud installed on reverse to prevent twisting.	US26D	83.26	069510		
	US28	53.87	063605		
	US32	71.87	095790		
	US32D	68.18	068962		



<b>122L</b>					
Security Push/Pull Set	US32D	344.97	088047	1	10
Push Plate: 4" x 16"					
Pull Plate: 4" x 9-1/4"					
Fasteners: BTB by Type 6					
Lip Projection: 2-1/8"					
Gauge: 0.125					
Mounting with security torx screws and blank head sex nuts.					

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary



Description	Finish	2022 List	Case Qty.	CTC Over 36"
<b>125S</b>				
Bent Push Bar	US3	296.26	4	6.16
Material: Brass, bronze, aluminum, stainless steel	US4	296.26		6.16
Bar Size: 3/8" x 1-1/4"	US10	306.49		6.16
Base Plate: 1" x 3"	US10B	383.13		7.70
Projection: 2-1/8"	DBZ / US19	306.49		6.16
*Add per linear inch or fraction thereof	US28	183.76		4.24
Standard fasteners are 1/4"-20 FPHMS and #8 x 3/4" FPH Tapping Screws.	US32	331.81		10.31
	US32D	266.94		8.69



<b>126S</b>				
Push Bar				
Material: Brass, bronze, aluminum, stainless steel				
Bar Size: 3/8" x 1-1/4"	US3	306.49	4	6.16
Base Plate: 1" x 3"	US4	383.60		6.16
Projection: 2-1/8"	US10	454.77		6.16
*Add per linear inch or fraction thereof	US10B	568.51		7.70
Standard fasteners are #8 x 3/4" FPH Tapping Screws.	DBZ / US19	454.77		6.16
Optional thru bolts available.	US28	222.62		4.24
	US32	391.14		10.31
	US32D	345.81		8.69



<b>127S</b>				
Push Bar				
Material: Brass, bronze, aluminum, stainless steel				
Bar Size: 3/8" x 1-1/4"	US3	224.54	1	12.31
Base: 1-1/4" Square	US4	249.32		12.31
Projection: 3/4"	US10	249.32		12.31
*Add per linear inch or fraction thereof	US10B	311.65		15.39
Standard fasteners are 1/4"-20 FPHMS. Optional wood screws available no charge.	DBZ / US19	249.32		12.31
	US28	143.20		8.38
	US32	262.32		19.86
	US32D	202.76		20.52



<b>128P</b>				
Wide Push Bar				
Material: Brass, bronze, aluminum, stainless steel				
Bar Size: 3/8" x 3"	US3	534.65	1	12.31
Base Plate: 1-1/2" x 4-1/2"	US4	572.05		12.31
Projection: 2-1/8"	US10	589.28		12.31
*Add per linear inch or fraction thereof	US10	736.64		15.39
Standard fasteners are #8 x 3/4" FPH Tapping Screws.	DBZ / US19	589.28		12.31
Optional thru bolts available.	US28	496.87		8.38
	US32	622.76		19.86
	US32D	524.26		20.52





Description	Finish	2022 List	Case Qty.	CTC Over 36"
<b>128S</b>				
Wide Push Bar	US3	503.41	1	12.31
Material: Brass, bronze, aluminum, stainless steel	US4	526.18		12.31
Bar Size: 3/8" x 3"	US10	551.50		12.31
Base: 3/8" x 3"	US10B	689.32		15.39
Projection: 2"	DBZ / US19	551.50		12.31
Door Thickness: 1-3/4" Standard	US28	275.40		8.38
*Add per linear inch or fraction thereof	US32	583.74		19.86
Standard fasteners are 1/4"-20 x 2-1/4" FPHMS with finish washers.	US32D	486.48		20.52



<b>129P</b>				
Wide Push Bar			1	12.31
Bar Size: 3/8" x 3"	US3	426.23		12.31
Base: 1" x 3"	US4	451.77		12.31
Projection: 3/4"	US10	477.78		12.31
*Add per linear inch or fraction thereof	US10B	597.21		15.39
Standard fasteners are 1/4"-20 x 1-1/4"	DBZ / US19	477.78		12.31
FPHMS. Optional thru bolts available. #14 FPH wood screws available.	US28	197.92		8.38
	US32	526.34		19.86
	US32D	416.92		20.52



<b>130S</b>				
Push Bar			4	6.16
Material: Brass, bronze, aluminum, stainless steel	US3	291.79		6.16
Bar Stock: 1" Round	US4	314.73		6.16
Projection: 2-1/2"	US10	375.13		6.16
Door Thickness: 1-3/4"	US10B	468.93		7.70
*Add per linear inch or fraction thereof	DBZ / US19	375.13		6.16
Standard fasteners are 1/4"-20 x 2-1/4" FPHMS with finish washers. May be ordered with Type 5 mounting at an extra charge.	US28	138.05		4.24
	US32	347.81		10.31
	US32D	275.40		8.69







<b>131S</b>				
Push Bar			4	6.16
Material: Brass, bronze, aluminum, stainless steel	US3	300.57		6.16
Bar Stock: 1" Round	US4	329.04		6.16
Base Plate: 2" Diameter	US10	360.43		6.16
Projection: 2-5/8"	US10B	450.62		7.70
Door Thickness: 1-3/4" Standard	DBZ / US19	360.43		6.16
*Add per linear inch or fraction thereof	US28	150.51		4.24
Standard fasteners are 1/4"-20 x 2-1/4" FPHMS with finish washers. May be ordered with Type 5 mounting at an extra charge.	US32	363.97		10.31
	US32D	297.95		8.69

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary

	Description	Finish	2022 List	Case Qty.	CTC Over 36"
	<b>133S</b>				
	Push Bar	US3	247.32	4	6.16
	Material: Brass, bronze, aluminum, stainless steel	US4	269.09		6.16
	Bar Stock: 3/4" Round	US10	291.79		6.16
	Projection: 2-1/4"	US10B	364.82		7.70
	Door Thickness: 1-3/4" Standard	DBZ / US19	291.79		6.16
	*Add per linear inch or fraction thereof	US28	117.04		4.24
	Standard fasteners are 1/4"-20 x 2-1/4" FPHMS with finish washers.	US32	298.26		10.31
		US32D	234.16		8.69
	<b>134S</b>				
	Push Bar	US3	257.24	4	6.16
	Material: Brass, bronze, aluminum, stainless steel	US4	289.02		6.16
	Bar Stock: 3/4" Round	US10	308.88		6.16
	Base Plate: 1-1/4" Diameter	US10B	386.06		7.70
	Projection: 2-3/8"	DBZ / US19	308.88		6.16
	Door Thickness: 1-3/4" Standard	US28	133.66		4.24
	*Add per linear inch or fraction thereof	US32	327.50		10.31
	Standard fasteners are 1/4"-20 x 2-1/4" FPHMS with finish washers. May be ordered with Type 5 mounting at an extra charge.	US32D	250.40		8.69
	<b>136S</b>				
	Push Bar				
	Material: Brass, bronze, aluminum, stainless steel	US3	615.06	4	12.31
	Bar Stock: 1-1/4" Round	US4	629.07		12.31
	Projection: 3"	US10	643.23		12.31
	Fasteners: 5/16" - 18 x 2-1/4" with finish washers	US10B	804.05		15.39
	Door Thickness: 1-3/4" Standard	DBZ / US19	643.23		12.31
	*Add per linear inch or fraction thereof	US28	444.85		8.38
	May be ordered with Type 5 mounting at an extra charge.	US32	583.74		19.86
		US32D	528.18		20.52
	<b>137S</b>				
	Push Bar				
	Material: Brass, bronze, aluminum, stainless steel				
	Bar Stock: 1-1/4" Round	US3	629.60	4	12.31
	Base Plate: 2" Diameter	US4	643.23		12.31
	Projection: 3-1/8"	US10	657.85		12.31
	Door Thickness: 1-3/4" Standard	US10B	822.29		15.39
	Fasteners: 5/16" - 18 x 2-1/4" with finish washers	DBZ / US19	657.85		12.31
	Additional bars by quotation	US28	458.78		8.38
	*Add per linear inch or fraction thereof	US32	664.39		19.86
	May be ordered with Type 5 mounting at an extra charge.	US32D	542.04		20.52





Description	Finish	2022 List	Case Qty.	CTC Over 36"*
<b>138P</b>				
Push/Pull Set	US3	651.69	2	24.77
Material: Brass, bronze, aluminum, stainless steel	US4	709.02		24.77
Bar Stock: 1" Round	US10	754.49		24.77
Projection: 2-1/2"	US10B	943.10		30.96
Fasteners: 1/4" - 20 type 3 concealed cone	DBZ / US19	754.49		24.77
*Add per linear inch or fraction thereof	US28	342.04		16.47
	US32	761.65		36.40
	US32D	617.06		41.24



<b>139P</b>				
Push/Pull Set	US3	562.58	2	24.77
Material: Brass, bronze, aluminum, stainless steel	US4	606.21		24.77
Bar Stock: 3/4" Round	US10	651.69		24.77
Projection: 2-1/4"	US10B	814.59		30.96
Fasteners: 1/4" - 20 type 3 concealed cone	DBZ / US19	651.69		24.77
*Add per linear inch or fraction thereof	US28	300.34		16.47
	US32	661.31		36.40
	US32D	534.65		41.24



<b>140P</b>				
Push/Pull Set				
Material: Brass, bronze, aluminum, stainless steel				
Bar Stock: 1-1/4" Round	US3	1,300.76	2	24.77
Projection: 3"	US4	1,326.08		24.77
Fasteners: 5-16" - 18 Type 3 concealed cone	US10	1,354.63		24.77
*Add per linear inch or fraction thereof	US10B	1,693.28		30.96
	DBZ / US19	1,354.63		24.77
	US28	983.57		16.47
	US32	1,289.37		36.40
	US32D	1,122.70		41.24



<b>150B</b>				
Push/Pull Set				
Material: Brass, bronze, aluminum, stainless steel				
Bar Stock: 3/4" Round	US3	449.00	2	6.16
Projection: 2-1/4"	US4	469.24		6.16
CTC: 8"	US10	483.25		6.16
Fasteners: Type 7 & (2) Type 8	US10B	604.06		7.70
Additional bars by quotation	DBZ / US19	483.25		6.16
*Add per linear inch or fraction thereof	US28	253.70		4.24
For tempered glass only	US32	553.12		10.31
	US32D	442.00		8.69

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary



Description	Finish	2022 List	Case Qty.	CTC Over 36" *
<b>150D</b>				
Push/Pull Set	US3	378.29	2	6.16
Material: Brass, bronze, aluminum, stainless steel	US4	397.68		6.16
Bar Stock: 3/4" Round	US10	411.76		6.16
Projection: 2-1/4"	US10B	514.72		7.70
CTC: 8"	DBZ / US19	411.76		6.16
Fasteners: Type 7 & (2) Type 1	US28	197.68		4.24
Additional bars by quotation	US32	483.78		10.31
*Add per linear inch or fraction thereof	US32D	372.59		8.69
Standard fastening method				



<b>150V</b>				
Push/Pull Set				
Material: Brass, bronze, aluminum, stainless steel				
Bar Stock: 3/4" Round				
Projection: 2-1/4"	US3	424.07	2	6.16
CTC: 8"	US4	443.46		6.16
Fasteners: Type 7 & (2) Type 5	US10	457.47		6.16
Additional bars by quotation	US10B	571.82		7.70
*Add per linear inch or fraction thereof	DBZ / US19	457.47		6.16
Fully concealed fastening method	US28	242.16		4.24
	US32	528.18		10.31
	US32D	416.92		8.69



<b>151B</b>				
Push/Pull Set				
Material: Brass, bronze, aluminum, stainless steel				
Bar Stock: 3/4" Round	US3	469.24	2	6.16
Projection: 2-1/4"	US4	488.94		6.16
CTC: 10"	US10	507.10		6.16
Fasteners: Type 7 & (2) Type 8	US10B	633.84		7.70
Additional bars by quotation	DBZ / US19	507.10		6.16
*Add per linear inch or fraction thereof	US28	281.48		4.24
For tempered glass only	US32	503.10		10.31
	US32D	458.78		8.69



<b>151D</b>				
Push/Pull Set				
Material: Brass, bronze, aluminum, stainless steel	US3	397.68	2	6.16
Bar Stock: 3/4" Round	US4	417.84		6.16
Projection: 2-1/4"	US10	435.69		6.16
CTC: 10"	US10B	544.58		7.70
Fasteners: Type 7 & (2) Type 1	DBZ / US19	435.69		6.16
Additional bars by quotation	US28	214.54		4.24
*Add per linear inch or fraction thereof	US32	500.33		10.31
Standard fastening method	US32D	389.29		8.69





Description	Finish	2022 List	Case Qty.	CTC Over 36"
<b>151V</b>				
Push/Pull Set	US3	443.46	2	6.16
Material: Brass, bronze, aluminum, stainless steel	US4	463.16		6.16
Bar Stock: 3/4" Round	US10	481.40		6.16
Projection: 2-1/4"	US10B	601.75		7.70
CTC: 10"	DBZ / US19	481.40		6.16
Fasteners: Type 7 & (2) Type 5	US28	263.40		4.24
Additional bars by quotation	US32	544.81		10.31
*Add per linear inch or fraction thereof	US32D	433.61		8.69
Fully concealed fastening method				



<b>152B</b>				
Push/Pull Set				
Material: Brass, bronze, aluminum, stainless steel				
Bar Stock: 3/4" Round	US3	489.94	2	6.16
Projection: 2-1/4"	US4	523.26		6.16
CTC: 12"	US10	529.03		6.16
Fasteners: Type 7 & (2) Type 8	US10B	661.31		7.70
Additional bars by quotation	DBZ / US19	529.03		6.16
*Add per linear inch or fraction thereof	US28	297.80		4.24
For tempered glass only	US32	578.74		10.31
	US32D	475.47		8.69



<b>152D</b>				
Push/Pull Set				
Material: Brass, bronze, aluminum, stainless steel	US3	418.22	2	6.16
Bar Stock: 3/4" Round	US4	451.77		6.16
Projection: 2-1/4"	US10	457.47		6.16
CTC: 12"	US10B	571.82		7.70
Fasteners: Type 7 & (2) Type 1	DBZ / US19	457.47		6.16
Additional bars by quotation	US28	235.77		4.24
*Add per linear inch or fraction thereof Standard	US32	509.41		10.31
fastening method	US32D	406.22		8.69



<b>152V</b>				
Push/Pull Set				
Material: Brass, bronze, aluminum, stainless steel	US3	463.85	2	6.16
Bar Stock: 3/4" Round	US4	497.48		6.16
Projection: 2-1/4"	US10	503.41		6.16
CTC: 12"	US10B	629.22		7.70
Fasteners: Type 7 & (2) Type 5	DBZ / US19	503.41		6.16
Additional bars by quotation	US28	284.64		4.24
*Add per linear inch or fraction thereof	US32	554.04		10.31
Fully concealed fastening method	US32D	450.39		8.69

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.





## Trim & Auxiliary



Description	Finish	2022 List	Case Qty.	CTC Over 36"
<b>153B</b>				
Push/Pull Set	US3	502.56	2	6.16
Material: Brass, bronze, aluminum, stainless steel	US4	563.12		6.16
Bar Stock: 1" Round	US10	563.12		6.16
Projection: 2-1/2"	US10B	703.94		7.70
CTC: 10"	DBZ	563.12		6.16
Fasteners: Type 7 & (2) Type 8	US28	286.25		4.24
Additional bars by quotation	US32	584.90		10.31
*Add per linear inch or fraction thereof	US32D	474.94		8.69
For tempered glass only				



<b>153D</b>				
Push/Pull Set			2	6.16
Material: Brass, bronze, aluminum, stainless steel	US3	431.30		6.16
Bar Stock: 1" Round	US4	491.71		6.16
Projection: 2-1/2"	US10	512.56		6.16
CTC: 10"	US10B	645.76		7.70
Fasteners: Type 7 & (2) Type 1	DBZ	516.64		6.16
Additional bars by quotation	US28	216.92		4.24
*Add per linear inch or fraction thereof	US32	515.49		10.31
Standard fastening method	US32D	405.37		8.69



<b>153V</b>				
Push/Pull Set			2	6.16
Material: Brass, bronze, aluminum, stainless steel	US3	477.78		6.16
Bar Stock: 1" Round	US4	537.50		6.16
Projection: 2-1/2"	US10	537.50		6.16
CTC: 10"	US10B	671.93		7.70
Fasteners: Type 7 & (2) Type 5	DBZ	537.50		6.16
Additional bars by quotation	US28	264.48		4.24
*Add per linear inch or fraction thereof	US32	559.97		10.31
Fully concealed fastening method	US32D	449.77		8.69



<b>154B</b>				
Push/Pull Set			2	6.16
Material: Brass, bronze, aluminum, stainless steel	US3	519.64		6.16
Bar Stock: 1" Round	US4	589.44		6.16
Projection: 2-1/2"	US10	602.60		6.16
CTC: 12"	US10B	753.26		7.70
Fasteners: Type 7 & (2) Type 8	DBZ	602.60		6.16
Additional bars by quotation	US28	328.11		4.24
*Add per linear inch or fraction thereof	US32	605.06		10.31
For tempered glass only	US32D	489.48		8.69





Description	Finish	2022 List	Case Qty.	CTC Over 36"
<b>154D</b>				
Push/Pull Set	US3	445.85	2	6.16
Material: Brass, bronze, aluminum, stainless steel	US4	508.10		6.16
Bar Stock: 1" Round	US10	533.57		6.16
Projection: 2-1/2"	US10B	666.93		7.70
CTC: 12"	DBZ	533.57		6.16
Fasteners: Type 7 & (2) Type 1	US28	242.16		4.24
Additional bars by quotation	US32	535.65		10.31
*Add per linear inch or fraction thereof	US32D	419.92		8.69
Standard fastening method				



<b>154V</b>				
Push/Pull Set				
Material: Brass, bronze, aluminum, stainless steel				
Bar Stock: 1" Round	US3	491.56	2	6.16
Projection: 2-1/2"	US4	553.81		6.16
CTC: 12"	US10	578.28		6.16
Fasteners: Type 7 & (2) Type 5	US10B	722.87		7.70
Additional bars by quotation	DBZ	578.28		6.16
*Add per linear inch or fraction thereof	US28	299.57		4.24
Fully concealed fastening method	US32	580.28		10.31
	US32D	464.32		8.69



<b>155B</b>				
Push/Pull Set				
Material: Brass, bronze, aluminum, stainless steel				
Bar Stock: 1" Round	US3	578.74	2	6.16
Projection: 2-1/2"	US4	614.83		6.16
CTC: 18"	US10	650.84		6.16
Fasteners: Type 7 & (2) Type 8	US10B	813.59		7.70
Additional bars by quotation	DBZ	650.84		6.16
*Add per linear inch or fraction thereof	US28	374.44		4.24
For tempered glass only	US32	657.61		10.31
	US32D	530.96		8.69



<b>155D</b>				
Push/Pull Set				
Material: Brass, bronze, aluminum, stainless steel	US3	507.33	2	6.16
Bar Stock: 1" Round	US4	572.74		6.16
Projection: 2-1/2"	US10	579.59		6.16
CTC: 18"	US10B	724.48		7.70
Fasteners: Type 7 & (2) Type 1	DBZ	579.59		6.16
Additional bars by quotation	US28	257.40		4.24
*Add per linear inch or fraction thereof	US32	588.13		10.31
Standard fastening method	US32D	461.55		8.69

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary



Description	Finish	2022 List	Case Qty.	CTC Over 36"
<b>155V</b>				
Push/Pull Set	US3	552.96	2	6.16
Material: Brass, bronze, aluminum, stainless steel	US4	589.28		6.16
Bar Stock: 1" Round	US10	625.06		6.16
Projection: 2-1/2"	US10B	781.27		7.70
CTC: 18"	DBZ	<b>625.06</b>		6.16
Fasteners: Type 7 & (2) Type 5	US28	315.96		4.24
Additional bars by quotation	US32	632.45		10.31
*Add per linear inch or fraction thereof	US32D	506.18		8.69
Fully concealed fastening method				



<b>156B</b>				
Offset Push/Pull Set			1	6.16
Material: Brass, bronze, aluminum, stainless steel	US3	517.57		6.16
Bar Stock: 3/4" Round	US4	517.57		6.16
Projection: 2-1/2"	US10	541.11		6.16
Offset: 2-1/2"	US10B	676.39		7.70
CTC: 8"	DBZ	541.11		6.16
Fasteners: Type 7 & (2) Type 8	US28	331.12		4.24
Handing Required	US32	615.22		10.31
Additional bars by quotation	US32D	489.63		8.69
*Add per linear inch or fraction thereof				
For tempered glass only				



<b>156D</b>				
Offset Push/Pull Set			1	6.16
Material: Brass, bronze, aluminum, stainless steel	US3	429.00		6.16
Bar Stock: 3/4" Round	US4	446.00		6.16
Projection: 2-1/2"	US10	469.55		6.16
Offset: 2-1/2"	US10B	586.90		7.70
CTC: 8"	DBZ	469.55		6.16
Fasteners: Type 7 & (2) Type 1	US28	261.63		4.24
Handing Required	US32	545.96		10.31
Additional bars by quotation	US32D	420.15		8.69
*Add per linear inch or fraction thereof				
Standard fastening method				



<b>156V</b>				
Offset Push/Pull Set			1	6.16
Material: Brass, bronze, aluminum, stainless steel	US3	475.55		6.16
Bar Stock: 3/4" Round	US4	491.71		6.16
Projection: 2-1/2"	US10	515.33		6.16
Offset: 2-1/2"	US10B	644.15		7.70
CTC: 8"	DBZ	515.33		6.16
Fasteners: Type 7 & (2) Type 5	US28	306.11		4.24
Handing Required	US32	590.13		10.31
Additional bars by quotation	US32D	464.62		8.69
*Add per linear inch or fraction thereof				
Fully concealed fastening method				





Description	Finish	2022 List	Case Qty.	CTC Over 36"
<b>157B</b>				
Offset Push/Pull Set	US3	527.42	1	6.16
Material: Brass, bronze, aluminum, stainless steel	US4	541.57		6.16
Bar Stock: 3/4" Round	US10	566.04		6.16
Projection: 2-1/2"	US10B	707.56		7.70
Offset: 2-1/2"	DBZ	566.04		6.16
CTC: 10"	US28	337.58		4.24
Fasteners: Type 7 & (2) Type 8	US32	631.53		10.31
Handing Required	US32D	501.10		8.69
Additional bars by quotation				
*Add per linear inch or fraction thereof				
For tempered glass only				



<b>157D</b>				
Offset Push/Pull Set				
Material: Brass, bronze, aluminum, stainless steel				
Bar Stock: 3/4" Round	US3	441.15	1	6.16
Projection: 2-1/2"	US4	457.47		6.16
Offset: 2-1/2"	US10	481.94		6.16
CTC: 10"	US10B	602.44		7.70
Fasteners: Type 7 & (2) Type 1	DBZ	481.94		6.16
Handing Required	US28	268.32		4.24
Additional bars by quotation	US32	562.27		10.31
*Add per linear inch or fraction thereof	US32D	431.69		8.69
Standard fastening method				



<b>157V</b>				
Offset Push/Pull Set				
Material: Brass, bronze, aluminum, stainless steel				
Bar Stock: 3/4" Round	US3	487.79	1	6.16
Projection: 2-1/2"	US4	503.41		6.16
Offset: 2-1/2"	US10	527.95		6.16
CTC: 10"	US10B	659.92		7.70
Fasteners: Type 7 & (2) Type 5	DBZ	527.95		6.16
Handing Required	US28	312.88		4.24
Additional bars by quotation	US32	606.90		10.31
*Add per linear inch or fraction thereof	US32D	475.94		8.69
Fully concealed fastening method				







<b>158B</b>				
Offset Push/Pull Set	US3	534.19	1	6.16
Material: Brass, bronze, aluminum, stainless steel	US4	573.43		6.16
Bar Stock: 3/4" Round	US10	597.98		6.16
Projection: 2-1/2"	US10B	747.49		7.70
Offset: 2-1/2"	DBZ	597.98		6.16
CTC: 12"	US28	366.97		4.24
Fasteners: Type 7 & (2) Type 8	US32	661.62		10.31
Handing Required	US32D	522.72		8.69
Additional bars by quotation				
*Add per linear inch or fraction thereof				
For tempered glass only				

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary

	Description	Finish	2022 List	Case Qty.	CTC Over 36"
	<b>158D</b>				
	Offset Push/Pull Set	US3	489.25	1	6.16
	Material: Brass, bronze, aluminum, stainless steel	US4	488.94		6.16
	Bar Stock: 3/4" Round	US10	506.79		6.16
	Projection: 2-1/2"	US10B	633.45		7.70
	Offset: 2-1/2"	DBZ	506.79		6.16
	CTC: 12"	US28	297.80		4.24
	Fasteners: Type 7 & (2) Type 1	US32	591.98		10.31
	Handing Required	US32D	453.24		8.69
	Additional bars by quotation				
	*Add per linear inch or fraction thereof				
	Standard fastening method				
	<b>158V</b>				
	Offset Push/Pull Set	US3	508.72	1	6.16
	Material: Brass, bronze, aluminum, stainless steel	US4	534.65		6.16
	Bar Stock: 3/4" Round	US10	552.58		6.16
	Projection: 2-1/2"	US10B	690.70		7.70
	Offset: 2-1/2"	DBZ	552.58		6.16
	CTC: 12"	US28	342.04		4.24
	Fasteners: Type 7 & (2) Type 5	US32	636.53		10.31
	Handing Required	US32D	497.64		8.69
	Additional bars by quotation				
	*Add per linear inch or fraction thereof				
	Fully concealed fastening method				
	<b>159B</b>				
	Offset Push/Pull Set				
	Material: Brass, bronze, aluminum, stainless steel				
	Bar Stock: 1" Round	US3	568.97	1	6.16
	Projection: 2-1/2"	US4	614.83		6.16
	Offset: 3"	US10	637.53		6.16
	CTC: 10"	US10B	796.97		7.70
	Fasteners: Type 7 & (2) Type 8	DBZ	637.53		6.16
	Handing Required	US28	344.97		4.24
	Additional bars by quotation	US32	625.30		10.31
	*Add per linear inch or fraction thereof	US32D	533.03		8.69
	For tempered glass only				
	<b>159D</b>				
	Offset Push/Pull Set				
	Material: Brass, bronze, aluminum, stainless steel	US3	497.48	1	6.16
	Bar Stock: 1" Round	US4	543.34		6.16
	Projection: 2-1/2"	US10	604.06		6.16
	Offset: 3"	US10B	755.03		7.70
	CTC: 10"	DBZ	604.06		6.16
	Fasteners: Type 7 & (2) Type 1	US28	264.63		4.24
	Handing Required	US32	556.19		10.31
	Additional bars by quotation	US32D	463.47		8.69
	*Add per linear inch or fraction thereof				
	Standard fastening method				



Description	Finish	2022 List	Case Qty.	CTC Over 36"
<b>159V</b>				
Offset Push/Pull Set	US3	543.34	1	6.16
Material: Brass, bronze, aluminum, stainless steel	US4	589.28		6.16
Bar Stock: 1" Round	US10	612.06		6.16
Projection: 2-1/2"	US10B	765.04		7.70
Offset: 3"	DBZ	612.06		6.16
CTC: 10"	US28	317.11		4.24
Fasteners: Type 7 & (2) Type 5	US32	600.44		10.31
Handing Required	US32D	507.95		8.69
Additional bars by quotation				
*Add per linear inch or fraction thereof				
Fully concealed fastening method				



<b>160B</b>				
Offset Push/Pull Set			1	6.16
Material: Brass, bronze, aluminum, stainless steel	US3	582.74		6.16
Bar Stock: 1" Round	US4	626.22		6.16
Projection: 2-1/2"	US10	649.15		6.16
Offset: 3"	US10B	811.44		7.70
CTC: 12"	DBZ	649.15		6.16
Fasteners: Type 7 & (2) Type 8	US28	372.59		4.24
Handing Required	US32	653.15		10.31
Additional bars by quotation	US32D	542.04		8.69
*Add per linear inch or fraction thereof				
For tempered glass only				



<b>160D</b>				
Offset Push/Pull Set			1	6.16
Material: Brass, bronze, aluminum, stainless steel	US3	511.41		6.16
Bar Stock: 1" Round	US4	554.89		6.16
Projection: 2-1/2"	US10	609.06		6.16
Offset: 3"	US10B	768.04		7.70
CTC: 12"	DBZ	614.45		6.16
Fasteners: Type 7 & (2) Type 1	US28	275.40		4.24
Handing Required	US32	583.74		10.31
Additional bars by quotation	US32D	472.78		8.69
*Add per linear inch or fraction thereof				
Standard fastening method				







<b>160V</b>				
Offset Push/Pull Set	US3	556.89	1	6.16
Material: Brass, bronze, aluminum, stainless steel	US4	600.44		6.16
Bar Stock: 1" Round	US10	622.37		6.16
Projection: 2-1/2"	US10B	779.20		7.70
Offset: 3"	DBZ	623.37		6.16
CTC: 12"	US28	333.89		4.24
Fasteners: Type 7 & (2) Type 5	US32	628.30		10.31
Handing Required	US32D	517.10		8.69
Additional bars by quotation				
*Add per linear inch or fraction thereof				
Fully concealed fastening method				

1. U/M is price per hundred square inches.  
 2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary

	Description	Finish	2022 List	Case Qty.	CTC Over 36"
	<b>161B</b>				
	Offset Push/Pull Set	US3	577.43	1	6.16
	Material: Brass, bronze, aluminum, stainless steel	US4	626.45		6.16
	Bar Stock: 1" Round	US10	667.00		6.16
	Projection: 2-1/2"	US10B	833.83		7.70
	Offset: 3"	DBZ	667.00		6.16
	CTC: 18"	US28	370.82		4.24
	Fasteners: Type 7 & (2) Type 8	US32	675.08		10.31
	Handing Required	US32D	542.73		8.69
	Additional bars by quotation				
	*Add per linear inch or fraction thereof				
	For tempered glass only				
	<b>161D</b>				
	Offset Push/Pull Set			1	6.16
	Material: Brass, bronze, aluminum, stainless steel	US3	540.34		6.16
	Bar Stock: 1" Round	US4	586.21		6.16
	Projection: 2-1/2"	US10	629.07		6.16
	Offset: 3"	US10B	786.35		7.70
	CTC: 18"	DBZ	629.07		6.16
	Fasteners: Type 7 & (2) Type 1	US28	300.95		4.24
	Handing Required	US32	639.45		10.31
	Additional bars by quotation	US32D	512.26		8.69
	*Add per linear inch or fraction thereof				
	Standard fastening method				
	<b>161V</b>				
	Offset Push/Pull Set			1	6.16
	Material: Brass, bronze, aluminum, stainless steel	US3	580.51		6.16
	Bar Stock: 1" Round	US4	631.91		6.16
	Projection: 2-1/2"	US10	674.85		6.16
	Offset: 3"	US10B	843.60		7.70
	CTC: 18"	DBZ	674.85		6.16
	Fasteners: Type 7 & (2) Type 5	US28	483.78		4.24
	Handing Required	US32	683.78		10.31
	Additional bars by quotation	US32D	544.81		8.69
	*Add per linear inch or fraction thereof				
	Fully concealed fastening method				
	<b>164B</b>				
	Push/Pull Set			1	12.31
	Material: Brass, bronze, aluminum, stainless steel	US3	1,026.51		12.31
	Bar Stock: 1-1/4" Round	US4	1,068.14		12.31
	Projection: 3"	US10	1,088.30		12.31
	CTC: 12"	US10B	1,360.40		15.39
	Fasteners: Type 7 & (2) Type 8	DBZ	1,088.30		12.31
	Additional bars by quotation	US28	808.67		8.38
	*Add per linear inch or fraction thereof	US32	1081.99		19.86
	For tempered glass only	US32D	892.77		20.52



Description	Finish	2022 List	Case Qty.	CTC Over 36"
<b>164D</b>				
Push/Pull Set	US3	933.71	1	12.31
Material: Brass, bronze, aluminum, stainless steel	US4	995.43		12.31
Bar Stock: 1-1/4" Round	US10	995.43		12.31
Projection: 3"	US10B	1,244.28		15.39
CTC: 12"	DBZ	995.43		12.31
Fasteners: Type 7 & (2) Type 1	US28	718.41		8.38
Additional bars by quotation	US32	892.77		19.86
*Add per linear inch or fraction thereof	US32D	802.51		20.52
Standard fastening method				



<b>164V</b>				
Push/Pull Set				
Material: Brass, bronze, aluminum, stainless steel	US3	1,057.14	1	12.31
Bar Stock: 1-1/4" Round	US4	1,057.14		12.31
Projection: 3"	US10	1,078.92		12.31
CTC: 12"	US10B	1,348.70		15.39
Fasteners: Type 7 & (2) Type 5	DBZ	1,078.92		12.31
Additional bars by quotation	US28	778.50		8.38
*Add per linear inch or fraction thereof	US32	973.88		19.86
Fully concealed fastening method	US32D	871.77		20.52



<b>165B</b>				
Push/Pull Set				
Material: Brass, bronze, aluminum, stainless steel				
Bar Stock: 1-1/4" Round				
Projection: 3"	US3	1,088.30	1	12.31
CTC: 18"	US4	1,149.86		12.31
Fasteners: Type 7 & (2) Type 8	US10	1,149.86		12.31
Additional bars by quotation	US10B	1,437.35		15.39
*Add per linear inch or fraction thereof	DBZ	1,149.86		12.31
For tempered glass only	US28	841.68		8.38
	US32	1027.90		19.86
	US32D	946.79		20.52



<b>165D</b>				
Push/Pull Set				
Material: Brass, bronze, aluminum, stainless steel	US3	995.43	1	12.31
Bar Stock: 1-1/4" Round	US4	1,057.14		12.31
Projection: 3"	US10	1,057.14		12.31
CTC: 18"	US10B	1,321.46		15.39
Fasteners: Type 7 & (2) Type 1	DBZ	1,057.14		12.31
Additional bars by quotation	US28	751.49		8.38
*Add per linear inch or fraction thereof	US32	937.79		19.86
Standard fastening method	US32D	847.53		20.52

1. U/M is price per hundred square inches.  
 2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.





## Trim & Auxiliary



Description	Finish	2022 List	Case Qty.	CTC Over 36"
<b>165V</b>				
Push/Pull Set	US3	1,106.31	1	12.31
Material: Brass, bronze, aluminum, stainless steel	US4	1,119.08		12.31
Bar Stock: 1-1/4" Round	US10	1,119.08		12.31
Projection: 3"	US10B	1,398.80		15.39
CTC: 18"	DBZ	1,119.08		12.31
Fasteners: Type 7 & (2) Type 5	US28	811.51		8.38
Additional bars by quotation	US32	1,018.82		19.86
*Add per linear inch or fraction thereof	US32D	931.79		20.52
Fully concealed fastening method				



<b>167B</b>				
Offset Push/Pull Set	US3	1,205.50	1	12.31
Material: Brass, bronze, aluminum, stainless steel	US4	1,233.28		12.31
Bar Stock: 1-1/4" Round	US10	1,267.44		12.31
Projection: 3"	US10B	1,584.25		15.39
Offset: 3-3/4"	DBZ	1,267.44		12.31
CTC: 18"	US28	901.85		8.38
Fasteners: Type 7 & (2) Type 8	US32	1,139.17		19.86
Handing Required	US32D	1,006.66		20.52
Additional bars by quotation				
*Add per linear inch or fraction thereof				
For tempered glass only				




<b>167D</b>				
Offset Push/Pull Set				
Material: Brass, bronze, aluminum, stainless steel	US3	1,151.17	1	12.31
Bar Stock: 1-1/4" Round	US4	1,151.17		12.31
Projection: 3"	US10	1,211.89		12.31
Offset: 3-3/4"	US10B	1,514.84		15.39
CTC: 18"	DBZ	1,211.89		12.31
Fasteners: Type 7 & (2) Type 1	US28	811.51		8.38
Handing Required	US32	1,048.91		19.86
Additional bars by quotation	US32D	907.78		20.52
*Add per linear inch or fraction thereof				
Standard fastening method				



<b>167V</b>				
Offset Push/Pull Set				
Material: Brass, bronze, aluminum, stainless steel	US3	1,156.33	1	12.31
Bar Stock: 1-1/4" Round	US4	1,178.41		12.31
Projection: 3"	US10	1,178.41		12.31
Offset: 3-3/4"	US10B	1,473.05		15.39
CTC: 18"	DBZ	1,178.41		12.31
Fasteners: Type 7 & (2) Type 5	US28	847.37		8.38
Handing Required	US32	1,079.69		19.86
Additional bars by quotation	US32D	967.57		20.52
*Add per linear inch or fraction thereof				
Fully concealed fastening method				





## Description

## Finish

## 2022 List

## Case Qty.

### 180H

Door Edgings - Mortise Type  
Material: Aluminum, stainless steel  
Thickness: .045 - .050"  
Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.

Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.  
Cutouts will hand product, specify handling. Other lengths by quotation.

Hinge Cutout (Add to list price) Per Cutout

≤42"	US28	50.85
	US32D	72.03
>42" - 96"	US28	101.70
	US32D	144.05

10  
10

Bolt Cutout (Add to list price) Per Cutout


	US28	34.72
	US32D	34.72

Latch Cutout (Add to list price) Per Cutout

	US28	34.72
	US32D	34.72

UL Rated (Add to list price) Per Cutout

	US32D	20.99
--	-------	-------



### 180K

Door Edgings - Mortise Type  
Material: Aluminum, stainless steel  
Thickness: .045 - .050"  
Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.

Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.  
Cutouts will hand product, specify handling. Other lengths by quotation.

Hinge Cutout (Add to list price) Per Cutout

≤42"	US28	52.26
	US32D	81.51
>42" - 96"	US28	104.47
	US32D	162.95

10  
10

Bolt Cutout (Add to list price) Per Cutout

	US28	34.72
	US32D	34.72

Latch Cutout (Add to list price) Per Cutout


	US28	34.72
	US32D	34.72

UL Rated (Add to list price) Per Cutout

	US32D	20.99
--	-------	-------



## Trim & Auxiliary



### Description

### Finish

### 2022 List

### Case Qty.

#### 180M

Door Edgings - Mortise Type

Material: Aluminum, stainless steel

Thickness: .045 - .050"

Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.

Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.

Cutouts will hand product, specify handling. Other lengths by quotation.

Hinge Cutout (Add to list price) Per Cutout

≤42"

US28

81.51

10

US32D

107.30

>42" - 96"

US28

162.95

US32D

214.60

10

Bolt Cutout (Add to list price) Per Cutout

US28

34.72

US32D

34.72

Latch Cutout (Add to list price) Per Cutout

US28

34.72


US32D

34.72

UL Rated (Add to list price) Per Cutout

US32D

20.99



#### 180P

Door Edgings - Mortise Type

Material: Aluminum, stainless steel

Thickness: .045 - .050"

Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.

Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.

Cutouts will hand product, specify handling. Other lengths by quotation.

Hinge Cutout (Add to list price) Per Cutout

≤42"

US28

86.98

10

US32D

113.46

>42" - 96"

US28

173.97

US32D

226.85

Bolt Cutout (Add to list price) Per Cutout

US28

34.72

US32D

34.72

Latch Cutout (Add to list price) Per Cutout

US28

34.72

US32D

34.72

UL Rated (Add to list price) Per Cutout


US28

34.72

US32D

20.99





## Description

## Finish

## 2022 List

## Case Qty.

### 180Q

Door Edgings - Mortise Type

≤42"

US28

110.25

5

Material: Aluminum, stainless steel

US32D

139.56

Thickness: .045 - .050"

>42" - 96"

US28

219.28

Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.

US32D

279.11

Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.

Cutouts will hand product, specify handling. Other lengths by quotation.

Hinge Cutout (Add to list price) Per Cutout

US28

34.72

US32D

34.72

Bolt Cutout (Add to list price) Per Cutout

US28

34.72

US32D

34.72

Latch Cutout (Add to list price) Per Cutout

US28

34.72


US32D

34.72

UL Rated (Add to list price) Per Cutout

US32D

20.99



### 181H

Door Edgings - Overlap Type

≤42"

US28

81.51

5

Material: Aluminum, stainless steel

US32D

113.76

Thickness: .045 - .050"

>42" - 96"

US28

162.95

Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.

US32D

227.53

Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.

Cutouts will hand product, specify handling. Other lengths by quotation.

Hinge Cutout (Add to list price) Per Cutout

US28

34.72

US32D

34.72

Bolt Cutout (Add to list price) Per Cutout

US28

34.72

US32D

34.72

Latch Cutout (Add to list price) Per Cutout

US28

34.72

US32D

34.72

UL Rated (Add to list price) Per Cutout

US32D


20.99

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary



### Description

### Finish

### 2022 List

### Case Qty.

#### 181K

Door Edgings - Overlap Type

≤42"

US28

76.15

5

Material: Aluminum, stainless steel

US32D

106.50

Thickness: .045 - .050"

>42" - 96"

US28

152.30

5

Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.

US32D

213.06

Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.

Cutouts will hand product, specify handling. Other lengths by quotation.

Hinge Cutout (Add to list price) Per Cutout

US28

34.72

US32D

34.72

Bolt Cutout (Add to list price) Per Cutout

US28

34.72

US32D

34.72

Latch Cutout (Add to list price) Per Cutout

US28

34.72


US32D

34.72

UL Rated (Add to list price) Per Cutout

US32D

20.99



#### 181M

Door Edgings - Overlap Type

≤42"

US28

102.99

5

Material: Aluminum, stainless steel

US32D

130.45

Thickness: .045 - .050"

>42" - 96"

US28

205.92

5

Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.

US32D

260.83

Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.

Cutouts will hand product, specify handling. Other lengths by quotation.

Hinge Cutout (Add to list price) Per Cutout

US28

34.72

US32D

34.72

Bolt Cutout (Add to list price) Per Cutout

US28

34.72

US32D

34.72

Latch Cutout (Add to list price) Per Cutout

US28

34.72

US32D

34.72

UL Rated (Add to list price) Per Cutout


US32D

20.99

US32D

20.99





## Description

## Finish

## 2022 List

## Case Qty.

### 181P

Door Edgings - Overlap Type

≤42"

US28

108.16

10

U/M - each

US32D

135.19

Material: Aluminum, stainless steel

>42" - 96"

US28

216.32

10

Thickness: .045 - .050"

US32D

270.37

Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.

Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.

Cutouts will hand product, specify handling. Other lengths by quotation.

Hinge Cutout (Add to list price) Per Cutout

US28

34.72

US32D

34.72

Bolt Cutout (Add to list price) Per Cutout

US28

34.72

US32D

34.72

Latch Cutout (Add to list price) Per Cutout

US28

34.72


US32D

34.72

UL Rated (Add to list price) Per Cutout

US32D

20.99



### 181Q

Door Edgings - Overlap Type

≤42"

US28

115.36

5

Material: Aluminum, stainless steel

US32D

130.26

Thickness: .045 - .050"

>42" - 96"

US28

230.67

5

Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.

US32D

260.46

Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.

Cutouts will hand product, specify handling. Other lengths by quotation.

Hinge Cutout (Add to list price) Per Cutout

US28

34.72

US32D

34.72

Bolt Cutout (Add to list price) Per Cutout

US28

34.72

US32D

34.72

Latch Cutout (Add to list price) Per Cutout

US28

34.72

US32D

34.72

UL Rated (Add to list price) Per Cutout

US32D


20.99

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary



### Description

### Finish

### 2022 List

### Case Qty.

#### 182H

Door Edgings - Surface  
Non-Mortise Type  
Material: Aluminum, stainless steel  
Thickness: .045 - .050"  
Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.  
Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.  
Cutouts will hand product, specify handling. Other lengths by quotation.

≤42"

US28

48.94

10

US32D

76.15

>42" - 96"

US28

97.88

10

US32D

152.30

Hinge Cutout (Add to list price) Per Cutout

US28

34.72

US32D

34.72

Bolt Cutout (Add to list price) Per Cutout

US28

34.72

US32D

34.72

Latch Cutout (Add to list price) Per Cutout

US28

34.72


US32D

34.72

UL Rated (Add to list price) Per Cutout

US32D

20.99



#### 182K

Door Edgings - Surface  
Non-Mortise Type  
Material: Aluminum, stainless steel  
Thickness: .045 - .050"  
Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.  
Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.  
Cutouts will hand product, specify handling. Other lengths by quotation.

≤42"

US28

52.26

10

US32D

62.18

>42" - 96"

US28

104.47

10

US32D

124.41

Hinge Cutout (Add to list price) Per Cutout

US28

34.72

US32D

34.72

Bolt Cutout (Add to list price) Per Cutout

US28

34.72

US32D

34.72

Latch Cutout (Add to list price) Per Cutout

US28

34.72

US32D


34.72

UL Rated (Add to list price) Per Cutout

US32D

20.99





## Description

## Finish

## 2022 List

## Case Qty.

### 182M

Door Edgings - Surface  
Non-Mortise Type  
Material: Aluminum, stainless steel  
Thickness: .045 - .050"  
Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.

≤42"  
>42" - 96"

US28  
US32D  
US28  
US32D

82.00  
107.30  
164.00  
214.60

10  
10

Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.  
Cutouts will hand product, specify handling. Other lengths by quotation.

Hinge Cutout (Add to list price) Per Cutout

US28  
US32D

34.72  
34.72

Bolt Cutout (Add to list price) Per Cutout

US28  
US32D

34.72  
34.72

Latch Cutout (Add to list price) Per Cutout


US28  
US32D

34.72  
34.72

UL Rated (Add to list price) Per Cutout

US32D

20.99



### 182P

Door Edgings - Surface  
Non-Mortise Type  
Material: Aluminum, stainless steel  
Thickness: .045 - .050"  
Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.

≤42"  
>42" - 96"

US28  
US32D  
US28  
US32D

86.98  
113.46  
173.97  
226.85

10  
10

Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.  
Cutouts will hand product, specify handling. Other lengths by quotation.

Hinge Cutout (Add to list price) Per Cutout

US28  
US32D

34.72  
34.72

Bolt Cutout (Add to list price) Per Cutout

US28  
US32D

34.72  
34.72

Latch Cutout (Add to list price) Per Cutout

US28  
US32D

34.72  
34.72

UL Rated (Add to list price) Per Cutout

US32D

20.99


1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.





## Trim & Auxiliary



### Description

### Finish

### 2022 List

### Case Qty.

#### 182Q

Door Edgings - Surface  
Non-Mortise Type  
Material: Aluminum, stainless steel  
Thickness: .045 - .050"  
Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.  
Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.  
Cutouts will hand product, specify handling. Other lengths by quotation.

≤42"

US28

110.62

10

US32D

139.56

>42" - 96"

US28

221.31

10

US32D

279.11

Hinge Cutout (Add to list price) Per Cutout

US28

34.72

US32D

34.72

Bolt Cutout (Add to list price) Per Cutout

US28

34.72

US32D

34.72

Latch Cutout (Add to list price) Per Cutout

US28

34.72

US32D

34.72

UL Rated (Add to list price) Per Cutout

US32D

20.99

### Description

### Finish

### 2022 List

### Stock No.

### Box Qty.

### Case Qty.

#### 185G

Corner Guard  
Material: Aluminum, stainless steel  
Size: 3" x 3" x 40"  
Thickness: .050"  
Fasteners: #6 x 5/8" FPHSMS self drilling  
#6 x 1" screws available upon request.  
Other lengths by quotation.

US28

113.27

-

-

-

w/tape

US32D w/tape

138.29

062999

US28

74.98

044109

US32D

101.20

087970

#### 190L

Foot Pull  
Material: Stainless Steel, Steel  
Projection: 3"  
Door Thickness: 1-3/4" standard  
Fasteners: Three (3) #12 screws x 1.5" FPHWS  
Three (3) #12-24 sex nuts with 1-9/16" barrel for 1-3/4" door  
Three (3) #12-24 x 1.0" FPHMS

US10B

39.96

36254

-

100

US32D

37.80

36255

-

100

BLK

39.96

25126

-

100

#### 230W

Convex Wall Stop  
Concealed Mounting  
Material: Cast brass or bronze  
Stop: Rubber  
Diameter: 2-15/32"  
Projection: 1-3/32"  
Fastener: #10 x 1-1/2" PPHWS with plastic and toggle anchor  
Add optional 230T machine screw with metal toggle nut screwpack - 0.70 each list.

US3

11.39

053679

10

100

US4

14.65

053680

US10

14.71

053681

US10B

**14.71**

053683

US15

20.50

094602

US15A

20.50

054038

US19

14.71

073621

US26

18.34

053682

US26D

**9.60**

053684





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>232W</b>					
Convex Wall Stop	US3	<b>4.92</b>	051972	10	100
Concealed Mounting	US4	4.92	053231		
Material: Wrought brass, bronze or stainless steel	US5	12.62	072846		
Stop: Rubber	US9	12.50	017030		
Diameter: 2-7/16"	US10	4.92	051973		
Projection: 1"	US10B	<b>4.92</b>	051974		
Fastener: #10 x 1-1/2" PPHWS with plastic and toggle anchor	US15	12.68	046072		
Add optional 230T machine screw with metal toggle nut screwpack - 0.70 each list.	US15A	12.68	062556		
	US19	4.92	071703		
	US26	5.11	051975		
	US26D	<b>4.80</b>	051976		
	US32	12.68	053691		
	US32D	<b>3.51</b>	053678		



<b>234W</b>					
Concave Wall Stop					
Material: Cast brass or bronze	US3	11.39	053227	10	100
Stop: Rubber	US4	14.65	053228		
Diameter: 2-15/32"	US10	14.71	053229		
Projection: 1-3/32"	US10B	<b>14.71</b>	053230		
Fastener: #10 x 1-1/2" PPHWS with plastic and toggle anchor	US15	20.50	094603		
Add optional 230T machine screw with metal toggle nut screwpack - 0.70 each list.	US15A	20.50	054039		
	US19	14.71	067951		
	US26	18.34	053235		
	US26D	<b>9.60</b>	053236		



<b>236W</b>					
Concave Wall Stop					
Material: Wrought brass, bronze or stainless steel	US3	<b>4.92</b>	051977	10	100
Stop: Rubber	US4	4.92	053237		
Diameter: 2-7/16"	US5	12.62	072849		
Projection: 1"	US9	12.50	018702		
Fastener: #10 x 1-1/2" PPHWS with plastic and toggle anchor	US10	4.92	051978		
Add optional 230T machine screw with metal toggle nut screwpack - 0.70 each list.	US10B	<b>4.92</b>	051979		
	US15	12.62	014846		
	US15A	12.62	054522		
	US19	4.92	018437		
	US26	<b>5.11</b>	051980		
	US26D	<b>4.80</b>	051981		
	US32	12.50	053238		
	US32D	<b>3.51</b>	053239		

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>241F</b>					
Dome Stop - Low	US3	<b>8.56</b>	051982	10	100
Material: Die cast brass	US4	8.43	053259		
Base Diameter: 1-11/16"	US5	13.79	072845		
Base: 1/8" Thick	US9	13.79	056749		
Height: 1"	US10	9.66	051983		
Fastener: #14 x 1-1/2" with plastic anchor	US10B	<b>8.50</b>	051984		
and 1/4-20 x 3/4" FPHMS with lead anchor	US15	10.53	034785		
	US15A	13.79	054041		
	US19	8.50	073625		
	US26	<b>8.43</b>	051985		
	US26D	<b>7.94</b>	052148		



<b>242F</b>					
Dome Stop - Universal	US3	<b>13.24</b>	075489	10	100
Material: Forged brass	US4	13.24	099613		
Base Diameter: 1-11/16"	US10B	<b>13.97</b>	075488		
Base: 7/32" Thick	US15	15.45	094363		
Height: 1-5/8"	US26	13.60	081314		
Fastener: #14 x 1-1/2" FPHWS with plastic anchor	US26D	<b>11.70</b>	075487		
and 1/4 - 20 x 3/4" FPHMS with lead anchor					



<b>243F</b>					
Dome Stop - High	US3	<b>9.66</b>	051986	10	100
Material: Die cast brass	US4	9.66	053268		
Base Diameter: 1-11/16"	US5	15.70	077629		
Base: 7/16" Thick	US9	15.70	056750		
Height: 1-9/32"	US10	10.90	052149		
Fastener: #14 x 1-1/2" FPHWS with plastic anchor	US10B	<b>9.85</b>	052328		
and 1/4 - 20 x 1-1/4" FPHMS with lead anchor	US15	11.57	035110		
	US15A	15.70	054043		
	US19	9.85	068921		
	US26	9.85	052329		
	US26D	<b>8.19</b>	052150		



<b>244F</b>					
Cast Floor Stop	US3	28.13	097343	5	50
Material: Cast brass	US4	28.13	058458		
Base: 1-3/4" x 4"	US10	27.58	097344		
Base Thickness: 5/32"	US10B	27.58	097345		
O/A Height: 1"	US26	28.44	097346		
Fasteners: #14 x 1-1/2" FPHWS with plastic anchor;	US26D	<b>17.61</b>	097347		
1/4 - 20 x 3/4" FPHMS with lead anchor					





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>245F</b>					
	US10B	39.40	097350	5	50
	US26	39.40	097351		
	US26D	26.29	097352		



<b>246B</b>					
Dome Stop Riser Plate	Mil	7.70	052934	10	100
Material: Brass	US3	4.37	054344		
Diameter: 1-3/4"	US4	4.37	066234		
Base: 3/8" thick	US10	4.68	059349		
For use with 241F	US10B	<b>4.68</b>	054443		
	US15	10.16	061758		
	US15A	10.16	054044		
	US19	4.68	054523		
	US26	4.37	066412		
	US26D	<b>3.76</b>	055308		



<b>248G</b>					
Modern Style Universal Stop	US26D	25.24	159656	10	100
Material: Brass w/ gray rubber bumper					
Diameter: 1-7/16"					
Height: 1-1/2"					
Fasteners: 1/4 - 20 x 1" FPHMS with lead anchor;					
#12 x 1-1/4" FPHWS with plastic anchor					



<b>248F</b>					
Modern Style Universal Stop	US26D	25.24	023442	10	100
Material: Brass w/ black rubber bumper					
Diameter: 1-7/16"					
Height: 1-1/2"					
Fasteners: 1/4 - 20 x 1" FPHMS with lead anchor;					
#12 x 1-1/4" FPHWS with plastic anchor					



<b>249F</b>					
L-Shaped Floor Stop	US2C	10.83	011616	5	50
Material: Steel with rubber bumper					
Height: 2-5/8"					
Base: 1" x 2-1/2" x 7/32" thick					
Fastener: #14 x 1-1/2" FPHWS with plastic anchor					

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary



### Description

#### 250W

Convex Wall Stop  
Material: Cast brass with rubber bumper  
Diameter: 1"  
Projection: 9/16"  
Fastener: #6 x 3/4" screw w/ anchor  
and .052" diameter nail

### Finish

### 2022 List

### Stock No.

### Box Qty.

### Case Qty.

US3	11.57	052784	20	200
US4	11.57	056083		
US10	12.37	052785		
US10B	<b>12.37</b>	052786		
US15	15.88	061694		
US15A	15.88	054045		
US19	12.37	054526		
US26	12.37	052787		
US26D	<b>12.37</b>	053275		



#### 251W

Concave Wall Bumper  
Material: Adhesive backed rubber  
Diameter: 1-7/8"  
Projection: 25/32"

Grey	2.89	052935	20	200
------	------	--------	----	-----



#### 252F

Floor Stop  
Material: Cast brass with rubber bumper  
Diameter: 1-9/16" x 2-1/2"  
Height: 2-11/16"  
Fastener: 1 ea. 1/4 - 20 x 3/4" FPHMS with lead anchor;  
5/16 - 18 x 2-1/2" stud with lead anchor;  
#14 x 1-1/2" FPHWS with plastic anchor  
2" max door to floor clearance

US3	30.84	058522	5	50
US10	33.30	058523		
US10B	<b>30.72</b>	058517		
US15	53.62	061610		
US15A	53.62	054046		
US19	30.72	054531		
US26	38.48	058518		
US26D	<b>27.58</b>	058519		



#### 254S

Wall Stop and Holder  
Material: Cast brass with rubber bumper  
Base Diameter: 2-11/32"  
Base Projection: 3-1/2"  
Engaged Projection: 5-19/32"  
Keeper: 1" x 2"  
Fastener: #10 x 1" FPHWS with plastic anchor

US3	60.45	097810	5	50
US10B	70.61	097813		
US26D	70.61	097814		



#### 254W

Wall Stop and Holder  
Material: Cast brass with rubber bumper  
Base Diameter: 2-11/32"  
Base Projection: 3-1/2"  
Engaged Projection: 5-19/32"  
Keeper: 1" x 2"  
Fastener: #10 x 1" FPHWS with plastic anchor;  
5/16 - 18 x 2-1/2" stud with lead anchor

US10	70.61	097806	5	50
US10B	70.61	097807		
US26D	70.61	097809		





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>255S</b>					
Wall Stop	US3	36.75	017532	5	50
Material: Cast brass with rubber bumper	US4	36.75	017533		
Base Diameter: 2-11/32"	US10	37.24	094583		
Projection: 3-11/16"	US10B	37.24	017534		
Fastener: #10 x 1" OPHWS with plastic anchor	US15	46.11	061568		
	US26	41.12	017531		
	US26D	26.90	000917		



<b>255W</b>					
Wall Stop	US3	36.75	058532	5	50
Material: Cast brass with rubber bumper	US4	36.75	075493		
Base Diameter: 2-11/32"	US10	37.24	058533		
Projection: 3-11/16"	US10B	<b>37.24</b>	058534		
Fastener: #10 x 1" OPHWS with plastic anchor;	US15	46.11	061567		
5/16" - 18 x 2-1/2" threaded stud, 5/16" lead anchor	US26	41.12	058675		
	US26D	<b>26.90</b>	058535		



<b>256S</b>					
Wall Stop & Holder					
Material: Cast brass with rubber bumper	US3	66.18	068146	5	50
Base Diameter: 2-1/4"	US10	52.76	070578		
Engaged Projection: 5-11/16"	US10B	55.28	099449		
Projection: 3-25/32"	US26D	<b>36.14</b>	067225		
Keeper: 25/32" x 1-1/2"					
Fastener: #10 x 1" OPHWS with plastic anchor					



<b>256W</b>					
Wall Stop & Holder	US3	66.18	058585	5	50
Material: Cast brass with rubber bumper	US10	52.76	058586		
Base Diameter: 2-1/4"	US10B	55.28	058587		
Engaged Projection: 5-11/16"	US15	64.95	060860		
Projection: 3-25/32"	US26	66.18	058520		
Keeper: 25/32" x 1-1/2"	US26D	<b>36.14</b>	058521		
Fastener: #10 x 1" OPHWS with plastic anchor;					
5/16" - 18 x 2-1/2" stud with lead anchor					



<b>257F</b>					
Floor Stop					
Material: Cast brass with rubber bumper	US3	28.01	058546	5	50
Base: 1-9/16" x 2-15/32"	US10	32.50	058547		
Height: 2"	US10B	<b>28.81</b>	058548		
Fastener: #14 x 1-1/2" FPHWS with plastic anchor;	US15	53.62	060857		
1/4 - 20 x 3/4" FPHMS with lead anchor;	US15A	53.62	054048		
5/16" - 18 x 2-1/2" stud with lead anchor	US19	28.81	054532		
	US26	36.44	058549		
	US26D	<b>25.49</b>	058550		

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary



### Description

#### 258F

Floor Stop & Holder  
 Material: Cast brass with rubber bumper  
 Base: 1-9/16" x 2-15/32"  
 Height: 3"  
 Keeper: 1" x 2"  
 Fasteners: #10 x 1" FPHWS with plastic anchor;  
 1/4 - 20 x 3/4" FPHMS with lead anchor;  
 5/16 - 18 x 2-1/2" stud with lead anchor

### Finish

### 2022 List

### Stock No.

### Box Qty.

### Case Qty.

US3	50.85	058551	5	50
US10	46.29	058552		
US10B	46.29	058553		
US15	80.27	060855		
US26	52.45	058554		
US26D	37.06	058555		



#### 259F

Tri Base Floor Stop  
 Material: Cast brass with rubber bumper  
 Base: 2-1/2" wide x 1-9/16" deep  
 Height: 1-11/16"  
 Fasteners: #10 x 1-1/4" FPHWS with plastic anchor;  
 10 - 32 x 3/4" FPHMS with lead anchor

US10B	<b>32.32</b>	086567	5	50
US26D	<b>27.21</b>	084984		



#### 259H

Tri Base Floor Stop - Tall  
 Material: Cast brass with rubber bumper  
 Base: 2-1/2" wide x 1-9/16" deep  
 Height: 2-1/4"  
 Fasteners: #10 x 1-1/4" FPHWS with plastic anchor;  
 10 - 32 x 3/4" FPHMS with lead anchor

US26D	<b>30.53</b>	005661	5	50
-------	--------------	--------	---	----



#### 260W

Angled Wall Stop  
 Material: Cast brass with rubber bumper  
 Base: 2-3/16" wide x 2-15/16" tall  
 Projection: 3-21/32"  
 Fasteners: #14 x 1-1/2" FPHWS with plastic anchor and  
 1/4 - 20 x 3/4" FPHMS with lead anchor

US26D	53.74	059730	5	50
-------	-------	--------	---	----



#### 267F

Floor Stop  
 Material: Cast brass with rubber bumper  
 Base: 2-1/4"  
 Height: 3-1/8"  
 Fasteners: #10 x 1" OPHWS with plastic anchor;  
 5/16" - 18 x 2-1/2" stud with lead anchor

US3	35.52	058536	5	50
US10	36.75	058537		
US10B	<b>36.75</b>	058538		
US15	46.11	060853		
US15A	46.11	031421		
US19	36.75	033541		
US26	41.12	058539		
US26D	<b>27.58</b>	058540		





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>267S</b>					
Cast Floor Stop	US3	29.30	097803	5	50
Material: Cast brass with rubber bumper	US10	35.52	097804		
Base: 2-1/4"	US10B	37.06	097800		
Height: 3-1/8"	US15	46.11	060851		
Fasteners: #10 x 1" OPHWS with plastic anchor	US26	41.12	097801		
	US26D	27.58	097802		



<b>268F</b>					
Floor Stop & Holder					
Material: Cast brass with rubber bumper					
Base: 2-1/4"					
Height: 3-19/32"	US3	67.16	058541	5	50
Keeper: 25/32" x 1-1/2"	US10	60.45	058542		
Fasteners: #10 x 1" OPHWS with plastic anchor;	US10B	<b>63.16</b>	058543		
5/16" - 18 x 2-1/2" stud with lead anchor	US15	60.45	075320		
	US15A	60.45	054050		
	US19	63.16	054533		
	US26	67.16	058544		
	US26D	<b>37.67</b>	058545		



<b>268S</b>					
Cast Floor Stop & Holder					
Material: Cast brass with rubber bumper	US3	67.16	070926	5	50
Base: 2-1/4"	US10	60.45	088879		
Height: 3-19/32"	US10B	63.16	072110		
Keeper: 25/32" x 1-1/2"	US15	60.45	060840		
Fasteners: #10 x 1" OPHW with plastic anchors	US26	67.16	095114		
	US26D	<b>37.67</b>	068934		



<b>269F</b>					
Heavy Duty Floor Stop					
Material: 5/8" Steel pin with rubber bumper	-	<b>28.63</b>	085062	5	50
Bumper: 1-1/2" high					
Diameter: 2"					
Steel Bolt: 5/8" - 11 x 2-1/2" thread					
Special Grout by others					

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.





## Trim & Auxiliary



### Description

Finish

2022 List

Stock No.

Box Qty.

Case Qty.

#### 269T

Heavy Duty Floor Stop - Tall  
Material: 5/8" Steel pin with rubber bumper  
Bumper: 3-1/2" high  
Diameter: 2"  
Steel Bolt: 5/8" - 11 x 2-1/2" thread  
Special Grout by others

-

**36.69**

083131

3

30



#### 270C

Kick Down Door Holder  
Material: Cast iron with rubber tip  
Base: 1-7/16" x 2-1/8"  
Arm: 3-13/16"  
Fasteners: #6 x 3/4" OPHTS  
S1 - Sprayed Alum., S2 - Sprayed Brass,  
S3 - Sprayed Bronze  
270CR replacement rubber tips available, 6 per bag

S1

**17.18**

058588

5

50

S2

17.18

058589

S3

17.18

058590



#### 270D

Kick Down Door Holder  
Material: Cast brass with rubber tip  
Base: 1-19/32" x 1-25/32"  
Arm: 3-1/2"  
Fasteners: #6 x 3/4" OPHWS

US3

**34.41**

058525

5

50

US10

38.35

058526

US10B

**33.86**

058527

US15

53.62

060822

US15A

53.62

054051

US19

33.86

054542

US26

50.11

058568

US26D

**30.90**

058569



#### 270R

Replacement Rubber Tips  
Material: Black rubber  
For use with 270D or 271D door holders  
Sold in packs of 10

Rubber

35.15

073663

10

100



#### 271D

Kick Down Door Holder  
Material: Cast brass with rubber bumper  
Base: 1-19/32" x 1-25/32"  
Arm: 4-7/16"  
Fasteners: #6 x 3/4" OPHWS

US3

60.45

058570

5

50

US10

60.45

058571

US10B

60.45

058564

US26

60.45

058565

US26D

**60.45**

058566






Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>271W</b>					
Roller Bumper	US3	36.69	123928	10	50
Material: Cast brass or bronze with rubber roller	US10	39.34	123929		
Base: 2"	US10B	40.08	123930		
Projection: 4-1/2"	US26	38.41	123931		
Fasteners: #10 x 1" FPHWS with plastic anchor	US26D	<b>29.80</b>	123927		



<b>272W</b>					
Material: Cast brass or bronze with rubber roller	US3	40.69	052779	10	100
Base: 2"	US10	41.92	052780		
Projection: 6-1/4"	US10B	41.86	052781		
Fasteners: #10 x 1" FPHWS with plastic anchor	US26	49.74	052782		
	US26D	<b>37.31</b>	052783		



<b>273W</b>					
Curved Roller Bumper	US3	36.01	043325	5	50
Material: Cast brass or bronze with rubber roller	US4	39.34	043326		
Projection: 2-21/32"	US10	36.01	043323		
Fasteners: #10 x 1" FPHWS with plastic anchor	US10B	39.34	043327		
	US26	43.09	043324		
	US26D	<b>32.93</b>	043328		



<b>274B</b>					
Door Guard Protective Plate	US3	7.26	048087	-	10
Material: Brass	US4	7.26	046942		
Fasteners: Double sided pressure sensitive tape	US10	7.26	048363		
To be used with the 274D	US10B	7.26	048365		
	US15	7.26	060811		
	US26	7.26	048364		
	US26D	<b>7.26</b>	048366		



<b>274C</b>					
Shim for Door Guard					
Material: Resilient black rubber, 3/32" thick	Black	<b>2.59</b>	158025	-	50
To be used with the 274D					



<b>274D</b>					
Material: Cast brass	US3	34.41	158021	5	50
Arm Length: 4-1/2"	US4	32.50	158022		
Fasteners: #6 x 3/4" OPHWS; #6 x 1-1/2" OPHWS;	US10	35.77	158016		
6 - 32 x 1/2" OPHMS	US10B	<b>34.72</b>	158017		
	US15	35.77	158018		
	US26	33.06	158019		
	US26D	<b>29.30</b>	158020		

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>275D</b>					
Surface Bolt - 8"	US3	35.77	058752	1	12
Material: Steel	US10	32.93	074243		
Bolt Size: 1/4" x 3/4"	US10B	<b>36.69</b>	056786		
Bolt Throw: 1"	US26D	<b>29.30</b>	052287		
Fasteners: #10 x 1-1/4" FPHWS; 10 - 24 x 1" FPHMS					
Universal and angle strikes included					



<b>276D</b>					
Surface Bolt - 12"					
Material: Steel	US3	26.66	083603	1	12
Bolt Size: 1/4" x 3/4"	US10	35.52	025645		
Bolt Throw: 1"	US10B	39.58	073888		
Fasteners: #10 x 1-1/4" FPHWS; 10 - 24 x 1" FPHMS	US26D	34.04	053325		
Universal and angle strikes included					



<b>277D</b>					
Privacy Door Latch					
Material: Cast Zinc	US3	47.28	161173	1	60
Base: 2-5/8" x 1-9/16"	US4	47.28	161174		
Projection: 2-3/16"	US10B	67.59	161149		
Fasteners: #12 x 1-3/4" FPHSMS	US15	64.21	190653		
	US26	46.11	161171		
	US26D	<b>43.52</b>	161172		
	US19	67.59	043187		



<b>277F</b>					
Privacy Door Guard Bracket					
Material: Cold Rolled Steel					
Finish: Primer Gray		14.28	63736		
Fasteners: 12-24 FPH Self-tapping					

<b>277R</b>					
Release Tool	N/A	32.78	094396	1	





## 278D

Surface Bolt - 6"  
Material: Brass  
Bolt Size: 7/16"  
Bolt Throw: 31/32"  
Projection: 3/4"  
Fasteners: #5 x 5/8" FPHWS  
Mortise and universal strikes included

Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
	US3	25.55	086661	10	100
	US10B	27.76	020392		
	US26D	26.47	086662		



## 279D

Dutch Door Bolt  
Material: Brass  
O/A Size: 1-11/16" x 4"  
Bolt Size: 5/8" half round  
Bolt Throw: 3/8"  
Projection: 1-1/4"  
Knob Diameter: 29/32"  
Fasteners: #6 x 3/4" FPHWS  
Universal and angle strikes included

	US10B	58.05	023685	10	100
	US26D	<b>58.05</b>	097354		



## 280X

Dust Proof Strike  
w/ Removable Plate  
Material: Brass  
Face Plate: 1-7/16" x 2-29/32"  
Barrel Diameter: 1"  
Depth: 2-3/16"  
Plunger Diameter: 3/4"  
Fasteners: #8 x 1" FPHWS with plastic anchors;  
spanner wrench

	US3	<b>24.93</b>	052522	10	100
	US4	23.52	053326		
	US9	33.06	021465		
	US10	26.35	052559		
	US10B	<b>25.61</b>	052523		
	US15	31.09	040347		
	US15A	33.06	054052		
	US19	25.61	067955		
	US26	25.49	052839		
	US26D	<b>21.92</b>	052524		



## 281D

Slide Flush Bolt  
Material: Brass or bronze w/ steel components  
Face Plate: 3/4" x 6"  
Bolt Diameter: 1/2"  
Bolt Throw: 1"  
Strike: 7/8" x 1-3/4"  
Rod Backset: 7/16"  
Fasteners: #6 x 3/4" FPHWS

	US3	17.05	056621	10	100
	US4	17.79	056789		
	US5	24.19	035600		
	US10	17.79	052723		
	US10B	17.79	056790		
	US15	24.19	036438		
	US15A	24.19	054055		
	US19	17.79	054545		
	US26	20.62	052525		
	US26D	<b>17.05</b>	056791		

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>282D</b>					
Manual Flush Bolt	US3	25.79	052281	2	
Metal Doors	US4	25.79	052282		
Material: Brass w/ steel components	US5	42.54	062354		
Face Plate: 1" x 6-3/4"	US9	42.54	083207		
Bolt Throw: 3/4"	US10	26.29	052283		
Bolt Backset: 3/4"	US10B	26.29	052284		
Rod Length: 12"	US15	32.93	040346		
Strike: 15/16" x 2-1/4"	US15A	46.97	054056		
Fasteners: #8 x 3/4" combination screws	US19	26.29	067956		
For use with A115 Frame Preparation	US26	28.44	052285		
282S Strike plate bag and 282P bolt head available	US26D	24.01	052286		
282R Optional rod length available: 18", 24" and 30" (bolt head not included) - \$3.00 net.					
3-hour fire rating on metal doors up to 4 feet wide x 10 feet tall. Priced as each and sold in increments of two.					



<b>283D</b>	US3	<b>39.28</b>	052929	2	40
Manual Flush Bolt	US4	39.28	053328		
Wood Composite Door	US5	78.86	018995		
Material: Brass w/ steel components	US9	78.86	032026		
Face Plate: 1" x 6-25/32"	US10	39.28	052930		
Bolt Head: 1/2" Square	US10B	<b>38.04</b>	052931		
Bolt Throw: 3/4"	US15	78.86	060810		
Bolt Backset: 3/4"	US15A	78.86	054057		
Strike: 15/16" x 2-1/4"	US19	38.04	054567		
Fasteners: #8 x 3/4" combination screws;	US26	41.00	052932		
1-1/2 hour fire rating on wood doors up to 4 feet wide x 10 feet tall	US26D	<b>38.04</b>	052933		



<b>291D</b>	US3	235.77	053297	1	10
Automatic Flush Bolts	US4	236.02	074059		
Wood Door	US10	236.02	053298		
Material: Stainless steel/brass w/ steel components	US10B	<b>228.76</b>	053299		
Face Plate: 1" x 8-1/2"	US15	322.88	046049		
Bolt Heads: 1/2" square	US32	322.88	117105		
Bolt Throw: 3/4"	US32D	<b>221.99</b>	117104		
Bolt Backset: 3/4"					
Fasteners: #10 x 1" SMS; #8 x 1" combination screws					
Mortise Strike: 15/16" x 2-1/4"					
280X Dust Proof Strike recommended					
1-1/2 hour fire rating on wood doors up to 4 feet wide x 9 feet tall					





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>292D</b>					
Automatic Flush Bolts	US3	218.78	053301	1	10
Metal Doors	US4	218.78	084898		
Material: Stainless steel/brass w/ steel components	US10	218.78	053302		
Face Plate: 1" x 6-3/4"	US10B	212.26	053303		
Bolt Head: 1/2" square	US15	301.03	046052		
Bolt Throw: 3/4"	US32	301.03	117106		
Bolt Backset: 3/4"	US32D	<b>205.92</b>	117107		
Fasteners: #8 x 1" combination screws					
Mortise Strike: 15/16" x 2-1/4"					
280X Dust Proof Strike recommended					
3 hour fire rating for metal doors up to					
4 feet wide x 9 feet tall					



<b>293D</b>					
Constant Latching Flush Bolts	US3	218.78	058567	1	10
Metal Doors	US4	218.78	087519		
Material: Stainless steel/brass w/ steel components	US10	218.78	058560		
Face Plate: 1" x 6-3/4"	US10B	212.26	058561		
Bolt Head: 1/2" square	US15	301.03	093481		
Bolt Throw: 3/4"	US32	301.03	117108		
Bolt Backset: 3/4"	US32D	<b>205.92</b>	117109		
Fasteners: #8 x 1" combination screws					
T-Strike: 1-1/8" x 2-3/4"					
280X Dust Proof Strike recommended					
3 hour fire rating for metal doors up to					
4 feet wide x 9 feet tall					



<b>294D</b>					
Constant Latching Flush Bolts	US3	235.77	058563	1	10
Wood Door	US4	235.77	082014		
Material: Stainless steel/brass w/ steel components	US10	235.77	058556		
Face Plate: 1" x 8-1/2"	US10B	228.76	058557		
Bolt Head: 1/2" square	US15	322.88	095081		
Bolt Throw: 3/4"	US32	322.88	117111		
Bolt Backset: 3/4"	US32D	<b>221.99</b>	117110		
Fasteners: #10 x 1" SMS; #8 x 1" combination screws					
T-Strike: 1-1/8" x 2-3/4"					
280X Dust Proof Strike recommended					
1-1/2 hour fire rating on wood doors up to					
4 feet wide x 9 feet tall					

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>295M</b>					
Automatic Flush Bolt w/Fire Bolt	US3	173.91	080579	1	10
Metal Doors	US4	173.91	080582		
Material: Stainless steel/brass with steel components	US10B	173.91	080584		
Face Plate: 1" x 6-3/4"	US15	240.82	060808		
Bolt Head: 1/2" square	US19	261.63	021881		
Bolt Throw: 3/4"	US32	173.91	080585		
Bolt Backset: 3/4"	US32D	173.91	080586		
Fasteners: #8 x 1" combination screws					
T-strike: 15/16" x 2-1/4"					
3-hour fire rating for metal doors up to 4 feet wide x 9 feet tall					
<b>295W</b>					
Automatic Flush Bolt w/Fire Bolt	US3	187.33	080593	1	10
Wood Doors	US4	187.33	080594		
Material: Stainless steel/brass with steel components	US10	187.33	080592		
Face Plate: 1" x 8-1/2"	US10B	187.33	080591		
Bolt Head: Flattened 1/2" square	US15	207.40	060807		
Bolt Throw: 3/4"	US32	187.33	080590		
Backset: 3/4"	US32D	187.33	080589		
Fasteners: #10 x 1" SMS; #8 x 1" combination screws					
Mortise Strike: 15/16" x 2-1/4"					
20 minute fire rating for wood doors up to 4 feet wide x 9 feet tall					
<b>296W</b>					
Automatic Flush Bolt Set for Wood Doors	US3	418.85	083221	1	10
Backset: 1-1/2"	US4	418.85	083222		
Fasteners: Sixteen (16) #8 x 1" APS; four (4) plastic anchors	US10	418.85	083223		
Strike: 1-1/8" x 2-1/4"	US10B	418.85	083224		
1-1/2 hour fire rating for wood doors up to 4 feet wide x 9 feet tall	US15	418.85	060784		
	US32	418.85	083225		
	US32D	418.85	083226		
<b>297C</b>					
Carry Bar	USP	42.54	058524	2	20
Material: Stainless steel/brass, bronze	US3	75.72	058528		
Base: 1-3/4" x 2-1/4"	US10	75.72	058529		
Projection: 25/32"	US10B	75.72	058530		
Fasteners: 12 - 24 x 3/4" PPHMS with sex nuts	US32	75.72	117361		
For use on pairs of doors with astragal and 297D-298D coordinator.	US32D	75.72	117226		





## Description

### 297D

Coordinator with Filler Bar  
Material: Steel  
Base: 1-5/8" x 5/8"  
Fasteners: 12-24 x 1-1/4" TPHMS; #8 x 1" combo screws  
If overall frame width is different than widths shown, consult Hager Customer Service.  
If active and inactive doors are unequal in length, consult Hager Customer Service for proper sizing.

Finish	2022 List	Stock No.	Box Qty.	Case Qty.
Black	<b>150.82</b>	069727	1	4

Coordinator with Filler Bar  
Material: Steel  
Fasteners: 12-24 x 1-1/4" TPHMS; #8 x 1" combo screws  
If overall frame width is different than widths shown, consult Hager Customer Service. If active and inactive doors are unequal in length, consult Hager Customer Service for proper sizing.

Black	<b>158.89</b>	052312	1	4
-------	---------------	--------	---	---

Black	<b>176.86</b>	052313	1	4
-------	---------------	--------	---	---



### 297F

297F  
Filler Bars  
Material: Steel  
Thickness: 5/8" standard  
18-5/8"  
42-5/8"

Black FB1	31.46	098884	-	-
Black FB1	43.77	073866	-	-

### 297B

Mounting Bracket  
Material: Aluminum  
Stop Height: .58" (15mm)  
Soffit Width: 1-3/8" x 5-1/2"  
Fasteners: 12-24 x thread forming

Black	<b>30.41</b>	50841	2	20
-------	--------------	-------	---	----



### 298D

Gravity Coordinator  
Material: Cast brass w/rubber roller  
Base: 1-1/8" x 5-1/2"  
Projection: 7"  
Fasteners: #12 x 1" OPHWS;  
#6 x 3/4" FPHWS; #8 x 3/4" FPHWS; #8 x 3/4" TPHWS

US3	101.02	055123	1	10
US10	100.77	060271		
US10B	97.76	055124		
US26D	83.29	055125		



1. U/M is price per hundred square inches.  
2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.





## Trim & Auxiliary



### Description

#### 300D

Chain Door Check  
Material: Steel chain  
Base Plate: Cast zinc base, galvanized steel chain,  
EPDM rubber cover  
1-1/2" x 1-1/2"  
Cover: EPDM Rubber  
Fasteners: #8 x 1" FPHSMS  
Optional grommet nut set available (part #1-320-9801)  
25"-1/2' +/- 1/2"  
30" +/- 1/2"

### Finish

### 2022 List

### Stock No.

### Box Qty.

### Case Qty.

US26D

**73.69**

063667

1

10

US26D

73.69

063668

1

10



#### 301D

Residential Hinge Pin Stop  
Material: Wrought steel with rubber bumpers  
Features: Works with both 1/4" and 5/16" hinge pins  
Must purchase an NRP hinge for use with this pin stop

US3

5.85

023366

5

50

US26D

**5.85**

023363



#### 303W

Handrail Bracket  
Material: Cast brass  
Base Diameter: 3-5/32"  
Base to Center of Rail: 2-3/4"  
Fasteners: #10 x 1-1/4" FPHWS with plastic anchor;  
10 - 24 x 13/16" FPHMS with lead anchors

US26D

104.84

052152

5

50



#### 305D

Wire Pull  
Material: 5/16" brass rod  
Projection: 1-9/32"  
Fasteners: 8 - 32 x 1" TPHMS  
CTC: 3"

US3

12.99

086821

10

100

US4

13.42

-

US10

13.42

020779

US26

13.42

086823

CTC: 3-1/2"

US26D

13.42

086822

US3

12.99

086824

10

100

US4

13.42

007767

US10

13.42

089114

US26

13.42

086826

CTC: 4"

US26D

13.42

086825

US3

12.99

086827

10

100

US4

13.42

019788

US10

13.42

090240

US26

13.42

086829

US26D

13.42

086828





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>307D</b> Metal Frame Silencer Material: Rubber Diameter: 1/2" Projection: 1/8" U/M Bag of 100	Grey	<b>14.04</b>	052527	-	100
<b>308D</b> Wood Frame Silencer Base: 3/8" x 3/4" Projection: 9/64" U/M Bag of 100	Grey	<b>21.05</b>	052526	-	100
<b>310C</b> Conversion Kit Strike: 1-11/16" x 2-1/4" Filler Plate: 1-1/8" x 3-3/8" Fasteners: #10 x 1-1/2" FPHWS; #10 x 1" FPHWS; 8 - 32 x 1/4" FPHMS; 10 - 24 x 1/2" FPHMS Converts Roller Latch to Push Pull Latch	US26D	67.72	711114	5	50
<b>311H</b> Push/Pull Latch Material: Zinc, stainless steel; Door Thickness: 1-3/4"; Bolt Throw: 1/2" Standard Backset: 2-3/4" Standard; 5" Optional; Projection: 2-5/8"; Strike: ASA 1-1/4" x 4-7/8" Standard T-Strike 1-1/8" x 2-3/4" Standard; Horizontal Mounting w/ 5" Backset Options: Engraving Handed: A (Standard) - "PUSH" down; "PULL" down. B - "PUSH" up; "PULL" down. C - "PUSH" up; "PULL" up. D - "PUSH" down; "PULL" up. 2-3/4"	US26	305.09	161063	1	10
	US26D	<b>247.84</b>	161064		
	US32	375.89	161067		
	US32D	294.63	161068		
	US26	305.09	161069	1	10
	US26D	247.84	161070		
	US32	375.89	161071		
	US32D	294.63	161072		
5"	US26	363.14	161069	1	10
	US26D	294.93	161066		
	US32	426.06	-		
	US32D	405.74	161073		
Lead Lined 2-3/4"	US26	363.14	-	1	10
	US26D	294.93	161076		
	US32	426.06	-		
	US32D	405.74	161080		
<b>313S</b> Anti-Vandal Trim Material: 11 GA stainless steel Max Projection: 1-7/8" Size: 6-11/32" x 11" Door Thickness: 1-3/4" Fasteners: 1/4 - 20" FPHMS with finish washers Available with latchguard (313L). Cylinder cutout available. Can be used with exit devices and mortise locks.	US32D (Plastisol no longer available)				

Please see the Exit Sections for pricing with Hager Model 4500 Rim Devices. All other combinations, including those with alternate Exit and Lock manufacturers, are priced on application.

1. U/M is price per hundred square inches.  
2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary



### Description

### Finish

### 2022 List

### Stock No.

### Box Qty.

### Case Qty.

#### 318D

Roller Latch

Material: Brass

Latch Faceplate: 1" x 3-3/8"

Strike: 1-1/4" x 2-3/4"

Strike Thickness: .171"

Max Roller Projection: 3/8"

Fasteners: #8 x 1" FPHWS; 8 - 32 x 3/4" FPHMS;

#10 x 1-1/2" FPHWS

US3

41.00

055119

1

50

US4

57.93

055120

US10

**57.93**

055121

US10B

**42.05**

055122

US15

78.18

078198

US19

42.05

054569

US26

42.97

055127

US26D

34.72

055126

#### 318S

Roller Latch with Stop

Material: Brass

Latch Face: 1-7/16" x 4-7/16"

Angle Stop: 9/16" x 4-7/16"

Strike: 1-1/4" x 2-1/4"

Strike Thickness: .171"

Max Roller Projection: 3/8"

Fasteners: 8 - 32 x 3/4" FPHMS; #10 x 1-1/2" FPHWS

US3

85.69

087304

1

50

US4

85.81

087305

US10

85.81

075533

US10B

83.29

055304

US26

93.14

087306

US26D

**61.50**

055305

#### 320R

Roller Latch

Material: Brass with nylon roller

Latch Face: 2-1/4" x 1-1/8"

Strike: 1-1/8" x 2-3/4"

Strike Thickness: .058 wrought

Max Roller Projection: 7/16"

Fasteners: #8 x 1" FPHWS

US3

53.19

049988

1

50

US4

53.19

049989

US9

106.93

049990

US10

53.19

049987

US10B

56.76

049994

US15

58.48

060809

US26

53.19

049993

US26D

**35.09**

049995

#### 321R

Adjustable Ball Catch

Material: Brass with steel ball roller

Latch Face: 1" x 2-1/8"

Strike: 1-1/2" x 2-1/8"

Strike Thickness: .050"

Fasteners: #6 FPHWS

US3

22.65

055947

1

50

US4

22.65

055953

US10

26.96

055944

US10B

**26.96**

055960

US15

26.96

075224

US15A

26.96

055961

US19

26.96

055945

US26D

**22.65**

055963

#### 322V

Door Knocker w/ 115° Viewer

Material: Wrought brass

Knocker Size: 2-7/32" x 3-1/4"

Projection: 19/32"

Fasteners: #6 x 3/4" TPHSMS

US26D

37.37

056478

1

50

Lettering Available- up to four characters, Arial, 1/2" tall, black - \$6.00 total added to net price. Not available on US10B finish.





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>323S</b> Three-Way Ball Catch Material: Brass with Stainless Steel Balls Body: 1/2" x 2-3/16" x 1/2" Strike: 3/8" x 1-3/8" x 5/8"	US26D	<b>23.21</b>	158659	30	300
<b>324W</b> Light Duty Wall Bumper Material: Brass or bronze Base: 1-1/4" diameter Projection: 3-1/4" Tip Diameter: 5/8" Fasteners: #10 x 7/8" wood thread Replacement rubber tip available (Part # 1-269-3073)	US3 US4 US5 US10 US10B US15 US15A US19 US26 US26D	11.39 12.19 13.60 13.60 13.60 13.60 13.60 13.60 11.82 <b>11.82</b>	013810 013811 013814 013809 013812 040348 013813 030873 013808 013807	1	50
<b>326F</b> Automatic Floor Stop and Holder Material: Cast brass Holder Base: 3-1/16" x 3-1/2" Projection: 1-15/16" Floor Strike: 2" x 4-3/32" Strike Height: 1-1/4" Max Door to Floor Clearance: 1/2" or less Fasteners: 4 ea. 12-24 x 1" TPHMS and #12 x 1" TPHWS; 3 ea. #14 x 1-1/2" FPHWS and anchors; 1/4 - 20 x 3/4" FPHMS with lead anchor	US3 US10 US10B US26 US26D	92.40 97.45 97.45 97.45 97.45	058510 058511 058512 058507 058508	5	30
<b>326W</b> Automatic Wall Stop and Holder Material: Cast brass Holder Base: 2-13/32" x 2-25/32" Holder Projection: 2-5/16" Engaged Projection: 3-5/8" Strike Base: 1" x 2-1/16" Strike Projection: 2" Fasteners: #10 x 1" OPHWS and anchors; 10 - 24 x 1-1/4" FPHMS	US3 US10 US10B US26 US26D	102.62 107.73 107.73 107.73 <b>107.73</b>	058513 058514 058515 058516 058509	5	30



1. U/M is price per hundred square inches.  
2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>327F</b>					
Automatic Floor Stop and Holder	US3	92.40	034684	5	30
Material: Cast brass	US10B	97.45	076374		
Holder Base: 3-1/16" x 3-1/2"	US26D	97.45	029249		
Projection: 1-15/16"					
Floor Strike: 2" x 4-3/32"					
Strike Height: 1-3/4"					
Max Door to Floor Clearance: 9/16" to 1-1/16"					
Fasteners: 4 ea. x 12-24 x 1" TPHMS and #12 x 1" TPHWS;					
3 ea. #14 x 1-1/2" FPHWS and anchors;					
1/4 - 20 x 3/4" FPHMS with lead anchor					



<b>327W</b>					
Automatic Wall Stop and Holder					
Material: Cast brass					
Holder Base: 3-1/16" x 3-1/2"					
Holder Projection: 1-15/16"	US4	155.01	098619	5	20
Engaged Projection: 3-1/2"	US10	155.01	098617		
Strike Diameter: 2-3/8"	US10B	155.01	098615		
Strike Projection: 3-1/16"	US26D	<b>146.14</b>	098612		
Fasteners: #12 x 1" TPHWS; 12-24 x 1" TPHMS;					
1/4" - 20 x 3/4" FPHMS with lead anchor;					
#14 x 1-1/2" FPHWS					
Strike is adjustable 45° left or right					



<b>328F</b>					
Automatic Floor Stop and Holder					
Material: Cast brass					
Holder Base: 3-1/16" x 3-1/2"					
Projection: 1-15/16"	US3	92.40	043083	5	30
Floor Strike: 2" x 4-3/32"	US10B	97.45	045516		
Strike Height: 2-1/4"	US26D	97.45	032493		
Max Door to Floor Clearance: 1-1/8" to 1-9/16"					
Fasteners: 4 ea. 12-24 x 1" TPHMS and #12 x 1" TPHWS;					
3 ea. #14 x 1-1/2" FPHWS and anchors;					
1/4 - 20 x 3/4" FPHMS with lead anchor					





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>329F</b>					
Automatic Floor Stop and Holder	US3	92.40	078700	5	30
Material: Cast brass	US10	97.45	040616		
Holder Base: 3-1/16" x 3-1/2"	US10B	97.45	044158		
Projection: 1-15/16"	US26	97.45	116003		
Strike Height: 2-3/4"	US26D	97.45	029252		
Floor Strike: 2" x 4-3/32"					
Max Door to Floor Clearance: 1-5/8" to 2-1/16"					
Fasteners: 4 ea. 12-24 x 1" TPHMS and #12 x 1" TPHWS;					
3 ea. #14 x 1-1/2" FPHWS and anchors;					
1/4 - 20 x 3/4" FPHMS with lead anchor					



<b>330D</b>					
Pocket Door Latch	US3		086840	1	20
Material: Brass	US5		086841		
Fits: 1-3/8" - 1-3/4" door	US10	See Sliding Door Hardware Section for Pricing	066707		
Size: 2-3/4" x 2-1/2"	US10B		056768		
Finger Pull Extends: 1-3/8"	US15		078972		
Fasteners: #6 x 5/8" OPHWS	US15A		054061		
	US19		054570		
	US26		086837		
	US26D		086838		



<b>330L</b>					
Privacy Pocket Door Latch	US3		143162	1	20
Material: Brass	US5		143164		
Size: 2-3/4" x 2-1/2"	US10	See Sliding Door Hardware Section for Pricing	143165		
Finger Pull Extends: 1-3/8"	US10B		143158		
Strike: 1" x 2-1/4"	US15		143159		
1-3/8" doors	US15A		143160		
Fasteners: #6 x 5/8" OPHWS; #6 x 3/4" FPHWS	US19		143166		
	US26		143167		
	US26D		143161		



<b>330M</b>					
Privacy Pocket Door Latch					
Material: Brass					
Size: 2-3/4" x 2-1/2"					
Finger Pull Extends: 1-3/8"	US3	See Sliding Door Hardware Section for Pricing	143172	1	20
Strike: 1" x 2-1/4"	US5		143178		
1-3/4" doors	US10		143168		
Fasteners: #6 x 5/8" OPHWS; #6 x 3/4" FPHWS	US10B		143169		
	US15		143173		
	US15A		143174		
	US19		143175		
	US26		143170		
	US26D		143171		

## Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>334V</b> Door Knocker w/ 115° Viewer Material: Solid cast brass Knocker Size: 3-9/16" x 6-3/4" Fasteners: Two (2) 8-32 x 2 FHMS for standard 1-3/4" doors Two (2) #8 finish washers Two (2) 8-32 x 1-5/8" FHMS for 1-3/8" doors	US3 US4 US10 US10B US26 US26D	49.49 48.32 52.57 52.57 49.49 48.32	185001 185005 185003 185004 185002 185000	1	50
<b>Lettering Available- up to four characters, Arial, 1/2" tall, black - \$6.00 total added to net price. Not available on US10B finish.</b>					
<b>336A</b> 161 Prep - Door Edge Filler Plate Gauge: .134" Size: 1-1/8" x 2-1/4"	Primed steel	<b>3.20</b>	023352	25	100
<b>336B</b> 86 Prep - Door Edge Filler Plate Gauge: .180 Size: 1-1/4" x 8"	Primed steel	<b>5.05</b>	023329	25	100
<b>336C</b> Door Face Filler Plate Gauge: .055" Size: 1-3/4" Diameter	Primed steel	4.25	023346	25	100
<b>336D</b> Door Face Filler Plate Gauge: .055 Size: 2-5/8" Diameter	Primed steel	4.80	023343	25	100
<b>336E</b> Square - Door Edge Filler Plate Gauge: .134 Size: 1-3/4" x 4-1/2"	Primed steel	4.06	023334	25	100
<b>336F</b> Bevel - Door Edge Filler Plate Gauge: .134 Size: 1-1/2" x 4-1/2"	Primed steel	3.88	023332	25	100
<b>336G</b> Square - Door Edge Filler Plate Gauge: .134 Size: 1-3/4" x 5"	Primed steel	4.25	023340	25	100
<b>336H</b> Bevel - Door Edge Shim Filler Plate Gauge: .134 Size: 1-1/2" x 5"	Primed steel	3.76	023336	25	100
<b>336J</b> Frame - Flush Bolt Strike Filler Plate Gauge: .083 Size: 15/16" x 2-1/4"	Primed steel	2.65	023342	25	100





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>336K</b> Door - Flush Bolt Filler Plate Gauge: .134 Size: 1" x 6-3/4"	Primed steel	4.49	023341	25	100
<b>336L</b> Frame - Hinge Filler Plate Gauge: .134 Size: 1-5/8" x 4-1/2"	Primed steel	<b>3.76</b>	023330	25	100
<b>336M</b> Frame - Hinge Filler Plate Gauge: .134 Size: 1-5/8" x 5"	Primed steel	4.25	023331	25	100
<b>336N</b> 86 to 161 Edge Prep Latch Adapter Filler Plate Gauge: .238 Size: 1-1/4" x 8"	Primed steel	8.99	023351	25	100
<b>336P</b> Frame - Deadlock Strike Filler Plate Gauge: .083 Size: 1-1/8" x 2-3/4"	Primed steel	2.95	082122	25	100
<b>336Q</b> Frame - ASA Strike Filler Plate Gauge: .093 Size: 1-1/4" x 4-7/8"	Primed steel	<b>3.39</b>	023356	25	100
<b>336R</b> Frame - Cylindrical Lock Strike Filler Plate Gauge: .083 Size: 1-1/8" x 2-3/4"	Primed steel	2.83	023354	25	100
<b>337A</b> Template Hinge Shim Gauge: .028 Size: 1-7/16" x 4-1/2"	Primed steel	<b>1.60</b>	023347	100	400
<b>337B</b> Template Hinge Shim Gauge: .065 Size: 1-7/16" x 4-1/2"	Primed steel	<b>2.03</b>	023348	100	400
<b>337C</b> Template Hinge Shim Gauge: .028 Size: 1-7/16" x 5"	Primed steel	2.03	023349	100	400
<b>337D</b> Template Hinge Shim Gauge: .065 Size: 1-7/16" x 5"	Primed steel	2.15	023350	100	400

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.





## Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>340D</b>					
Latch Protector Plate with Frame Pin	US2C	17.73	041188	1	10
Material: 12 GA steel, stainless steel	US32D	<b>35.09</b>	002179		
Size: 3" x 11"					
For 1-3/4" door thickness					
Fasteners: 5/16 - 20 x 1-1/2" carriage bolts with sex nuts					
For use w/ most mortise locks					
For use w/ cylindrical locksets with 3-3/4" backset or greater.					
<b>341C</b>					
Latch Protector Plate w/ Lock Cut Out Without Safety Studs	US32D	57.25	150739	1	10
Material: 12 GA steel, stainless steel					
Size: 3" x 11"					
For 1-3/4" door thickness					
Fasteners: 5/16 - 20 x 1-1/2" carriage bolts with sex nuts					
For use with cylindrical locksets with a 2-3/4" backset.					
<b>341D</b>					
Latch Protector Plate w/ Lock Cut Out with Frame Pin	US2C	17.73	041191	1	10
Material: 12 GA steel, stainless steel	US32D	<b>35.09</b>	002180		
Size: 3" x 11"					
For 1-3/4" door thickness					
Fasteners: 5/16 - 20 x 1-1/2" carriage bolts with sex nuts					
For use with cylindrical locksets with a 2-3/4" backset.					
<b>342D</b>					
Latch Protector Plate w/ Escutcheon Cut Out	US32D	44.26	150740	1	10
Material: 12 GA steel, stainless steel					
Size: 3" x 11"					
For 1-3/4" door thickness					
Fasteners: 5/16 - 20 x 1-1/2" carriage bolts with sex nuts					
For use with cylindrical and mortise locksets					
<b>345D</b>					
Latch Protector Plate	US2C	13.67	041194	1	10
Material: 12 GA steel, stainless steel	US32D	26.04	002181		
Size: 1-5/8" x 10"					
For 1-3/4" door thickness					
Fasteners: 5/16-20 x 1-1/2" carriage bolts with sex nuts					
For use with cylindrical and mortise locksets					






	Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>MEN</b>	<b>350M</b>					
	Lettered Plastic Sign - MEN	Brown (W1) w/ white lettering	20.13	089107	-	5
	Material: .125" thick plastic	Black (W2) w/ white lettering	20.13	092413		
	Lettering: 3/4" Helvetica	Blue (W3) w/ white lettering	20.13	090948		
	Size: 2" x 5"	Silver (B1) w/ black lettering	20.13	089108		
	Signs are individually packed in a polybag	Gold (B2) w/ black lettering	20.13	-		
<b>WOMEN</b>	<b>350W</b>					
	Lettered Plastic Sign - WOMEN	Brown (W1) w/ white lettering	22.59	089103	-	5
	Material: .125" thick plastic	Black (W2) w/ white lettering	22.59	092414		
	Lettering: 3/4" Helvetica	Blue (W3) w/ white lettering	22.59	091068		
	Size: 2" x 5"	Silver (B1) w/ black lettering	22.59	089104		
	Fasteners: Double sided pressure sensitive tape, or screws (specify)	Gold (B2) w/ black lettering	22.59	-		
<b>PUSH</b>	<b>350H</b>					
	Lettered Plastic Sign - PUSH	Brown (W1) w/ white lettering	22.59	089109	-	5
	Material: .125" thick plastic	Black (W2) w/ white lettering	22.59	097215		
	Lettering: 3/4" Helvetica	Blue (W3) w/ white lettering	22.59	032116		
	Size: 2" x 4"	Silver (B1) w/ black lettering	22.59	089110		
<b>PULL</b>	<b>350L</b>					
	Lettered Plastic Sign - PULL	Brown (W1) w/ white lettering	22.59	089111	-	5
	Material: .125" thick plastic	Black (W2) w/ white lettering	22.59	097216		
	Lettering: 3/4" Helvetica	Blue (W3) w/ white lettering	22.59	032117		
	Size: 2" x 4"	Silver (B1) w/ black lettering	22.59	089106		
	Fasteners: Double sided pressure sensitive tape, or screws (specify)	Gold (B2) w/ black lettering	22.59	024447		
	Signs are individually packed in a polybag					



1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.

## Trim & Auxiliary

	Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
	<b>350R</b>					
	Lettered Plastic Sign - Number	Brown (W1) w/ white lettering	20.13	000848	-	5
	Material: .125" thick plastic	Black (W2) w/ white lettering	20.13	010640		
	Lettering: 3/4" Helvetica	Blue (W3) w/ white lettering	20.13	119668		
	Size: 2" x 4"	Silver (B1) w/ black lettering	20.13	067081		
	Fasteners: Double sided pressure sensitive tape, or screws (specify)					
	Signs are individually packed in a polybag					
	Up to 3 characters (4 additional characters \$6.30)					
	<b>351H</b>					
	Lettered Plastic Sign - PUSH	Brown (W1) w/ white lettering	20.13	011628	-	5
	Material: .125" thick plastic	Black (W2) w/ white lettering	20.13	016508		
	Lettering: 3/4" Helvetica	Blue (W3) w/ white lettering	20.13	017432		
	Size: 1" x 4-1/2"	Silver (B1) w/ black lettering	20.13	097655		
	Fasteners: Double sided pressure sensitive tape, or screws (specify)	Gold (B2) w/ black lettering	20.13	009462		
	Signs are individually packed in a polybag					
	<b>351L</b>					
	Lettered Plastic Sign - PULL	Brown (W1) w/ white lettering	20.13	011623	-	5
	Material: .125" thick plastic	Black (W2) w/ white lettering	20.13	016509		
	Lettering: 3/4" Helvetica	Blue (W3) w/ white lettering	20.13	017433		
	Size: 1" x 4-1/2"	Silver (B1) w/ black lettering	20.13	097656		
	Fasteners: Double sided pressure sensitive tape, or screws (specify)	Gold (B2) w/ black lettering	20.13	-		
	Signs are individually packed in a polybag					



	Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
 <b>MEN</b>	<b>352M</b>					
	Lettered Plastic Sign - MEN	Brown (W1) w/ white lettering	26.22	092362	-	5
	Material: .125" thick plastic	Black (W2) w/ white lettering	26.22	089552		
	Lettering: 3/4" Helvetica	Blue (W3) w/ white lettering	26.22	089105		
	Size: 2-1/2" x 6"	Silver (B1) w/ black lettering	26.22	092753		
	Fasteners: Double sided pressure sensitive tape, or screws (specify)	Gold (B2) w/ black lettering	26.22	098437		
 <b>WOMEN</b>	<b>352W</b>					
	Lettered Plastic Sign - WOMEN	Brown (W1) w/ white lettering	27.52	092363	-	5
	Material: .125" thick plastic	Black (W2) w/ white lettering	27.52	089553		
	Lettering: 3/4" Helvetica	Blue (W3) w/ white lettering	27.52	089100		
	Size: 2-1/2" x 7"	Silver (B1) w/ black lettering	27.52	092754		
	Fasteners: Double sided pressure sensitive tape, or screws (specify)	Gold (B2) w/ black lettering	27.52	-		
<b>Restroom</b>	<b>354A</b>					
	Lettered Plastic Sign - Restroom	Brown (W1) w/ white lettering	33.80	-	-	5
	Material: .125" thick plastic	Black (W2) w/ white lettering	33.80	024414		
	Lettering: 3/4" Helvetica	Blue (W3) w/ white lettering	33.80	035530		
<b>Restrooms</b>	<b>354B</b>					
	Lettered Plastic Sign - Restrooms	Brown (W1) w/ white lettering	33.80	-	-	5
	Material: .125" thick plastic	Black (W2) w/ white lettering	33.80	049899		
	Lettering: 3/4" Helvetica	Blue (W3) w/ white lettering	33.80	025589		

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.

## Trim & Auxiliary



### Description

#### 364N

Lasered International Symbol  
No Smoking  
Material: .125" thick plastic  
Size: 6" x 6"  
Fasteners: Pressure sensitive tape standard,  
or screws (specify)  
Signs are individually packed in a polybag

### Color

Red (W4) w/  
raised white  
symbol

### 2022 List

40.51

### Stock No.

089099

### Box Qty.

-

### Case Qty.

5



#### 364S

International Handicap Symbol  
Material: .0625" thick plastic  
Raised HANDICAP symbol  
Size: 3" x 3"  
Fasteners: Pressure sensitive tape standard,  
or screws (specify)  
Signs are individually packed in a polybag

Blue (W3) w/  
raised white  
symbol

24.19

099952

-

5



#### 364M

International Handicap Symbol  
Material: .0625" thick plastic  
Raised HANDICAP symbol  
Size: 4" x 4"  
Fasteners: Double sided pressure sensitive tape standard,  
or screws (specify)  
Signs are individually packed in a polybag

Blue (W3) w/  
raised white  
symbol

30.23

092522

-

5



#### 364L

International Handicap Symbol  
Material: .125" thick plastic  
1/32" raised HANDICAP symbol  
Size: 6" x 6"  
Fasteners: Double sided pressure sensitive tape standard,  
or screws (specify)  
Signs are individually packed in a polybag

Brown (W1) w/  
raised white  
symbol

41.68

017405

-

5

Black (W2) w/  
raised white  
symbol

41.68

098102

Blue (W3) w/  
raised white  
symbol

41.68

089101



**Description****Color****2022 List****Stock No.****Box Qty.****Case Qty.****365M**

ADA Tactile Signage - MEN  
 Material: .125" thick plastic  
 Grade 2 Braille Translation  
 Size: 6" x 8"  
 Fasteners: Double sided pressure sensitive tape  
 Signs are individually packed in a polybag

Brown (W1) w/  
 raised white  
 symbol  
 Black (W2) w/  
 raised white  
 symbol  
 Blue (W3) w/  
 raised white  
 symbol

68.02  
 68.02  
 68.02

089102  
 089097  
 089098

-

5

**365W**

ADA Tactile Signage - WOMEN  
 Material: .125" thick plastic  
 Grade 2 Braille Translation  
 Size: 6" x 8"  
 Fasteners: Double sided pressure sensitive tape  
 Signs are individually packed in a polybag

Brown (W1) w/  
 raised white  
 symbol  
 Black (W2) w/  
 raised white  
 symbol  
 Blue (W3) w/  
 raised white  
 symbol

71.53  
 71.53  
 71.53

089116  
 089117  
 089118

-

5

**366R**

ADA Tactile Signage  
 Room Number  
 Material: .125" thick plastic  
 Grade 2 Braille Translation  
 Size: 2-1/2" x 5"  
 Fasteners: Double sided pressure sensitive tape  
 Up to 3 characters included  
 Add \$6.30 for a fourth character  
 Signs are individually packed in a polybag

Brown (W1) w/  
 raised white  
 symbol  
 Black (W2) w/  
 raised white  
 symbol  
 Blue (W3) w/  
 raised white  
 symbol

34.10  
 34.10  
 34.10

113411  
 008919  
 008910

-

5

**366S**

ADA Tactile Signage - STAIRS  
 Material: .125" thick plastic  
 Grade 2 Braille Translation  
 Size: 6" x 8"  
 Fasteners: Double sided pressure sensitive tape  
 Signs are individually packed in a polybag

Brown (W1) w/  
 raised white  
 symbol  
 Black (W2) w/  
 raised white  
 symbol  
 Blue (W3) w/  
 raised white  
 symbol

60.64  
 60.64  
 60.64

089112  
 089113  
 089115

-

5

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary



### Description

#### 368E

ADA Tactile Signage - EXIT  
Material: .125" thick plastic  
Grade 2 Braille Translation  
Size: 6" x 8"  
Fasteners: Double sided pressure sensitive tape  
Signs are individually packed in a polybag

### Color

### 2022 List

### Stock No.

### Box Qty.

### Case Qty.

Brown (W1) w/  
raised white  
symbol  
Black (W2) w/  
raised white  
symbol  
Blue (W3) w/  
raised white  
symbol

60.64  
60.64  
60.64

089119  
090296  
089088

-

5



#### 368M

ADA Tactile Signage - MEN  
Material: .125" thick plastic  
Grade 2 Braille Translation  
Size: 6" x 8"  
Fasteners: Double sided pressure sensitive tape  
Signs are individually packed in a polybag

Brown (W1) w/  
raised white  
symbol  
Black (W2) w/  
raised white  
symbol  
Blue (W3) w/  
raised white  
symbol

71.84  
71.84  
71.84

089089  
089456  
089090

-

5



#### 368W

ADA Tactile Signage - WOMEN  
Material: .125" thick plastic  
Grade 2 Braille Translation  
Size: 6" x 8"  
Fasteners: Double sided pressure sensitive tape  
Signs are individually packed in a polybag

Brown (W1) w/  
raised white  
symbol  
Black (W2) w/  
raised white  
symbol  
Blue (W3) w/  
raised white  
symbol

75.41  
75.41  
75.41

089092  
090033  
089093

-

5



**Description****368U**

ADA Tactile Signage - UNISEX  
 Material: .125" thick plastic  
 Grade 2 Braille Translation  
 Size: 8" x 8"  
 Fasteners: Double sided pressure sensitive tape  
 Signs are individually packed in a polybag

**Color****2022 List****Stock No.****Box Qty.****Case Qty.**

Brown (W1) w/  
 raised white  
 symbol  
 Black (W2) w/  
 raised white  
 symbol  
 Blue (W3) w/  
 raised white  
 symbol

83.11  
 83.11  
 83.11

089719  
 090224  
 089091

-

5

**369L**

ADA Tactile Signage - ACCESS LEFT  
 Material: .125" thick plastic  
 Grade 2 Braille translation  
 Size: 6" x 8"  
 Fasteners: Double sided pressure sensitive tape  
 Signs are individually packed in a polybag

Brown (W1) w/  
 raised white  
 symbol  
 Black (W2) w/  
 raised white  
 symbol  
 Blue (W3) w/  
 raised white  
 symbol

68.02  
 68.02  
 68.02

089094  
 094727  
 089095

-

5

**369R**

ADA Tactile Signage - ACCESS RIGHT  
 Material: .125" thick plastic  
 Grade 2 Braille translation  
 Size: 6" x 8"  
 Fasteners: Double sided pressure sensitive tape  
 Signs are individually packed in a polybag

Brown (W1) w/  
 raised white  
 symbol  
 Black (W2) w/  
 raised white  
 symbol  
 Blue (W3) w/  
 raised white  
 symbol

68.02  
 68.02  
 68.02

089096  
 094726  
 089120

-

5

**370M**

ADA Tactile Signage - RESTROOM MEN  
 Material: 9/16" thick plastic  
 Grade 2 Braille Translation  
 Size: 10-1/2" side  
 Fasteners: Double sided pressure sensitive tape  
 Signs are individually packed in a polybag

Blue (W3) w/  
 raised white  
 symbol and  
 lettering

41.68

089558

-

5

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.





## Trim & Auxiliary



### Description

#### 370U

ADA Tactile Signage - RESTROOM UNISEX  
Material: 9/16" thick plastic  
Grade 2 Braille Translation  
Size: 12" diameter  
Fasteners: Double sided pressure sensitive tape  
Signs are individually packed in a polybag

### Color

Blue (W3) w/  
raised white  
symbol and  
lettering

### 2022 List

41.68

### Stock No.

091565

### Box Qty.

-

### Case Qty.

5



#### 370W

ADA Tactile Signage - RESTROOM WOMEN  
Material: 9/16" thick plastic  
Grade 2 Braille Translation  
Size: 12" diameter  
Fasteners: Double sided pressure sensitive tape  
Signs are individually packed in a polybag

Blue (W3) w/  
raised white  
symbol and  
lettering

41.68

089557

-

5





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>901P</b>					
Coat Hook - Short single	US3	23.21	004095	1	-
Material: Brass	US26D	23.21	006028		
Diameter: 1"					
Projection: 1-1/4"					
Fasteners: #14 x 1-1/4" wood thread					
<b>902P</b>					
Coat Hook - Long Single	US3	32.57	004098	1	12
Material: Brass	US26D	32.57	011657		
Diameter: 1"					
Projection: 2-1/2"					
Fasteners: #14 x 1-1/4" wood thread					
<b>903P</b>					
Coat Hook - Long Double	US3	44.75	022247	1	12
Material: Brass	US26D	44.75	006364		
Diameter: 1"					
Projection: 2-1/2"					
Fasteners: #14 x 1-1/4" wood thread					

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>910P</b>					
Offset Mounting Vertical Pull					
Pull Diameter: 1-1/4"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
Clearance: 1-1/2"					
Projection: 2-3/4"					
Length: 36"	US3	418.36	033176	1	12
CTC: 20"	US4	418.36	117797		
	US10	432.52	045611		
	US10B	432.52	075958		
	US15A	432.52	-		
	US26	432.52	013794		
	US26D	432.52	034212		
	US28	395.40	097652		
	US32D	316.42	034762		
Length: 72"	US3	503.19	199095	1	12
CTC: 56"	US4	503.19	-		
	US10	533.85	126115		
	US10B	533.85	001763		
	US15A	533.85	-		
	US26	533.85	013765		
	US26D	533.85	001766		
	US28	439.48	-		
	US32D	445.45	001767		





## Description

### 910B

Offset Mounting Vertical Pull  
BTB Mounting  
Pull Diameter: 1-1/4"  
Clearance: 1-1/2"  
Projection: 2-3/4"  
Offset: 1-5/8"  
Length: 36"  
CTC: 20"

Finish	2022 List	Stock No.	Box Qty.	Case Qty.
US3	861.78	141396	1	12
US4	861.78	133716		
US10	890.03	048451		
US10B	890.03	043270		
US15A	890.03	-		
US26	890.03	-		
US26D	890.03	048202		
US28	815.92	167363		
US32D	657.83	022333		
US3	1,031.44	-	1	12
US4	1,031.44	193465		
US10	1,092.63	099392		
US10B	1,092.63	045049		
US15A	1,092.63	-		
US26	1,092.63	145909		
US26D	1,092.63	095610		
US28	904.07	043452		
US32D	915.89	034310		

Length: 72"  
CTC: 56"



### 915P

Straight Mounting Vertical Pull  
Pull Diameter: 1-1/4"  
Fasteners: 3/8 - 16 FPHMS with finish washers  
Length: 36"  
CTC: 20"  
Clearance: 1-1/2"  
Projection: 2-3/4"

US3	395.40	188905	1	12
US4	395.40	030973		
US10	417.13	176190		
US10B	417.13	024013		
US15A	417.13	142862		
US26	417.13	114370		
US26D	417.13	095117		
US28	302.88	046879		
US32D	345.35	022924		
US3	460.78	-	1	12
US4	460.78	093132		
US10	489.71	-		
US10B	489.71	047686		
US15A	489.71	198625		
US26	489.71	107976		
US26D	489.71	076713		
US28	395.40	147145		
US32D	417.13	033534		

Length: 72"  
CTC: 56"  
Clearance: 1-1/2"  
Projection: 2-3/4"

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>915B</b>					
915B					
Straight Mounting Vertical Pull					
BTB Mounting					
Pull Diameter: 1-1/4"					
Length: 36"	US3	815.92	083233	1	12
CTC: 20"	US4	815.92	045884		
Clearance: 1-1/2"	US10	859.38	127056		
Projection: 2-3/4"	US10B	859.38	045158		
	US15A	859.38	160970		
	US26	859.38	042157		
	US26D	859.38	099445		
	US28	630.93	086258		
	US32D	715.82	036192		
Length: 72"	US3	946.61	079229	1	12
CTC: 56"	US4	946.61	030970		
Clearance: 1-1/2"	US10	1,004.35	169505		
Projection: 2-3/4"	US10B	1,004.35	039857		
	US15A	1,004.35	-		
	US26	1,004.35	107975		
	US26D	1,004.35	075209		
	US28	815.92	091752		
	US32D	859.38	038310		
<b>920P</b>					
C-Shaped Pull	US3	503.19	175665	1	12
Projection: 2-1/4"	US4	503.19	023694		
Base Diameter: 1"	US10	575.03	068045		
Clearance: 1-3/4"	US10B	575.03	067513		
CTC: 8-1/2"	US15A	575.03	007029		
Fasteners: 3/8 - 16 FPHMS with finish washers	US26	575.03	150521		
	US26D	575.03	127861		
	US28	322.88	192274		
	US32D	489.71	006521		
<b>920B</b>					
C-Shaped Pull	US3	1,031.44	073762	1	12
BTB Mounting	US4	1,031.44	023825		
Projection: 2-1/4"	US10	1,175.12	180413		
Base Diameter: 1"	US10B	1,175.12	190801		
Clearance: 1-3/4"	US15A	1,175.12	-		
CTC: 8-1/2"	US26	1,175.12	160784		
	US26D	1,175.12	060870		
	US28	670.88	-092159		
	US32D	1,004.35	028143		





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>921P</b>					
C-Shaped Pull	US3	1,006.20	-	1	12
Projection: 2-1/8"	US4	1,006.20	-		
Clearance: 1-1/2"	US10B	1,006.20	025579		
Offset: 8-1/2"	US15A	1,006.20	-		
CTC: 17-1/2"	US26	1,006.20	-		
Fasteners: 3/8 - 16 FPHMS with finish washers	US26D	1,006.20	059648		
	US32D	948.45	039887		
<b>921B</b>					
C-Shaped Pull	US3	2,037.45	-	1	12
BTB Mounting	US4	2,037.45	-		
Projection: 2-1/8"	US10B	2,037.45	179234		
Clearance: 1-1/2"	US15A	2,037.45	-		
Offset: 8-1/2"	US26	2,037.45	-		
CTC: 17-1/2"	US26D	2,037.45	092126		
	US32D	1,921.90	021628		
<b>922P</b>					
C-Shaped Pull Continuous					
Pull Diameter: 1"					
Projection: 2-1/2"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
Clearance: 1-1/2"					
CTC: 10"	US3	314.08	052183	1	12
	US4	314.08	050741		
	US10	381.86	-		
	US10B	381.86	076741		
	US15A	381.86	-		
	US26	381.86	-		
	US26D	381.86	033046		
	US28	202.22	-		
	US32D	302.88	040459		
CTC: 12"	US3	360.68	-	1	12
	US4	360.68	-		
	US10	403.03	029399		
	US10B	403.03	029237		
	US15A	403.03	-		
	US26	403.03	031122		
	US26D	403.03	033048		
	US28	230.42	097273		
	US32D	331.25	017908		

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary



### Description

#### 922B

C-Shaped Pull Continuous  
BTB Mounting  
Pull Diameter: 1"  
Projection: 2-1/2"  
Clearance: 1-1/2"  
CTC: 10"

Finish	2022 List	Stock No.	Box Qty.	Case Qty.
US3	653.21	043544	1	12
US4	653.21	054798		
US10	788.65	-		
US10B	788.65	076740		
US15A	788.65	-		
US26	788.65	038676		
US26D	788.65	028387		
US28	429.44	047322		
US32D	630.93	031463		
CTC: 12"				
US3	746.35	025373	1	12
US4	746.35	049391		
US10	831.12	-		
US10B	831.12	031604		
US15A	831.12	-		
US26	831.12	-		
US26D	831.12	054764		
US28	486.02	-		
US32D	687.50	032177		



#### 923P

C-Shaped Pull Flanged  
Pull Diameter: 1"  
Projection: 2-3/4"  
Clearance: 1-3/4"  
Base Diameter: 3/4"  
Fasteners: 3/8 - 16 FPHMS with finish washers  
CTC: 10"

US3	359.45	-	1	12
US4	359.45	-		
US10	380.63	-		
US10B	380.63	042387		
US15A	380.63	-		
US26	380.63	-		
US26D	380.63	-		
US28	201.55	042579		
US32D	301.77	107215		
CTC: 12"				
US3	387.70	028028	1	12
US4	387.70	041357		
US10	403.03	-		
US10B	403.03	086167		
US15A	403.03	-		
US26	403.03	007281		
US26D	403.03	059492		
US28	232.20	-		
US32D	331.25	043111		



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>923B</b>					
C-Shaped Pull Flanged					
BTB Mounting					
Pull Diameter: 1"					
Projection: 2-3/4"					
Clearance: 1-3/4"					
Base Diameter: 3/4"					
CTC: 10"	US3	743.95	-	1	12
	US4	743.95	-		
	US10	786.24	-		
	US10B	786.24	-		
	US15A	786.24	-		
	US26	786.24	-		
	US26D	786.24	027475		
	US28	428.21	087162		
	US32D	628.53	097112		
CTC: 12"	US3	800.53	033306	1	12
	US4	800.53	-		
	US10	831.12	-		
	US10B	831.12	-		
	US15A	831.12	-		
	US26	831.12	-		
	US26D	831.12	100390		
	US28	489.46	-		
	US32D	687.50	032950		
<b>924P</b>					
C-Shaped Pull	US3	445.45	-	1	12
O/A Height: 15"	US4	445.45	-		
Projection: 2-1/2"	US10B	489.71	039224		
Clearance: 1-1/2"	US15A	489.71	-		
Offset: 6-1/2"	US26	489.71	170355		
Fasteners: 3/8 -16 FPHMS with finish washers	US26D	489.71	033435		
	US32D	648.04	091516		
<b>924B</b>					
C-Shaped Pull	US3	915.89	-	1	12
BTB Mounting	US4	915.89	094302		
O/A Height: 15"	US10B	1,004.35	027198		
Projection: 2-1/2"	US15A	1,004.35	113505		
Clearance: 1-1/2"	US26	1,004.35	-		
Offset: 6-1/2"	US26D	1,004.35	034830		
	US32D	1,321.08	073072		



1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.





## Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>925P</b>					
C-Shaped Pull					
Pull Diameter: 1-1/4"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
6-1/2"	US3	395.40	-	1	12
	US4	395.40	-		
	US10	417.13	-		
	US10B	417.13	-		
	US15A	417.13	-		
	US26	417.13	-		
	US26D	417.13	-		
	US28	286.32	-		
	US32D	322.88	-		
8-1/2"	US3	403.03	-	1	12
	US4	403.03	-		
	US10	431.29	-		
	US10B	431.29	-		
	US15A	431.29	-		
	US26	431.29	116438		
	US26D	431.29	-		
	US28	301.77	-		
	US32D	345.35	093311		
12-1/2"	US3	474.87	-	1	12
	US4	474.87	-		
	US10	503.19	-		
	US10B	503.19	095383		
	US15A	503.19	-		
	US26	503.19	-		
	US26D	503.19	-		
	US28	345.35	-		
	US32D	460.78	019494		



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>925B</b>					
C-Shaped Pull					
BTB Mounting					
Pull Diameter: 1-1/4"					
6-1/2"	US3	815.92	-	1	12
	US4	815.92	-		
	US10	859.38	-		
	US10B	859.38	-		
	US15A	859.38	-		
	US26	859.38	-		
	US26D	859.38	-		
	US28	608.53	-		
	US32D	670.88	032601		
8-1/2"	US3	831.12	-	1	12
	US4	831.12	-		
	US10	887.63	-		
	US10B	887.63	-		
	US15A	887.63	-		
	US26	887.63	-		
	US26D	887.63	-		
	US28	628.53	-		
	US32D	715.82	-		
12-1/2"	US3	974.86	084531	1	12
	US4	974.86	-		
	US10	1,031.44	-		
	US10B	1,031.44	-		
	US15A	1,031.44	-		
	US26	1,031.44	-		
	US26D	1,031.44	-		
	US28	715.82	-		
	US32D	946.61	-		



<b>926P</b>					
Curved Shaped Pull					
Base Diameter: 1-1/4"	US3	460.78	-	1	12
Projection: 3"	US4	460.78	-		
Clearance: 1-13/16"	US10B	517.35	000085		
Offset: 5-9/32"					
CTC: 12"					
Pull Diameter: 1-3/16"					
Fasteners: 3/8 - 16 FPHMS with finish washers					



<b>926B</b>					
Curved Shaped Pull					
BTB Mounting	US3	946.61	-	1	12
Base Diameter: 1-1/4"	US4	946.61	-		
Projection: 3"	US10B	1,059.69	-		
Clearance: 1-13/16"					
Offset: 5-9/32"					
CTC: 12"					
Pull Diameter: 1-3/16"					

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary



### 930P

90° Pull  
Fasteners: 3/8 - 16 FPHMS with finish washers  
Projection: 3"  
Clearance: 1-3/4"  
10" x 10", 14-5/32 CTC

Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
	US3	302.88	-	1	12
	US4	302.88	-		
	US10B	345.35	-		
	US15A	345.35	-		
	US26	345.35	-		
	US26D	345.35	-		
	US28	186.22	-		
	US32D	287.55	041518		
12" x 12" 16-31/32" CTC	US3	324.05	-	1	12
	US4	324.05	-		
	US10B	374.22	-		
	US15A	374.22	-		
	US26	316.42	-		
	US26D	316.42	-		
	US28	202.22	-		
	US32D	302.88	-		



### 930B

90° Pull  
BTB Mounting  
Projection: 3"; Clearance: 1-3/4"  
10" x 10", 14-5/32 CTC

	US3	630.93	078218	1	12
	US4	630.93	-		
	US10B	715.82	-		
	US15A	715.82	-		
	US26	715.82	-		
	US26D	715.82	-		
	US28	397.55	-		
	US32D	600.15	102505		
12" x 12" 16-31/32" CTC	US3	673.28	-	1	12
	US4	673.28	-		
	US10B	773.44	-		
	US15A	773.44	-		
	US26	657.83	-		
	US26D	657.83	-		
	US28	429.44	-		
	US32D	630.93	048305		



### 932P

S-Shaped Pull  
Projection: 3"  
Clearance: 2"  
Pull Diameter: 1"  
Fasteners: 3/8 - 16 FPHMS with finish washers

	US3	603.84	-	1	12
	US4	603.84	-		
	US10B	661.65	-		
	US15A	661.65	-		
	US26	661.65	-		
	US26D	661.65	-		
	US28	489.71	-		
	US32D	590.36	048039		





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>932B</b>					
S-Shaped Pull	US26D	2,045.52	-	1	12
BTB Mounting	US32D	1,608.01	-		
Projection: 3"					
Clearance: 2"					
Pull Diameter: 1"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
Note: must specify handing					
<b>933P</b>					
Colonial Style Door Pull	US3	115.61	021632	1	12
Projection: 2-3/16"	US4	101.51	025560		
Pull Diameter: 1"	US10B	136.79	041459		
Base Diameter: 15/16"	US26	136.79	140775		
Fasteners: 3/8 - 16 FPHMS with finish washers					
Clearance: 1-3/16"					
CTC: 6"					
<b>933B</b>					
Colonial Style Door Pull	US3	256.27	-	1	12
BTB Mounting	US4	228.14	-		
Projection: 2-3/16"	US10B	298.63	020879		
Pull Diameter: 1"	US26	298.63	-		
Base Diameter: 15/16"					
Clearance: 1-3/16"					
CTC: 6"					
<b>934P</b>					
Offset Pull					
Projection: 3-1/8"					
Pull Diameter: 1-1/4"					
Base Diameter: 1"					
Clearance: 1-7/8"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
CTC: 12"	US3	417.13	015408	1	12
	US4	417.13	055245		
	US10B	417.13	018229		
	US15A	417.13	022244		
	US26	417.13	024963		
	US26D	417.13	009614		
	US28	412.39	-		
	US32D	503.19	087258		
CTC: 16"	US3	431.84	-	1	12
	US4	431.84	-		
	US10B	431.84	018887		
	US15A	431.84	-		
	US26	431.84	-		
	US26D	431.84	081586		
	US28	424.27	-		
	US32D	520.74	055788		
CTC: 18"	US3	473.09	-	1	12
	US4	473.09	-		
	US10B	473.09	018219		
	US15A	473.09	-		
	US26	473.09	-		
	US26D	473.09	-		
	US28	465.39	-		
	US32D	570.29	089638		

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary



### Description

#### 934B

Offset Pull  
BTB Mounting  
Base Diameter: 1"  
Projection: 3-1/8"  
Clearance: 1-7/8"  
Pull Diameter: 1-1/4"  
CTC: 12"

Finish	2022 List	Stock No.	Box Qty.	Case Qty.
US3	859.38	-	1	12
US4	859.38	038443		
US10B	859.38	042701		
US15A	859.38	-		
US26	859.38	194305		
US26D	859.38	-		
US28	849.90	-		
US32D	1,031.44	120341		
CTC: 16"				
US3	888.86	-	1	12
US4	888.86	-		
US10B	888.86	-		
US15A	888.86	-		
US26	888.86	-		
US26D	888.86	-		
US28	873.54	-		
US32D	1,066.65	-		
CTC: 18"				
US3	971.29	-	1	12
US4	971.29	-		
US10B	971.29	-		
US15A	971.29	-		
US26	971.29	-		
US26D	971.29	-		
US28	955.84	-		
US32D	1,165.52	-		



#### 936P

Coat Hook Single/Angled  
Material: Brass  
Base Diameter: 1-15/16"  
Hook Diameter: 11/16"  
Projection: 3-5/16"

US3	61.38	021976	1	12
US26D	61.38	009820		



#### 937P

Coat Hook  
Material: Brass  
Projection: 3-3/4" top hook; 2-1/2" bottom hook

US3	62.91	028259	1	12
US26D	62.91	009821		





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>940P</b>					
Double Coat Hook	US3	22.96	028110	1	12
Material: Brass	US26D	22.96	022327		
Top Projection: 3-15/16"					
Bottom Projection: 2-1/8"					
Thickness: 1/4"					
Fasteners: #10 x 1" FPHWS					
<b>941P</b>					
Single Coat Hook	US3	21.36	043274	1	12
Material: Brass	US26D	21.36	017192		
Projection: 2-1/8"					
Thickness: 1/4"					
Fasteners: #10 x 1" FPHWS					
<b>945P</b>					
Double Coat Hook - Surface mounting	US3	58.30	041591	1	12
Material: Brass	US26D	58.30	-		
O/A Height: 5-1/2"					
Projection: 3-5/16"					
Fasteners: #10 x 1" FPHWS w/ anchors					
<b>946P</b>					
Double Coat Hook w/ Concealed Mounting	US3	111.12	035563	1	12
Material: Brass	US26D	111.12	016502		
O/A Height: 5-1/2"					
Projection: 3-11/16"					
Fasteners: #10 x 1" FPHWS w/ anchors					
<b>951P</b>					
Double Coat Hook/Straight	US3	111.12	009815	1	12
Material: Brass	US26D	111.12	007030		
O/A Height: 5-3/4"					
Projection: 2-3/4"					

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>952P</b>					
Single Coat Hook/Straight	US3	89.14	009818	1	12
Material: Brass	US26D	89.14	009816		
O/A Height: 2-13/16"					
Projection: 2-7/32"					
<b>956P</b>					
Double Coat Hook/Angled	US3	108.16	022248	1	12
Material: Brass	US4	108.16	190569		
O/A Height: 5-11/16"	US26D	108.16	009823		
Projection: 3-23/32"					
<b>957P</b>					
Coat Hook	US3	27.33	038315	1	12
Materials: Brass	US26D	27.33	010738		
Projection: 1-3/4"					
Base Diameter: 3/4"					
Fasteners: #10 x 1" wood thread					
<b>960P</b>					
Square Tip Pull	US3	546.10	009259	1	12
O/A Height: 16"	US4	546.10	038157		
Base Diameter: 1-1/4"	US10B	546.10	011621		
Pull Diameter: 1"	US15A	546.10	013611		
Projection: 3-1/4"	US26	546.10	020471		
Clearance: 1-3/4"	US26D	546.10	015493		
Fasteners: 3/8 - 16 FPHMS with finish washers					
CTC: 12"					
<b>960B</b>					
Square Tip Pull	US3	1,117.38	-	1	12
BTB Mounting	US4	1,117.38	044725		
O/A Height: 16"	US10B	1,117.38	075667		
Base Diameter: 1-1/4"	US15A	1,117.38	-		
Pull Diameter: 1"	US26	1,117.38	-		
Projection: 3-1/4"	US26D	1,117.38	069324		
Clearance: 1-3/4"					
CTC: 12"					





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>961P</b>					
Steeple Tip Pull	US3	517.35	-	1	12
O/A Height: 16-5/16"	US4	517.35	-		
Base Diameter: 2"	US10B	517.35	015679		
Pull Diameter: 1"	US15A	517.35	009262		
Projection: 3"	US26	517.35	-		
Clearance: 1-3/4"	US26D	517.35	015011		
Fasteners: 3/8 - 16 FPHMS with finish washers					
CTC: 12"					
<b>961B</b>					
Steeple Tip Pull	US3	1,059.69	026830	1	12
BTB Mounting	US4	1,059.69	074979		
O/A Height: 16-5/16"	US10B	1,059.69	078830		
Base Diameter: 2"	US15A	1,059.69	-		
Pull Diameter: 1"	US26	1,059.69	-		
Projection: 3"	US26D	1,059.69	092283		
Clearance: 1-3/4"					
CTC: 12"					
<b>962P</b>					
Acorn Tip Pull	US3	517.35	011390	1	12
O/A Height: 16-5/16"	US4	517.35	-		
Base Diameter: 2"	US10B	517.35	030177		
Pull Diameter: 1"	US15A	517.35	018220		
Projection: 3"	US26	517.35	-		
Clearance: 1-7/8"	US26D	517.35	023995		
Fasteners: 3/8 - 16 FPHMS with finish washers					
CTC: 12"					

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.





## Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>963P</b>					
Acorn Tip Pull - Offset					
Pull Diameter: 1"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
CTC: 12"	US3	560.87	090673	1	12
	US4	539.70	185396		
	US10B	560.87	093281		
	US15A	560.87	064105		
	US26	560.87	-		
	US26D	560.87	182665		
CTC: 16"	US3	690.58	-	1	12
	US4	654.01	-		
	US10B	690.58	125026		
	US15A	690.58	-		
	US26	690.58	-		
	US26D	690.58	-		
CTC: 18"	US3	696.37	-	1	12
	US4	559.70	080532		
	US10B	701.78	099640		
	US15A	701.78	-		
	US26	701.78	-		
	US26D	701.78	058839		
CTC: 24"	US3	729.30	-	1	12
	US4	692.06	-		
	US10B	729.30	049909		
	US15A	729.30	-		
	US26	729.30	-		
	US26D	729.30	-		
CTC: 30"	US3	758.23	-	1	12
	US4	724.07	-		
	US10B	758.23	049907		
	US15A	758.23	-		
	US26	758.23	-		
	US26D	758.23	-		
<b>967P</b>					
Curved Pull	US3	1,365.46	024430	1	12
O/A Height: 20-1/2"	US4	1,365.46	009305		
Clearance: 3-9/16"	US10B	1,580.00	016556		
Projection: 5-9/16"	US15A	1,580.00	-		
Specify handing	US26	1,580.00	-		
Fasteners: 3/8 - 16 FPHMS with finish washers	US26D	1,580.00	008614		





Description	Finish	2022 List	Case Qty.	Over 36"*
<b>970P</b>				
970P	US3	625.51	12	8.00
Push/Pull Set	US4	625.51		8.00
Base Diameter: 1"	US10	625.51		8.00
Pull Projection: 3"	US10B	625.51		8.00
Pull Clearance: 2"	US15A	625.51		8.00
CTC Length: 16-3/4"	US26	625.51		8.00
Push clearance: 1-3/4"	US26D	625.51		8.00
Push projection: 2-3/4"	US32D	603.66		13.40
Fasteners: Type 3 Mounting				
Handing Required				
Additional Bars by Quotation				
*Add per linear inch or fraction thereof				



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>974P</b>					
Door Pull					
Pull Diameter: 1" (25 mm)					
Base Diameter: 2" (51 mm)					
Projection: 2-1/2"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
CTC: 12"	US3	621.02	096812	1	12
	US4	621.02	-		
	US10B	621.02	077525		
	US26	621.02	178427		
	US26D	621.02	067183		
	US32D	621.02	090347		
CTC: 18"	US3	646.32	187112	1	12
	US4	646.32	-		
	US10B	646.32	124873		
	US26	646.32	-		
	US26D	646.32	077942		
	US32D	646.32	008568		
CTC: 24"	US3	675.13	-	1	12
	US4	675.13	057982		
	US10B	675.13	-		
	US26	675.13	-		
	US26D	675.13	118329		
	US32D	675.13	065323		
CTC: 30"	US3	704.00	-	1	12
	US4	704.00	067792		
	US10B	704.00	178035		
	US26	704.00	-		
	US26D	704.00	-		
	US32D	704.00	181045		
CTC: 36"	US3	704.00	-	1	12
	US4	704.00	057981		
	US10B	704.00	199053		
	US26	704.00	-		
	US26D	704.00	117957		
	US32D	704.00	138337		

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>974B</b>					
Door Pull					
BTB Mounting					
Pull Diameter: 1" (25 mm)					
Base Diameter: 2" (51 mm)					
Projection: 2-1/2"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
CTC: 12"	US3	1,267.03	160776	1	12
	US4	1,267.03	181357		
	US10B	1,267.03	094407		
	US26	1,267.03	-		
	US26D	1,267.03	012146		
	US32D	1,267.03	094083		
CTC: 18"	US3	1,317.63	-	1	12
	US4	1,317.63	-		
	US10B	1,317.63	-		
	US26	1,317.63	190940		
	US26D	1,317.63	091914		
	US32D	1,317.63	080540		
CTC: 24"	US3	1,375.44	-	1	12
	US4	1,375.44	-		
	US10B	1,375.44	031371		
	US26	1,375.44	-		
	US26D	1,375.44	-		
	US32D	1,375.44	080541		
CTC: 30"	US3	1,433.06	-	1	12
	US4	1,433.06	067788		
	US10B	1,433.06	-		
	US26	1,433.06	-		
	US26D	1,433.06	107473		
	US32D	1,433.06	124943		
CTC: 36"	US3	1,433.06	162089	1	12
	US4	1,433.06	-		
	US10B	1,433.06	-		
	US26	1,433.06	-		
	US26D	1,433.06	-		
	US32D	1,433.06	091943		



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>975P</b>					
Vertical Pull					
Pull Diameter: 1"					
Projection: 2.50"					
Fasteners: 3/8 - 16 FPHMS					
with finish washers					
Length: 36"	US3	340.61	-	1	12
CTC: 20"	US4	340.61	-		
	US10	340.61	-		
	US10B	340.61	042466		
	US15A	340.61	012591		
	US26	340.61	050339		
	US26D	340.61	012278		
	US32D	340.61	010891		
Length: 72"	US3	489.71	119290	1	12
CTC: 56"	US4	489.71	074642		
	US10	489.71	070431		
	US10B	489.71	022804		
	US15A	489.71	012601		
	US26	489.71	030738		
	US26D	489.71	029768		
	US32D	489.71	028382		
<b>975B</b>					
Vertical Pull					
BTB Mounting					
Pull Diameter: 1"					
Projection: 2.50"					
Length: 36"	US3	706.34	101090	1	12
CTC: 20"	US4	706.34	198942		
	US10	706.34	099259		
	US10B	706.34	025610		
	US15A	706.34	-		
	US26	706.34	030737		
	US26D	706.34	021401		
	US32D	706.34	028442		
Length: 72"	US3	1,004.35	-	1	12
CTC: 56"	US4	1,004.35	-		
	US10	1,004.35	-		
	US10B	1,004.35	021488		
	US15A	1,004.35	-		
	US26	1,004.35	030738		
	US26D	1,004.35	021402		
	US32D	1,004.35	021547		

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>976P</b> Door Pull Offset Overall: 29-1/2"; CTC: 19-13/16" Base Diameter: 1-1/4" Pull Diameter: 1-1/4" Projection: 5-3/8" Clearance: 4-1/8" Offset: 1-3/4" Fasteners: 3/8 - 16 FPHMS with finish washers	US32D	752.94	088820	1	12



<b>976B</b> Door Pull Offset Overall: 29-1/2"; CTC: 19-13/16" BTB Mounting Base Diameter: 1-1/4" Pull Diameter: 1-1/4" Projection: 5-3/8" Clearance: 4-1/8" Offset: 1-3/4"	US32D	1,530.94	062051	1	12
--	-------	----------	--------	---	----



<b>980P</b> Segment Shape - Straight Fasteners: 3/8 - 16 FPHMS with finish washers CTC: 9"	US3	227.53	-	1	12
	US4	227.53	-		
	US10B	227.53	012840		
	US15A	227.53	076601		
	US26	227.53	-		
	US26D	227.53	-		
	US32D	227.53	027302		
CTC: 12"	US3	227.53	-	1	12
	US4	227.53	095352		
	US10B	227.53	083262		
	US15A	227.53	-		
	US26	227.53	014517		
	US26D	227.53	049530		
	US32D	227.53	031717		
CTC: 18"	US3	252.15	-	1	12
	US4	252.15	084595		
	US10B	252.15	012799		
	US15A	252.15	-		
	US26	252.15	-		
	US26D	252.15	057861		
	US32D	252.15	016625		
CTC: 24"	US3	252.15	-	1	12
	US4	252.15	-		
	US10B	252.15	065896		
	US15A	252.15	121326		
	US26	252.15	-		
	US26D	252.15	036275		
	US32D	252.15	024698		





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>980B</b>					
Segment Shape - Straight					
BTB Mounting					
CTC: 9"	US3	480.04	-	1	12
	US4	480.04	-		
	US10B	480.04	116185		
	US15A	480.04	114829		
	US26	480.04	-		
	US26D	480.04	-		
	US32D	480.04	083497		
CTC: 12"	US3	480.04	-	1	12
	US4	480.04	-		
	US10B	480.04	101513		
	US15A	480.04	-		
	US26	480.04	-		
	US26D	480.04	039876		
	US32D	480.04	032307		
CTC: 18"	US3	529.35	-	1	12
	US4	529.35	-		
	US10B	529.35	-		
	US15A	529.35	-		
	US26	529.35	-		
	US26D	529.35	044015		
	US32D	529.35	022336		
CTC: 24"	US3	529.35	-	1	12
	US4	529.35	-		
	US10B	529.35	017774		
	US15A	529.35	-		
	US26	529.35	-		
	US26D	529.35	-		
	US32D	529.35	-		

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>981P</b>					
Segment Shape - Offset Pull					
Projection: 2-3/8"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
CTC: 12"	US3	268.71	-	1	12
	US4	268.71	-		
	US10B	268.71	-		
	US15A	268.71	-		
	US26	268.71	-		
	US26D	268.71	-		
	US32D	268.71	-		
CTC: 18"	US3	302.88	-	1	12
	US4	302.88	-		
	US10B	302.88	-		
	US15A	302.88	-		
	US26	302.88	-		
	US26D	302.88	010525		
	US32D	302.88	015619		
CTC: 24"	US3	374.22	-	1	12
	US4	374.22	-		
	US10B	374.22	-		
	US15A	374.22	-		
	US26	374.22	-		
	US26D	374.22	010526		
	US32D	374.22	033975		



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>981B</b>					
Segment Shape - Offset Pull					
BTB Mounting					
Projection: 2-3/8"					
CTC: 12"	US3	562.41	027231	1	12
	US4	562.41	-		
	US10B	562.41	-		
	US15A	562.41	-		
	US26	562.41	-		
	US26D	562.41	-		
	US32D	562.41	-		
CTC: 18"	US3	630.93	-	1	12
	US4	630.93	050164		
	US10B	630.93	001599		
	US15A	630.93	188633		
	US26	630.93	022355		
	US26D	630.93	097705		
	US32D	630.93	028505		
CTC: 24"	US3	773.44	-	1	12
	US4	773.44	-		
	US10B	773.44	085243		
	US15A	773.44	-		
	US26	773.44	049864		
	US26D	773.44	027598		
	US32D	773.44	031349		
<b>982P</b>					
Straight Pull					
Base Diameter: 1-5/16"					
Projection: 3-1/8"					
Clearance: 1-13/16"					
CTC: 20"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
	US3	560.87	-	1	12
	US4	560.87	-		
	US10B	603.84	-		
	US15A	603.84	-		
	US26	603.84	-		
	US26D	603.84	058080		
	US32D	690.58	080284		
<b>982B</b>					
Straight Pull					
BTB Mounting					
Base Diameter: 1-5/16"					
Projection: 3-1/8"					
Clearance: 1-13/16"					
CTC: 20"					
	US3	1,146.86	-	1	12
	US4	1,146.86	-		
	US10B	1,232.80	172423		
	US15A	1,232.80	-		
	US26	1,232.80	-		
	US26D	1,232.80	009491		
	US32D	1,406.15	091255		





## Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>983P</b>					
Curved Pull					
Base Diameter: 14-1/4"					
Projection: 3-1/8"					
Clearance: 1-7/8"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
Specify handing					
Left Hand	US3	560.87	-	1	12
	US4	560.87	-		
	US10B	603.84	099179		
	US15A	603.84	-		
	US26	603.84	-		
	US26D	603.84	186027		
	US32D	690.58	083105		
Right Hand	US3	560.87	-	1	12
	US4	560.87	-		
	US10B	603.84	140022		
	US15A	603.84	-		
	US26	603.84	-		
	US26D	603.84	105909		
	US32D	690.58	083106		



<b>983B</b>					
Curved Pull					
BTB Mounting					
Base Diameter: 14-1/4"					
Projection: 3-1/8"					
Clearance: 1-7/8"					
Specify handing					
Left Hand	US3	1,146.86	-	1	12
	US4	1,146.86	-		
	US10B	1,232.80	044345		
	US15A	1,232.80	-		
	US26	1,232.80	-		
	US26D	1,232.80	065560		
	US32D	1,406.15	-		
Right Hand	US3	1,146.86	-	1	12
	US4	1,146.86	-		
	US10B	1,232.80	044347		
	US15A	1,232.80	-		
	US26	1,232.80	-		
	US26D	1,232.80	-		
	US32D	1,406.15	085557		





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>984P</b>					
Curved Pull					
Projection: 3"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
CTC: 12"	US3	374.22	-	1	12
	US4	374.22	-		
	US10B	374.22	-		
	US15A	374.22	-		
	US26	374.22	060382		
	US26D	374.22	-		
	US32D	466.69	078894		
CTC: 20"	US3	558.53	-	1	12
	US4	558.53	-		
	US10B	558.53	-		
	US15A	558.53	-		
	US26	558.53	-		
	US26D	558.53	014652		
	US32D	721.67	082549		



<b>984B</b>					
Curved Pull					
BTB Mounting					
Projection: 3"					
CTC: 12"	US3	773.44	-	1	12
	US4	773.44	-		
	US10B	773.44	033349		
	US15A	773.44	-		
	US26	773.44	-		
	US26D	773.44	-		
	US32D	958.37	047511		
CTC: 20"	US3	1,142.18	-	1	12
	US4	1,142.18	-		
	US10B	1,142.18	-		
	US15A	1,142.18	-		
	US26	1,142.18	-		
	US26D	1,142.18	-		
	US32D	1,468.51	-		



<b>985P</b>					
Curved Pull	US3	316.42	-	1	12
O/A Height: 14"	US4	316.42	-		
Base Diameter: 2"	US10B	360.68	039255		
Projection: 3"	US15A	360.68	-		
Clearance: 1-9/16"	US26	360.68	-		
Offset: 1-5/8"	US26D	360.88	055021		
CTC: 12"	US32D	460.78	194538		
Fasteners: 3/8 - 16 FPHMS with finish washers					

1. U/M is price per hundred square inches.  
 2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>985B</b>					
Curved Pull	US3	657.83	-	1	12
BTB Mounting	US4	657.83	-		
O/A Height: 14"	US10B	746.35	-		
Base Diameter: 2"	US15A	746.35	-		
Projection: 3"	US26	746.35	030739		
Offset: 1-5/8"	US26D	746.35			
Clearance: 1-9/16"	US32D	946.61	063938		
CTC: 12"					



<b>986P</b>					
Curved Pull	US3	790.62	-	1	12
O/A Height: 22"	US4	790.62	-		
Pull Diameter: 1-1/4"	US10B	790.62	014868		
Base Diameter: 2"	US15A	790.62	021822		
Projection: 3-7/8"	US26	790.62	-		
Offset: 3"	US26D	790.62	-		
Clearance: 2-5/8"	US32D	718.71	-		
CTC: 20"					
Fasteners: 3/8 - 16 FPHMS with finish washers					



<b>986B</b>					
Curved Pull	US3	1,606.29	-	1	12
BTB Mounting	US4	1,606.29	032338		
O/A Height: 22"	US10B	1,606.29	-		
Pull Diameter: 1-1/4"	US15A	1,606.29	023943		
Base Diameter: 2"	US26	1,606.29	-		
Projection: 3-7/8"	US26D	1,606.29	-		
Offset: 3"	US32D	1,462.48	-		
Clearance: 2-5/8"					
CTC: 20"					



<b>987P</b>					
Double Curved Pull	US3	690.58	-	1	12
Base Diameter: 1-1/4"	US4	690.58	-		
Projection: 3"	US10B	690.58	038422		
Clearance: 2"	US15A	690.58	014457		
CTC: 20"	US26	690.58	09304		
Fasteners: 3/8 - 16 FPHMS with finish washers	US26D	690.58	-		
	US32D	675.13	092052		



<b>987B</b>					
Double Curved Pull	US3	1,406.15	-	1	12
BTB Mounting	US4	1,406.15	-		
Base Diameter: 1-1/4"	US10B	1,406.15	062018		
Projection: 3"	US15A	1,406.15	080604		
Clearance: 2"	US26	1,406.15	083130		
CTC: 20"	US26D	1,406.15	-		
	US32D	1,375.44	-		



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>988P</b>					
Offset Pull	US3	374.22	-	1	12
Projection: 3"	US26	374.22	-		
CTC: 24"	US32D	374.22	-		
Fasteners: 3/8 - 16 FPHMS with finish washers					
<b>988B</b>					
Offset Pull	US3	773.44	-	1	12
BTB Mounting	US26	773.44	-		
Projection: 3"	US32D	773.44	032030		
CTC: 24"					
<b>990P</b>					
18° Pull Bar - Handed					
Pull Diameter: 1"					
O/A Height: 25"					
Projection: 2-3/4"					
Clearance: 1-3/4"					
CTC: 24"					
Specify handing					
Fasteners: 3/8 - 16 FPHMS with finish washers					
Left Hand	US3	862.46	-	1	12
	US4	862.46	-		
	US10B	862.46	-		
	US15A	862.46	-		
	US26	862.46	-		
	US26D	862.46	-		
	US32D	775.29	-		
Right Hand	US3	862.46	-	1	12
	US4	862.46	-		
	US10B	862.46	-		
	US15A	862.46	-		
	US26	862.46	-		
	US26D	862.46	-		
	US32D	775.29	-		

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary



### Description

#### 990B

18° Pull Bar - Handed  
BTB Mounting  
Pull Diameter: 1"  
O/A Height: 25"  
Projection: 2-3/4"  
Clearance: 1-3/4"  
CTC: 24"  
Specify handing  
Left Hand

### Finish

### 2022 List

### Stock No.

### Box Qty.

### Case Qty.

US3	1,749.97	-	1	12
US4	1,749.97	-		
US10B	1,749.97	-		
US15A	1,749.97	-		
US26	1,749.97	-		
US26D	1,749.97	-		
US32D	1,575.75	124116		
Right Hand				
US3	1,749.97	-	1	12
US4	1,749.97	-		
US10B	1,749.97	054966		
US15A	1,749.97	-		
US26	1,749.97	-		
US26D	1,749.97	-		
US32D	1,575.75	124120		



#### 1442

Roller Latch with Full Lip Strike

Material: Forged brass

Latch Face: 1" x 3-3/8"

Strike: 1-11/16" x 2-1/4" x 5/32" thick

Max Roller Projection: 3/8"

Fasteners: #8 x 1" FPHWS; 8 - 32 x 3/4" FPHMS; #10 x 1-1/2" FPHWS

Non-Ferrous Version available on US3, US10B, US15, and US26D with extended lead time - 13.85 adder (NF) comp

US3	41.00	070478	1	12
US4	57.93	011444		
US10	57.93	011442		
US10B	43.71	070462		
US15	48.63	060770		
US15A	78.18	054026		
US19	43.71	054513		
US26	43.03	064292		
US26D	34.78	011443		



#### 1443

Roller Latch w/ ASA Strike

Material: Forged brass

Latch Face: 1" x 3-3/8"

Strike: 1-1/4" x 4-7/8" w/ 5/8" Lip

Strike Thickness: .093"

Max Roller Projection: 3/8"

Fasteners: 12 - 24 x 1/2" FPHMS;

#12 x 3/4" FPHWS; #10 x 1-1/2" FPHWS

US3	45.00	061158	1	12
US4	60.58	051299		
US10B	51.28	061159		
US15	67.96	060765		
US15A	78.18	054032		
US19	51.28	054515		
US26	57.93	088079		
US26D	<b>38.29</b>	011446		





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>2610</b>					
Finger Pull	US3	<b>See Sliding Door Hardware Section for Pricing</b>	013049	-	500
Material: Brass	US4		071953		
Overall Diameter: 31/32"	US5		-		
Finger Pull Diameter: 3/4"	US10A		068711		
Pull Clearance: 5/16"	US15		040589		
Projection: 1/32"	US15A		-		
	US26		013047		
	US26D		071169		



<b>2620</b>					
Round Flush Pull	US3	<b>See Sliding Door Hardware Section for Pricing</b>	013081	-	50
Material: Brass	US4		072997		
Overall Diameter: 2-1/16"	US5		072148		
Finger Pull Diameter: 1-11/16"	US10A		072534		
Pull Clearance: 11/32"	US15		072624		
Projection: 5/64"	US15A		072158		
	US26		072554		
	US26D		075322		



<b>2630</b>					
Round Flush Pull	US3	<b>See Sliding Door Hardware Section for Pricing</b>	051919	-	50
Material: Brass	US4		073783		
Overall Diameter: 2-7/16"	US5		053163		
Finger Pull Diameter: 2-1/16"	US10A		073053		
Pull Clearance: 11/32"	US15		073056		
Projection: 3/32"	US15A		005307		
	US26		023430		
	US26D		023431		



<b>2640</b>					
Oblong Flush Pull	US3	<b>See Sliding Door Hardware Section for Pricing</b>	096760	-	50
Material: Brass	US4		075056		
Size: 1-5/16" x 2-3/4"	US5		074270		
Cup Clearance: 5/16"	US10A		074533		
Fasteners: #6 x 5/8" OPHWS	US15		074711		
	US15A		074350		
	US26		026751		
	US26D		074664		

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>9558</b> Wood Knob Knob Diameter: 1-1/2" Base Diameter: 15/16" Fasteners: #8 x 1-3/4" PPHWS	Wood	See Sliding Door Hardware Section for Pricing	096567	-	100



<b>9566</b> Knob Material: Zinc Knob Diameter: 1-1/4" Projection: 1" Fasteners: #8 - 32 x 2" PPHMS; #8 - 32 x 1-3/4" PPHMS	US3 US4 US5 US10A US10B US15 US15A US26 US26D	See Sliding Door Hardware Section for Pricing	099824 098635 - 098634 098633 098632 - 098628 098627	-	100
--	---	---	--	---	-----



<b>9567</b> Rose - For use with 9566 knob Material: Zinc Base Diameter: 1-3/4" Projection: 15/32" Fasteners: #8 - 32 x 2" PPHMS; #8 - 32 x 1-3/4" PPHMS	US3 US4 US5 US10A US10B US15 US15A US26 US26D	See Sliding Door Hardware Section for Pricing	099825 - - - 098624 098623 - 098621 098620	-	100
---	---	---	--	---	-----



<b>9865</b> Plastic Pull Overall Diameter: 1-31/32" Finger Pull Diameter: 1-19/32" Pull Clearance: 11/32" Projection: 5/64"	Plastic	1.29	098993	-	100
--	---------	------	--------	---	-----



<b>9882</b> Pocket Door Edge Pull Material: Brass Finger Pull Extends: 3/4" Faceplate: 3/4" x 3-7/8" Fasteners: #6 x 5/8" FPHWS Note: See Sliding Door section for pricing and multiplier.	US3 US10B US26 US26D	18.53 22.41 22.41 22.41	049582 049580 049579 049581	-	100
--	-------------------------------	----------------------------------	--------------------------------------	---	-----





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
<b>9884</b> Pocket Door Edge Pull Material: Zinc Finger Pull Extends: 1-1/16" Faceplate: 21/32" x 3-1/2" Fasteners: #6 x 5/8" FPHWS Note: See Sliding Door section for pricing and multiplier.	US3	<b>See Sliding Door Hardware Section for Pricing</b>	099056	-	20



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.	Disc Code
<b>208</b> Kick Down Door Holder Material: Aluminum alloy Base: 1-5/8" x 1-7/8" Arm: 3-7/8" Fasteners: #6 x 3/4" FPHWS	US15A/AN	8.62	039115	5	50	780
	US26	8.62	001104			
	US26D	8.62	075679			



<b>209</b> Floor Door Stop Material: Zinc Height: 1-1/4" Base Diameter: 1-3/32" Tip Diameter: 19/32" Fasteners: #8 x 2" FPHWS U/M - 1 each	US26	1.48	76165	5	50	780
---	------	------	-------	---	----	-----



<b>210</b> Door Stop - Rigid Material: Zinc Projection: 3" Base Diameter: 1" Tip Diameter: 11/16" Fasteners: #8 x 5/8" wood thread U/M - 1 each	US3	2.40	076443	5	50	780
	US4	2.09	078852			
	US5/ABA	2.22	078854			
	US10A	2.22	075736			
	US10R	2.22	097367			
	US15A/AN	2.22	039117			
	US15	2.22	039118			
	US19	2.05	021943			
	US26	2.15	076171			
	US26D	2.40	076170			



1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.





## Trim & Auxiliary

	Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.	Disc Code
	<b>211</b>						
	Door Stop - Flexible	US3	1.91	076206	10	100	780
	Material: Zinc	US4	1.60	001109			
	Projection: 3-1/8"	US5/ABA	2.09	053162			
	Base Diameter: 1"	US10A	2.09	076199			
	Tip Diameter: 9/16"	US10R	2.09	097368			
	Fasteners: #8 x 3/4" PPHWS	US15A/AN	2.09	039126			
	U/M - 1 each	US15	2.09	039121			
		US26	1.72	076205			
		US26D	1.91	076203			
	<b>212</b>						
	Hinge Pin Door Bumper						
	Material: Zinc	US3	2.52	056477	10	100	780
	U/M - 1 each	US4	2.40	023084			
	Adjustable from 180° to 120°	US5/ABA	2.52	023083			
	For use with residential hinges	US10A	2.09	076219			
	Works with 1/4" hinge pins	US10R	2.09	097369			
		US15A/AN	2.52	034530			
		US15	2.46	034492			
		US19	2.40	021931			
		US26	1.91	076221			
		US26D	1.91	076220			
	<b>1412</b>						
	Door Guard						
	Arm Length: 4"	US3	10.83	056475	5	50	780
	Material: Zinc	ABA	8.37	011433			
	Fasteners: #6 x 3/4" FPHWS	US10A	8.37	076222			
	U/M - 1 each with screws	US15A/AN	8.37	035285			
		US15	8.37	035279			
		US26	8.37	011431			
		US26D	10.83	076223			
	<b>1413</b>						
	Flush Bolt - Square Corners						
	Material: Brass w/ steel components	US3	10.96	051915	10	100	780
	Bolt Diameter: 1/2"	US4	10.96	055562			
	Bolt Throw: 15/16"	US5/ABA	13.42	051916			
	Faceplate: 3/4" x 6"	US10A	13.42	-			
	Backset: 7/16"	US10R	13.42	072931			
	Strike: 7/8" x 1-3/4"	US15A/AN	13.42	035457			
	Fasteners: #6 x 3/4" FPHWS	US15	10.96	035457			
	U/M - 1 each with screws	US26	10.96	-			
		US26D	10.96	055561			








Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.	Disc Code
<b>1414</b>						
Flush Bolt	US3	10.96	051917	10	100	780
Material: Brass w/ steel components	US5/ABA	13.42	051918			
Bolt Diameter: 1/2"	US10A	13.42	055586			
Bolt Throw: 15/16"	US10R	13.42	097374			
Faceplate: 3/4" x 6"	US15A/AN	13.42	040832			
Backset: 7/16"	US15	10.96	040830			
Strike: 7/8" x 1-3/4"	US26	10.96	055570			
Fasteners: #6 x 3/4" FPHWS	US26D	10.96	055589			
Strikeplate and screws, U/M - 1 each						
<b>1415</b>						
Strike Plate	US3	2.52	081300	100	500	780
Material: Brass	US10A	2.52	081308			
Size: 7/8" x 1-3/4"	US15A/AN	2.52	081311			
Fasteners: #6 x 3/4" FPHWS	US15	2.52	081305			
U/M - 1 each with screws	US26D	2.52	081307			
<b>1416</b>						
Flush Bolt - Single Route	US3	12.99	078952	10	100	780
Material: Brass w/ steel components	US4	12.99	076239			
Bolt Diameter: 5/16"	US5/ABA	15.39	076225			
Backset: 3/8"	US10A	15.39	076236			
Faceplate: 3/4" x 7-1/8"	US10R	15.39	097375			
Strike: 21/32" x 1-1/2"	US15A/AN	15.39	035990			
Bolt Throw: 7/8"	US15	15.39	036004			
Fasteners: #8 x 1-1/2" FPHWS; #6 x 3/4" FPHWS	US26	12.99	076238			
U/M - 1 each with strikeplate and screws	US26D	12.99	076237			
<b>1418</b>						
Flush Bolt with Extension Rod	US3	15.27	068407	10	100	780
Material: Brass w/ steel components	US4	15.27	068337			
Bolt Diameter: 5/16"	US5/ABA	15.27	068263			
Backset: 3/8"	US10A	17.54	068467			
Faceplate: 23/32" x 7-3/8"	US10R	16.81	072930			
Strike: 5/8" x 1-1/2"	US15A/AN	17.54	068249			
Bolt Throw: 3/4"	US15	15.27	068448			
Extended Rod Length: 16"	US26	15.27	068447			
Fasteners: #8 x 1-1/2" FPHWS; #6 x 3/4" FPHWS	US26D	15.27	068436			
U/M - 1 each						
<b>1419</b>						
Flip/Foot Bolt Flush Bolt	US3	12.19	019228	10	100	485
Material: Brass with steel components	US4	12.19	019227			
Faceplate: 3/4" x 7-1/8"	US5/ABA	15.27	019224			
Strike: 5/8" x 1-1/2"	US10R	15.27	019212			
Bolt Diameter: 5/16"	US15	12.19	019231			
Bolt Throw: 3/4"	US26	12.19	019230			
Backset: 5/16"	US26D	12.19	019229			
Fasteners: #8 x 1-1/2" FPHWS; #6 x 3/4" FPHWS						
U/M - 1 each						

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.



## Trim & Auxiliary

	Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.	Disc Code
	<b>1439</b>						
	Magnetic Catch	-	2.52	011439	25	100	780
	Material: Plastic						
	Catch: 1-1/16" x 2"						
	Strike: 7/8" x 1"						
	Fasteners: #6 x 1/2" TPHWS; #4 x 1/2" FPHWS						
	U/M - 1 each with screws						
	<b>1446</b>						
	Ball Catch						
	Material: Zinc	US3	4.86	051902	10	50	780
	Faceplate: 1" x 2-1/4"	US4	4.86	055624			
	Strike: 1-3/8" x 2-1/4"	US5/ABA	5.54	051903			
	Fasteners: #6 FPHWS	US10A	5.54	055634			
	U/M - 1 each with two strikeplates and screws	US10R	5.54	097376			
		US15A/AN	5.54	036870			
		US15	5.54	036878			
		US26	4.86	055635			
		US26D	4.86	055608			
	<b>1447</b>						
	Drive in Ball Catch						
	Material: Zinc	US3	4.43	043896	10	50	780
	Faceplate: 1" diameter	US4	4.86	055638			
	Strike: 1-3/8" x 2-1/4"	US5/ABA	5.54	055636			
	Fasteners: #6 FPHWS	US10A	5.54	055639			
	U/M - 1 each with 2 strikeplates and screws	US10R	5.54	097377			
		US15A/AN	5.54	037445			
		US15	5.54	036882			
		US26	4.43	055640			
		US26D	4.86	055637			
	<b>1448</b>						
	Strike Plate for 1446 or 1447						
	Size: 1-3/8" x 2-1/4"						
	Fasteners: #6 FPHWS	US3	2.52	079333	100	500	780
	U/M - 1 each with screws	US4	2.52	079334			
		US5/ABA	2.52	079351			
		US10A	2.52	079339			
		US10R	2.52	097378			
		US15A/AN	2.52	079340			
		US15	2.52	079335			
		US26	2.52	079337			
		US26D	2.52	079338			
	<b>1449</b>						
	Drive In Ball Catch for 1448	US4	2.22	101876	100	300	780
	Material: Zinc						
	Faceplate: 1" diameter						
	U/M - 1 each						



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.	Disc Code
<b>1755</b>						
115° One Way Door Viewer	US3	7.76	056866	10	100	490
UL Listed	US4	7.76	011919			490
U/M - 1 each	US5/ABA	7.63	076270			780
90 min. fire rated	US10A	7.63	076272			780
Door Thickness: 1-3/8" - 2-1/8"	US10R	7.63	097475			780
	US15A/AN	7.63	076271			780
	US15	7.63	076276			780
	US26	7.45	076274			780
	US26D	7.51	055225			490



<b>1756</b>						
185° One Way Door Viewer	US3	11.70	011920		50	490
UL Listed	US4	11.70	066884			490
U/M - 1 each	US5/ABA	17.42	072679			780
90 Minute Fire-Rated	US10A	17.42	076442			780
Door Thickness: 1-3/8" - 2-1/8"	US10R	17.42	097476			780
	US15A/AN	17.42	076441			780
	US15	17.42	067422			780
	US19	17.42	021917			780
	US26	17.24	044337			780
	US26D	12.13	086149			490



<b>1758</b>						
115° One Way Door Viewer with Privacy Flap	US3	12.31	146215	10	100	490
Door Thickness: 1-3/8" - 2-1/8"	US10A	12.00	146216			780
UL Listed	US26	12.00	146217			780
U/M - 1 each	US26D	11.94	146218			490
90 Minute Fire-Rated						



<b>1759</b>						
185° One Way Door Viewer with Privacy Flap	US3	16.01	146219		50	490
Door Thickness: 1-3/8" - 2-1/8"	US10A	22.78	146220			780
UL Listed	US26	22.78	146221			780
U/M - 1 each	US26D	15.51	146222			490
90 Minute Fire-Rated						



<b>1765</b>						
Privacy Flap for 115° One Way Viewer 1755	US3	5.97	146207	1	200	490
	US26	5.36	146209			780
	US26D	5.97	146210			490



<b>1766</b>						
Privacy Flap for 185° One Way Viewer 1756	US3	6.83	146211	1	200	490
	US10A	6.34	146212			780
	US26	6.34	146213			780
	US26D	6.65	146214			490

1. U/M is price per hundred square inches.

2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering.

## Trim & Auxiliary



### 6211

Door Stop Flexible  
Projection: 3"  
Tip Diameter: 7/16"  
Base Diameter: 3/4"  
Fastener: #8 x 11/32" thread  
U/M - 1 each

Finish	2022 List	Stock No.	Box Qty.	Case Qty.	Disc Code
US3	1.17	056256	-	150	780
US4	0.98	058289			
US5/ABA	1.11	058295			
US10A	1.11	056269			
US10R	1.11	097482			
US15	1.11	040032			
US26D	1.11	040031			



### 6212

Hinge Pin Door Bumper  
U/M - 1 each  
Adjustable from 180° to 120°  
For use with residential hinges  
Works with 1/4" hinge pins

Finish	2022 List	Stock No.	Box Qty.	Case Qty.	Disc Code
US3	1.42	056320	-	100	780
US4	1.35	058298			
US5/ABA	1.35	058296			
US10A	1.35	056321			
US10R	1.35	097483			
US15A/AN	1.35	056315			
US15	1.35	040033			
US26	1.42	056323			
US26D	1.35	040035			



### 6601

Handrail Bracket  
Material: Cast Aluminum  
Base to Center of Rail: 2-3/4"  
Projection: 3-1/4"  
Fasteners: #8 x 1-1/2" OPHWS; #8 x 3/4" OPHWS  
U/M - 1 each with screws

Finish	2022 List	Stock No.	Box Qty.	Case Qty.	Disc Code
US3	2.71	011385	-	300	780
US4	2.71	011380			
US5/ABA	3.51	011328			
US10A	3.69	011374			
US10R	3.69	011371			
US15A/AN	3.51	011327			
US15	3.51	011335			
US26	2.71	011332			
US26D	3.51	011331			



### 6610

Coat & Hat Hook  
Max. Projection: 2-13/16"  
Min. Projection: 1-5/16"  
Fastener: #6 x 3/4" FPHWS  
U/M - 1 each with screws

Finish	2022 List	Stock No.	Box Qty.	Case Qty.	Disc Code
US3	1.35	056300	-	100	780
US4	1.29	058317			
US5/ABA	1.35	058329			
US10A	1.35	056299			
US15	1.35	040045			
US26	1.35	056298			
US26D	1.35	040046			



### BL6793

Pole Sockets  
Material: Steel  
U/M - 2 each with screws

Finish	2022 List	Stock No.	Box Qty.	Case Qty.	Disc Code
2D	1.91	013512	-	100	780



### BL6794

Pole Sockets  
Material: Plastic  
U/M - 2 each with screws

2022 List	Stock No.	Box Qty.	Case Qty.	Disc Code
1.17	013514	-	100	780







## TABLE OF CONTENTS

<b>A</b>		<b>I</b>	
Astragal .....	21, 23-28	Interlocking Thresholds .....	13
Acoustic Pad .....	15	Interlocking Weatherstripping .....	15
<b>B</b>		Intumescent Weatherstripping .....	15-17
Barrier Free Ramps .....	9-10	<b>J</b>	
Bumper Thresholds .....	9	Jamb Weatherstripping .....	
Bumper/Stop Strips .....	11	Jamb Weatherstripping .....	22-23, 25-27
<b>C</b>		Adjustable .....	25
Carpet Thresholds .....	11-12	Magnetic .....	25
Cast Abrasive Aluminum Thresholds		<b>M</b>	
Saddle Thresholds .....	13-14	Materials and Finishes .....	2
Cover Plate .....	14	<b>P</b>	
<b>D</b>		Panic Thresholds .....	12-13
Door Bottoms .....		Press-On Weatherstripping .....	15-18
Automatic Door Bottoms .....	19	Product Information .....	2
Door Shoes .....	21-22	<b>R</b>	
Door Sweeps .....	20-21, 23, 26-28	Rain Drips .....	
Rain Drip .....	21-22	DoorBottom Rain Drip .....	21-22
<b>E</b>		Overhead Rain Drip .....	24
Edge Sealing Systems .....	15-18	Replacement Inserts .....	4
Elevator .....	10	Residential Thresholds .....	6-7
<b>F</b>		<b>S</b>	
Fabrication Options .....	5	Smoke Seals .....	15-18
Fasteners .....	2	Saddle Thresholds .....	6-10, 13-14
Fastener Options .....	3	Spring Bronze .....	23
Finish Options .....	2, 5	Stock Numbers .....	31-43
Fire Labeling .....	2	Sure-Step .....	5
Floor Closer Thresholds .....	14	<b>T</b>	
Floor Plates and Supports .....	9-10	Thermal Barrier Thresholds .....	
<b>G</b>		Saddle Thresholds .....	7-9
Garage Weatherstripping .....	22	Panic Thresholds .....	11-12
<b>H</b>		<b>W</b>	
Half Saddle Thresholds .....	6, 9, 13	Water Return - Interlocking .....	12
How to Order .....	3		



## Thresholds & Weatherstripping

### PRODUCT INFORMATION

*Drawings or illustrations used in the Price Book are subject to change without notice. Questions regarding any dimensions should be directed to Hager Companies Customer Service.*

### MATERIALS AND FINISHES

#### Metals

All aluminum extrusions are of alloy 6063-T5. All bronze extrusions are of alloy CDA385 brass specified as Architectural Bronze in the industry. For stock finishes, refer to the code listed below each individual item throughout the price book. Please inquire for the availability on non-stock finishes.

MIL-	Mill Finish Aluminum	LBA -	Light Bronze Anodized Aluminum
300-	Polished Bronze (CDA385)	MIB-	Mill Finish Bronze (CDA385)
CAL-	Cast Aluminum	GYP-	Primed Steel (Grey)
DBA-	Dark Bronze Anodized Aluminum	BLA-	Black Anodized Aluminum
SCA-	Hager Carb-Coat on Aluminum	32D-	Matte Stainless Steel (Non-Extruded)
SCB-	Hager Carb-Coat on Bronze	WH-	White Paint on Aluminum
GLD-	Gold Anodized Aluminum	CLR-	Clear Anodized Aluminum
10B-	Antique Bronze, Oiled	BCA-	Bright Clear Anodized Aluminum

#### Gaskets

Gasketing is available in a wide variety of materials. Vinyl is an economical choice and remains flexible down to -40°F. Neoprene gasketing is supplied both as a solid (dense) and as a closed cell sponge with a tough outer skin, remaining flexible down to -50°F. Silicone gasketing provides the best resistance to cold by remaining flexible down to -70°F. To order gasket only, see how to order example on page 3.

B-	Nylon Brush (Black)	V-	Vinyl
N-	Neoprene, Solid EPDM	W-	Pile (Thread May Be Removed To Allow Expansion) (Grey)
	Closed Cell Sponge EPDM, TPE (Black)		
S-	Silicone		

#### Colors for Press-On Gasketing

- B - Brown
- S - Charcoal or Black
- T - Tan
- W - White
- G - Grey

### FASTENERS

All products are furnished with appropriate fasteners as listed, except where noted. Most thresholds are furnished with mounting holes and #10 x 1-1/2" flat head sheet metal screws. Most weatherstripping products are furnished with slotted holes and #6 x 5/8" pan head sheet metal screws. Brass screws are furnished with bronze products.

### FIRE LABELING

All products containing non-metallic seals have been listed and labeled resulting from a determination by a certified fire laboratory that these products do not adversely affect the fire resistance of the door or frame. All products are regularly checked under a labeling and listing inspection service.





## HOW TO ORDER

When placing your order, please specify item number, gasket code, size and finish code. Also be sure to state any special fabrication needs or optional fasteners desired. Thresholds are fabricated in standard sizes with 1/2" extra on thresholds 50" and under. Thresholds over 50" are supplied with 1" extra length for fitting.

**Example:** 891S V 36 x 84 MIL

Item #	Gasketing	Size	Finish
516S	S-Silicone	36"	GLD
575S	W-Pile	48"	MIB
750S	N-Neoprene	36" x 84"	32D
802S	B-Nylon Brush	48" x 96"	MIL
885S	V-Vinyl	36" x 84"	DBA
881S*	N-Neoprene	48" x 84"	000

\*Use Finish 000 to receive gasket only

Thresholds must be purchased and billed at 4" increments, except for Abrasive Cast Aluminum Thresholds and Automatic Door Bottoms. Weatherstripping must be purchased and billed at 4" increments. Threshold and weatherstripping products supplied in lengths up to 12'.

## FASTENER OPTIONS

### Thresholds

### Add to List Price

#10 Wood Screws and Plastic Anchors.....	\$ 0.87 /ft
#10 Wood Screws and Lead Anchors.....	1.14 /ft
#10 Machine Screws and Lead Anchors.....	1.27 /ft
#10 S.S. Machine Screws and Lead Anchors .....	2.15 /ft
#10 S.S. Wood Screws .....	1.41 /ft
#10 S.S. Wood Screws and Plastic Anchors .....	2.02 /ft
#10 S.S. Wood Screws and Lead Anchors.....	2.28 /ft
#10 Torx Wood Screws .....	2.68 /ft
#10 S.S. Torx Wood Screws .....	4.09 /ft
#10 Torx Machine Screws.....	2.55 /ft
#10 S.S. Torx Machine Screws.....	3.96 /ft
#10 S.S Torx Machine Screws and Lead Anchors .....	3.36 /ft
1/4-20 Machine Screws and Lead Anchors.....	1.88 /ft
1/4-20 S.S. Machine Screws and Lead Anchors.....	2.68 /ft
1/4-20 Flat Head Sleeve Anchor .....	3.43 /ft
1/4 Tap-Con Type (Self-Tapping Concrete).....	1.88 /ft
Cast-On Anchors (Cast Products Only) .....	11.29 /ea
Thru-bolts 1/4 - 20 x 1-1/4" FPHM with 1-1/4" post .....	4.09 /ft

**Note:** Standard fasteners included: #10 x 1-1/2" Phillips flat-head sheet metal screws.

### Weatherstripping

### Add to List Price

#6 x 5/8" Phillips Pan-head Stainless Steel Screws.....	\$ 0.74 /ft
#6 x 5/8" Phillips Self-drilling (TEK) Screws .....	0.47 /ft
#6 x 5/8" S.S. Phillips Self-drilling (TEK) Screws .....	0.60 /ft
#6 x 5/8" Phillips Pan-head Torx Sheet Metal Screws .....	2.15 /ft
Two-way Self-adhesive Tape .....	2.02 /ft

**Note:** Standard fasteners included: #6 x 5/8" Phillips pan-head sheet metal screws.



## Thresholds & Weatherstripping

### REPLACEMENT INSERTS

#### Vinyl - Grey

#### List Price (Per Foot)

434S, 435S, 477S, 478S, 481S, 516S, 518S, 520S, 532S, 541S, 552S, 560S, 565S, 575S, 580S, 599S, 771S, 837S, 860S .....	1.14
756S, 770S, 884S .....	1.61
774S, 777S, 778S, 779S, 780S, 782S, 783S .....	1.88
881S, 885S, 890S, 891S, 896S .....	1.14

#### Vinyl - Black

*Black inserts are supplied standard with DBA aluminum extrusions. Must specify on order for black replacement gaskets.*

434S, 435S, 477S, 478S, 481S, 516S, 518S, 520S, 532S, 541S, 552S, 560S, 565S, 575S, 580S, 599S, 771S, 837S, 860S .....	1.14
881S, 885S, 890S, 891S, 896S .....	1.01

#### Silicone - Grey

434S, 435S, 477S, 478S, 481S, 516S, 518S, 520S, 532S, 541S, 552S, 560S, 565S, 575S, 580S, 599S, 771S, 837S, 860S .....	3.36
730S, 740S .....	6.65
750S .....	1.88
751S, 772S .....	3.70
875S .....	2.15
881S, 885S, 890S, 891S, 896S .....	2.28

#### Silicone - Black

*Black inserts are supplied standard with DBA aluminum extrusions. Must specify on order for black replacement gaskets.*

434S, 435S, 477S, 478S, 481S, 516S, 517S, 518S, 520S, 532S, 541S, 552S, 560S, 565S, 570S, 575S, 580S, 599S, 771S, 837S, 860S .....	3.29
881S, 885S, 890S, 891S, 896S .....	2.28

#### Neoprene - Black

434S, 435S, 477S, 478S, 481S, 516S, 518S, 520S, 532S, 541S, 552S, 560S, 565S, 575S, 580S, 599S, 771S, 837S, 860S .....	3.02
730S, 740S, 864S, 870S, 872S*, 873S, 877S, 878S, 880S, 892S .....	1.88
743S, 747S, 861S .....	3.56
754S, 774S, 777S, 778S, 779S, 780S, 782S .....	1.88
750S, 753S, 785S, 862S, 863S .....	2.02
858S, 866S .....	5.11
871S, 874S, 875S .....	2.02
881S, 885S, 890S, 891S, 896S .....	1.41

#### Neoprene - Grey

872S .....	6.91
------------	------

#### Pile - Grey

434S, 435S, 477S, 478S, 516S, 518S, 520S, 532S, 541S, 552S, 560S, 565S, 575S, 580S, 599S, 728S, 771S, 789S, 837S, 845S, 847S .....	1.27
---	------

#### Nylon Brush - Black

770S, 800S, 802S, 882S, 883S .....	3.96
801S, 803S, 806S, 808S .....	7.93



## FABRICATION OPTIONS

	Add to List Price
Bevel One Edge of Threshold.....	\$ 7.80 /ft
Rip One Edge (Width) of Threshold.....	7.80 /ft
L-Notch Both Ends of Threshold.....	14.85 /ea
L-Notch setup charge on less than 100 pieces.....	64.51
U-Notch Both Ends of Threshold.....	29.49 /ea
U-Notch setup charge on less than 100 pieces.....	106.18
Cast Abrasive Notching.....	POA
Tack Weld One Line of Threshold.....	POA
Pan for Water Return Threshold.....	1.41 /ft
End Caps for Automatic Door Bottoms (Mortised Models).....	DBA 10.21 /2 Caps
	GLD 10.21 /2 Caps
Lead Lining (Automatic Door Bottoms) - Up to 48".....	171.76

## FINISH OPTIONS

	Add to List Price
Clear Anodized (CLR).....	Price on Application
Black Anodized (BLA).....	Price on Application
White Paint (WHP).....	Price on Application

## SURE-STEP

	Add to List Price
Up to 4" Width .....	29.84 /ft
Up to 5" Width .....	37.30 /ft
Up to 6" Width .....	44.62 /ft
Up to 7" Width .....	52.21 /ft
Up to 8" Width .....	59.61 /ft

## ONLINE ORDERING


Products denoted with **bold and red** are available to order through the MyHager portal.

## CANCELLATION NOTIFICATION

Cancellation for made-to-order items must be communicated within 48 hours of order placement.



## Thresholds and Weatherstripping




### 401S

Threshold - Saddle  
2-1/2" x 5/16"

Finish	Without Insert
MIL	9.74
DBA	13.44
GLD	15.52

NGP: 211  
Pemko: 166  
ANSI: J32130




### 402S

Threshold - Saddle  
3" x 1/2"

Finish	Without Insert
MIL	10.08
DBA	13.71
GLD	15.99

Pemko: 169  
ANSI: J32100




### 403S

Threshold - Saddle  
4" x 1/4"

Finish	Without Insert
MIL	9.88
DBA	16.67
GLD	18.82

NGP: 413  
Pemko: 270  
ANSI: J32130




### 404S

Threshold - Saddle  
4" x 1/2"

Finish	Without Insert
MIL	11.29
DBA	16.53
GLD	18.20

NGP: 424E  
NGP: 412SS  
Pemko: 170  
ANSI: J32130




### 406S

Threshold - Half Saddle  
7" x 3/4"

Finish	Without Insert
MIL	32.66
DBA	35.14
GLD	38.44

NGP: 458  
Pemko: 1877  
ANSI: J33100




### 407S

Threshold - Half Saddle  
1/2" Step  
5-1/2" x 3/4"

Finish	Without Insert
MIL	18.95
DBA	29.23
GLD	32.46

NGP: 655  
Pemko: 157  
ANSI: J33180




### 408S

Threshold - Saddle  
3-1/2" x 5/8"

Finish	Without Insert
MIL	8.94
DBA	12.56
GLD	14.31

Pemko: 212  
ANSI: J30100



### 410S


Threshold - Saddle  
4" x 1/2"

Finish	Without Insert
MIL	11.49
DBA	16.53
GLD	18.20

NGP: 424  
Pemko: 170  
ANSI: J32130



## Thresholds and Weatherstripping



### 412S

Threshold - Saddle  
5" x 1/2"

Finish

Without  
Insert

N


With Insert  
S V

W

Comparison  
Numbers

MIL 14.99  
DBA 21.91  
GLD 23.85

NGP: 425E  
NGP: 512SS  
Pemko: 171  
ANSI: J32130




### 413S

Threshold - Saddle  
5" x 1/4"

MIL 14.31  
DBA 21.64  
GLD 23.32  
32D 187.15

NGP: 513  
Pemko: 271  
ANSI: J32130




### 415S

Threshold - Saddle  
6" x 1/2"

MIL 18.68  
DBA 25.87  
GLD 29.10

NGP: 426  
Pemko: 172  
ANSI: J32130




### 416S

Threshold - Saddle  
7" x 1/2"

MIL 24.60  
DBA 32.05  
GLD 35.28

NGP: 427  
Pemko: 176  
ANSI: J32130




### 417S

Threshold - Saddle  
6" x 1/4"

MIL 17.94  
DBA 24.60  
GLD 28.83

NGP: 613  
Pemko: 272  
ANSI: J32130




### 418S

Threshold - Saddle  
3" x 1/4"

MIL 10.35  
DBA 13.84  
GLD 16.40

NGP: 411  
Pemko: 151  
ANSI: J32330




### 419S

Threshold - Saddle  
4" x 1"

MIL 9.88  
DBA 12.30  
GLD 13.71

Pemko: 219  
ANSI: J30100




### 420S

Threshold - Saddle  
Thermal Barrier  
4" x 1/2"

MIL 21.17  
DBA 27.42  
GLD 30.37

NGP: 8424  
Pemko: 252X2FG  
ANSI: J32193



### 421S

Threshold - Saddle  
Thermal Barrier  
5" x 1/2"

MIL 23.72  
DBA 30.78  
GLD 34.61

NGP: 8425  
Pemko: 252X3FG  
ANSI: J32193


Insert Codes:  
Finish Codes:

POA - Price on Application  
V - Vinyl; N - Neoprene, EDPM, or TPE; S - Silicone; W - Pile; B - Nylon Brush; F - Vinyl Fin  
MIL - Mill Finished Aluminum; DBA - Dark Bronze Anodized; GLD - Gold Anodized; MIB - Mill Finished Bronze;  
32D - Matte Stainless Steel; GYP - Primed for Painting; CLR - Clear Anodized; CAL - Cast Aluminum


05/01/2022  
www.hagerco.com




## Thresholds and Weatherstripping




Description	Finish	Without Insert	N	With Insert S	V	W	Comparison Numbers
<b>422S</b>							NGP: 8426 Pemko: 253X3FG ANSI: J32193
Threshold - Saddle	MIL	26.67					
Thermal Barrier	DBA	34.74					
6" x 1/2"	GLD	37.70					




<b>423S</b>							NGP: 8427 Pemko: 253X4FG ANSI: J32193
Threshold - Saddle	MIL	29.10					
Thermal Barrier	DBA	38.10					
7" x 1/2"	GLD	42.94					




<b>424S</b>							NGP: 8428 Pemko: 254X4FG ANSI: J32193
Threshold - Saddle	MIL	30.51					
Thermal Barrier	DBA	40.92					
8" x 1/2"	GLD	44.76					




<b>426S</b>							NGP: 428E Pemko: 2548 ANSI: J32130
Threshold - Saddle	MIL	30.37					
8" x 1/2"	DBA	40.52					
	GLD	46.57					



<b>427S</b>							NGP: 425HD Pemko: 1715 ANSI: J32130
Threshold - Saddle	MIL	40.25					
Heavy Duty	DBA	52.95					
5" x 1/2"							












<b>428S</b>							NGP: 813 Pemko: 2748 ANSI: J32130
Threshold - Saddle	MIL	28.56					
8" x 1/4"	DBA	37.70					
	GLD	44.08					



<b>430S</b>							NGP: 713 Pemko: 276 ANSI: J32130
Threshold - Saddle	MIL	24.46					
7" x 1/4"	DBA	31.65					
	GLD	37.70					



# Thresholds and Weatherstripping













Description	Finish	Without Insert	N	With Insert S	V	W	Comparison Numbers
<b>431S</b> Threshold - Half Saddle 5" x 1/2"	MIL	28.69					NGP: 325 Pemko: 229 ANSI: J33130
	DBA	39.24					
	GLD	44.22					
<b>432S</b> Threshold - Half Saddle 4" x 1/2"	MIL	25.26					NGP: 324 Pemko: 227 ANSI: J33130
	DBA	35.62					
	GLD	39.24					
<b>433S</b> Threshold - Half Saddle 3" x 1/2"	MIL	11.29					NGP: 322 Pemko: 168 ANSI: J33130
	DBA	14.72					
	GLD	17.94					
<b>434S</b> Threshold - Bumper Vinyl insert supplied unless other material specified 3-1/8" x 5/8"	MIL		11.29	11.29	8.67	8.67	Pemko: 205 ANSI: J30100
	DBA		14.45	14.45	10.75	10.75	
	GLD		16.40	16.40	12.43	12.43	
<b>435S</b> Threshold - Bumper Vinyl insert supplied unless other material specified 3-1/8" x 1"	MIL		13.57	13.57	10.21	10.21	Pemko: 2051 ANSI: J30100
	DBA		17.27	17.27	12.90	12.90	
	GLD		19.76	19.76	14.99	14.99	
<b>436S</b> Threshold - Saddle 2-1/4" x 3/16"	MIL	7.39					NGP: 410 Pemko: 173 ANSI: J32330
	DBA	10.89					
<b>438S</b> Threshold - Half Saddle 1/4" Step 5-1/2" x 1/2"	MIL	18.55					NGP: 653 Pemko: 158 ANSI: J32330
	DBA	27.42					
<b>440S</b> Threshold - Floor Plate 2" x 1/4"	MIL	11.29					NGP: 8142 Pemko: 190 ANSI: J37100
	DBA	14.45					
	GLD	16.53					
<b>442S</b> Threshold Barrier Free Ramp 1/2" Rise 6" x 1/2"	MIL	17.54					NGP: 657 Pemko: 259 ANSI: J38130
	DBA	23.45					
	GLD	27.15					

Insert Codes: POA - Price on Application  
 Finish Codes: V - Vinyl; N - Neoprene, EDPM, or TPE; S - Silicone; W - Pile; B - Nylon Brush; F - Vinyl Fin  
 MIL - Mill Finished Aluminum; DBA - Dark Bronze Anodized; GLD - Gold Anodized; MIB - Mill Finished Bronze;  
 32D - Matte Stainless Steel; GYP - Primed for Painting; CLR - Clear Anodized; CAL - Cast Aluminum

05/01/2022  
 www.hagerco.com










## Thresholds and Weatherstripping



Description	Finish	Without Insert	N	With Insert S	V	W	Comparison Numbers
<b>443S</b> Threshold Barrier Free Ramp 1/4" Rise 6" x 3/4"	MIL	19.96					Pemko: 257 ANSI: J30180
	DBA	26.41					
	GLD	30.11					
<b>444S</b> Threshold Barrier Free Ramp 3/4" Rise 12" x 3/4"	MIL	41.66					NGP: R050 Pemko: 257X259 ANSI: J38183
	DBA	51.14					
	GLD	59.88					
<b>445S</b> Threshold - Floor Plate 3" x 1/4"	MIL	15.25					NGP: 8143 Pemko: 191 ANSI: J37100
	DBA	20.76					
	GLD	23.99					
<b>448S</b> Threshold - Saddle 10" x 1/4"	MIL	37.96					NGP: 1013 ANSI: J37100 Pemko: 2750
	DBA	49.12					
<b>450S</b> Threshold - Floor Plate 4" x 1/4"	MIL	20.63					NGP: 8144 Pemko: 192 ANSI: J37100
	DBA	27.15					
	GLD	28.56					
<b>451S</b> Threshold - Saddle Thermal Barrier 9" x 1/2"	MIL	37.43					NGP: 8429 Pemko: 254X5FG ANSI: J32193
	DBA	47.84					
	GLD	51.95					
<b>452S</b> Threshold - Saddle Thermal Barrier 10" x 1/2"	MIL	41.40					NGP: 8430 Pemko: 255X5FG ANSI: J32193
	DBA	52.42					
	GLD	58.46					
<b>455S</b> Threshold - Floor Plate 5" x 1/4"	MIL	25.13					NGP: 8145 ANSI: J37100
	DBA	33.60					
	GLD	38.84					
<b>460S</b> Threshold - Floor Plate 6-1/8" x 1/4"	MIL	29.37					NGP: 8146 Pemko: 193 ANSI: J37100
	DBA	39.11					
	GLD	44.08					
<b>465S</b> Threshold - Floor Plate 8" x 1/4"	MIL	38.30					NGP: 8148 Pemko: 228 ANSI: J37100
	DBA	53.22					
	GLD	58.73					








Description	Finish	Without Insert	N	With Insert S	V	W	Comparison Numbers
<b>470S</b> Threshold Plate Support 1-3/4" x 1/2"	MIL	7.26					NGP: 8140 Pemko: 195
	DBA	10.35					
	GLD	11.49					
<b>477S</b> Threshold - Bumper 5" x 1/2"	MIL		17.40	18.20	16.40	16.40	NGP: 950 Pemko: 2001 ANSI: J36100
	DBA		22.78	24.33	21.77	21.77	
	GLD		24.86	25.74	23.85	23.85	
<b>478S</b> Threshold - Bumper 7" x 1/2"	MIL		25.74	26.81	24.46	24.46	ANSI: J30100
	DBA		33.73	34.74	32.32	32.32	
	GLD		35.48	37.03	34.20	34.20	
<b>481S</b> Threshold Bumper Strip 23/32" x 3/8"	MIL		8.47	8.94	7.66	7.66	NGP: 2 Pemko: 184
	DBA		11.02	11.63	9.88	9.88	
	GLD		12.70	12.30	12.03	12.03	
<b>484S</b> Threshold Bumper Strip 1-1/8" x 1/4"	MIL	7.39					NGP: 8136 Pemko: 196
	DBA	11.02					
	GLD	11.63					
<b>492S</b> Threshold - Saddle 5" x 1/2"	MIL	18.08					Pemko: 154 ANSI: J32330 Pemko: 2132
	DBA	22.58					
	GLD	26.14					
<b>503S</b> Threshold - Carpet Edge 2-1/2" x 3/8"	MIL	8.67					NGP: 416 ANSI: J32180 Pemko: 2134
	DBA	13.71					
	GLD	15.52					
<b>504S</b> Threshold - Carpet Edge 1-3/8" x 3/8"	MIL	11.76					NGP: 417 Pemko: 174 ANSI: J32183
	DBA	15.25					
	GLD	17.40					
<b>505S</b> Threshold - Carpet Divider 1-13/16" x 7/16"	MIL	7.93					NGP: 414 Pemko: 236 ANSI: J32113
	DBA	10.62					
	GLD	12.03					


POA - Price on Application  
 Insert Codes: V - Vinyl; N - Neoprene, EDPM, or TPE; S - Silicone; W - Pile; B - Nylon Brush; F - Vinyl Fin  
 Finish Codes: MIL - Mill Finished Aluminum; DBA - Dark Bronze Anodized; GLD - Gold Anodized; MIB - Mill Finished Bronze; 32D - Matte Stainless Steel; GYP - Primed for Painting; CLR - Clear Anodized; CAL - Cast Aluminum




# Thresholds and Weatherstripping



Description	Finish	Without Insert	N	With Insert S	V	W	Comparison Numbers
<b>506S</b> Threshold - Carpet Divider 4" x 7/16"	MIL	13.84					NGP: 404
	DBA	18.82					Pemko: 2364
	GLD	21.64					ANSI: J32113




<b>508S</b> Threshold - Carpet Divider 1-13/16" x 11/16"	MIL	8.33					NGP: 414
	DBA	10.89					Pemko: 236
	GLD	11.76					ANSI: J32140




<b>516S</b> Threshold - Panic Thermal Barrier 5-1/8" x 7/8"	MIL		26.54	26.54	25.26	25.26	NGP: 8435
	DBA		35.28	35.28	32.93	32.93	Pemko: 253X226FG
	GLD		37.16	37.16	35.48	35.48	ANSI: J36190




<b>518S</b> Threshold - Panic Thermal Barrier 7-1/2" x 7/8"	MIL		33.60	33.60	31.79	31.79	NGP: 8437
	DBA		44.76	44.76	42.19	42.19	Pemko: 255X226FG
	GLD		49.25	49.25	48.18	48.18	ANSI: J36190




<b>520S</b> Threshold - Panic 5" x 1/2"	MIL		16.79	16.79	15.52	15.52	NGP: 896
	DBA		21.77	21.77	20.09	20.09	Pemko: 2005
	GLD		24.19	24.19	22.31	22.31	ANSI: J36130




<b>532S</b> Threshold - Panic 5" x 1"	MIL		20.63	20.63	19.08	19.08	NGP: 803
	DBA		27.42	27.42	25.40	25.40	Pemko: 181
	GLD		29.97	29.97	27.69	27.69	ANSI: J36100




<b>541S</b> Threshold - Panic 5" x 7/8"	MIL		20.23	20.23	18.82	18.82	NGP: 804
	DBA		27.28	27.28	26.67	26.67	Pemko: 177
	GLD		30.24	30.24	30.24	30.24	ANSI: J36100



<b>552S</b> Threshold - Panic 5" x 3/4"	MIL		19.96	19.96	18.95	18.95	NGP: 890
	DBA		26.41	26.41	25.40	25.40	Pemko: 179
	GLD		30.24	30.24	28.69	28.69	ANSI: J36100










<b>560S</b> Threshold - Panic 3-1/2" x 1"	MIL		17.40	17.40	16.26	16.26	NGP: 891
	DBA		24.33	24.33	22.78	22.78	Pemko: 185
	GLD		27.01	27.01	25.26	25.26	ANSI: J36300



<b>565S</b> Threshold - Panic 3-5/8" x 7/8"	MIL		17.81	17.81	16.54	16.54	Pemko: 1855
	DBA		24.12	24.12	23.32	23.32	ANSI: J36300
	GLD		26.68	26.68	24.32	24.32	








Description	Finish	Without Insert	N	With Insert S	V	W	Comparison Numbers
<b>572S</b>							
Threshold - Half Saddle	MIL	25.00					Pemko: 182
1/2" Offset	DBA	33.87					ANSI: J33180
7" x 1"	GLD	40.12					NGP: 656
<b>575S</b>							
Threshold - Panic	MIL		20.36	20.36	19.22	19.22	Pemko: 181
5" x 1"	DBA		27.55	27.55	25.87	25.87	ANSI: J36100
	GLD		29.97	29.97	28.08	28.08	
<b>580S</b>							
Threshold - Panic	MIL		23.72	23.72	22.78	22.78	NGP: 897
5" x 7/8"	DBA		30.91	30.91	29.49	29.49	Pemko: 277
	GLD		33.33	33.33	31.79	31.79	ANSI: J36100
<b>599S</b>							
Threshold - Panic	MIL		19.62	19.62	18.82	18.82	Pemko: 159
3-1/2" x 7/8"	DBA		26.14	26.14	27.82	27.82	ANSI: J36300
	GLD		28.56	28.56	27.15	27.15	
<b>600S</b>							
Threshold - Interlock Cap	MIL	7.93					Pemko: 101
1-1/2" x 5/16"	DBA	8.80					ANSI: J34170
	GLD	11.49					
<b>604S</b>							
Threshold - Interlock	MIL	19.49					Pemko: 114
5" x 1/2"	DBA	24.33					ANSI: J34170
*701S Interlocking Hook provided							
<b>626S</b>							
Threshold - Saddle							
Cast Abrasive Aluminum							
8' Max Length							
4" x 3/8"	CAL	136.08					
5" x 3/8"	CAL	163.30					
6" x 3/8"	CAL	190.37					









## Thresholds and Weatherstripping



Description	Finish	Without Insert	N	With Insert S	V	W	Comparison Numbers
<b>627S</b> Threshold - Saddle Cast Abrasive Aluminum 8' Max Length							ANSI: J32230 NGP: 4425
4" x 1/2"	CAL	136.08					
5" x 1/2"	CAL	163.56					
6" x 1/2"	CAL	190.37					
<b>651S</b> Threshold - Saddle for floor closers center hung without mitered end 7" x 1/2" Up to 36"		MIL DBA					NGP: Type 1 Pemko: Type 11 ANSI: J39130
		194.60 217.18					
Up to 72"		MIL DBA					
		387.94 434.11					
Lengths over 72" add the following per inch		MIL DBA					
		2.42 2.82					
<b>652S</b> Threshold - Saddle for floor closers center hung without mitered end 5" x 1/2" Up to 36"		MIL DBA					NGP: Type 1 Pemko: Type 11 ANSI: J39130
		155.97 174.05					
Up to 72"		MIL DBA					
		317.52 354.41					
Lengths over 72" add the following per inch		MIL DBA					
		2.42 2.82					
<b>676S</b> Cover Plate 8' Max. Length 1/8" Height Charges: length X per foot charge X width in inches (3" min.) Example: 6 (ft. length) x 10.08 (ft. list) x 6 (in. width)		MIL	10.08				NGP: 818 Pemko: 18/1A ANSI: J17300
<b>677S</b> Cover Plate 8' Max. Length 1/4" Height Charges: length X per foot charge X width in inches (3" min.) Example: 6 (ft. length) x 16.13 (ft. list) x 6 (in. width)		MIL	16.13				NGP: 814 Pemko: 14/1A ANSI: J17300



## Thresholds and Weatherstripping








Description	Finish	Without Insert	N	With Insert S	V	W	Comparison Numbers
<b>7015</b> Weatherstrip Interlock "J" Hook	MIL	4.97					NGP: 80 Pemko: 61 ANSI: ROY016
<b>7095</b> Acoustic Foam Pad Pack of 10	Black		36.68				NGP: 60FP
<b>710S</b> Press-On Mullion Smoke Seal Sponge Neoprene Note: Available in 120" only	Black	32.25/roll					NGP: 5100 Pemko: 5110 ANSI: ROC004
<b>717S</b> Weatherstrip Interlock Overhead Rain Drip	MIL DBA	5.58 8.87					NGP: 124 Pemko: 347 ANSI: R3Y106
<b>718S</b> Weatherstrip Interlock Overhead w/ Vinyl	MIL DBA				5.50 8.33		NGP: 123 Pemko: 68 ANSI: R3D036
<b>719</b> Press-on Weatherstrip Edge Sealing System & Smoke Seal Intumescent material							NGP: 9450 ANSI: ROW154
7'	Brown	44.76					
8'	Charcoal	51.14					
9'		57.73					
3' x 7'		108.73					
4' x 7'		115.05					
4' x 8'		127.95					
6' x 7'		127.95					
7' x 7'		134.33					
<b>720</b> Press-on Weatherstrip Edge Sealing System & Smoke Seal Intumescent material							NGP: 9850 Pemko: HSS2000XS44 ANSI: ROW154
3' x 7'	Brown	90.32					
4' x 7'		95.56					
4' x 8'	Charcoal	104.70					
6' x 7'		104.70					
7' x 7'	White	109.13					
6' x 8'		114.11					
8' x 8'		123.24					

Insert Codes: POA - Price on Application  
 V - Vinyl; N - Neoprene, EDPM, or TPE; S - Silicone; W - Pile; B - Nylon Brush; F - Vinyl Fin  
 Finish Codes: MIL - Mill Finished Aluminum; DBA - Dark Bronze Anodized; GLD - Gold Anodized; MIB - Mill Finished Bronze;  
 32D - Matte Stainless Steel; GYP - Primed for Painting; CLR - Clear Anodized; CAL - Cast Aluminum

05/01/2022  
 www.hagerco.com




## Thresholds and Weatherstripping




Description	Finish	Without Insert	N	With Insert S	V	W	Comparison Numbers
<b>721</b> Press-on Weatherstrip Smoke Seal TPE							NGP: 5020 ANSI: ROW154
7'	Brown	19.69					
8'	Gray	22.58					
9'	Charcoal	25.33					
3' x 7'		47.91					
4' x 7'	White	50.67					
4' x 8'		56.38					
6' x 7'		56.38					
7' x 7'		59.14					
<b>722</b> Press- On Weatherstrip Edge Sealing System & Smoke Seal Intumescent material							
3' x 7'	Charcoal	91.12					
4' x 7'	Brown	96.50					
4' x 8'		107.32					
6' x 7'		107.32					
6' x 8'		112.56					
7' x 7'		118.00					
8' x 8'		128.76					
<b>724</b> Press-on Weatherstrip Edge Sealing System Intumescent material							NGP: 9500 ANSI: ROW156
7'	Charcoal	53.89					
8'	Brown	61.49					
9'		69.22					
3' x 7'		130.70					
4' x 8'		153.82					
<b>725</b> Press-on Weatherstrip Sponge Neoprene	Charcoal		1.32				Pemko: P493 ANSI: ROC156
<b>726</b> Press-on Weatherstrip Smoke Seal							NGP: 5050 Pemko: S88 ANSI: ROE154
17'	Brown			33.67			
18'	Charcoal			36.68			
19'	Tan			38.10			
20'	White			39.65			
21'				42.81			
22'				44.89			
25'				50.94			
260'				502.92			
520'				1,005.85			




## Thresholds and Weatherstripping




Description	Finish	Without Insert	N	With Insert S	V	W	Comparison Numbers
<b>728</b> Press-on Weatherstrip TPE							NGP: 5040 Pemko: S44 ANSI: R00154
17'	Charcoal			33.00			
20'				38.64			
21'				40.32			
25'				48.05			
260'				455.08			
520'				909.22			



<b>729</b> Press-on Weatherstrip Edge Sealing System Intumescent material							NGP: 9800 Pemko: HSS2000 ANSI: ROW156
17'	Brown	45.02					
19'	Charcoal	50.13					
21'		55.51					
25'	White	66.06					
150'		388.21					



<b>730S</b> Automatic Door Bottom Mortise Application End Caps Furnished (max. drop 3/4")							NGP: 225 Pemko: 411 ANSI: R3Y326
12" to 23"	MIL	125.66	142.20				
24" to 36"	MIL	82.66	99.19				
37" to 48"	MIL	110.21	132.25				
49" to 60"	MIL	137.76	165.31				




<b>734</b> Press-on Weatherstrip Edge Sealing System & Smoke Seal Intumescent material							NGP: 9550 ANSI: ROW154
7'	Brown	54.57					
8'	Charcoal	62.29					
9'		70.09					
3' x 7'		132.38					
6' x 7'		155.64					
8' x 8'		186.88					

POA - Price on Application  
 Insert Codes: V - Vinyl; N - Neoprene, EDPM, or TPE; S - Silicone; W - Pile; B - Nylon Brush; F - Vinyl Fin  
 Finish Codes: MIL - Mill Finished Aluminum; DBA - Dark Bronze Anodized; GLD - Gold Anodized; MIB - Mill Finished Bronze;  
 32D - Matte Stainless Steel; GYP - Primed for Painting; CLR - Clear Anodized; CAL - Cast Aluminum


05/01/2022  
 www.hagerco.com




## Thresholds and Weatherstripping




Description	Finish	Without Insert	N	With Insert	S	V	W	Comparison Numbers
<b>736</b> Press-on Weatherstrip Smoke Seal								NGP: 2525 Pemko: PK33 ANSI: ROE154
17'	Charcoal				33.80			
18'	White				36.56			
19'					38.24			
20'					39.92			
21'					42.67			
22'					44.62			
25'					50.67			
260'					500.04			
520'					1,000.20			



<b>737</b> Press-on Weatherstrip Smoke Seal								NGP: 5060 Pemko: S77 ANSI: ROE154
17'	Charcoal				37.83			
18'					40.05			
19'					42.27			
20'					44.49			
21'					46.44			
22'					48.59			
25'					55.10			
260'					470.13			
520'					868.96			




<b>738</b> Press-on Weatherstrip Smoke Seal								NGP: 5075 Pemko: S773 ANSI: ROE154
17'	Charcoal				44.02			
18'					47.78			
20'					52.21			
21'					55.84			
22'					58.46			



<b>739</b> Press-on Weatherstrip Smoke Seal								NGP: 5070 Pemko: S772 ANSI: ROE154
17'	Brown				57.66			
18'	Clear				61.08			
19'					64.44			
20'					67.87			
21'					71.23			
22'					74.66			






## 740S

Automatic Door  
Bottom - Surface Applied  
End Caps Furnished  
(max. drop 3/4")

NGP: 222  
Pemko: 4131  
ANSI: R3Y336

Description	Finish	Without Insert	N	With Insert S	V	W
12" to 23"	CLR		135.74	153.22		
	DBA		149.18	166.66		
	GLD		172.03	192.19		
24" to 36"	CLR		92.40	109.54		
	DBA		105.50	123.31		
	GLD		129.02	149.18		
37" to 48"	CLR		122.98	146.16		
	DBA		140.58	164.64		
	GLD		172.03	198.91		
49" to 60"	CLR		154.02	182.65		
	DBA		175.73	205.97		
	GLD		215.04	248.64		




## 742S

Automatic Door  
Bottom - Hollow Metal Door  
Application (max. drop 1/2")

NGP: 320  
Pemko: 420

24" to 36"	MIL		73.25
37" to 48"	MIL		97.44
49" to 60"	MIL		128.35




## 743S

Automatic Door Bottom  
Mortise Application  
End Caps Furnished  
(max drop 3/4")

NGP: 422  
Pemko: 434  
ANSI: R3C326

12" to 23"	MIL	176.06
24" to 36"	MIL	133.06
37" to 48"	MIL	177.41
49" to 60"	MIL	221.76



## 747S


Automatic Heavy Duty  
Door Bottom - Surface Applied  
End Caps Furnished in Listed Furnishes  
(max. drop 3/4")

NGP: 420  
Pemko: 4301  
ANSI: R3C336

12" to 23"	CLR	186.82
	DBA	202.94
	GLD	235.20
24" to 36"	CLR	143.14
	DBA	159.26
	GLD	193.20
37" to 48"	CLR	190.85
	DBA	212.35
	GLD	257.38
49" to 60"	CLR	238.56
	DBA	265.44
	GLD	321.89




## Thresholds and Weatherstripping




Price Code:


Description	Finish	Without Insert	N	With Insert S	V	W	Comparison Numbers
<b>750S</b>							
Door Bottom - Sweep							
	CLR		6.38	9.48			NGP: 200
	DBA		8.33	11.63			Pemko: 315
	GLD		9.21	12.43			ANSI: ROY436
	32D		38.57	42.81			




<b>751S</b>							
Door Bottom - Shoe							
	MIL		10.08	11.89		10.75	NGP: 317
	DBA		12.16	14.58		13.17	ANSI: ROY436
	GLD		13.57	15.12		13.44	




<b>752S</b>							
Door Bottom - Sweep							
	MIL				8.06		NGP: 102V
	DBA				9.74		ANSI: R3D436
	GLD				9.61		



<b>753S</b>							
Door Bottom - Sweep							
	MIL		9.48				NGP: 114
	DBA		10.89				Pemko: 3151
	GLD		11.76				ANSI: R3B436



<b>754S</b>							
Door Bottom - Sweep							
	CLR		9.61				NGP: 197
	DBA		12.56				Pemko: 3151
	GLD		13.57				ANSI: R3B436










<b>756S</b>							
Door Bottom - Sweep or Astragal*							
	MIL				4.23		NGP: 97
	DBA				5.85		Pemko: 307
	GLD				6.25		ANSI: R3D434

\*Order 2 for a set



## Thresholds and Weatherstripping



Description	Finish	Without Insert	N	With Insert S	V	W	Comparison Numbers
-------------	--------	----------------	---	---------------	---	---	--------------------

### 759S

Door Bottom - Sweep

MIL  
DBA  
GLD

6.25  
7.39  
8.06

NGP: 96  
Pemko: 57  
ANSI: R3D436

Description	Finish	Without Insert	B	With Insert S	V	W	Comparison Numbers
-------------	--------	----------------	---	---------------	---	---	--------------------

### 770S

Door Bottom - Sweep w/ Rain Drip

MIL  
DBA  
GLD

3.83 9.21  
6.79 11.29  
7.53 11.63

6.12  
8.06  
8.94

NGP: 17  
NGP: 101  
NGP: C627  
Pemko: 345  
ANSI: R3Y534

Description	Finish	Without Insert	N	With Insert S	V	W	Comparison Numbers
-------------	--------	----------------	---	---------------	---	---	--------------------

### 778S

Door Bottom - Shoe w/ Rain Drip

MIL  
DBA  
GLD

8.67  
11.15  
12.43

7.26  
9.34  
10.35

NGP: 319E  
Pemko: 215  
ANSI: R3D536

### 771S

Astragal

MIL  
DBA

14.58  
15.99

15.10  
16.51

13.97  
15.25

13.44  
17.14

NGP: 143  
Pemko: 300  
ANSI: R3Y725

### 772S

Door Bottom - Shoe or Astragal

MIL  
DBA  
GLD

9.07  
11.15  
11.96

9.60  
12.14  
12.56

8.94  
10.89  
11.29

NGP: 116  
Pemko: 313  
ANSI: R3Y726

### 774S

Door Bottom - Shoe or Astragal

MIL  
DBA

5.98  
7.80

4.97  
6.38

NGP: 112  
Pemko: 234  
ANSI: R3Y725

### 776S

Door Bottom - Shoe or Astragal  
1-3/4" Door

CLR  
DBA  
GLD

16.79  
19.96  
22.32

NGP: 14RA  
ANSI: R3C735

### 777S

Door Bottom - Shoe w/ Rain Drip

MIL  
DBA  
GLD

8.67  
11.15  
12.43

7.26  
9.34  
10.35

NGP: 318  
Pemko: 210  
ANSI: R3D536


Insert Codes:  
Finish Codes:

POA - Price on Application  
V - Vinyl; N - Neoprene, EDPM, or TPE; S - Silicone; W - Pile; B - Nylon Brush; F - Vinyl Fin  
MIL - Mill Finished Aluminum; DBA - Dark Bronze Anodized; GLD - Gold Anodized; MIB - Mill Finished Bronze;  
32D - Matte Stainless Steel; GYP - Primed for Painting; CLR - Clear Anodized; CAL - Cast Aluminum

05/01/2022  
www.hagerco.com




## Thresholds and Weatherstripping



Description	Finish	Without Insert	N	With Insert	S	V	W	Comparison Numbers
<b>779S</b> Door Bottom - Shoe	MIL		8.67			7.26		NGP: 36
	DBA		11.15			9.34		Pemko: 217
	GLD		12.43			10.35		ANSI: R3D436
<b>780S</b> Door Bottom - Shoe	MIL		10.48			8.80		NGP: 35
	DBA		13.57			11.29		Pemko: 222
	GLD		15.25			12.70		ANSI: R3D436
<b>782S</b> Door Bottom - Shoe	MIL		23.18			19.08		NGP: 99
	DBA		29.84			24.86		Pemko: 221
	GLD		31.92			28.69		ANSI: R3D436
<b>783S</b> Door Bottom - Shoe w/ Rain Drip Low Profile	MIL					7.20		NGP: 319E
	DBA					10.16		ANSI: R3D536
	GLD					10.87		
<b>785S</b> Jamb Weatherstrip up to 96"	MIL		6.07					NGP: 188
	DBA		8.75					ANSI: R3D164
	GLD		9.31					
Description	Finish	B	N	With Insert	S	V	W	Comparison Numbers
<b>787S</b> Garage Weatherstrip	MIL		53.06					NGP: 81369
								Pemko: E199
								ANSI: R3D016
<b>789S</b> Door Bottom Rain Drip	MIL						13.04	
	DBA						18.82	
	GLD						19.62	
<b>800S</b> Jamb Weatherstrip	MIL	7.80						NGP: A626A
	DBA	11.15						Pemko: 45041
	GLD	12.03						ANSI: R3F164










Description	Finish	B	N	With Insert S V W	Comparison Numbers
<b>801S</b>					
Door Sweep or Jamb Weatherstrip or Astragal*	MIL	9.07			NGP: D608
	DBA	11.76			Pemko: 18100
	GLD	11.89			ANSI: R3D434
*Order 2 for a set					
<b>802S</b>					
Door Sweep or Jamb Weatherstrip or Astragal*	MIL	5.85			NGP: B606
	DBA	7.66			Pemko: 18061
	GLD	8.20			ANSI: R3F164
*Order 2 for a set					
<b>803S</b>					
Jamb Weatherstrip	MIL	9.74			NGP: D620
	DBA	11.63			Pemko: 45100
	GLD	12.43			ANSI: R3F164
<b>806S</b>					
Door Sweep	MIL	12.90			Pemko: 18137
	DBA	18.55			ANSI: R3F436
	GLD	19.22			
<b>808S</b>					
Jamb Weatherstrip	MIL	17.14			NGP: G622
	DBA	23.85			Pemko: 45175
	GLD	24.46			ANSI: R3F164








## Thresholds and Weatherstripping



Description	Finish	Without Insert	N	With Insert S	V	W	Comparison Numbers
<b>810S</b> Overhead Rain Drip	MIL DBA GLD	6.79 9.21 10.62					NGP: 16 Pemko: 346 ANSI: R3Y036
<b>835S</b> Astragal - Bar Type 10' Max length	MIL DBA GLD GYP 32D	8.80 11.15 12.56 9.07 39.98					NGP: 139 Pemko: 357 ANSI: R0Y636
<b>836S</b> Astragal T-Type	MIL DBA GLD	7.53 10.08 10.75					NGP: 176 Pemko: 359 ANSI: R3Y616
<b>837S</b> Astragal T-Type	MIL DBA GLD		9.88 13.31 13.84	10.35 13.44 13.84	8.47 11.63 12.30	8.47 11.63 12.30	NGP: 158 Pemko: 355 ANSI: R3Y714
<b>839S</b> Kerf-in Mortise Astragal Sweep *Brush insert	MIL	6.38					Pemko: 5041AP ANSI: R3A425



## Thresholds and Weatherstripping



Description	Finish	Without Insert	With Insert			W	Comparison
			N	S	V		
<b>845S</b> Astragal - Surface Applied Adjustable Spring Loaded w/ Pile Must also order 846 for a set.	MIL DBA GLD					22.92 27.42 29.64	NGP: 140P Pemko: 351P
<b>846S</b> Astragal - Surface Applied Adjustable Spring Loaded Must also order 845 for a set	MIL DBA GLD	22.31 26.67 29.37					NGP: 140P Pemko: 351P
<b>847S</b> Astragal - Mortise Type Adjustable Spring Loaded w/ Pile Must also order 848 for a set	MIL DBA GLD					21.64 27.01 29.97	NGP: 144P Pemko: 354P
<b>848S</b> Astragal - Mortise Type Adjustable Spring Loaded Must also order 847 for a set	MIL DBA GLD	21.77 27.28 30.37					NGP: 144P Pemko: 354P
<b>849S</b> Adjustable Astragals Magnetic 80" to 96" Doors only (sold as set ONLY)	MIL DBA	57.59 69.15					NGP: 149MA ANSI: R3L835
<b>859S</b> Magnetic Weatherstrip	MIL DBA	12.30 15.25					NGP: 159M Pemko: 2815 ANSI: R3L264
<b>860S</b> Jamb Weatherstrip Adjustable	MIL DBA GLD	22.18 26.54 28.08	22.18 26.54 28.08	22.92 27.42 28.96	21.50 25.74 27.28	21.50 25.74 27.28	NGP: 106 Pemko: 351 ANSI: R3B264


Insert Codes:  
Finish Codes:

POA - Price on Application  
V - Vinyl; N - Neoprene, EDPM, or TPE; S - Silicone; W - Pile; B - Nylon Brush; F - Vinyl Fin  
MIL - Mill Finished Aluminum; DBA - Dark Bronze Anodized; GLD - Gold Anodized; MIB - Mill Finished Bronze;  
32D - Matte Stainless Steel; GYP - Primed for Painting; CLR - Clear Anodized; CAL - Cast Aluminum

05/01/2022  
www.hagerco.com



## Thresholds and Weatherstripping












Description	Finish	Without Insert	With Insert			Comparison
			N	S	V	
<b>861S</b>						
Jamb Weatherstrip	MIL		11.15			NGP: 108
	DBA		12.90			Pemko: 285
	GLD		13.97			ANSI: R3C164
<b>862S</b>						
Jamb Weatherstrip	CLR		8.67			NGP: 137
	DBA		9.88			Pemko: 319
	GLD		10.89			ANSI: R3B164
<b>863S</b>						
Jamb Weatherstrip	CLR		9.61			ANSI: R3B164
	DBA		11.29			
	GLD		11.76			
<b>864S</b>						
Jamb Weatherstrip	CLR		15.99			NGP: 107
Adjustable	DBA		19.96			Pemko: 379
	GLD		20.63			ANSI: R3C164
<b>865S</b>						
Jamb Weatherstrip	MIL		21.91			NGP: 103N
Adjustable	DBA		25.74			Pemko: 350
	GLD		27.15			ANSI: R3C264
<b>866S</b>						
Jamb Weatherstrip	MIL		22.92			NGP: 303N
Adjustable Spring Loaded	DBA		27.15			ANSI: R3C264
<b>870S</b>						
Jamb Weatherstrip	CLR		5.38			NGP: 127
	DBA		6.91			NPG: 120SS
	GLD		8.20			Pemko: 305
						ANSI: R0C164
<b>871S</b>						
Jamb Weatherstrip	MIL		7.66			NGP: 132N
	DBA		9.74			Pemko: 368
	GLD		10.08			ANSI: R3C164
<b>872S</b>						
Door Bottom Sweep or Astragal	CLR		7.66			NGP: 115
Order 2 for set	DBA		8.94			Pemko: 305
	GLD		10.35			ANSI: R0B634





## Thresholds and Weatherstripping










Description	Finish	Without Insert	With Insert			W	Comparison
			N	S	V		
<b>873S</b> Jamb Weatherstrip	MIL		5.85				NGP: 110 Pemko: 332 ANSI: R3C164
	DBA		7.53				
	GLD		8.67				
<b>874S</b> Astragal/Jamb Weatherstrip	MIL		8.80				NGP: 109 Pemko: 375 ANSI: R3C164
	DBA		11.89				
	GLD		12.90				
	32D		45.63				
<b>875S</b> Jamb Weatherstrip	CLR		6.91	9.34			NGP: 130 Pemko: 315 ANSI: R0Y134
	DBA		8.67	11.63			
	GLD		9.61	12.56			
<b>877S</b> Jamb Weatherstrip	MIL		8.20				ANSI: R3C164 NGP: 133
	DBA		10.21				
	GLD		11.49				
<b>878S</b> Jamb Weatherstrip	CLR		6.52				NGP: 134 Pemko: 312 ANSI: R3C164
	DBA		7.53				
	GLD		7.80				
<b>880S</b> Jamb Weatherstrip	MIL		6.12				NGP: 165 Pemko: 296 ANSI: R3C164
	DBA		8.20				
	GLD		8.80				
<b>881S</b> Jamb Weatherstrip Hardware Compatible	MIL		9.34	10.08	8.33	10.75	NGP: 700E Pemko: 290 ANSI: R3Y164
	DBA		11.76	12.56	10.35	13.31	
	GLD		13.04	13.97	11.63	14.99	
Description	Finish	B	N	With Insert		W	Comparison Numbers
				S	V		
<b>882S</b> Door Sweep, Astragal or Jamb Weatherstrip with Snap Cover	CLR	9.07					NGP: 675 Pemko: 29326 ANSI: R3Y164
	DBA	12.56					
	GLD	13.44					
<b>883S</b> Door Sweep with Snap Cover	CLR	10.75					NGP: 678 Pemko: 293100 ANSI: R3Y164
	DBA	13.84					
	GLD	14.99					

POA - Price on Application  
 V - Vinyl; N - Neoprene, EDPM, or TPE; S - Silicone; W - Pile; B - Nylon Brush; F - Vinyl Fin  
 MIL - Mill Finished Aluminum; DBA - Dark Bronze Anodized; GLD - Gold Anodized; MIB - Mill Finished Bronze;  
 32D - Matte Stainless Steel; GYP - Primed for Painting; CLR - Clear Anodized; CAL - Cast Aluminum

05/01/2022  
 www.hagerco.com










# Thresholds and Weatherstripping



Description	Finish	F	N	With Insert		W	Comparison Numbers
<b>884S</b> Astragal, Door Sweep with Snap Cover	CLR				8.67		ANSI: R3Y164
	DBA				10.75		
	GLD				11.49		
<b>885S</b> Jamb Weatherstrip with Snap Cover	CLR	8.06	9.07	9.74	8.06	8.89	NGP: 170 Pemko: 29310
	DBA	11.76	12.56	13.57	11.76	12.42	ANSI: R3Y164
	GLD	12.43	13.44	14.11	12.43	13.12	
<b>890S</b> Jamb Weatherstrip	MIL		3.29	4.09	2.28		NGP: 152 Pemko: 316
	DBA		4.97	6.38	3.83		ANSI: R3Y164
	GLD		5.11	6.52	3.96		
<b>891S</b> Jamb Weatherstrip	MIL		3.29	4.09	2.28		NGP: 160 Pemko: 303
	DBA		4.97	6.38	3.83		ANSI: R3Y164
	GLD		5.11	6.52	3.96		
<b>892S</b> Jamb Weatherstrip Insert: Gray Neoprene	MIL		3.56				Pemko: 294
	DBA		5.50				ANSI: R3B164
	GLD		5.64				
<b>893S</b> Jamb Weatherstrip	MIL					3.56	NGP: A605 Pemko: 309
	DBA					5.44	ANSI: R3F164
	GLD					5.64	
<b>896S</b> Jamb Weatherstrip	MIL		3.29	4.09	2.28		NGP: 156 Pemko: 297
	DBA		4.97	6.38	3.83		ANSI: R3Y164
	GLD		5.11	6.52	3.96		



## Thresholds and Weatherstripping



Description	Size	Finish	Without Insert	With Insert V	Comparison Numbers
<b>900S</b> Vinyl Threshold Carpet to Carpet	36" 48"	Black Black	51.54 68.61		NGP: 401 Pemko: EV232BL
<b>901S</b> Vinyl Threshold Carpet to Tile	36" 48"	Black Black	54.36 72.44		NGP: 402 Pemko: EV2325BL
<b>902S</b> Vinyl Threshold Tile to Tile	36" 48"	Black Black	51.54 68.61		NGP: 407 Pemko: EV2326BL
<b>903S</b> Vinyl Threshold Carpet	36" 48"	Black Black	54.36 72.44		NGP: 398 Pemko: EV2320BL
<b>904S</b> Vinyl Threshold Carpet to Tile	36" 48"	Black Black	55.24 73.58		NGP: 399 Pemko: EV2322BL
<b>905S</b> Vinyl Threshold Transition	36" 48"	Black Black	70.29 93.88		NGP: 400
<b>906S</b> Door Bottom - Shoe Triple Fin (Unnotched)	36" 48"	Brown Brown		32.66 43.48	NGP: 344 Pemko: 2170
Triple Fin (Notched)	36" 48"	Brown Brown		44.49 59.27	




Price Code:  
Insert Codes:  
Finish Codes:

POA - Price on Application  
V - Vinyl; N - Neoprene, EDPM, or TPE; S - Silicone; W - Pile; B - Nylon Brush; F - Vinyl Fin  
MIL - Mill Finished Aluminum; DBA - Dark Bronze Anodized; GLD - Gold Anodized; MIB - Mill Finished Bronze;  
32D - Matte Stainless Steel; GYP - Primed for Painting; CLR - Clear Anodized; CAL - Cast Aluminum

05/01/2022  
www.hagerco.com



## Thresholds and Weatherstripping



Description	Size	Finish	Without Insert	With Insert V	Comparison Numbers
<b>907S</b>					
Door Bottom - Shoe Triple Fin - Unnotched		MIL		7.53	NGP: 12T Pemko: 2343UN
		DBA		9.21	
		GLD		13.31	NGP: 12T Pemko: 2343
Door Bottom - Shoe Triple Fin- Notched		MIL		11.22	
		DBA		12.97	
		GLD		15.32	
<b>908S</b>					
Door Bottom - Shoe Triple Fin - Unnotched		MIL		11.09	NGP: 13T Pemko: 2113UN
		DBA		14.25	
		GLD		16.73	NGP: 13TNF Pemko: 2113
		CLR		12.03	
Door Bottom - Shoe Triple Fin- Notched		MIL		15.32	
		DBA		19.08	
		GLD		21.64	
		CLR		16.53	
<b>909S</b>					
Door Bottom - Shoe Triple Fin - Unnotched		MIL		11.89	NGP: 36ET Pemko: 2143UN
		DBA		15.12	
		GLD		18.01	NGP: 36ETNF Pemko: 2173
		CLR		12.50	
Door Bottom - Shoe Triple Fin- Notched		MIL		15.52	
		DBA		18.75	
		GLD		22.71	
		CLR		16.93	



## Thresholds

### Thresholds

401S 36" DBA	.069704
401S 36" MIL	.051003
401S 72" SCA	.134225
402S 36" MIL	.051415
403S 36" DBA	.054097
<b>403S 36" MIL</b>	<b>051829</b>
403S 36" SCA	.007258
403S 48" MIL	.051420
403S 72" MIL	.051422
403S 72" DBA	.054098
404S 36" DBA	.053510
<b>404S 36" MIL</b>	<b>051423</b>
404S 48" DBA	.058788
<b>404S 48" MIL</b>	<b>051424</b>
<b>404S 72" MIL</b>	<b>051426</b>
404S 96" MIL	.053016
406S 36" MIL	.051431
406S 72" GLD	.025728
406S 72" MIL	.051434
407S 36" DBA	.069696
407S 36" GLD	.022070
407S 36" MIL	.051435
407S 48" MIL	.051436
407S 72" GLD	.082336
407S 96" MIL	.077245
410S 36" DBA	.058997
<b>410S 36" MIL</b>	<b>051009</b>
410S 48" DBA	.061578
410S 48" MIL	.051011
410S 72" DBA	.061579
410S 72" GLD	.038946
<b>410S 72" MIL</b>	<b>051013</b>
410S 96" MIL	.056399
<b>412S 36" DBA</b>	<b>053693</b>
412S 36" GLD	.053738
<b>412S 36" MIL</b>	<b>051021</b>
412S 36" MIL WSPA	.091344
412S 36" SCA	.055441
412S 36" SCB	.017067
412S 48" DBA	.054063
<b>412S 48" MIL</b>	<b>051023</b>
412S 48" SCA	.074258
412S 72" DBA	.053067
412S 72" GLD	.063301
<b>412S 72" MIL</b>	<b>051025</b>

## Thresholds and Weatherstripping - Stock Numbers

### Thresholds

412S 72" SCA	.060167
412S 72" SCB	.129267
412S 96" GLD	.055211
412S 96" MIL	.052764
413S 36" US3	.052029
413S 36" US32D	.025717
413S 36" DBA	.015900
<b>413S 36" MIL</b>	<b>051027</b>
413S 48" US32D	.039101
413S 48" DBA	.065227
<b>413S 48" MIL</b>	<b>051029</b>
413S 72" US3	.052031
413S 72" US32D	.023441
413S 72" DBA	.054295
<b>413S 72" MIL</b>	<b>051031</b>
413S 96" US3	.052032
413S 96" MIL	.054157
415S 36" DBA	.057305
<b>415S 36" MIL</b>	<b>051033</b>
415S 36" SCA	.071687
415S 48" DBA	.023733
<b>415S 48" MIL</b>	<b>051035</b>
<b>415S 72" MIL</b>	<b>051037</b>
416S 36" DBA	.060723
416S 36" GLD	.081665
416S 36" MIL	.051051
416S 36" SCA	.090216
416S 48" DBA	.063049
416S 48" MIL	.051053
416S 72" DBA	.016047
416S 72" MIL	.051055
416S 96" MIL	.052960
417S 36" DBA	.059553
<b>417S 36" MIL</b>	<b>056494</b>
417S 36" SCA	.058889
417S 48" DBA	.024802
417S 48" MIL	.057023
417S 72" DBA	.075007
417S 72" MIL	.057024
417S 96" MIL	.060172
<b>418S 36" MIL</b>	<b>056495</b>
418S 48" MIL	.062685
418S 72" MIL	.059607

Items with the stock number in **bold and red** are available for online ordering through the MyHager portal.



## Thresholds

418S 96" MIL	.066488
419S 36" MIL	.056496
419S 48" DBA	.108927
420S 36" MIL	.061332
420S 48" MIL	.030506
420S 72" MIL	.073999
<b>421S 36" MIL</b>	<b>.059872</b>
421S 72" DBA	.068739
421S 72" MIL	.064918
422S 36" MIL	.064486
422S 48" MIL	.085099
422S 72" MIL	.064485
423S 72" MIL	.082531
424S 36" MIL	.066013
424S 48" MIL	.095418
426S 36" DBA	.002015
<b>426S 36" MIL</b>	<b>.061695</b>
426S 48" MIL	.077225
<b>426S 72" MIL</b>	<b>.064254</b>
426S 96" MIL	.064253
427S 36" MIL	.061190
427S 48" MIL	.061133
427S 72" MIL	.061125
427S 96" DBA	.134871
<b>428S 36" MIL</b>	<b>.069001</b>
428S 48" MIL	.030450
428S 72" DBA	.066973
<b>428S 72" MIL</b>	<b>.059870</b>
428S 96" DBA	.021942
430S 36" MIL	.062855
430S 48" MIL	.088799
430S 72" DBA	.095313
430S 72" MIL	.070161
430S 72" SCA	.084515
431S 36" DBA	.070641
431S 36" GLD	.048973
431S 36" MIL	.051455
431S 48" DBA	.078959
431S 48" MIL	.051456
431S 72" DBA	.055522
431S 72" GLD	.066756
431S 72" MIL	.051458
431S 96" MIL	.096450
432S 36" DBA	.059786
432S 36" MIL	.053172
432S 48" US10B	.095706

## Thresholds

432S 48" MIL	.062853
432S 72" US10B	.095703
432S 72" DBA	.057872
432S 72" MIL	.053822
433S 36" DBA	.054825
433S 36" GLD	.058459
433S 36" MIL	.051463
433S 48" MIL	.051464
433S 72" DBA	.063629
433S 72" GLD	.062034
433S 72" MIL	.051466
434S 36" MIL	.052038
434S 36" MIL NEOPRENE	.026655
434S 36" MIL SILICONE	.031084
434S 36" MIL VINYL	.056329
435S 36" GLD	.106702
435S 36" MIL NEOPRENE	.028335
435S 72" MIL NEOPRENE	.080550
435S 36" MIL VINYL	.056497
435S 72" MIL VINYL	.056644
436S 36" DBA	.038944
436S 36" MIL	.027686
436S 48" DBA	.093704
436S 48" MIL	.023620
436S 72" DBA	.075861
436S 72" MIL	.032198
436S 96" MIL	.054106
438S 36" DBA	.046790
438S 36" MIL	.013799
438S 72" DBA	.045585
442S 36" MIL	.065007
442S 36" SCA	.071626
442S 48" MIL	.063483
442S 72" MIL	.086139
443S 36" MIL	.065346
444S 36" MIL	.089632
444S 48" MIL	.094554
445S 72" MIL	.051471
445S 96" MIL	.062261
448S 36" DBA	.117092
448S 36" MIL	.038781
448S 48" MIL	.111712
448S 72" DBA	.130861
448S 72" MIL	.037440
448S 96" MIL	.066757
448S 96" MIL NH	.139421



## Thresholds

### Thresholds

450S 48" MIL	.051473
450S 96" MIL	.012758
451S 48" MIL	.098765
451S 72" MIL	.073016
452S 72" MIL	.092409
455S 96" MIL	.070042
460S 72" MIL	.051483
460S 96" MIL	.075035
465S 72" MIL	.051488
470S 36" MIL	.051492
470S 72" MIL	.051494
477S 48" DBA	.144656
477S 48" MIL NEOPRENE	.025060
477S 36" MIL VINYL	.089975
477S 48" DBA VINYL	.021980
477S 48" MIL VINYL	.017278
477S 72" MIL VINYL	.094703
478S 36" MIL	.144368
478S 36" GLD SILICONE	.088825
481S 36" MIL NEOPRENE	.055791
481S 48" MIL NEOPRENE	.076605
481S 72" MIL NEOPRENE	.055980
481S 36" MIL SILICONE	.072476
481S 36" DBA VINYL	.006126
481S 36" MIL VINYL	.056073
481S 48" DBA VINYL	.036999
481S 48" MIL VINYL	.051940
481S 72" DBA VINYL	.050881
481S 72" MIL VINYL	.054902
484S 36" DBA	.079872
484S 36" MIL	.051516
484S 48" DBA	.040821
484S 48" MIL	.051517
484S 72" DBA	.050882
484S 72" MIL	.051519
484S 96" MIL	.088497
492S 36" MIL	.032347
504S 36" MIL	.051534
504S 72" MIL	.056390
505S 36" MIL	.051542
506S 36" BLA	.052729
506S 36" MIL	.054719
508S 36" DBA	.020721
508S 36" MIL	.034315
516S 36" MIL	.124421
516S 72" MIL	.128226

## Thresholds and Weatherstripping - Stock Numbers

### Thresholds

516S 36" MIL NEOPRENE	.034721
516S 36" MIL SILICONE	.064022
516S 36" MIL VINYL	.033033
516S 72" MIL VINYL	.034574
520S 36" MIL	.033055
520S 72" MIL	.051539
<b>520S 36" MIL NEOPRENE</b>	<b>.054613</b>
520S 48" MIL NEOPRENE	.056182
520S 72" MIL NEOPRENE	.055935
520S 72" SCA NEOPRENE	.046841
520S 36" MIL SILICONE	.064059
520S 48" MIL SILICONE	.080333
520S 72" MIL SILICONE	.064061
520S 36" DBA VINYL	.054218
<b>520S 36" MIL VINYL</b>	<b>.051061</b>
520S 36" SCA VINYL	.001850
520S 36" SCB VINYL	.120773
520S 48" DBA VINYL	.079046
<b>520S 48" MIL VINYL</b>	<b>.051062</b>
520S 72" DBA VINYL	.054454
<b>520S 72" MIL VINYL</b>	<b>.051066</b>
520S 72" SCA VINYL	.017347
520S 72" SCB VINYL	.120774
520S 96" MIL VINYL	.057442
532S 36" MIL	.051548
532S 36" DBA NEOPRENE	.071073
532S 36" MIL SILICONE	.073124
532S 72" MIL SILICONE	.054919
532S 36" MIL VINYL	.051552
532S 48" MIL VINYL	.051830
532S 72" VINYL	.062282
532S 72" MIL VINYL	.051555
532S 96" MIL VINYL	.053837
541S 36" MIL NEOPRENE	.054211
541S 48" DBA NEOPRENE	.000896
541S 48" MIL NEOPRENE	.054059
541S 72" MIL NEOPRENE	.054060
541S 36" CLR VINYL	.095393
541S 36" DBA VINYL	.053658
<b>541S 36" MIL VINYL</b>	<b>.051068</b>
541S 48" CLR VINYL	.095382
541S 48" MIL VINYL	.051070
541S 72" MIL VINYL	.051074
552S 36" 32D VINYL	.108523
<b>552S 36" MIL VINYL</b>	<b>.051568</b>
552S 48" MIL VINYL	.051569

Items with the stock number in **bold** and **red** are available for online ordering through the MyHager portal.

05/01/2022  
www.hagerco.com



## Thresholds

552S 96" MIL VINYL	.057479
560S 36" MIL VINYL	.051076
560S 36" MIL VINYL NH	.008752
560S 48" MIL VINYL	.051078
560S 48" MIL VINYL NH	.012801
560S 72" MIL VINYL	.051082
560S 72" MIL VINYL NH	.009223
565S 36" SCA NEOPRENE	.145379
565S 48" MIL NEOPRENE	.008593
565S 48" SCA NEOPRENE	.145380
565S 36" MIL VINYL	.057025
565S 36" SCA VINYL	.137796
565S 48" SCA VINYL	.137797
572S 36" DBA	.025594
572S 72" MIL	.030908
575S 36" DBA VINYL	.052358
575S 36" MIL VINYL	.051084
575S 48" MIL VINYL	.051086
575S 72" MIL VINYL	.051090
575S 96" MIL VINYL	.052982
580S 36" MIL VINYL	.021041
599S 48" DBA VINYL	.134849
600S 36" MIL	.051584
600S 48" MIL	.022772
604S 36" DBA	.053623
604S 36" MIL	.051592
604S 36" SCA	.071847
604S 48" DBA	.074415
604S 48" MIL	.051593
604S 72" US3	.048329
604S 72" DBA	.068183
604S 72" MIL	.063979
604S 72" SCA	.094430
604S 96" MIL	.062565
859S 36" DBA	.021458
859S 36" MIL	.031358

## Press-On Weatherstripping

7/1/2019 BLACK	.094197
<b>726B 204" BROWN</b>	<b>108247</b>
726B 216" BROWN	.141854

## Press-On Weatherstripping

<b>726B 240" BROWN</b>	<b>110396</b>
726B 252" BROWN	.103765
726B 300" BROWN	.137455
<b>726S 204" CHARCOAL</b>	<b>052216</b>
<b>726S 216" CHARCOAL</b>	<b>052583</b>
<b>726S 240" CHARCOAL</b>	<b>052217</b>
<b>726S 252" CHARCOAL</b>	<b>052437</b>
726S 260-FT CHARCOAL	.053002
726S 264" CHARCOAL	.052582
726S 300" CHARCOAL	.052737
<b>726S 520-FT CHARCOAL</b>	<b>053070</b>
726T 204" TAN	.068315
726T 240" TAN	.068312
726T 252" TAN	.139885
726W 204" WHITE	.054222
726W 216" WHITE	.054799
726W 240" WHITE	.054223
726W 252" WHITE	.054224
726W 260-FT WHITE	.054226
726W 264" WHITE	.060177
726W 300" WHITE	.054225
726W 520-FT WHITE	.054227
728S 204" CHARCOAL	.048276
728S 216" CHARCOAL	.051094
728S 240" CHARCOAL	.049528
728S 252" CHARCOAL	.061881
728S 260-FT CHARCOAL	.047334
728S 264" CHARCOAL	.061882
728S 300" CHARCOAL	.064421
728S 520-FT CHARCOAL	.002601
729B 204" BROWN	.045920
729B 216" BROWN	.055100
729B 252" BROWN	.046133
729B 300" BROWN	.079208
729S 204" BLACK	.015885
729S 252" BLACK	.068776
729S 300" BLACK	.068777
729W 204" WHITE	.024763
729W 252" WHITE	.027429
729W 300" WHITE	.027430
<b>736S 204" CHARCOAL</b>	<b>089698</b>
736S 216" CHARCOAL	.093251
<b>736S 240" CHARCOAL</b>	<b>096054</b>
736S 252" CHARCOAL	.096055
736S 260-FT CHARCOAL	.095015
736S 264" CHARCOAL	.098132





## Thresholds

### Press-On Weatherstripping

736S 300" CHARCOAL	.090886
736S 520-FT CHARCOAL	.095014
736W 204" WHITE	.096056
736W 216" WHITE	.098957
736W 240" WHITE	.096057
736W 252" WHITE	.096088
736W 260-FT WHITE	.095017
736W 264" WHITE	.046032
736W 300" WHITE	.096033
736W 520-FT WHITE	.095016
737S 204" CHARCOAL	.035450
737S 216" CHARCOAL	.035449
737S 240" CHARCOAL	.035447
737S 252" CHARCOAL	.035422
737S 260-FT CHARCOAL	.035383
737S 264" CHARCOAL	.035393
737S 300" CHARCOAL	.035392
737S 520-FT CHARCOAL	.035382
719B 36" x 84" BROWN	.082481
719B 48" x 84" BROWN	.085139
719B 72" x 84" BROWN	.082483
719B 84" BROWN	.082511
719B 84" x 84" BROWN	.082484
719B 96" BROWN	.082514
719B 108" BROWN	.082515
719S 36" x 84" CHARCOAL	.082491
719S 48" x 84" CHARCOAL	.085084
719S 72" x 84" CHARCOAL	.082494
719S 84" CHARCOAL	.082522
719S 84" x 84" CHARCOAL	.082496
719S 96" CHARCOAL	.082524
719S 108" CHARCOAL	.082525
720B 36" x 84" BROWN FLEX INTUMESCENT SINGLE WING	.107435
720B 48" x 84" BROWN FLEX INTUMESCENT SINGLE WING	.107433
720B 72" x 84" BROWN FLEX INTUMESCENT SINGLE WING	.107434
720B 84" x 84" BROWN FLEX INTUMESCENT SINGLE WING	.112842
720S 36" x 84" CHARCOAL FLEX INTUM SINGLE WING	.105952
720S 48" x 84" CHARCOAL FLEX INTUM SINGLE WING	.105953
720S 72" x 84" CHARCOAL FLEX INTUM SINGLE WING	.105954
720S 84" x 84" CHARCOAL FLEX INTUM SINGLE WING	.105955
720S 96" x 96" CHARCOAL FLEX INTUM SINGLE WING	.118211
721B 36" x 84" BROWN	.029485
721B 48" x 84" BROWN	.029488
721B 72" x 84" BROWN	.029491
721B 84" BROWN	.047510
721B 84" x 84" BROWN	.143529

## Thresholds and Weatherstripping - Stock Numbers

### Press-On Weatherstripping

721B 96" BROWN	.047517
721B 108" BROWN	.047518
721G 36" x 84" GREY	.013457
721G 48" x 84" GREY	.108615
721G 72" x 84" GREY	.089314
721G 84" GREY	.087654
721G 96" GREY	.087652
<b>721S 36" x 84" BLACK</b>	<b>.029493</b>
721S 48" x 84" CHARCOAL	.029494
721S 72" x 84" CHARCOAL	.029496
721S 84" CHARCOAL	.081187
721S 84" x 84" CHARCOAL	.000002
721S 96" CHARCOAL	.081186
721S 96" x 96" CHARCOAL	.142009
721S 108" CHARCOAL	.081735
721W 36" x 84" WHITE	.029520
721W 48" x 84" WHITE	.029521
721W 72" x 84" WHITE	.029523
721W 84" WHITE	.059248
721W 84" x 84" WHITE	.074859
721W 96" WHITE	.059123
721W 108" WHITE	.059122
722B 36" x 84" BROWN	.086961
722B 48" x 84" BROWN	.086929
722B 72" x 84" BROWN	.086793
722B 84" x 84" BROWN	.086791
722B 96" x 96" BROWN	.086780
722S 36" x 84" CHARCOAL	.087124
722S 48" x 84" CHARCOAL	.087063
722S 72" x 84" CHARCOAL	.087055
722S 84" x 84" CHARCOAL	.087054
722S 96" x 96" CHARCOAL	.087005
724B 36" x 84" BROWN	.047696
724B 48" x 84" BROWN	.138515
724B 72" x 84" BROWN	.086997
724B 84" BROWN	.047527
724B 96" BROWN	.047528
724S 36" x 84" CHARCOAL	.089572
724S 84" CHARCOAL	.061283
724S 84" x 84" CHARCOAL	.109589
724S 96" CHARCOAL	.000241
724S 108" CHARCOAL	.014723

Items with the stock number in **bold** and **red** are available for online ordering through the MyHager portal.

05/01/2022  
www.hagerco.com



## Press-On Weatherstripping

734S 36" X 84" BROWN	.026246
734B 72" X 84" BROWN	.026201
734B 84" BROWN	.026247
734B 96" BROWN	.026244
734B 96" X 96" BROWN	.026200
734B 108" BROWN	.026211
734S 36" X 84" CHARCOAL	.026327
734S 72" X 84" CHARCOAL	.026322
734S 84" CHARCOAL	.026357
734S 96" CHARCOAL	.026330
734S 96" X 96" CHARCOAL	.026321
734S 108" CHARCOAL	.026329
725S 84" NEOPRENE	.060206
725S 96" NEOPRENE	.060504
738S 204" CHARCOAL	.164037
738S 240" CHARCOAL	.164039

## Auto-Door Bottoms

<b>730S 36" MIL NEOPRENE</b>	<b>072966</b>
<b>730S 36" MIL NEOPRENE</b>	<b>051857</b>
730S 42" MIL NEOPRENE	.054841
730S 48" MIL NEOPRENE	.051390
<b>730S 36" MIL SILICONE</b>	<b>046487</b>
730S 42" MIL SILICONE	.034849
730S 48" MIL SILICONE	.087236
740S 36" NEOPRENE	.076463
<b>740S 36" CLR NEOPRENE</b>	<b>055452</b>
740S 36" DBA NEOPRENE	.052434
740S 36" GLD NEOPRENE	.057701
740S 42" CLR NEOPRENE	.085096
740S 42" DBA NEOPRENE	.059866
740S 42" GLD NEOPRENE	.074922
740S 48" NEOPRENE	.080708
740S 48" CLR NEOPRENE	.087513
740S 48" DBA NEOPRENE	.052435
740S 48" GLD NEOPRENE	.066177
740S 36" CLR SILICONE	.068926
740S 42" CLR SILICONE	.069035
740S 48" CLR SILICONE	.068927
<b>742S 36" MIL VINYL</b>	<b>053529</b>
742S 42" MIL VINYL	.058976
742S 48" MIL VINYL	.053865
<b>743S 36" MIL NEOPRENE</b>	<b>052842</b>
743S 42" MIL NEOPRENE	.056039
743S 48" MIL NEOPRENE	.053078
<b>747S 36" CLR NEOPRENE</b>	<b>053563</b>
747S 36" DBA NEOPRENE	.053781

## Auto-Door Bottoms

747S 36" GLD NEOPRENE	.016063
747S 42" CLR NEOPRENE	.087210
747S 42" DBA NEOPRENE	.057863
747S 48" CLR NEOPRENE	.084717
747S 48" DBA NEOPRENE	.053735
747S 48" GLD NEOPRENE	.058145

## Door Bottoms & Sweeps

750S 36" US10B NEOPRENE	.010703
750S 36" US32D NEOPRENE	.023937
<b>750S 36" CLR NEOPRENE</b>	<b>053564</b>
<b>750S 36" DBA NEOPRENE</b>	<b>053069</b>
750S 36" GLD NEOPRENE	.052905
750S 42" US32D NEOPRENE	.037601
750S 42" CLR NEOPRENE	.053565
750S 42" DBA NEOPRENE	.064869
750S 42" GLD NEOPRENE	.071669
750S 48" US32D NEOPRENE	.076771
<b>750S 48" CLR NEOPRENE</b>	<b>057658</b>
750S 48" DBA NEOPRENE	.053013
750S 48" GLD NEOPRENE	.058143
750S 36" US32D SILICONE	.040289
750S 36" CLR SILICONE	.043444
750S 36" DBA SILICONE	.006348
750S 42" US32D SILICONE	.095058
750S 48" US32D SILICONE	.055864
750S 48" CLR SILICONE	.070213
752S 36" DBA VINYL	.015097
752S 36" GLD VINYL	.057972
<b>752S 36" MIL VINYL</b>	<b>061376</b>
752S 42" DBA VINYL	.027712
752S 42" MIL VINYL	.067894
752S 48" DBA VINYL	.040624
752S 48" GLD VINYL	.039647
752S 48" MIL VINYL	.007958
752S 48" MIL VINYL TEK	.078452
753S 36" DBA NEOPRENE	.061082
753S 36" GLD NEOPRENE	.077227
<b>753S 36" MIL NEOPRENE</b>	<b>051337</b>
753S 42" MIL NEOPRENE	.067110
753S 48" MIL NEOPRENE	.051338
<b>754S 36" CLR NEOPRENE</b>	<b>083440</b>
754S 36" DBA NEOPRENE	.052427
754S 42" CLR NEOPRENE	.083370
754S 42" DBA NEOPRENE	.005796
<b>754S 48" CLR NEOPRENE</b>	<b>083372</b>
756S 36" DBA VINYL	.054378



**Door Bottoms & Sweeps**

756S 36" GLD VINYL	.058375
<b>756S 36" MIL VINYL</b>	<b>.052010</b>
756S 42" MIL VINYL	.061396
756S 48" DBA VINYL	.055418
<b>756S 48" MIL VINYL</b>	<b>.052011</b>
759S 36" DBA VINYL	.027134
759S 36" GLD VINYL	.066852
759S 36" MIL VINYL	.060170
759S 42" DBA VINYL	.027167
759S 42" GLD VINYL	.104864
759S 42" MIL VINYL	.036002
759S 48" DBA VINYL	.066858
759S 48" GLD VINYL	.093917
759S 48" MIL VINYL	.032110
<b>770S 36" MIL</b>	<b>.051349</b>
770S 36" DBA BRUSH	.065591
770S 36" GLD BRUSH	.040794
<b>770S 36" MIL BRUSH</b>	<b>.061333</b>
770S 42" DBA BRUSH	.065066
770S 42" MIL BRUSH	.033809
<b>770S 48" DBA BRUSH</b>	<b>.046311</b>
770S 48" MIL BRUSH	.084855
770S 36" VINYL	.075567
770S 36" DBA VINYL	.057644
770S 36" GLD VINYL	.055454
<b>770S 36" MIL VINYL</b>	<b>.054681</b>
770S 42" GLD VINYL	.016288
770S 42" MIL VINYL	.067931
770S 48" DBA VINYL	.070746
770S 48" GLD VINYL	.038496
<b>770S 48" MIL VINYL</b>	<b>.063484</b>
774S 36" NEOPRENE	.062304
774S 36" DBA NEOPRENE	.064438
774S 36" MIL NEOPRENE	.051357
774S 48" MIL NEOPRENE	.051358
774S 36" MIL VINYL	.051359
774S 48" DBA VINYL	.061377
774S 48" MIL VINYL	.051360
776S 42" CLR NEOPRENE	.094490
777S 36" DBA NEOPRENE	.035004
777S 36" MIL NEOPRENE	.027008
777S 36" DBA VINYL	.054611
777S 36" MIL VINYL	.051363
778S 36" DBA NEOPRENE	.015955
778S 36" MIL NEOPRENE	.015977
778S 48" DBA NEOPRENE	.058254

**Door Bottoms & Sweeps**

778S 36" VINYL	.062294
778S 36" DBA VINYL	.053780
778S 36" GLD VINYL	.055193
<b>778S 36" MIL VINYL</b>	<b>.051365</b>
778S 42" DBA VINYL	.054862
778S 42" GLD VINYL	.062642
778S 42" MIL VINYL	.059750
778S 48" VINYL	.062641
778S 48" DBA VINYL	.054896
778S 48" MIL VINYL	.051366
779S 36" DBA NEOPRENE	.022886
779S 36" MIL NEOPRENE	.025961
779S 42" MIL NEOPRENE	.035071
779S 48" MIL NEOPRENE	.026920
779S 36" DBA VINYL	.057067
779S 36" GLD VINYL	.066396
779S 36" MIL VINYL	.054773
779S 42" DBA VINYL	.021025
779S 42" GLD VINYL	.068655
779S 42" MIL VINYL	.058978
779S 48" DBA VINYL	.012715
779S 48" GLD VINYL	.043164
779S 48" MIL VINYL	.057028
780S 36" MIL NEOPRENE	.027342
780S 48" MIL NEOPRENE	.029354
780S 36" DBA VINYL	.059252
780S 36" GLD VINYL	.086619
780S 36" MIL VINYL	.054821
780S 42" DBA VINYL	.053662
780S 42" MIL VINYL	.065433
780S 48" DBA VINYL	.071002
780S 48" MIL VINYL	.055420
782S 36" DBA NEOPRENE	.048578
782S 36" MIL NEOPRENE	.032350
782S 42" GLD NEOPRENE	.044501
782S 48" MIL NEOPRENE	.032330
782S 36" VINYL	.005870
782S 36" DBA VINYL	.034338
782S 36" GLD VINYL	.039678
<b>782S 36" MIL VINYL</b>	<b>.022288</b>
782S 42" DBA VINYL	.014122
782S 42" MIL VINYL	.054861
782S 48" MIL VINYL	.034603
783S 36" MIL	.115282
783S 36" GLD VINYL	.098197
783S 36" MIL VINYL	.037956



## Door Bottoms & Sweeps

783S 48" MIL VINYL .....	.037965
787S 36" MIL NEOPRENE .....	.055268
789S 36" DBA PILE .....	.044987
789S 36" GLD PILE .....	.032351
789S 36" MIL PILE .....	.036194
789S 42" MIL PILE .....	.036195
789S 48" MIL PILE .....	.036617
801S 36" DBA BRUSH .....	.059618
801S 36" GLD BRUSH .....	.063248
<b>801S 36" MIL BRUSH .....</b>	<b>053035</b>
801S 42" MIL BRUSH .....	.055943
801S 48" DBA BRUSH .....	.067890
<b>801S 48" MIL BRUSH .....</b>	<b>054070</b>
<b>802S 36" DBA BRUSH .....</b>	<b>054610</b>
802S 36" GLD BRUSH .....	.054786
<b>802S 36" MIL BRUSH .....</b>	<b>053194</b>
802S 42" GLD BRUSH .....	.052346
802S 42" MIL BRUSH .....	.065250
802S 48" DBA BRUSH .....	.061397
802S 48" GLD BRUSH .....	.067474
<b>802S 48" MIL BRUSH .....</b>	<b>054074</b>
806S 36" DBA BRUSH .....	.032352
<b>806S 36" MIL BRUSH .....</b>	<b>035673</b>
806S 48" DBA BRUSH .....	.029484
806S 48" MIL BRUSH .....	.031581
872S 36" CLR NEOPRENE .....	.095928

## Jamb Weatherstripping

785S 36" MIL NEOPRENE .....	.120166
785S 36" x 84" MIL NEOPRENE .....	.120162
785S 36" x 96" GLD NEOPRENE .....	.120178
785S 36" x 96" MIL NEOPRENE .....	.122126
785S 48" DBA NEOPRENE .....	.122470
785S 72" x 84" DBA NEOPRENE .....	.120174
785S 72" x 84" MIL NEOPRENE .....	.120163
785S 84" DBA NEOPRENE .....	.120177
785S 84" GLD NEOPRENE .....	.120173
785S 84" MIL NEOPRENE .....	.120164
785S 96" DBA NEOPRENE .....	.120172
785S 96" MIL NEOPRENE .....	.120171
800S 36" MIL BRUSH .....	.054784
800S 36" x 84" MIL BRUSH .....	.051373
800S 48" x 84" MIL BRUSH .....	.051374
800S 72" x 84" MIL BRUSH .....	.051375
800S 72" x 96" MIL BRUSH .....	.019037
800S 84" DBA BRUSH .....	.030583
800S 84" MIL BRUSH .....	.056636

## Jamb Weatherstripping

800S 96" MIL BRUSH .....	.061569
802S 36" DBA BRUSH .....	.054610
802S 36" GLD BRUSH .....	.054786
802S 36" MIL BRUSH .....	.053194
802S 36" x 84" MIL BRUSH .....	.051379
802S 48" DBA BRUSH .....	.061397
802S 48" GLD BRUSH .....	.067474
802S 48" MIL BRUSH .....	.054074
802S 48" x 84" MIL BRUSH .....	.051380
802S 72" MIL BRUSH .....	.055939
802S 84" BLA BRUSH .....	.016491
<b>802S 84" DBA BRUSH .....</b>	<b>055941</b>
802S 84" GLD BRUSH .....	.054500
<b>802S 84" MIL BRUSH .....</b>	<b>052979</b>
802S 96" DBA BRUSH .....	.054257
<b>802S 96" MIL BRUSH .....</b>	<b>058708</b>
803S 36" MIL BRUSH .....	.054075
803S 36" x 84" MIL BRUSH .....	.051382
803S 48" x 96" MIL BRUSH .....	.048945
803S 72" x 84" MIL BRUSH .....	.051394
803S 72" x 96" DBA BRUSH .....	.030527
803S 84" MIL BRUSH .....	.053077
808S 48" MIL BRUSH .....	.043629
808S 72" MIL BRUSH .....	.040087
808S 84" MIL BRUSH .....	.038341
859S 36" x 84" DBA .....	.031883
859S 36" x 84" MIL .....	.080290
859S 36" x 96" MIL .....	.030375
859S 36" x 108" MIL .....	.030376
859S 48" MIL .....	.067767
859S 48" x 84" MIL .....	.071926
859S 48" x 96" MIL .....	.042801
859S 72" DBA .....	.090769
859S 72" MIL .....	.095946
859S 72" x 84" MIL .....	.070969
859S 72" x 96" MIL .....	.091951
859S 84" DBA .....	.086427
859S 84" MIL .....	.028610
859S 96" MIL .....	.091966
860S 36" x 84" MIL NEOPRENE .....	.051234
860S 36" x 84" MIL VINYL .....	.091326
861S 36" MIL NEOPRENE .....	.065452
861S 36" x 84" MIL NEOPRENE .....	.051235
861S 72" x 84" MIL NEOPRENE .....	.051237
861S 84" MIL NEOPRENE .....	.065463
862S 36" CLR NEOPRENE .....	.083520



**Jamb Weatherstripping**

862S 36" x 84" CLR NEOPRENE	.083522
862S 48" CLR NEOPRENE	.060040
862S 48" x 84" CLR NEOPRENE	.084994
862S 72" x 84" CLR NEOPRENE	.083517
862S 72" x 84" DBA NEOPRENE	.058008
862S 72" x 96" CLR NEOPRENE	.083632
862S 72" x 96" DBA NEOPRENE	.055343
862S 84" CLR NEOPRENE	.083616
862S 84" DBA NEOPRENE	.073092
862S 96" DBA NEOPRENE	.061765
863S 36" x 84" CLR NEOPRENE	.058992
863S 48" x 84" CLR NEOPRENE	.092863
863S 72" x 84" CLR NEOPRENE	.087142
863S 84" CLR NEOPRENE	.084707
864S 36" CLR NEOPRENE	.083568
864S 36" x 84" CLR NEOPRENE	.057659
864S 36" x 96" CLR NEOPRENE	.083570
864S 36" x 108" CLR NEOPRENE	.062579
864S 48" x 84" CLR NEOPRENE	.086659
864S 48" x 96" CLR NEOPRENE	.032695
864S 72" x 84" CLR NEOPRENE	.083572
864S 72" x 84" DBA NEOPRENE	.065293
864S 84" CLR NEOPRENE	.083573
864S 96" CLR NEOPRENE	.094658
865S 36" DBA NEOPRENE	.073815
865S 36" GLD NEOPRENE	.055359
865S 36" MIL NEOPRENE	.087913
865S 36" x 84" DBA NEOPRENE	.036985
865S 36" x 84" GLD NEOPRENE	.091572
865S 36" x 84" MIL NEOPRENE	.062415
865S 36" x 96" DBA NEOPRENE	.096197
865S 36" x 96" MIL NEOPRENE	.017295
865S 36" x 108" MIL NEOPRENE	.083004
865S 48" MIL NEOPRENE	.102562
865S 48" x 84" MIL NEOPRENE	.028997
865S 48" x 96" DBA NEOPRENE	.125536
865S 48" x 96" MIL NEOPRENE	.075191
865S 48" x 108" MIL NEOPRENE	.092260
865S 72" MIL NEOPRENE	.087915
865S 72" x 84" DBA NEOPRENE	.081104
865S 72" x 84" MIL NEOPRENE	.022917
865S 72" x 96" MIL NEOPRENE	.037449
865S 84" MIL NEOPRENE	.025286
865S 96" GLD NEOPRENE	.083908
865S 96" MIL NEOPRENE	.054907
866S 36" MIL NEOPRENE	.055632

**Jamb Weatherstripping**

866S 36" x 84" DBA NEOPRENE	.040799
866S 36" x 84" MIL NEOPRENE	.056313
866S 36" x 96" MIL NEOPRENE	.031942
866S 48" MIL NEOPRENE	.006290
866S 48" x 84" MIL NEOPRENE	.037712
866S 48" x 108" MIL NEOPRENE	.089576
866S 72" MIL NEOPRENE	.055553
866S 72" x 84" DBA NEOPRENE	.092913
866S 72" x 84" MIL NEOPRENE	.007786
866S 72" x 96" MIL NEOPRENE	.103804
866S 84" MIL NEOPRENE	.042719
866S 96" DBA NEOPRENE	.031357
866S 96" MIL NEOPRENE	.055485
866S 120" MIL NEOPRENE	.074592
870S 36" x 84" US10B NEOPRENE	.020778
<b>870S 36" x 84" CLR NEOPRENE</b>	<b>059054</b>
870S 36" x 84" DBA NEOPRENE	.053497
870S 36" x 84" GLD NEOPRENE	.016082
870S 36" x 96" CLR NEOPRENE	.083619
870S 48" CLR NEOPRENE	.068708
<b>870S 48" x 84" CLR NEOPRENE</b>	<b>063110</b>
870S 48" x 96" CLR NEOPRENE	.091229
870S 72" CLR NEOPRENE	.083870
<b>870S 72" x 84" CLR NEOPRENE</b>	<b>083596</b>
870S 72" x 84" DBA NEOPRENE	.053881
870S 72" x 96" CLR NEOPRENE	.084596
870S 84" CLR NEOPRENE	.083597
870S 84" DBA NEOPRENE	.060876
870S 96" CLR NEOPRENE	.083884
871S 36" MIL NEOPRENE	.023335
871S 36" x 84" MIL NEOPRENE	.051255
871S 48" x 84" MIL NEOPRENE	.051198
871S 72" x 84" MIL NEOPRENE	.051257
871S 84" MIL NEOPRENE	.063621
873S 36" MIL NEOPRENE	.053862
873S 36" x 84" DBA NEOPRENE	.053712
873S 36" x 84" MIL NEOPRENE	.051263
873S 36" x 96" MIL NEOPRENE	.058799
873S 48" x 84" MIL NEOPRENE	.051264
873S 72" x 84" MIL NEOPRENE	.051265
873S 84" DBA NEOPRENE	.063162
873S 84" MIL NEOPRENE	.053864
874S 36" US32D NEOPRENE	.105906
874S 36" x 84" US32D NEOPRENE	.064413
874S 36" x 84" MIL NEOPRENE	.054083
874S 48" US32D NEOPRENE	.113653



## Jamb Weatherstripping

874S 72" x 84" US32D NEOPRENE	102266
874S 72" x 96" US32D NEOPRENE	064095
874S 72" x 96" MIL NEOPRENE	087114
874S 84" MIL NEOPRENE	052592
874S 96" CLR NEOPRENE	130963
874S 96" MIL NEOPRENE	057221
874S 120" US32D NEOPRENE	078861
875S 36" CLR NEOPRENE	083401
875S 36" x 84" CLR NEOPRENE	058096
875S 36" x 108" CLR NEOPRENE	053915
875S 48" CLR NEOPRENE	083402
875S 48" x 84" CLR NEOPRENE	084882
875S 72" x 84" CLR NEOPRENE	059921
875S 84" CLR NEOPRENE	084251
875S 36" x 84" CLR SILICONE	003880
877S 36" x 84" MIL NEOPRENE	072544
878S 36" x 84" CLR NEOPRENE	058993
880S 36" x 84" MIL NEOPRENE	051275
880S 72" x 84" MIL NEOPRENE	051277
881S 36" MIL NEOPRENE	065849
881S 36" x 84" NEOPRENE	035415
881S 36" x 84" DBA NEOPRENE	084186
881S 36" x 84" MIL NEOPRENE	051279
881S 36" x 96" MIL NEOPRENE	087921
881S 48" MIL NEOPRENE	058998
881S 48" x 84" GLD NEOPRENE	058764
881S 48" x 84" MIL NEOPRENE	051280
881S 72" MIL NEOPRENE	068703
881S 72" x 84" DBA NEOPRENE	062108
881S 72" x 84" GLD NEOPRENE	034678
881S 72" x 84" MIL NEOPRENE	051281
881S 72" x 96" MIL NEOPRENE	087923
881S 84" MIL NEOPRENE	054328
881S 96" MIL NEOPRENE	087019
881S 36" MIL SILICONE	065435
881S 36" x 84" MIL SILICONE	055461
881S 36" x 96" MIL SILICONE	080370
881S 36" x 108" MIL SILICONE	049936
881S 48" MIL SILICONE	070160
881S 48" x 84" MIL SILICONE	075414
881S 48" x 96" MIL SILICONE	022364
881S 48" x 108" MIL SILICONE	056004
881S 72" MIL SILICONE	062770
881S 72" x 84" MIL SILICONE	062773
881S 72" x 96" MIL SILICONE	080371
881S 84" MIL SILICONE	054669

## Jamb Weatherstripping

881S 96" MIL SILICONE	080374
881S 36" DBA VINYL	074308
881S 36" MIL VINYL	053349
881S 36" x 84" VINYL	000159
881S 36" x 84" DBA VINYL	058981
881S 36" x 84" MIL VINYL	052013
881S 36" x 96" MIL VINYL	078158
881S 36" x 108" MIL VINYL	072388
881S 48" MIL VINYL	055205
881S 48" x 84" MIL VINYL	052014
881S 48" x 96" MIL VINYL	073151
881S 72" MIL VINYL	053348
881S 72" x 84" DBA VINYL	058982
881S 72" x 84" MIL VINYL	056386
881S 72" x 96" DBA VINYL	058983
881S 72" x 96" MIL VINYL	063628
881S 84" MIL VINYL	055208
881S 96" MIL VINYL	062481
881S 36" MIL PILE	061446
881S 36" x 84" MIL PILE	065534
881S 36" x 96" MIL PILE	050803
881S 48" x 84" MIL PILE	079361
881S 48" x 96" MIL PILE	055447
881S 72" MIL PILE	073013
881S 72" x 84" MIL PILE	068518
882S 84" CLR BRUSH	092969
882S 84" DBA BRUSH	092972
882S 84" GLD BRUSH	092977
882S 96" CLR BRUSH	092971
882S 96" DBA BRUSH	092975
882S 96" GLD BRUSH	092978
883S 36" CLR BRUSH	092979
883S 36" DBA BRUSH	092980
883S 84" CLR BRUSH	022506
884S 36" CLR VINYL	092987
884S 36" x 84" GLD VINYL	145335
884S 48" CLR VINYL	092988
884S 84" VINYL	112086
884S 84" CLR VINYL	092989
884S 84" DBA VINYL	092992
884S 84" GLD VINYL	093003
884S 96" CLR VINYL	092990
884S 96" DBA VINYL	093002
884S 96" GLD VINYL	093004
885S 72" x 84 CLR NEOPRENE	095035
885S 84" NEOPRENE	062195



**Jamb Weatherstripping**

885S 84" CLR SILICONE . . . . .	.098428
885S 36" x 84" CLR VINYL . . . . .	.094826
885S 36" x 84" DBA VINYL . . . . .	.064909
885S 72" x 84" DBA VINYL . . . . .	.026261
885S 72" x 96" DBA VINYL . . . . .	.098563
885S 84" CLR VINYL . . . . .	.054716
885S 96" DBA PILE . . . . .	.135972
890S 36" x 84" DBA NEOPRENE . . . . .	.054834
890S 36" x 84" MIL NEOPRENE . . . . .	.064142
890S 48" x 84" MIL NEOPRENE . . . . .	.091396
890S 72" x 84" DBA NEOPRENE . . . . .	.054835
890S 72" x 84" MIL NEOPRENE . . . . .	.064143
890S 72" x 96" MIL NEOPRENE . . . . .	.078079
890S 84" MIL NEOPRENE . . . . .	.072200
890S 36" x 84" MIL SILICONE . . . . .	.060628
890S 72" x 96" MIL SILICONE . . . . .	.093708
890S 36" MIL VINYL . . . . .	.065300
890S 36" x 84" DBA VINYL . . . . .	.053199
890S 36" x 84" MIL VINYL . . . . .	.051287
890S 48" MIL VINYL . . . . .	.053842
890S 48" x 84" MIL VINYL . . . . .	.051288
890S 72" MIL VINYL . . . . .	.069373
890S 72" x 84" MIL VINYL . . . . .	.051302
890S 72" x 96" MIL VINYL . . . . .	.056203
890S 84" MIL VINYL . . . . .	.053181
890S 96" MIL VINYL . . . . .	.053841
891S 36" x 84" DBA NEOPRENE . . . . .	.055108
891S 36" x 84" GLD NEOPRENE . . . . .	.093250
<b>891S 36" x 84" MIL NEOPRENE . . . . .</b>	<b>.056722</b>
891S 36" x 96" DBA NEOPRENE . . . . .	.014000
891S 36" x 96" MIL NEOPRENE . . . . .	.057549
891S 48" x 84" DBA NEOPRENE . . . . .	.057018
891S 48" x 84" MIL NEOPRENE . . . . .	.057511
891S 48" x 96" DBA NEOPRENE . . . . .	.033393
891S 72" x 84" DBA NEOPRENE . . . . .	.057019
891S 72" x 84" GLD NEOPRENE . . . . .	.074600
891S 72" x 84" MIL NEOPRENE . . . . .	.057020
891S 72" x 96" DBA NEOPRENE . . . . .	.019682
891S 72" x 96" MIL NEOPRENE . . . . .	.061748
891S 84" DBA NEOPRENE . . . . .	.008359
891S 84" MIL NEOPRENE . . . . .	.073792
891S 96" MIL NEOPRENE . . . . .	.025113
891S 36" x 84" DBA SILICONE . . . . .	.057068
<b>891S 36" x 84" MIL SILICONE . . . . .</b>	<b>.057519</b>
891S 48" x 84" MIL SILICONE . . . . .	.059552
891S 72" GASKET ONLY, SILICONE BLACK . . . . .	.134581

**Jamb Weatherstripping**

891S 72" GASKET ONLY, SILICONE BLACK BKG . . . . .	.134598
<b>891S 72" x 84" MIL SILICONE . . . . .</b>	<b>.061696</b>
891S 72" x 96" MIL SILICONE . . . . .	.081032
891S 84" GASKET ONLY, SILICONE BLACK BKG . . . . .	.134783
891S 84" MIL SILICONE . . . . .	.056283
891S 96" MIL SILICONE . . . . .	.056284
891S 36" DBA VINYL . . . . .	.003929
891S 36" MIL VINYL . . . . .	.052986
891S 36" x 84" CLR VINYL . . . . .	.033882
<b>891S 36" x 84" DBA VINYL . . . . .</b>	<b>.052356</b>
891S 36" x 84" GLD VINYL . . . . .	.052599
<b>891S 36" x 84" MIL VINYL . . . . .</b>	<b>.051304</b>
891S 36" x 84" MIL VINYL TEK . . . . .	.053838
891S 36" x 96" DBA VINYL . . . . .	.054437
891S 36" x 96" MIL VINYL . . . . .	.053667
891S 36" x 108" MIL VINYL . . . . .	.057520
891S 48" MIL VINYL . . . . .	.055375
891S 48" x 84" DBA VINYL . . . . .	.052432
891S 48" x 84" GLD VINYL . . . . .	.057871
<b>891S 48" x 84" MIL VINYL . . . . .</b>	<b>.051305</b>
891S 48" x 96" DBA VINYL . . . . .	.054216
891S 48" x 96" MIL VINYL . . . . .	.056032
891S 72" MIL VINYL . . . . .	.053692
891S 72" x 84" DBA VINYL . . . . .	.052357
891S 72" x 84" GLD VINYL . . . . .	.054126
<b>891S 72" x 84" MIL VINYL . . . . .</b>	<b>.051306</b>
891S 72" x 96" DBA VINYL . . . . .	.052433
891S 72" x 96" MIL VINYL . . . . .	.052431
891S 84" DBA VINYL . . . . .	.064207
891S 84" MIL VINYL . . . . .	.053031
891S 96" DBA VINYL . . . . .	.071086
891S 96" MIL VINYL . . . . .	.053015
892S 36" x 84" DBA NEOPRENE . . . . .	.044791
892S 36" x 84" GLD NEOPRENE . . . . .	.047155
892S 36" x 84" MIL NEOPRENE . . . . .	.044788
892S 48" x 84" MIL NEOPRENE . . . . .	.044785
892S 72" x 84" DBA NEOPRENE . . . . .	.048297
892S 72" x 84" GLD NEOPRENE . . . . .	.071107
892S 72" x 84" MIL NEOPRENE . . . . .	.044786
892S 84" MIL NEOPRENE . . . . .	.044967
893S 36" DBA PILE . . . . .	.055134
893S 36" MIL PILE . . . . .	.051285
893S 36" x 84" MIL PILE . . . . .	.051314
893S 72" x 84" MIL PILE . . . . .	.051313
893S 84" CLR PILE . . . . .	.085233
893S 84" DBA PILE . . . . .	.058449





## Jamb Weatherstripping

893S 84" GLD PILE . . . . .	.064959
893S 84" MIL PILE . . . . .	.053666
893S 96" MIL PILE . . . . .	.056263
896S 36" x 84" DBA NEOPRENE . . . . .	.036879
896S 36" x 84" MIL NEOPRENE . . . . .	.033668
896S 48" x 84" MIL NEOPRENE . . . . .	.037316
896S 48" x 96" MIL NEOPRENE . . . . .	.050091
896S 72" x 84" MIL NEOPRENE . . . . .	.035258
896S 84" MIL NEOPRENE . . . . .	.035980
896S 96" MIL NEOPRENE . . . . .	.049422
896S 36" x 84" MIL SILICONE . . . . .	.066836
896S 48" x 84" MIL SILICONE . . . . .	.051154
896S 36" MIL VINYL . . . . .	.063497
896S 36" x 84" GLD VINYL . . . . .	.087327
896S 36" x 84" MIL VINYL . . . . .	.073543
896S 72" x 84" MIL VINYL . . . . .	.074012
896S 84" MIL VINYL . . . . .	.033779

## Astragals

756S 84" DBA VINYL . . . . .	.054120
756S 84" MIL VINYL . . . . .	.059622
756S 96" DBA VINYL . . . . .	.020114
756S 96" MIL VINYL . . . . .	.075551
771S 84" MIL NEOPRENE . . . . .	.097923
771S 96" MIL SILICONE . . . . .	.123173
771S 84" MIL VINYL . . . . .	.037527
771S 96" MIL VINYL . . . . .	.046239
771S 84" MIL PILE . . . . .	.052983
774S 96" MIL NEOPRENE . . . . .	.059422
774S 84" MIL VINYL . . . . .	.085136
802S 84" DBA BRUSH . . . . .	.055941
802S 84" GLD BRUSH . . . . .	.054500
802S 84" MIL BRUSH . . . . .	.052979
802S 96" DBA BRUSH . . . . .	.054257
802S 96" MIL BRUSH . . . . .	.058708
835S 84" US32D . . . . .	.057965
835S 84" DBA . . . . .	.054076
835S 84" GLD . . . . .	.052598
835S 84" GYP . . . . .	.052218
<b>835S 84" MIL . . . . .</b>	<b>.051399</b>
835S 96" US32D . . . . .	.082492
835S 96" DBA . . . . .	.054077
835S 96" GYP . . . . .	.054078
835S 96" MIL . . . . .	.051401
835S 120" US32D . . . . .	.019549
835S 120" DBA . . . . .	.028190
835S 120" GYP . . . . .	.066347

## Astragals

835S 120" MIL . . . . .	.072577
836S 84" DBA . . . . .	.052438
836S 84" GLD . . . . .	.067594
836S 84" MIL . . . . .	.051402
836S 96" DBA . . . . .	.065451
836S 96" MIL . . . . .	.051404
836S 120" DBA . . . . .	.056267
836S 120" MIL . . . . .	.070159
837S 84" DBA NEOPRENE . . . . .	.058049
837S 84" GLD NEOPRENE . . . . .	.060491
837S 84" MIL NEOPRENE . . . . .	.051407
837S 96" DBA NEOPRENE . . . . .	.052767
837S 96" MIL NEOPRENE . . . . .	.051408
837S 120" MIL NEOPRENE . . . . .	.069420
837S 84" DBA SILICONE . . . . .	.058625
837S 84" GLD SILICONE . . . . .	.062464
837S 84" MIL SILICONE . . . . .	.056392
837S 96" DBA SILICONE . . . . .	.058626
837S 96" GLD SILICONE . . . . .	.079237
837S 96" MIL SILICONE . . . . .	.058141
837S 84" DBA VINYL . . . . .	.052439
837S 84" GLD VINYL . . . . .	.054867
837S 84" MIL VINYL . . . . .	.051405
837S 84" WHP VINYL . . . . .	.076481
837S 96" DBA VINYL . . . . .	.059436
837S 96" GLD VINYL . . . . .	.090519
837S 96" MIL VINYL . . . . .	.051406
837S 120" MIL VINYL . . . . .	.059619
839SW 84" MIL BRUSH . . . . .	.141943
839S 84" MIL BRUSH . . . . .	.141944
839S 96" MIL BRUSH . . . . .	.141947
839S 120" MIL BRUSH . . . . .	.141949
845S 84" MIL PILE . . . . .	.051409
846S 84" MIL . . . . .	.051410
847S 84" DBA PILE . . . . .	.075287
847S 84" GLD PILE . . . . .	.000606
847S 96" GLD PILE . . . . .	.135979
848S 84" DBA . . . . .	.075288
848S 84" GLD . . . . .	.128894
849S 84" DBA . . . . .	.038794
849S 84" MIL . . . . .	.014074
849S 96" DBA . . . . .	.075587
849S 96" MIL . . . . .	.031904
<b>872S 84" CLR NEOPRENE . . . . .</b>	<b>.053566</b>
872S 84" DBA NEOPRENE . . . . .	.052859
872S 84" GLD NEOPRENE . . . . .	.053173





**Astragals**

872S 96" CLR NEOPRENE .....	083594
872S 120" CLR NEOPRENE .....	084691
874S 84" MIL NEOPRENE .....	052592
874S 96" CLR NEOPRENE .....	130963
874S 96" MIL NEOPRENE .....	057221
874S 120" US32D NEOPRENE .....	078861

**Rain Drips**

810S 40" AWP .....	057538
810S 40" DBA .....	052360
810S 40" GLD .....	052597
<b>810S 40" MIL .....</b>	<b>051396</b>
810S 52" MIL .....	054095
810S 76" DBA .....	052924
810S 76" GLD .....	075081
<b>810S 76" MIL .....</b>	<b>051398</b>





## TABLE OF CONTENTS

<b>B</b>		9600 Commercial Series Framed Kits.....19
<b>Barn Door Hardware</b>		9678 Packaged Sets.....20
9400 Series Barn Door Packaged Sets.....	36	9800 Heavy Duty Series Framed Kits.....21
Barn Door Privacy Lock.....	40	9878 Packaged Sets .....22
eConestoga Series Barn Door Hardware.....	39	9901 Packaged Sets.....23
<b>Bi-Fold Door Hardware</b>		
9570 Packaged Sets.....	15	<b>S</b>
9860 Packaged Sets and 9861 Packaged Sets.....	16	Side Mount Selection Chart.....
9890 Packaged Sets and 9891 Packaged Sets.....	17	2
<b>By-Pass Door Hardware</b>		<b>W</b>
9110 Packaged Sets and 9130 Packaged Sets.....	4	Wall Mount 9710 Series.....
9514 Packaged Sets and 9583 Packaged Sets.....	5-6	24
9611 Packaged Sets and 9612 Packaged Sets.....	7	
9614 Packaged Sets and 9683 Packaged Sets.....	8-9	
9673 Packaged Sets and 9674 Packaged Sets.....	10	
9675 Packaged Sets and 9676 Packaged Sets.....	11-12	
9875 Packaged Sets.....	13	
9885 Packaged Sets and 9886 Packaged Sets .....	14	
<b>C</b>		
Components for 9400 Series Barn Door Hardware .....	37-38	
Components for Sliding Door Hardware .....	25-35	
<b>D</b>		
Door Selection Chart .....	3	
<b>H</b>		
How to Order .....	2	
<b>P</b>		
<b>Pocket Door Hardware</b>		
9110 Packaged Sets and 9130 Packaged Sets.....	18	



# Sliding Door Hardware

## GENERAL INFORMATION

### Online Ordering

Products denoted with **red and bold** pricing are available to order through the MyHager portal.

### Cancellation Notification

Cancellation for made-to-order items must be communicated within 48 hours of order placement.

### HOW TO ORDER:

EXAMPLE: 9710 Wall Mount Packaged Set For 1 Door CLA 72"

STOCK NUMBER: 160958

ITEM NUMBER: 9710007200000CLA

Side Mount Selection Chart					
Door thickness	3/4" (19mm)	1" (25.4mm)	1-1/8" (29mm)	1-3/8" (35mm)	1-3/4" (44mm)
Front hanger	B	B	A or B	B	A
Rear hanger	A	A	Same as front	B	B
Door gap	3/4"	1/2"	1 1/16"	9/16"	3/8"
Item #		Description			
Hanger A	9200	Single wheel hanger-offset A			
Hanger B	9201	Single wheel hanger-offset B			
Hanger B	9202	Twin wheel hanger- offset B			

### Hanger Mount Selection Example:

Door thickness: 1-1/8"

Door weight: 60 lbs.

Select single, twin or micro cam hanger

Front hanger: 9400

Rear hanger: 9400

**Note:** Hanger is stamped "A" or "B" for easy identification for consideration for 9514, 9583, 9614, and 9683, by-pass packaged sets located on pages 5, 7 and 10.



Maximum Weight Per Door	Packaged Sets	Description	Parts Bags	Track	Page #
<b>By-Pass</b>					
60#	9514	Aluminum track & hardware for 3/4" - 1-3/8" thick doors.	9814	9810	5
60#	9583	Aluminum track & hardware for 3/4" - 1-3/8" thick doors, for 3 doors.	9814	9810	5
60#	9614	Aluminum track with grooved fascia - hardware for 1-3/8" thick doors.	9540	9820	8
60#	9683	Aluminum track with grooved fascia - hardware for 1-3/8" thick doors.	9401 hangers	9820	8
125#	9673	Heavy duty aluminum box track with grooved fascia & hardware for 1-3/8" - 1-3/4" thick doors.	9679	9603	10
125#	9675	Heavy duty aluminum box track & hardware for 1-3/8" thick doors	9679	9602	11
150#	9611	Aluminum double box track & hardware for 1-3/8" & 1-3/4" thick doors.	9892	9821	7
150#	9674	Heavy duty aluminum box track with grooved fascia & hardware for 1-3/8" & 1-3/4" thick doors.	9680	9603	10
150#	9676	Heavy duty aluminum box track & hardware for 1-3/8" thick doors.	9680	9602	11
175#	9110	Heavy duty aluminum I-beam track and hardware for 1" - 1-3/4" thick doors. *Must order 2 per by pass.*	9109	9101	4
250#	9612	Aluminum double box track & hardware for 1-3/8" & 1-3/4" thick doors.	9893	9821	7
250#	9875	Heavy duty aluminum box track & hardware for 1-3/8" & 1-3/4" thick doors.	9827 hangers	9801	15
250#	9885	Heavy duty aluminum double track with smooth fascia & hardware for 1-3/8" & 1-3/4" thick doors.	9827 hangers	9803	16
250#	9886	Heavy duty aluminum double track with smooth fascia & hardware for 1-3/8" & 1-3/4" thick doors.	9827 hangers	9803	16
275#	9130	Heavy duty aluminum I-beam track and hardware for 1" thick doors and up. *Must order 2 per by pass.*	9129	9101	4
<b>Bi-Fold Sets</b>					
50#	9570	Aluminum track & hardware for 1-1/8" & 1-3/4" thick doors.	9571	9601	17
125#	9860	Heavy duty aluminum box track & hardware for 1-3/8" & 1-3/4" thick doors.	9894	9821	18
125#	9861	Heavy duty aluminum box track & hardware for 1-3/8" & 1-3/4" thick doors.	9894	9821	18
125#	9890	Heavy duty aluminum box track & hardware for for 1-1/8" & 1-3/4" thick doors. Up to 75 lbs per panel for multi fold applications.	9827 hangers	9801	19
125#	9891	"Heavy duty aluminum box track & hardware for 1-1/8" & 1-3/4" thick doors.	9827 hangers	9801	19
<b>Pocket Door Sets</b>					
125#	9678	Heavy duty aluminum box track & hardware for 1-3/8" & 1-3/4" thick doors.	9632	9601	22
150#	9678	Heavy duty aluminum box track & hardware for 1-3/8" & 1-3/4" thick doors.	9633	9101	22
175#	9110	Heavy duty aluminum I-beam track & hardware for 1" thick doors and up.	9109	9101	20
250#	9878	Aluminum box track & hardware for 1-3/8" thick doors and up.	9742	9801	22
250#	9901	Extra heavy duty aluminum box track & hardware for 1-3/8" & 1-3/4" thick doors.	9895	9821	20
275#	9130	Heavy duty aluminum I-beam track & hardware for 1" thick doors and up.	9129	9101	20
<b>Pocket Door Frame Kits</b>					
<b>All Pocket Door Framed Kits for 1-3/8" Thick Doors</b>					
150#	9628CS	9628CS, 108", 150 lbs, Commercial Pocket Door Kit	9805 hangers	N/A	21
150#	9629CS	9629CS, 96", 150 lbs, Commercial Pocket Door Kit	9805 hangers	N/A	21
150#	9630CS	9630CS, 84", 150 lbs, Commercial Pocket Door Kit	9805 hangers	N/A	21
150#	9631CS	9631CS, 80", 150 lbs, Commercial Pocket Door Kit	9805 hangers	N/A	21
250#	9850HD	9850HD, 96", 102", 250 lbs, Heavy Duty Pocket Door Kit	9806 hangers	N/A	23
250#	9852HD	9852HD, 80", 84", 250 lbs, 2x6, Heavy Duty Pocket Door Kit	9806 hangers	N/A	23
<b>Wall Mount Sets</b>					
250#	9710	Heavy duty aluminum track & hardware for 1" & 1-3/4" thick doors.	9711	9703	26
<b>Barn Door Pakaged Sets</b>					
250#	All	9400 Series Stainless Steel Barn Door	N/A	N/A	42
250#	All	eConestoga Series Barn Door Hardware	N/A	A	44



## Sliding Door Hardware - 9110 and 9130 Packaged Sets - By-Pass



Description	Finish	2022 List	Stock No.	Case Qty.
<b>9110 Packaged Sets for doors up to 175 lbs (79 kg) per door.</b>				
Contents: 9101 track, 9109 parts bag				
Heavy duty aluminum I-beam track & hardware for 1" - 1-3/4" (25mm - 45mm) thick doors.				
<b>9110-60</b> - Packaged set for 2'6" door	60" (1524 mm)	151.72	135334	5
<b>9110-72</b> - Packaged set for 3'0" door	72" (1829 mm)	167.69	135335	
<b>9110-84</b> - Packaged set for 3'6" door	84" (2134 mm)	182.66	135336	
<b>9110-96</b> - Packaged set for 4'0" door	96" (2438 mm)	198.82	135337	
<b>9110-120</b> - Packaged set for 5'0" door	120" (3048 mm)	204.70	135338	
<b>9110-144</b> - Packaged set for 6'0" door	144" (3658 mm)	239.73	135339	

Note: Must order 2 each 9110 packaged sets

### 9130 Packaged Sets for doors up to 275 lbs (125 kg) per door.

Contents: 9101 track, 9129 parts bag

<b>9130-60</b> - Packaged set for 2'6" door	60" (1524 mm)	193.81	135340	5
<b>9130-72</b> - Packaged set for 3'0" door	72" (1829 mm)	207.78	135341	
<b>9130-84</b> - Packaged set for 3'6" door	84" (2134 mm)	209.84	135342	
<b>9130-96</b> - Packaged set for 4'0" door	96" (2438 mm)	228.77	135343	
<b>9130-120</b> - Packaged set for 5'0" door	120" (3048 mm)	270.73	135344	
<b>9130-144</b> - Packaged set for 6'0" door	144" (3658 mm)	302.11	135346	

Note: Must order 2 each 9130 packaged sets



<b>9101-60</b> - I-beam track only, heavy duty aluminum	60" (1524 mm)	AL	70.78	023278	5
<b>9101-72</b> - I-beam track only, heavy duty aluminum	72" (1829 mm)	AL	88.64	096508	
<b>9101-84</b> - I-beam track only, heavy duty aluminum	84" (2134 mm)	AL	105.61	096509	
<b>9101-96</b> - I-beam track only, heavy duty aluminum	96" (2438 mm)	AL	112.88	096707	
<b>9101-120</b> - I-beam track only, heavy duty aluminum	120" (3048 mm)	AL	147.65	096511	
<b>9101-144</b> - I-beam track only, heavy duty aluminum	144" (3658 mm)	AL	177.65	096512	
<b>9101-192</b> - I-beam track only, heavy duty aluminum	192" (4877 mm)	AL	235.84	096513	

### Parts Description

<b>9109</b> - 2 ea. 9102 two wheel hangers, 1 ea. 9115 floor guide. <i>*Up to 175 lbs (79 kg) per door.*</i>	73.54	135690	10
<b>9129</b> - 2 ea. 9105 four wheel hangers, 1 ea. 9115 floor guide. <i>*Up to 275 lbs (125 kg) per door.*</i>	108.50	135315	10

### Components Description

<b>9102</b> 2 Wheel Hanger - For use with 9101 track	US2C	32.26	135310	20
<b>9105</b> 4 Wheel Hanger - For use with 9101 track	US2C	48.42	135312	40
<b>9115</b> Bottom Door Guide	US2C	11.46	096522	50



## Sliding Door Hardware - 9514 and 9583 Packaged Sets - By-Pass



Description	Finish	2022 List	Stock No.	Case Qty.
<b>9514 Packaged Sets for doors up to 60 lbs (27 kg) each for two (2) doors.</b>				
Contents: 9810 track, 9814 parts bag. Refer to side mount selection chart for combination of hangers.				
Aluminum track & hardware				
For 3/4" (19 mm) and 1-3/8" (35mm) thick doors.				
<b>9514-48</b> - By-pass set for two 24" doors	48" (1219 mm)	<b>48.42</b>	099662	5
<b>9514-60</b> - By-pass set for two 30" doors	60" (1524 mm)	<b>52.43</b>	099663	
<b>9514-72</b> - By-pass set for two 36" doors	72" (1829 mm)	<b>58.38</b>	099666	
<b>9514-96</b> - By-pass set for two 48" doors	96" (2438 mm)	77.54	017418	
<b>9583 Packaged Sets for doors up to 60 lbs (27 kg) each for three (32") doors.</b>				
Contents: 9810 track, 2 ea. 9400 hangers, 4 ea. 9401 hangers, 2 ea. 9353 guides, 3 ea. 2610 pulls				
<b>9583-96</b> -	96" (2438 mm)	88.64	029415	5
<b>9810-46</b> - Aluminum track	46-3/8" (1178 mm)	AL 20.42	019702	10
<b>9810-58</b> - Aluminum track	58-3/8" (1483mm)	AL 24.36	019703	
<b>9810-70</b> - Aluminum track	70-3/8" (1788mm)	AL 29.57	019704	
<b>9810-93</b> - Aluminum track	93-3/8" (2372 mm)	AL 38.28	019705	
<b>9810-120</b> - Aluminum track	120" (3048 mm)	AL 48.42	016570	
<b>9810-144</b> - Aluminum track	144" (3658 mm)	AL 64.39	026064	
<b>Parts Description</b>				
<b>9814</b> - 2 ea. 9400 hangers, 2 ea. 9401 hangers, 2 ea. 2610 pulls, 1 ea. 9353 guide		19.29	016772	10
<b>9841</b> - For 1" to 1-1/8", specify 9841 parts bag. 4 ea. 9401 hangers, 2 ea. 9865 pulls, 1 ea. 9351 guide		10.46	099665	10
<b>Components Description</b>				
<b>2610</b>	US3	1.25	013049	500
Finger Pull	US4	1.25	071953	
Material: Brass	US5	1.25	067282	
Overall Diameter: 31/32"	US10A	1.25	068711	
Finger Pull Diameter: 3/4"	US15	1.25	040589	
Pull Clearance: 5/16"	US15A	1.25	040590	
Projection: 1/32"	US26	1.25	013047	
	US26D	1.25	071169	
<b>9351</b>		3.45	096563	50
Door Guide				
<b>9353</b>		3.45	096564	20
Adjustable Door Guide				
<b>9400</b>	US2C	4.32	017417	100
Cam Adjustable Hanger - Small 3/8" (10 mm) offset A				
<b>9401</b>	US2C	4.32	096566	100
Cam Adjustable Hanger - Large 11/16" (18 mm) offset B				

1. For additional components, refer to component section. 2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering. 3. U/M is each unless otherwise noted. 4. Packaged sets and parts bags are available with optional components by special quotation.



## Sliding Door Hardware - 9865 Packaged Sets - By-Pass



Description	Finish	2021 List	Stock No.	Case Qty.
<b>9865</b> Plastic Pull Overall Diameter: 1-31/32" Finger Pull Diameter: 1-19/32" Pull Clearance: 11/32" Projection: 5/64"	Plastic	1.32	098993	50





## Sliding Door Hardware - 9611 and 9612 Packaged Sets - By-Pass



Description	Finish	2022 List	Stock No.	Case Qty.
<b>9611 Packaged Sets for doors up to 150 lbs (68 kg) each.</b>				
9573 spacer kit is used for 1-3/4" (4 mm) doors. No spacer kit required for 1-3/8" (35 mm) doors. Contents: 2 ea. 9821 tracks, 9892 parts bag				
For 1-3/8" (35 mm) and 1-3/4" (44 mm) thick doors.				
<b>9611-60</b> - By-pass set for two 30" doors	60" (1524 mm)	163.74	019404	5
<b>9611-72</b> - By-pass set for two 36" doors	72" (1829 mm)	176.02	019402	
<b>9611-96</b> - By-pass set for two 48" doors	96" (2438 mm)	212.91	019389	
<b>9612 Packaged Sets for doors up to 250 lbs (113 kg) each.</b>				
Contents: 2 pcs 9821 Track, 9893 Parts bag				
<b>9612-60</b> - By-pass set for two 30" doors	60" (1524 mm)	205.77	019368	5
<b>9612-72</b> - By-pass set for two 36" doors	72" (1829 mm)	219.99	019362	
<b>9612-96</b> - By-pass set for two 48" doors	96" (2438 mm)	239.54	019378	
<b>9821-59</b> - Aluminum box track	59" (1499 mm)	AL 39.40	019084	10
<b>9821-71</b> - Aluminum box track	71" (1803 mm)	AL 49.42	019062	
<b>9821-96</b> - Aluminum box track	96" (2438 mm)	AL 65.90	019061	
<b>9821-144</b> - Aluminum box track	144" (3658 mm)	AL 95.46	019050	
<b>Grooved fascia for painting</b>				
<b>9709-48</b> - Aluminum grooved fascia, 2-3/4" (70 mm) wide	48" (1219 mm)	AL 44.41	023321	10
<b>9709-60</b> - Aluminum grooved fascia, 2-3/4" (70 mm) wide	60" (1524 mm)	AL 66.52	023322	
<b>9709-72</b> - Aluminum grooved fascia, 2-3/4" (70 mm) wide	72" (1829 mm)	AL 76.36	096603	
<b>9709-96</b> - Aluminum grooved fascia, 2-3/4" (70 mm) wide	96" (2438 mm)	AL 86.51	096604	
<b>Parts Description</b>				
<b>9892</b> - 4 ea. 9824 four-wheel hangers w/ top mount plate, 1 ea. 9909 guide, 9573 spacer kit		68.03	019421	10
<b>9893</b> - 4 ea. 9825 four-wheel ball bearing hangers w/ top mount plate, 1 ea. 9909 guide, 9573 spacer kit		127.28	019418	10
<b>Components Description</b>				
<b>9573</b> Spacer Kit - 3/8" use with 9821 track - For doors 1-3/4" thick		6.39	019014	5
<b>9824</b> 4 Wheel Hanger w/ Top Mount Plate		35.89	135320	20
<b>9825</b> 4 Wheel Ball Bearing Hanger w/ Top Mount Plate		45.10	135321	10
<b>9909</b> Heavy Duty Adjustable Door Guide From 3/4" to 1-3/4" (19 mm to 44 mm)	US2C	10.46	097528	20

1. For additional components, refer to component section. 2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering. 3. U/M is each unless otherwise noted. 4. Packaged sets and parts bags are available with optional components by special quotation.



## Sliding Door Hardware - 9614 and 9683 Packaged Sets - By-Pass



Components Description	Finish	2022 List	Stock No.	Case Qty.
<b>9614 Packaged Sets for doors up to 60 lbs (27 kg).</b>				
Contents: 9820 track, 9540 parts bag. Refer to side mount selection chart on page 2 for combination of hangers. Aluminum track & hardware with 1-3/4" (44 mm) grooved fascia. For 1-3/8" (35 mm) thick doors.				
<b>9614-48</b> - By-pass set for two 24" doors	48" (1219 mm)	<b>60.51</b>	099091	5
<b>9614-60</b> - By-pass set for two 30" doors	60" (1524 mm)	68.53	099756	
<b>9614-72</b> - By-pass set for two 36" doors	72" (1829 mm)	78.43	016652	
<b>9683 Packaged Sets for three (3) 32" doors and doors up to 60 lbs. (27 kg) each.</b>				
Contents: 9820 track, 6 ea. 9401 hangers, 2 ea. 9351 guides, and 3 ea. 2610 pulls				
<b>9683-96</b> - By-pass set for three 32" doors	96" (2438 mm)	110.62	022329	
<b>Grooved fascia for painting</b>				
<b>9820-48</b> - Aluminum track with 1-3/4" grooved fascia	48" (1219 mm)	AL	37.52	000461
<b>9820-60</b> - Aluminum track with 1-3/4" grooved fascia	60" (1524 mm)	AL	46.54	000462
<b>9820-72</b> - Aluminum track with 1-3/4" grooved fascia	72" (1829 mm)	AL	54.43	000463
<b>9820-84</b> - Aluminum track with 1-3/4" grooved fascia	84" (2134 mm)	AL	73.54	028175
<b>9820-96</b> - Aluminum track with 1-3/4" grooved fascia	96" (2438 mm)	AL	80.43	099664
<b>9820-120</b> - Aluminum track with 1-3/4" grooved fascia	120" (3048 mm)	AL	92.64	000464
<b>9820-144</b> - Aluminum track with 1-3/4" grooved fascia	144" (3658 mm)	AL	120.64	000460
<b>Parts Description</b>				
<b>9540</b> - 4 ea. 9401 hangers, 2 ea. 2610 pull, 1 ea. 9351 guide		12.34	017419	10
<b>9544</b> - 4 ea. 9202 hangers, 2 ea. 2630 pull, 1 ea. 9351 guide <i>*Used to increase door weight capacity to 75 lbs*</i>		18.29	017035	
<b>9841</b> - 4 ea. 9401 hangers, 2 ea. 9865 pull, 1 ea. 9351 guide		10.46	099665	
<b>9842</b> - 4 ea. 9401 hangers, 2 ea. 2630 pull, 1 ea., 9351 guide		14.34	017424	
<b>9843</b> - 4 ea. 9202 hangers, 2 ea. 9865 pull, 1 ea. 9351 guide <i>*Used to increase door weight capacity to 75 lbs*</i>		16.35	016912	
<b>Components Description</b>				
<b>2610</b>	US3	1.25	013049	500
Finger Pull	US4	1.25	071953	
Material: Brass	US5	1.25	067282	
Overall Diameter: 31/32"	US10A	1.25	068711	
Finger Pull Diameter: 3/4"	US15	1.25	040589	
Pull Clearance: 5/16"	US15A	1.25	040590	
Projection: 1/32"	US26	1.25	013047	
	US26D	1.25	071169	
<b>2630</b>	US3	5.39	051919	50
Round Flush Pull	US4	5.39	073783	
Material: Brass	US5	5.39	053163	
Overall Diameter: 2-7/16" Finger	US10A	5.39	073053	
Pull Diameter: 2-1/16" Pull	US15	5.39	073056	
Clearance: 11/32" Projection:	US15A	5.39	005307	
3/32"	US26	5.39	023430	
	US26D	5.39	023431	



## Sliding Door Hardware - 9614 and 9683 Packages Sets - By-Pass



Description	Finish	2022 List	Stock No.	Case Qty.
<b>9202</b> Twin Wheel Hanger - Large 11/16" (18 mm) offset B	US2C	4.32	096562	100
<b>9351</b> Door Guide		3.45	096563	50
<b>9400</b> Cam Adjustable Hanger - Small 3/8" (10 mm) offset A	US2C	4.32	017417	100
<b>9401</b> Cam Adjustable Hanger - Large 11/16" (18 mm) offset B	US2C	4.32	096566	100
<b>9865</b> Plastic Pull Overall Diameter: 1-31/32" Finger Pull Diameter: 1-19/32" Pull Clearance: 11/32" Projection: 5/64"	Plastic	1.32	098993	50

1. For additional components, refer to component section. 2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering. 3. U/M is each unless otherwise noted. 4. Packaged sets and parts bags are available with optional components by special quotation.



## Sliding Door Hardware - 9673 and 9674 Packaged Sets - By-Pass



Description	Finish	2022 List	Stock No.	Case Qty.	
<b>9673 Packaged Sets for doors up to 125 lbs (57 kg).</b>					
Contents: 9603 track, 9679 parts bag Heavy duty aluminum double box track & hardware with 2-5/8" (66 mm) grooved fascia. For 1-3/8" (35 mm) and 1-3/4" (44 mm) thick doors.					
<b>9673-48</b> - By-pass set for two 24" doors	48" (1219 mm)	174.77	137170	5	
<b>9673-60</b> - By-pass set for two 30" doors	60" (1524 mm)	188.67	137171		
<b>9673-72</b> - By-pass set for two 36" doors	72"(1829 mm)	199.70	137172		
<b>9673-96</b> - By-pass set for two 48" doors	96" (2438 mm)	244.92	137173		
<b>9674 Packaged Sets for doors up to 150 lbs (68 kg).</b>					
<b>9674-48</b> - By-pass set for two 24" doors	48" (1219 mm)	228.76	136345	5	
<b>9674-60</b> - By-pass set for two 30" doors	60" (1524 mm)	241.85	136346		
<b>9674-72</b> - By-pass set for two 36" doors	72" (1829 mm)	260.90	136347		
<b>9674-96</b> - By-pass set for two 48" doors	96" (2438 mm)	302.11	136349		
<b>Grooved fascia for painting.</b>					
Double box track w/ built in grooved fascia.					
<b>9603-48</b> - Aluminum box track with grooved fascia	48" (1219 mm)	AL	78.43	135288	5
<b>9603-60</b> - Aluminum box track with grooved fascia	60" (1524 mm)	AL	94.52	135289	
<b>9603-72</b> - Aluminum box track with grooved fascia	72" (1829 mm)	AL	112.56	135290	
<b>9603-96</b> - Aluminum box track with grooved fascia	96" (2438 mm)	AL	146.77	135291	
<b>9603-120</b> - Aluminum box track with grooved fascia	120" (3048 mm)	AL	183.79	029359	
<b>9603-144</b> - Aluminum box track with grooved fascia	144" (3658 mm)	AL	225.941	029360	

Parts Description				
<b>9575</b> - 4 ea. 9572 hangers w/ top mount plate, 1 ea. 9909 guide		35.45	137167	5
<b>9679</b> - 4 ea. 9605 hangers w/ top mount plate, 1 ea. 9909 guide		57.33	096600	
<b>9680</b> - 4 ea. 9606 ball bearing hangers w/ top mount plate, 1 ea. 9909 guide		116.57	136357	

Components Description				
<b>9572</b> 4 Wheel Hanger w/ Top Mount Plate	US2D	15.35	135316	20
<b>9605</b> 4 Wheel Hanger w/ Top Mount Plate	US2D	7.20	135317	20
<b>9606</b> 4 Wheel Ball Bearing Hanger w/ Top Mount Plate	US2D	22.36	135318	20
<b>9909</b> Heavy Duty Adjustable Door Guide From 3/4" to 1-3/4" (19 mm to 44 mm)	US2C	10.46	097528	20



## Sliding Door Hardware - 9675 and 9676 Packaged Sets - By-Pass



Description	Finish	2022 List	Stock No.	Case Qty.
<b>9675 Packaged Sets for doors up to 125 lbs (57 kg) each.</b>				
Contents: 9602 track, 9679 parts bag				
Heavy duty aluminum double box track & hardware For 1-3/8" (35 mm) thick doors.				
<b>9675-48</b> - By-pass set for two 24" doors	48" (1219 mm)	114.63	137175	5
<b>9675-60</b> - By-pass set for two 30" doors	60" (1524 mm)	122.59	137176	
<b>9675-72</b> - By-pass set for two 36" doors	72" (1829 mm)	134.61	137177	
<b>9675-96</b> - By-pass set for two 48" doors	96" (2438 mm)	158.73	137178	
<b>9676 Packaged Sets for doors up to 150 lbs (68 kg) each.</b>				
<b>9676-48</b> - By-pass set for two 24" doors	48" (1219 mm)	174.77	136350	5
<b>9676-60</b> - By-pass set for two 30" doors	60" (1524 mm)	176.71	136351	
<b>9676-72</b> - By-pass set for two 36" doors	72" (1829 mm)	194.81	136352	
<b>9676-96</b> - By-pass set for two 48" doors	96" (2438 mm)	215.86	136353	
<b>Grooved fascia for painting</b>				
<b>9709-48</b> - Aluminum grooved fascia, 2-3/4" (70 mm) wide	48" (1219 mm)	AL 44.41	023321	10
<b>9709-60</b> - Aluminum grooved fascia, 2-3/4" (70 mm) wide	60" (1524 mm)	AL 66.52	023322	
<b>9709-72</b> - Aluminum grooved fascia, 2-3/4" (70 mm) wide	72" (1829 mm)	AL 76.36	096603	
<b>9709-96</b> - Aluminum grooved fascia, 2-3/4" (70 mm) wide	96" (2438 mm)	AL 86.51	096604	
<b>9602-46</b> - Double box track only, heavy duty aluminum	46" (1168 mm)	AL 42.47	096582	5
<b>9602-58</b> - Double box track only, heavy duty aluminum	58" (1473 mm)	AL 52.43	096583	
<b>9602-70</b> - Double box track only, heavy duty aluminum	70" (1778 mm)	AL 60.51	096584	
<b>9602-94</b> - Double box track only, heavy duty aluminum	94" (2388 mm)	AL 78.43	096585	
<b>9602-118</b> - Double box track only, heavy duty aluminum	118" (2997 mm)	AL 90.77	096586	
<b>9602-142</b> - Double box track only, heavy duty aluminum	142" (3607 mm)	AL 112.56	096587	
<b>Parts Description</b>				
<b>9575</b> - 4 ea. 9572 hangers w/ top mount plate, 1 ea. 9909 guide		35.45	137167	5
<b>9679</b> - 4 ea. 9605 hangers w/ top mount plate, 1ea. 9909 guide		49.42	137179	5
<b>9680</b> - 4 ea. 9606 ball bearing hangers w/ top mount plate, 1ea. 9909 guide		116.57	136357	5
<b>Components Description</b>				
<b>9572</b> - 4 Wheel Hanger w/ Top Mount Plate	US2D	15.35	135316	20
<b>9605</b> - 4 Wheel Hanger w/ Top Mount Plate	US2D	7.20	135317	20

1. For additional components, refer to component section. 2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering. 3. U/M is each unless otherwise noted. 4. Packaged sets and parts bags are available with optional components by special quotation.

Sliding Door Hardware - 9675 and 9676 Packaged Sets - By-Pass




Components Description	Finish	2022 List	Stock No.	Case Qty.
9606 - 4 Wheel Ball Bearing Hanger w/ Top Mount Plate	US2D	22.36	135318	20
9909 - Heavy Duty Adjustable Door Guide From 3/4" to 1-3/4" (19 mm to 44 mm)	US2C	10.46	097528	20



1. For additional components, refer to component section. 2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering. 3. U/M is each unless otherwise noted. 4. Packaged sets and parts bags are available with optional components by special quotation.

## Sliding Door Hardware - 9875 Packaged Sets - By-Pass



Description	Finish	2022 List	Stock No.	Case Qty.	
<b>9875 Packaged Sets for doors up to 250 lbs (113 kg).</b>					
Contents: 2 ea. 9801 tracks, 4 ea. 9827 hangers w/ top mount plate, 1 ea. 9574 spacer, 1 ea. 9909 guide Heavy duty Aluminum box track & hardware					
For 1-3/8" (35 mm) and 1-3/4" (44 mm) thick doors.					
9574 spacer kit is used for 1-3/4" (4 mm) doors.					
No spacer kit required for 1-3/8" (35 mm) doors.					
<b>9875-48</b> - By-pass set for two 24" doors	48" (1219 mm)	236.97	137420	6	
<b>9875-60</b> - By-pass set for two 30" doors	60" (1524 mm)	299.04	137421		
<b>9875-72</b> - By-pass set for two 36" doors	72" (1829 mm)	315.02	137422		
<b>9875-96</b> - By-pass set for two 48" doors	96" (2438 mm)	353.10	137423		
<b>Grooved fascia for painting</b>					
<b>9809-72</b> - Aluminum grooved fascia, 3-7/8" (98 mm) thick	72" (1829 mm)	AL	119.58	096646	10
<b>9809-96</b> - Aluminum grooved fascia, 3-7/8" (98 mm) thick	96" (2438 mm)	AL	156.60	096647	
<b>9801-72</b> - Aluminum box track	72" (1829 mm)	AL	64.39	096641	10
<b>9801-96</b> - Aluminum box track	96" (2438 mm)	AL	86.51	096642	
<b>9801-120</b> - Aluminum box track	120" (3048 mm)	AL	108.49	096643	
<b>9801-144</b> - Aluminum box track	144" (3658 mm)	AL	141.63	096644	
<b>9801-192</b> - Aluminum box track	192" (4877 mm)	AL	188.67	096645	
<b>Components Description</b>					
<b>9574</b>		6.39	015991	5	
Spacer Kit - For use with 9801 - For doors 1-3/8" and 1-3/4" thick					
<b>9827</b>		52.43	018292	10	
4 Wheel Ball bearing Hanger w/ Top Mount Plate					
<b>9909</b>	US2C	10.46	097528	20	
Heavy Duty Adjustable Door Guide From 3/4" to 1-3/4" (19 mm to 44 mm)					



## Sliding Door Hardware - 9885 and 9886 Packaged Sets - Bi-Fold



Description	Finish	2022 List	Stock No.	Case Qty.
<b>9885 Packaged Sets for two (2) doors up to 250 lbs (113 kg) each.</b>				
Contents: 9803 track, 4 ea. 9827 hangers w/ top mount plate, 1 ea. 9909 guide, 1 ea. 9815 center stop for 9886 only. Heavy duty aluminum double box track with 3-1/2" (89 mm) smooth fascia & hardware, for two doors. For 1-3/8" (35 mm) and 1-3/4" (44 mm) thick doors.				
<b>9885-48</b> - By-pass set for two 24" doors	48" (1219 mm)	270.04	137463	1
<b>9885-60</b> - By-pass set for two 30" doors	60" (1524 mm)	302.99	137464	
<b>9885-72</b> - By-pass set for two 36" doors	72" (1829 mm)	339.19	137465	
<b>9885-96</b> - By-pass set for two 48" doors	96" (2438 mm)	389.98	137470	
<b>9886 Packaged Sets for four (4) 24" doors up to 250 lbs. (113 kg) each.</b>				
Contents: 9803 track, 8 ea. 9827 hangers w/ top mount plate, 2 ea. 9815 center stops, 2 ea. 9909 adjustable door guides.				
<b>9886-96</b> - By-pass set for four 24" doors	96" (2438 mm)	547.47	137471	1



Components Description				
<b>9815</b>		9.21	096648	20
Bumper Stop				
<b>9827</b>		52.43	018292	10
4 Wheel Ball bearing Hanger w/ Top Mount Plate				
<b>9909</b>	US2C	10.46	097528	20
Heavy Duty Adjustable Door Guide From 3/4" to 1-3/4" (19 mm to 44 mm)				



## Sliding Door Hardware - 9570 Packaged Sets - Bi-Fold



Description	Finish	2022 List	Stock No.	Case Qty.	
<b>9570 Packaged Sets for doors up to 50 lbs (23 kg) bi-fold, 30 lbs per multi fold.</b>					
Contents for 2 door set: 9601 Track, 9569 parts bag.					
Aluminum box track & hardware for 1" (25 mm) - 1-3/4" (44 mm) thick doors.					
<b>9570-36</b> - Bi-fold set for two 18" doors	36" (914 mm)	AL	68.53	137161	6
<b>9570-48</b> - Bi-fold set for four 12" doors	48" (1219 mm)	AL	100.60	137162	
<b>9570-60</b> - Bi-fold set for four 15" doors	60" (1524 mm)	AL	108.49	137163	
<b>9570-72</b> - Bi-fold set for four 18" doors	72" (1829 mm)	AL	1116.57	137164	
<b>9570-96</b> - Bi-fold set for four 24" doors	96" (2438 mm)	AL	161.67	137165	
<b>9601-47</b> - Aluminum box track	47" (1194 mm)	AL	22.36	096576	10
<b>9601-59</b> - Aluminum box track	59" (1499 mm)	AL	28.88	096577	
<b>9601-71</b> - Aluminum box track	71" (1803 mm)	AL	31.45	096578	
<b>9601-96</b> - Aluminum box track	96" (2438 mm)	AL	48.73	096579	
<b>9601-120</b> - Aluminum box track	120" (3048 mm)	AL	54.43	096580	
<b>9601-144</b> - Aluminum box track	144" (3658 mm)	AL	64.39	096581	

Parts Description				
9569 - 1 ea. 9572 hanger w/ top mount plate, 9618 pivot set, 9559 aligner, 9558 knob and 9815 bumper stop, 3 ea. 9220 hinges		30.38	016913	10
Components Description				
9220	US2D	2.38	099119	600
Non-Mortise Bi-Fold Hinge with Screws				
9558	Wood	2.38	096567	100
Wood Knob				
Knob Diameter: 1-1/2"				
Base Diameter: 15/16" Fasteners:				
#8 x 1-3/4" PPHWS				
9559	US2D	1.32	096568	200
Aligner				
9572	US2D	15.35	135316	20
4 Wheel Hanger w/ Top Mount Plate				
9815		9.21	096648	20
Bumper Stop				
9618	-	10.46	137182	10
Pivot Set - For 9570 series				



1. For additional components, refer to component section. 2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering. 3. U/M is each unless otherwise noted. 4. Packaged sets and parts bags are available with optional components by special quotation.



## Sliding Door Hardware - 9860 and 9861 Packaged Sets - Pocket Door



Description	Finish	2022 List	Stock No.	Case Qty.
-------------	--------	-----------	-----------	-----------

### 9860 Packaged Sets for doors up to 125 lbs (57 kg) per panel bi-fold.

Contents: 9821 track, 1 ea. 9894 parts bag, and 3 ea. 1741 hinges

Heavy duty Aluminum box track & hardware. For 1-3/8" (35mm) and 1-3/4" (44mm) thick doors.

<b>9860-30</b> - Bi-fold set for two 15" doors	30" (762 mm)	128.35	019456	6
<b>9860-36</b> - Bi-fold set for two 18" doors	36" (914 mm)	138.31	019452	
<b>9860-48</b> - Bi-fold set for two 24" doors	48" (1219 mm)	154.53	019451	

### 9861 Packaged Sets for doors up to 125 lbs. (57 kg) per panel for multi-fold.

Contents: 9821 track, 2 ea. 9894 parts bag, and 6 ea. 1741 hinges

<b>9861-48</b> - Bi-fold set for four 12" doors	48" (1219 mm)	246.61	019446	6
<b>9861-60</b> - Bi-fold set for four 15" doors	60" (1524 mm)	255.63	019439	
<b>9861-72</b> - Bi-fold set for four 18" doors	72" (1829 mm)	273.42	019438	
<b>9861-96</b> - Bi-fold set for four 24" doors	96" (2438 mm)	299.86	019437	

<b>9821-59</b> - Aluminum box track	59" (1499 mm)	AL	39.90	019084	10
<b>9821-71</b> - Aluminum box track	71" (1803 mm)	AL	49.42	019062	
<b>9821-96</b> - Aluminum box track	96" (2438 mm)	AL	65.90	019061	
<b>9821-144</b> - Aluminum box track	144" (3658 mm)	AL	95.46	019050	

### Parts Description

<b>9894</b> - 1 ea. 9825 hanger w/ top mount plate, 9828 bi-fold pivot, 9815 bumper stop, 9559 aligner	113.57	019435	10
--	--------	--------	----

### Components Description

<b>1741</b> Full Mortise Plain Bearing Hinges with Screws 3-1/2" x 3-1/2"	US2D	2.51	029658	50
---	------	------	--------	----

<b>9559</b> Aligner	US2D	1.32	096568	200
------------------------	------	------	--------	-----

<b>9815</b> Bumper Stop	9.21	096648	20
----------------------------	------	--------	----

<b>9825</b> Ball Bearing Hanger w/ Top Mount Plate	45.10	135321	10
---	-------	--------	----

<b>9828</b> Heavy Duty Pivot Set with 9815 Bumper Stop	65.21	018286	10
---	-------	--------	----



## Sliding Door Hardware - 9890 and 9891 Packaged Sets - Bi-Fold



Description	Finish	2022 List	Stock No.	Case Qty.
<b>9890 Packaged Sets for doors up to 125 lbs (57 kg).</b>				
Contents: 9801 track, 9827 hangers w/ top mount plate, 9828 pivots & 1741 hinges (3 ea. for 2 doors, 6 ea. for 4 doors) Heavy duty aluminum box track & hardware for 1-1/8"(29mm) and 1-3/4"(44mm) thick doors.				
<b>9890-30</b> - Bi-fold set for two 15" doors	30" (762 mm)	137.75	017732	6
<b>9890-36</b> - Bi-fold set for two 18" doors	36" (914 mm)	143.45	017444	
<b>9890-48</b> - Bi-fold set for two 24" doors	48" (1219 mm)	160.73	017439	
<b>9891-48</b> - Bi-fold set for four 12" doors	48" (1219 mm)	244.55	017438	6
<b>9891-60</b> - Bi-fold set for four 15" doors	60" (1524 mm)	257.89	017437	
<b>9891-72</b> - Bi-fold set for four 18" doors	72" (1829 mm)	276.99	017436	
<b>9891-96</b> - Bi-fold set for four 24" doors	96" (2438 mm)	304.74	017434	
<b>9801-48</b> - Aluminum box track	48" (1219 mm)	AL 42.91	040426	6
<b>9801-72</b> - Aluminum box track	72" (1829 mm)	AL 64.39	096641	
<b>9801-96</b> - Aluminum box track	96" (2438 mm)	AL 86.51	096642	
<b>9801-120</b> - Aluminum box track	120" (3048 mm)	AL 108.49	096643	
<b>9801-144</b> - Aluminum box track	144" (3658 mm)	AL 141.63	096644	
<b>9801-192</b> - Aluminum box track	192" (4877 mm)	AL 188.67	096645	



Components Description				
<b>1741</b>	US2D	2.51	029658	50
Full Mortise Plain Bearing Hinges with Screws 3-1/2" x 3-1/2"				
<b>9827</b>		52.43	018292	10
4 Wheel Ball bearing Hanger w/ Top Mount Plate				
<b>9828</b>		65.21	018286	10
Heavy Duty Pivot Set with 9815 Bumper Stop				

1. For additional components, refer to component section. 2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering. 3. U/M is each unless otherwise noted. 4. Packaged sets and parts bags are available with optional components by special quotation.



## Sliding Door Hardware - 9110 and 9130 - Pocket Door Framed Kits



Description	Finish	2022 List	Stock No.	Case Qty.
<b>9110 Packaged Sets for doors up to 175 lbs (79 kg) per door.</b>				
Contents: 9101 track, 9109 parts bag				
Heavy duty aluminum I-beam track & hardware for 1"(25mm) thick doors.				
<b>9110-60</b> - Packaged set for 2'6" door	60" (1524 mm)	151.71	135334	5
<b>9110-72</b> - Packaged set for 3'0" door	72" (1829 mm)	167.69	135335	
<b>9110-84</b> - Packaged set for 3'6" door	84" (2134 mm)	182.66	135336	
<b>9110-96</b> - Packaged set for 4'0" door	96" (2438 mm)	198.82	135337	
<b>9110-120</b> - Packaged set for 5'0" door	120" (3048 mm)	204.71	135338	
<b>9110-144</b> - Packaged set for 6'0" door	144" (3658 mm)	239.72	135339	
<b>9130 Packaged Sets for doors up to 275 lbs (125 kg) per door.</b>				
Contents: 9101 track, 9129 parts bag				
<b>9130-60</b> - Packaged set for 2'6" door	60" (1524 mm)	193.81	135340	5
<b>9130-72</b> - Packaged set for 3'0" door	72" (1829 mm)	207.78	135341	
<b>9130-84</b> - Packaged set for 3'6" door	84" (2134 mm)	209.84	135342	
<b>9130-96</b> - Packaged set for 4'0" door	96" (2438 mm)	228.76	135343	
<b>9130-120</b> - Packaged set for 5'0" door	120" (3048 mm)	270.73	135344	
<b>9130-144</b> - Packaged set for 6'0" door	144" (3658 mm)	302.11	135346	
<b>9101-60</b> - I-beam track only, heavy duty aluminum	60" (1524 mm)	AL 70.78	023278	5
<b>9101-72</b> - I-beam track only, heavy duty aluminum	72" (1829 mm)	AL 88.64	096508	
<b>9101-84</b> - I-beam track only, heavy duty aluminum	84" (2134 mm)	AL 105.61	096509	
<b>9101-96</b> - I-beam track only, heavy duty aluminum	96" (2438 mm)	AL 112.88	096707	
<b>9101-120</b> - I-beam track only, heavy duty aluminum	120" (3048 mm)	AL 147.64	096511	
<b>9101-144</b> - I-beam track only, heavy duty aluminum	144" (3658 mm)	AL 177.65	096512	
<b>9101-192</b> - I-beam track only, heavy duty aluminum	192" (4877 mm)	AL 235.84	096513	
<b>Parts Description</b>				
<b>9109</b> - 2 ea. 9102 two wheel hangers, 1 ea 9115 floor guide. *Up to 175 lbs (79 kg) per door.*		73.54	135690	10
<b>9129</b> - 2 ea. 9105 four wheel hangers, 1 ea 9115 floor guide. *Up to 275 lbs (125 kg) per door.*		108.49	135315	10
<b>Components Description</b>				
<b>9102</b> 2 Wheel Hanger - For use with 9101 track	US2C	32.26	135310	20
<b>9105</b> 4 Wheel Hanger - For use with 9101 track	US2C	48.42	135312	40
<b>9115</b> Bottom Door Guide	US2C	11.46	096522	50





Description	Door Height	Finish	2022 List	Stock No.	Case Qty.
<b>9628CS</b> - For 3'0" wide x 9'0" high doors up to 150 lbs (68 kg) per door.	108" (2743 mm)	AL	317.08	027890	1
<b>9629CS</b> - For 3'0" wide x 8'0" high doors up to 150 lbs (68 kg) per door.	96" (2438 mm)	AL	288.90	027880	1
<b>9630CS</b> - For 3'0" wide x 7'0" high doors up to 150 lbs (68 kg) per door.	84" (2134 mm)	AL	283.01	027878	1
<b>9631CS</b> - For 3'0" wide x 6'8" high doors up to 150 lbs (68 kg) per door.	80" (2032 mm)	AL	180.84	027872	1

Note: Pocket Door Frame Kits Contents: 2"x4" Header and Track Assembly, 2 pairs of Split Studs, 2 each Floor Plates, 2 End Brackets, 2 each (9805) rollers with hanger plates, 1 each (9881CS) Bumper, and 1 pair (9883CS) Floor Guide. For 1-3/8" (35 mm) thick doors. 9634CS (sold separately) for 1-3/4" doors.

#### Replacement Description

**1-269-8651** 80.30 027859 20

Soft Close Mechanism. Compatible with all Commercial & Heavy-Duty Pocket Door Framed Kits.

**9805** 20.67 027860 100

4-Wheel Hanger, 150 lbs, CS Series (2-Pack)

**9806** 25.06 027851 100

4-Wheel Hanger Ball Bearing, 250 lbs, HD Series (2-Pack)

**9881CS** 1.32 027847 100

Rubber Bumper, CS/HD Series

**9639CS** 31.45 027848 20

Mullion Converging Kit, CS/HD Series

**9634CS** 11.02 027841 20

1-3/4" Adapter Kit, CS/HD Series

**9883CS** 7.52 027842 100

Floor Guide, CS/HD Series

**9889CS** 10.21 027834 20

1-3/8" Pocket Guide, CS/HD Series

1. For additional components, refer to component section. 2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering. 3. U/M is each unless otherwise noted. 4. Packaged sets and parts bags are available with optional components by special quotation.



## Sliding Door Hardware - 9678 Packaged Sets - Pocket Door



Description	Finish	2022 List	Stock No.	Case Qty.
<b>9678 Packaged Sets up to 125 lbs. (57 kg) per door.</b>				
Contents: 9601 track, 9632 parts bag. For 1-3/8"(35mm) and 1-3/4"(44mm) thick doors. Heavy duty Aluminum box track & hardware				
<b>9678-72</b> - Pocket set for 3' door	72" (1829 mm)	107.36	136354	6
<b>9678-96</b> - Pocket set for 4' door	96" (2438 mm)	128.60	136356	
<b>9601-71</b> - Box track only, heavy duty aluminum	71" (1803 mm)	AL 31.45	096578	6
<b>9601-84</b> - Box track only, heavy duty aluminum	84" (2134 mm)	AL 42.47	045141	
<b>9601-96</b> - Box track only, heavy duty aluminum	96" (2438 mm)	AL 48.73	096579	
<b>9601-120</b> - Box track only, heavy duty aluminum	120" (3048 mm)	AL 54.43	096580	
<b>9601-144</b> - Box track only, heavy duty aluminum	144" (3658 mm)	AL 64.39	096581	

Parts Description				
<b>9632</b> - 2 ea. 9605 hangers w/ top mount plate, 1 ea. 9883 door guide, 1 ea. 9881 bumper. <i>*Up to 125 lbs (57 kg) per door.*</i>		42.47	135322	10
<b>9633</b> - 2 ea. 9606 ball bearing hangers w/ top mount plate, 1 ea. 9883 door guide, 1 ea. 9881 bumper. <i>*Up to 150 lbs (69 kg) per door.*</i>		70.41	135323	

Components Description				
<b>9605</b> 4 Wheel Hanger w/ Top Mount Plate	US2D	7.20	135317	20
<b>9606</b> 4 Wheel Ball Bearing Hanger w/ Top Mount Plate	US2D	22.36	135318	20
<b>9881</b> Rubber Bumper		1.32	096685	80
<b>9883</b> 2-Piece Door Guide set with screws		4.82	096686	100






Description	Door Height	Finish	2022 List	Stock No.	Case Qty.
<b>9850HD- 102</b> For 4'0" wide x 8'6" high doors, up to 250102" (2591 mm) lbs.(113 kg) per door.		AL	591.63	027870	1
<b>9850HD - 96</b> For 4'0" wide x 8'0" high doors, up to 25096" (2032 mm) lbs.(113 kg) per door.		AL	507.45	026725	1
<b>9852HD - 84</b> For 3'0" wide x 7'0" high doors, up to 25084" (2134 mm) lbs.(113 kg) per door (for 2' X 6' Walls).		AL	382.10	027858	1
<b>9852HD- 80</b> For 3'0" wide x 6'8" high doors, up to 250 80" (2032 mm) lbs.(113 kg) per door (for 2' X 6' Walls).		AL	357.05	027865	1

Note: 9850HD Pocket Door Frame Kits Contents: 2"x4" Header and Track Assembly, 3 pairs of Split Studs, 3 each Floor Plates for 1-3/8" thick doors, 3 each Floor Plates for 1-3/4" thick doors, 6 shims, 2 End Brackets, 2 each (9806) rollers with hanger plates, one each (9881CS) Bumper, and 1 pair (9883CS) Floor Guide. For 1-3/8" (35 mm) and 1-3/4" (44 mm) thick doors.

Note: 9852HD Pocket Door Frame Kits Contents: 2"x6"Header and Track Assembly, 2 pairs of Split Studs, 2 each 4" Floor Plates, 2 End Brackets, 2 each (9806) rollers with hanger plates, 1each (9881CS) Bumper, and 1 pair (9883CS) Floor Guide. For 1-3/8" (35 mm) and 1-3/4" (44 mm) thick doors.

Replacement Description					
<b>1-269-8651</b>			80.30	027859	20
Soft Close Mechanism. Compatible with all Commercial & Heavy-Duty Pocket Door Framed Kits.					
<b>9806</b>			25.06	027851	100
4-Wheel Hanger Ball Bearing, 250 lbs, HD Series (2-Pack)					
<b>9881CS</b>			1.32	027847	100
Rubber Bumper, CS/HD Series					
<b>9639CS</b>			31.45	027848	20
Mullion Converging Kit, CS/HD Series					
<b>9634CS</b>			11.02	027841	20
1-3/4" Adapter Kit, CS/HD Series					
<b>9883CS</b>			7.52	027842	100
Floor Guide, CS/HD Series					
<b>9889CS</b>			10.21	027834	20
1-3/8" Pocket Guide, CS/HD Series					





## Sliding Door Hardware - 9878 Packaged Sets - Pocket Door



Description	Finish	2022 List	Stock No.	Case Qty.	
<b>9878 Packaged Sets for doors up to 250 lbs. (113 kg)per door.</b>					
For doors 1-3/8" (35 mm) thick and up.					
Contents: 9801 track, 9742 parts bag					
<b>9878-72</b> - Pocket set for 3' door	72" (1829 mm)	174.14	137425	6	
<b>9878-96</b> - Pocket set for 4' door	96" (2438 mm)	232.02	137426		
<b>9801-72</b> - Box track only, heavy duty aluminum	72" (1829 mm)	AL	64.39	096641	10
<b>9801-96</b> - Box track only, heavy duty aluminum	96" (2438 mm)	AL	86.51	096642	
<b>9801-120</b> - Box track only, heavy duty aluminum	120" (3048 mm)	AL	108.49	096643	
<b>9801-144</b> - Box track only, heavy duty aluminum	144" (3658 mm)	AL	141.63	096644	
<b>9801-192</b> - Box track only, heavy duty aluminum	192" (4877 mm)	AL	188.67	096645	

Parts Description				
<b>9742</b> - 2 ea. 9827 hangers w/ top mount plate, 1 ea. 9883 guide set, 1 ea. 9881 bumper		110.62	137418	10
Components Description				
<b>9827</b> 4 Wheel Ball bearing Hanger w/ Top Mount Plate		52.43	018292	10
<b>9881</b> Rubber Bumper		1.32	096685	80
<b>9883</b> 2-Piece Door Guide set with screws		4.82	096686	100





## Sliding Door Hardware - 9901 Packaged Sets - Pocket Door



Description	Finish	2022 List	Stock No.	Case Qty.
<b>9901 Packaged Sets for doors up to 250 lbs. (113 kg)</b>				
Contents: 9821 track, 9895 parts bag Extra heavy duty Aluminum box track & hardware for 1-3/8" (35mm) and 1-3/4" (44mm) thick doors.				
<b>9901-72</b> - Pocket set for 3' doors	72" (1829 mm)	182.91	019361	6
<b>9901-96</b> - Pocket set for 4' doors	96" (2438 mm)	204.71	019358	
<b>9821-59</b> - Aluminum box track	59" (1499 mm)	AL 39.90	019084	10
<b>9821-71</b> - Aluminum box track	71" (1803 mm)	AL 49.42	019062	
<b>9821-96</b> - Aluminum box track	96" (2438 mm)	AL 65.90	019061	
<b>9821-144</b> - Aluminum box track	144" (3658 mm)	AL 95.46	019050	
<b>Parts Description</b>				
<b>9895</b> - 2 ea. 9825 hangers w/ top mount plate, 1 ea. 9883 guide set, 1 ea. 9881 bumper		90.20	019408	10
<b>Components Description</b>				
<b>9825</b> Ball Bearing Hanger w/ Top Mount Plate		45.10	135321	10
<b>9881</b> Rubber Bumper		1.32	096685	80
<b>9883</b> 2-Piece Door Guide set with screws		4.82	096686	100

1. For additional components, refer to component section. 2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering. 3. U/M is each unless otherwise noted. 4. Packaged sets and parts bags are available with optional components by special quotation.



## Sliding Door Hardware - 9710 Packaged Sets- Wall-Mount



Description	Finish	2022 List	Stock No.	Case Qty.	
<b>9710 Packaged Sets for heavy duty single doors and bi-parting doors up to 250 lbs. (113kg)</b> Contents of Packaged Sets: 9703 track, 9704 fascia, 9705 end caps and 9711 parts bags. (2 ea. 9711 parts bags included in 144" pkg set.) Heavy duty aluminum wall-mount box track, anodized fascia, end caps and hardware for 1"(25mm and 1-3/4"(44mm) thick doors.					
<b>9710-60</b> - Wall-Mount Packaged Set for 1 Door	60" (1524 mm)	CLA	286.58	160955	1
<b>9710-72</b> - Wall-Mount Packaged Set for 1 Door	72" (1829 mm)	CLA	304.12	160958	
<b>9710-96</b> - Wall-Mount Packaged Set for 1 Door	96" (2438 mm)	CLA	350.91	160959	
<b>9710-144</b> - Wall-Mount Packaged Set for 1 or 2 Doors	144" (3658 mm)	CLA	584.81	160991	
<b>9710-60</b> - Wall-Mount Packaged Set for 1 Door	60" (1524 mm)	DBA	358.24	160961	1
<b>9710-72</b> - Wall-Mount Packaged Set for 1 Door	72" (1829 mm)	DBA	380.16	160962	
<b>9710-96</b> - Wall-Mount Packaged Set for 1 Door	96" (2438 mm)	DBA	438.61	160963	
<b>9710-144</b> - Wall-Mount Packaged Set for 1 or 2 Doors	144" (3658 mm)	DBA	744.66	160989	
<b>9703-60</b> - Wall-Mount Track-mill finish	60" (1524 mm)	ALM	86.00	160984	5
<b>9703-72</b> - Wall-Mount Track-mill finish	72" (1829 mm)	ALM	91.27	160985	
<b>9703-96</b> - Wall-Mount Track-mill finish	96" (2438 mm)	ALM	105.30	160986	
<b>9703-144</b> - Wall-Mount Track-mill finish	144" (3658 mm)	ALM	202.01	160988	
<b>9703-60</b> - Wall-Mount Track- dark bronze anodized	60" (1524 mm)	DBA	132.92	160993	5
<b>9703-72</b> - Wall-Mount Track- dark bronze anodized	72" (1829 mm)	DBA	141.57	160994	
<b>9703-96</b> - Wall-Mount Track- dark bronze anodized	96" (2438 mm)	DBA	163.55	160995	
<b>9703-144</b> - Wall-Mount Track- dark bronze anodized	144" (3658 mm)	DBA	313.70	160996	
<b>9704-60</b> - Wall-Mount Fascia- clear anodized	60" (1524 mm)	CLA	111.81	161003	5
<b>9704-72</b> - Wall-Mount Fascia- clear anodized	72" (1829 mm)	CLA	118.70	161004	
<b>9704-96</b> - Wall-Mount Fascia- clear anodized	96" (2438 mm)	CLA	136.93	161005	
<b>9704-144</b> - Wall-Mount Fascia- clear anodized	144" (3658 mm)	CLA	263.21	161006	
<b>9704-60</b> - Wall-Mount Fascia-dark bronze anodized	60" (1524 mm)	DBA	172.82	161009	5
<b>9704-72</b> - Wall-Mount Fascia-dark bronze anodized	72" (1829 mm)	DBA	184.35	161010	
<b>9704-96</b> - Wall-Mount Fascia-dark bronze anodized	96" (2438 mm)	DBA	212.35	161011	
<b>9704-144</b> - Wall-Mount Fascia-dark bronze anodized	144" (3658 mm)	DBA	406.78	161012	

Parts Description				
<b>9705</b> - End Cap Set- anodized	CLA	87.76	161013	10
	DBA	105.30	161014	10
<b>9711</b> - Parts Bag: 2 ea. 9827 hangers w/ top mount plate, 1 ea. 9115 bottom door guide, 4 ea 9815 bumper stops		86.44	161015	10

Components Description				
<b>9115</b> Bottom Door Guide	US2C	11.46	096522	50
<b>9815</b> Bumper Stop		9.21	096648	20
<b>9827</b> 4 Wheel Ball Bearing Hanger w/ Top Mount Plate		52.43	018292	10

1. For additional components, refer to component section. 2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering. 3. U/M is each unless otherwise noted. 4. Packaged sets and parts bags are available with optional components by special quotation.





Description	Finish	2022 List	Stock No.	Case Qty.
<b>330D</b>	US3	15.22	086840	20
Pocket Door Latch	US5	15.22	086841	
Material: Cast brass	US10	17.04	066707	
Fits: 1-3/8" - 1-3/4" door Size:	US10B	18.98	056768	
2-3/4" x 2-1/2" Finger Pull	US15	15.22	078972	
Extends: 1-3/8" Fasteners: #6 x	US15A	16.22	054061	
5/8" OPHWS	US19	9.65	054570	
	US26	15.22	086837	
	US26D	16.22	086838	



<b>330L</b>	US3	17.79	143162	20
Privacy Pocket Door Latch	US5	18.23	143164	
Material: Brass	US10	12.34	014365	
Size: 2-3/4" x 2-1/2"	US10B	21.55	143158	
Finger Pull Extends: 1-3/8"	US15	18.35	143159	
Strike: 1" x 2-1/4"	US15A	18.23	143160	
1-3/8" doors	US19	18.23	143166	
Fasteners: #6 x 5/8" OPHWS; #6 x 3/4" FPHWS	US26	17.79	143167	
	US26D	18.73	143161	



<b>330M</b>	US3	18.79	143172	20
Privacy Pocket Door Latch	US5	32.57	143178	
Material: Brass	US10	43.35	143168	
Size: 2-3/4" x 2-1/2"	US10B	19.92	143169	
Finger Pull Extends: 1-3/8"	US15	43.35	143173	
Strike: 1" x 2-1/4"	US15A	43.35	143174	
1-3/4" doors	US19	43.35	143175	
Fasteners: #6 x 5/8" OPHWS; #6 x 3/4" FPHWS	US26	18.79	143170	
	US26D	17.73	143171	



<b>1741</b>	US2D	2.51	029658	50
Full Mortise Plain Bearing				
Hinges with Screws				
3-1/2" x 3-1/2"				



<b>2610</b>	US3	1.25	013049	500
Finger Pull	US4	1.25	071953	
Material: Brass	US5	1.25	067282	
Overall Diameter: 31/32"	US10A	1.25	068711	
Finger Pull Diameter: 3/4"	US15	1.25	040589	
Pull Clearance: 5/16"	US15A	1.25	040590	
Projection: 1/32"	US26	1.25	013047	
	US26D	1.25	071169	



<b>2620</b>	US3	2.07	013081	50
Round Flush Pull	US4	2.07	072997	
Material: Brass	US5	2.07	072148	
Overall Diameter: 31/32" Finger	US10A	2.07	072534	
Pull Diameter: 1-11/16" Pull	US15	2.07	072624	
Clearance: 11/32" Projection:	US15A	2.07	072158	
5/64"	US26	2.07	072554	
	US26D	2.07	075322	

1. For additional components, refer to component section. 2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering. 3. U/M is each unless otherwise noted. 4. Packaged sets and parts bags are available with optional components by special quotation.



## Sliding Door Hardware - Components



Description	Finish	2022 List	Stock No.	Case Qty.
<b>2630</b>	US3	5.39	051919	50
Round Flush Pull	US4	5.39	073783	
Material: Brass	US5	5.39	053163	
Overall Diameter: 2-7/16" Finger	US10A	5.39	073053	
Pull Diameter: 2-1/16" Pull	US15	5.39	073056	
Clearance: 11/32" Projection:	US15A	5.39	005307	
3/32"	US26	5.39	023430	
	US26D	5.39	023431	



<b>2640</b>	US3	7.58	096760	50
Oblong Flush Pull	US4	7.58	075056	
Material: Brass	US5	7.58	074270	
Size: 1-5/16" x 2-3/4"	US10A	7.58	074533	
Cup Clearance: 5/16" Fasteners:	US15	7.58	074711	
#6 x 5/8" OPHWS	US15A	7.58	074350	
	US26	7.58	026751	
	US26D	7.58	074664	



<b>9101-60</b>	60" (1524 mm)	AL	70.78	023278	5
I-beam track, heavy duty aluminum	72" (1829 mm)	AL	88.64	096508	
	84" (2134 mm)	AL	105.61	096509	
	96" (2438 mm)	AL	112.88	096707	
	120" (3048 mm)	AL	147.64	096511	
	144" (3658 mm)	AL	177.65	096512	
	192" (4877 mm)	AL	235.84	096513	



<b>9102</b>	US2C	32.26	135310	20
2 Wheel Hanger				



<b>9105</b>	US2C	48.42	135312	40
4 Wheel Hanger				



<b>9109</b>		73.54	135690	10
Parts Bag: 2 ea. 9102 two wheel hangers, 1 ea. 9115 floor guide				



<b>9111</b>	US2C	5.32	096516	20
Bottom Roller Guide				



<b>9113</b>	AL	69.59	135314	10
Stop				



<b>9114-72</b> - Bottom Guide Track- 72"	72" (1829 mm)	AL	52.43	096519	5
<b>9114-96</b> - Bottom Guide Track- 96"	96" (2438 mm)	AL	69.59	096520	5
<b>9114-144</b> - Bottom Guide Track- 144"	144" (3658 mm)	AL	104.55	096521	5



<b>9115</b>	US2C	11.46	096522	50
Bottom Door Guide				



## Sliding Door Hardware - Components



Description	Finish	2022 List	Stock No.	Case Qty.
<b>9121</b> Roller Guide - For use with 9122 guide	US2C	21.49	137181	20
<b>9122-48</b> - Bottom Guide Channel - 3/4" wide x 5/8" tall	AL	27.31	096557	5
<b>9122-60</b> - Bottom Guide Channel - 3/4" wide x 5/8" tall	AL	34.39	096558	5
<b>9122-72</b> - Bottom Guide Channel - 3/4" wide x 5/8" tall	AL	40.34	096559	5
<b>9122-96</b> - Bottom Guide Channel - 3/4" wide x 5/8" tall	AL	53.49	096560	5
<b>9122-120</b> - Bottom Guide Channel - 3/4" wide x 5/8" tall	AL	67.40	096605	5
<b>9122-132</b> - Bottom Guide Channel - 3/4" wide x 5/8" tall	AL	73.54	096606	5
<b>9122-144</b> - Bottom Guide Channel - 3/4" wide x 5/8" tall	AL	80.43	096607	5
<b>9122-192</b> - Bottom Guide Channel - 3/4" wide x 5/8" tall	AL	107.36	096608	5
<b>9128</b> Bottom Pivot Bolt and Door Plate with Bottom Pivot Floor Bracket	US2C	51.11	023150	10
<b>9129</b> Parts Bag: 2 ea. 9105 4-wheel hangers, 1 ea. 9115 floor guide		108.49	135315	10
<b>9169</b> Top Pivot Assembly	US2C	11.46	096635	10
<b>9200</b> Hanger - Small 3/8" (10 mm) offset A		2.38	016575	100
<b>9201</b> Hanger - Large 11/16" (18 mm) offset B	US2C	2.38	096561	100
<b>9202</b> Twin Wheel Hanger - Large 11/16" (18 mm) offset B	US2C	4.32	096562	100
<b>9220</b> Non-Mortise Bi-Fold Hinge with Screws	US2D	2.38	099119	600
<b>9262</b> - Keyed Lock for pocket door applications	US3 US26D	56.44 57.88	098994 016724	6
<b>9264</b> - Keyed Lock for bifold applications	US3	48.42	016725	6
Keyed Lock - Keyed Alike	US3	48.42	002801	

1. For additional components, refer to component section. 2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering. 3. U/M is each unless otherwise noted. 4. Packaged sets and parts bags are available with optional components by special quotation.



## Sliding Door Hardware - Components



Description	Finish	2022 List	Stock No.	Case Qty.
<b>9268</b> - Keyed Lock for bypass applications	US3	54.43	016726	6
	US26D	55.44	099251	
Keyed Lock - Keyed Alike	US3	54.43	002804	6
	US26D	55.44	002802	
<b>9351</b> Door Guide		3.45	096563	50
<b>9353</b> Adjustable Door Guide		3.45	096564	20
<b>9354</b> Carpet Riser	US2D	2.38	096565	50
<b>9400</b> Cam Adjustable Hanger - Small 3/8" (10 mm) offset A	US2C	4.32	017417	100
<b>9401</b> Cam Adjustable Hanger - Large 11/16" (18 mm) offset B	US2C	4.32	096566	100
<b>9540</b> Parts Bag: 4 ea. 9401 hangers, 2 ea. 2610 pulls, 1 ea. 9351 guide		12.34	017419	10
<b>9544</b> Parts Bag: 4 ea. 9202 hangers, 2 ea. 2630 pulls, 1 ea. 9351 guide Used to increase door weight capacity to 75 lbs		18.29	017035	10
<b>9558</b> Wood Knob Knob Diameter: 1-1/2" Base Diameter: 15/16" Fasteners: #8 x 1-3/4" PPHWS	Wood	2.38	096567	100
<b>9559</b> Aligner	US2D	1.32	096568	200
<b>9566</b> Knob Material: Zinc Knob Diameter: 1-1/4" Projection: 1" Fasteners: #8 - 32 x 2" PPHMS; #8 - 32 x 1-3/4" PPHMS	US3	8.83	099824	100
	US4	9.90	098635	
	US10A	9.90	098634	
	US10B	9.90	098633	
	US15	9.90	098632	
	US15A	9.90	098629	
	US26	8.83	098628	
	US26D	9.90	098627	



## Sliding Door Hardware - Components




Description	Finish	2022 List	Stock No.	Case Qty.
<b>9567</b> Rose - For use with 9566 knob Material: Zinc Base Diameter: 1-3/4" Projection: 15/32" Fasteners: #8 - 32 x 2" PPHMS; #8 - 32 x 1-3/4" PPHMS	US3 US10A US10B US15 US26 US26D	4.13 4.13 4.13 4.13 4.13 4.45	099825 098625 098624 098623 098621 098620	100
<b>9569</b> Parts Bag: 1 ea. 9572 hanger w/ top mount plate, 9618 pivot set, 9559 aligner, 9558 knob and 9815 bumper stop, 3 ea. 9220 hinges		30.38	016913	10
<b>9572</b> 4-Wheel Hanger w/ Top Mount Plate	US2D	15.35	135316	20
<b>9573</b> Spacer Kit - 3/8" use with 9821 track - For doors 1-3/4" thick		6.39	019014	5
<b>9574</b> Spacer Kit - For use with 9801 - For doors 1-3/8" and 1-3/4" thick		6.39	015991	5
<b>9575</b> Parts Bag: 4 ea. 9572 hangers w/ top mount plate, 1 ea. 9909 guide		35.45	137167	5
<b>9601-71</b> - Aluminum box track	71" (1803 mm)	AL	31.45	096578
<b>9601-84</b> - Aluminum box track	84" (2134 mm)	AL	42.47	045141
<b>9601-96</b> - Aluminum box track	96" (2438 mm)	AL	48.73	096579
<b>9601-120</b> - Aluminum box track	120" (3048 mm)	AL	54.43	096580
<b>9601-144</b> - Aluminum box track	144" (3658 mm)	AL	64.39	096581
<b>9602-46</b> - Double box track only, heavy duty aluminum	46" (1168 mm)	AL	42.47	096582
<b>9602-58</b> - Double box track only, heavy duty aluminum	58" (1473 mm)	AL	52.43	096583
<b>9602-70</b> - Double box track only, heavy duty aluminum	70" (1778 mm)	AL	60.51	096584
<b>9602-94</b> - Double box track only, heavy duty aluminum	94" (2388 mm)	AL	78.43	096585
<b>9602-118</b> - Double box track only, heavy duty aluminum	118" (2997 mm)	AL	84.52	096586
<b>9602-142</b> - Double box track only, heavy duty aluminum	142" (3607 mm)	AL	112.56	096587

1. For additional components, refer to component section. 2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering. 3. U/M is each unless otherwise noted. 4. Packaged sets and parts bags are available with optional components by special quotation.





## Sliding Door Hardware - Components



Description		Finish	2022 List	Stock No.	Case Qty.
<b>9603-48</b> - Aluminum box track with fascia	48" (1219 mm)	AL	78.43	135288	5
<b>9603-60</b> - Aluminum box track with fascia	60" (1524 mm)	AL	94.52	135289	
<b>9603-72</b> - Aluminum box track with fascia	72" (1829 mm)	AL	112.56	135290	
<b>9603-96</b> - Aluminum box track with fascia	96" (2438 mm)	AL	146.77	135291	
<b>9603-120</b> - Aluminum box track with fascia	120" (3048 mm)	AL	183.79	029359	
<b>9603-144</b> - Aluminum box track with fascia	144" (3658 mm)	AL	225.94	029360	



<b>9605</b>		US2D	7.20	135317	20
4-Wheel Hanger w/ Top Mount Plate					



<b>9606</b>		US2D	22.36	135318	20
4-Wheel Ball Bearing w/ Top Mount Plate					



<b>9610</b>		US2C	2.38	142410	20
Replacement Top Mount Plate					



<b>9618</b>		-	10.46	137182	10
Pivot Set - For 9570 series					



<b>9632</b>			42.47	135322	10
Pocket Parts Bag -125 lbs (57 kg) Consists of: 2 ea. 9605 hangers w/ top mount plate, 1 ea. 9883 guide set, 1 ea. 9881 bumper					



<b>9633</b>			70.41	135323	10
Parts Bag : 2 ea. 9606 ball bearing hangers w/ top mount plate, 1 ea. 9883 guide set, 1 ea. 9881 bumper					



<b>9634</b>			11.02	097519	10
Pocket Door Adapter Kit For 1-3/4" (45 mm) thick doors					



<b>9639</b>		US2C	31.45	096595	1
Double Pocket Door Adapter Kit Joins two frames in middle of doorway					



<b>9679</b>			57.33	137179	20
4 ea. 9605 hangers w/ top mount plate, 1 ea. 9909 guide					



<b>9680</b>			116.57	136357	20
4 ea. 9606 ball bearing hangers w/ top mount plate, 1 ea. 9909 guide					



## Sliding Door Hardware - Components



Description		Finish	2022 List	Stock No.	Case Qty.
<b>9703-60</b> - Wall-Mount Track-mill finish	60" (1524 mm)	ALM	86.00	160984	5
<b>9703-72</b> - Wall-Mount Track-mill finish	72" (1829 mm)	ALM	91.27	160985	
<b>9703-96</b> - Wall-Mount Track-mill finish	96" (2438 mm)	ALM	105.30	160986	
<b>9703-144</b> - Wall-Mount Track-mill finish	144" (3658 mm)	ALM	202.01	160988	
<b>9703-60</b> - Wall-Mount Track- dark bronze anodized	60" (1524 mm)	DBA	132.92	160993	5
<b>9703-72</b> - Wall-Mount Track- dark bronze anodized	72" (1829 mm)	DBA	141.57	160994	
<b>9703-96</b> - Wall-Mount Track- dark bronze anodized	96" (2438 mm)	DBA	163.55	160995	
<b>9703-144</b> - Wall-Mount Track- dark bronze anodized	144" (3658 mm)	DBA	313.70	160996	
<b>9704-60</b> - Wall-Mount Fascia- clear anodized	60" (1524 mm)	CLA	111.81	161003	5
<b>9704-72</b> - Wall-Mount Fascia- clear anodized	72" (1829 mm)	CLA	118.70	161004	
<b>9704-96</b> - Wall-Mount Fascia- clear anodized	96" (2438 mm)	CLA	136.97	161005	
<b>9704-144</b> - Wall-Mount Fascia- clear anodized	144" (3658 mm)	CLA	263.21	161006	
<b>9704-60</b> - Wall-Mount Fascia-dark bronze anodized	60" (1524 mm)	DBA	172.82	161009	5
<b>9704-72</b> - Wall-Mount Fascia-dark bronze anodized	72" (1829 mm)	DBA	184.35	161010	
<b>9704-96</b> - Wall-Mount Fascia-dark bronze anodized	96" (2438 mm)	DBA	212.35	161011	
<b>9704-144</b> - Wall-Mount Fascia-dark bronze anodized	144" (3658 mm)	DBA	406.78	161012	
<b>9705</b> - End Cap Set- anodized		CLA	87.76	161013	10
		DBA	105.30	161014	10
<b>9709-60</b> - Fascia only, 2-3/4" (70 mm) wide	60" (1524 mm)	AL	66.52	023322	
<b>9709-72</b> - Fascia only, 2-3/4" (70 mm) wide	72" (1829 mm)	AL	76.36	096603	
<b>9709-96</b> - Fascia only, 2-3/4" (70 mm) wide	96" (2438 mm)	AL	86.51	096604	
<b>9711</b>			86.44	161015	10
Parts Bag: 2 ea. 9827 hangers w/ top mount plate, 1 ea. 9115 bottom door guide, 4 ea. 9815 bumper stops					
<b>9742</b>			110.62	137418	10
Parts Bag: 2 ea. 9816 hangers w/ top mount plate, 1 ea. 9883 guide set, 1 ea. 9881 bumper					
<b>9801-72</b> - Box Track, Heavy Duty Aluminum	72" (1829 mm)	AL	64.39	096641	5
<b>9801-96</b> - Box Track, Heavy Duty Aluminum	96" (2438 mm)	AL	86.51	096642	
<b>9801-120</b> - Box Track, Heavy Duty Aluminum	120" (3048 mm)	AL	108.49	096643	
<b>9801-144</b> - Box Track, Heavy Duty Aluminum	144" (3658 mm)	AL	141.63	096644	
<b>9801-192</b> - Box Track, Heavy Duty Aluminum	192" (4877 mm)	AL	188.67	096645	

1. For additional components, refer to component section. 2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering. 3. U/M is each unless otherwise noted. 4. Packaged sets and parts bags are available with optional components by special quotation.




## Sliding Door Hardware - Components



Description		Finish	2022 List	Stock No.	Case Qty.
<b>9803-60</b> - Double Box Track w/ Fascia, Heavy Duty Aluminum	60" (1524 mm)	AL	168.75	022483	2
<b>9803-72</b> - Double Box Track w/ Fascia, Heavy Duty Aluminum	72" (1829 mm)	AL	200.82	022484	
<b>9803-96</b> - Double Box Track w/ Fascia, Heavy Duty Aluminum	96" (2438 mm)	AL	268.85	022485	
<b>9803-120</b> - Double Box Track w/ Fascia, Heavy Duty Aluminum	120" (3048 mm)	AL	335.12	022486	
<b>9803-144</b> - Double Box Track w/ Fascia, Heavy Duty Aluminum	144" (3658 mm)	AL	402.46	022487	
<b>9809-72</b> - Aluminum Fascia, 3-7/8" (98 mm) high	72" (1829 mm)	AL	119.58	096646	10
<b>9809-96</b> - Aluminum Fascia, 3-7/8" (98 mm) high	96" (2438 mm)	AL	156.60	096647	
<b>9810-46</b> - Aluminum Track	46-3/8" (1178 mm)	AL	20.42	019702	10
<b>9810-58</b> - Aluminum Track	58-3/8" (1483 mm)	AL	24.37	019703	
<b>9810-70</b> - Aluminum Track	70-3/8" (1788 mm)	AL	29.57	019704	
<b>9810-93</b> - Aluminum Track	93-3/8" (2372 mm)	AL	38.27	019705	
<b>9810-120</b> - Aluminum Track	120" (3048 mm)	AL	48.42	016570	
<b>9810-144</b> - Aluminum Track	144" (3658 mm)	AL	64.39	026064	
<b>9814</b> Parts bag: 2 ea. 9400 hangers, 2 ea. 9401 hangers, 2 ea. 2610 pulls, 1 ea. 9353 guide set. For 1" to 1-1/8" doors, specify 9841 parts bag.			19.29	016772	10
<b>9815</b> Bumper Stop			9.21	096648	20



## Sliding Door Hardware - Components



Description		Finish	2022 List	Stock No.	Case Qty.
<b>9820-48</b> - Aluminum track with 1-3/4" grooved fascia	48" (1219 mm)	AL	37.52	000461	5
<b>9820-60</b> - Aluminum track with 1-3/4" grooved fascia	60" (1524 mm)	AL	46.54	000462	
<b>9820-72</b> - Aluminum track with 1-3/4" grooved fascia	72" (1829 mm)	AL	54.43	000463	
<b>9820-84</b> - Aluminum track with 1-3/4" grooved fascia	84" (2134 mm)	AL	73.54	028175	
<b>9820-96</b> - Aluminum track with 1-3/4" grooved fascia	96" (2438 mm)	AL	80.43	099664	
<b>9820-120</b> - Aluminum track with 1-3/4" grooved fascia	120" (3048 mm)	AL	92.64	000464	
<b>9820-144</b> - Aluminum track with 1-3/4" grooved fascia	144" (3658 mm)	AL	120.64	000460	
<b>9821-59</b> - Aluminum box track	59" (1499 mm)	AL	39.90	019084	10
<b>9821-71</b> - Aluminum box track	71" (1803 mm)	AL	49.42	019062	
<b>9821-96</b> - Aluminum box track	96" (2438 mm)	AL	65.90	019061	
<b>9821-144</b> - Aluminum box track	144" (3658 mm)	AL	95.46	019050	
<b>9824</b> 4-Wheel Hanger w/ Top Mount Plate			35.89	135320	20
<b>9825</b> 4-Wheel Ball Bearing Hanger w/ Top Mount Plate			45.10	135321	10
<b>9827</b> 4-Wheel Ball bearing Hanger w/ Top Mount Plate			52.43	018292	10
<b>9828</b> Heavy Duty Pivot Set with 9815 Bumper Stop			65.21	018286	10
<b>9841</b> Parts Bag: 4 ea. 9402 hangers, 2 ea. 9865 pulls, 1 ea. 9351 guide			10.46	099665	10
<b>9842</b> Parts Bag: 4 ea. 9402 hangers, 2 ea. 9630 pulls, 1 ea. 9351 guide			14.34	017424	10

1. For additional components, refer to component section. 2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering. 3. U/M is each unless otherwise noted. 4. Packaged sets and parts bags are available with optional components by special quotation.



## Sliding Door Hardware - Components



Description	Finish	2022 List	Stock No.	Case Qty.
<b>9843</b> Parts Bag: 4 ea. 9401 hangers, 2 ea. 9865 pulls, 1 ea. 9351 guide. Used to increase door weight capacity to 75 lbs		16.35	016912	10
<b>9865</b> Plastic Pull Overall Diameter: 1-31/32" Finger Pull Diameter: 1-19/32" Pull Clearance: 11/32" Projection: 5/64"	Plastic	1.32	098993	50
<b>9877</b> Door Guide, 2 pieces required per door		2.38	016843	50
<b>9880</b> Stop	US2C	2.38	096684	10
<b>9881</b> Rubber Bumper		1.32	096685	80
<b>9882</b> Pocket Door Edge Pull Material: Brass Finger Pull Extends: 3/4" Faceplate: 3/4" x 3-7/8" Fasteners: #6 x 5/8" FPHWS	US3 US4 US10 US10B US26 US26D	18.85 22.80 18.85 22.80 22.80 22.80	049582 049583 049578 049580 049579 049581	100
<b>9883</b> 2-Piece Door Guide Set with Screws		4.82	096686	100
<b>9884</b> Pocket Door Edge Pull Material: Zinc Finger Pull Extends: 1-1/16" Faceplate: 21/32" x 3-1/2" Fasteners: #6 x 5/8" FPHWS	US3	10.02	099056	40
<b>9889</b> 1-Piece Guide		2.38	096687	20





Description	Finish	2022 List	Stock No.	Case Qty.
<b>9892</b> Parts Bag: 4 ea. 9824 4-wheel hangers w/ top mount plate, 1 ea. 9909 guide, 1 ea. 9573 spacer kit		68.33	019421	10



<b>9893</b> Parts Bag: 4 ea. 9825 4-wheel ball bearing hangers w/ top mount plate, 1 ea. 9909 guide, 1 ea. 9573 spacer kit		127.28	019418	10
---	--	--------	--------	----



<b>9894</b> Parts Bag: 1 ea. 9825 4-wheel ball bearing hanger w/ top mount plate, 1 ea. 9828 pivot set with 9815 bumper stop, 9559 aligner		113.57	019435	10
---	--	--------	--------	----



<b>9895</b> Parts Bag: 2 ea. 9825 4-wheel ball bearing hangers w/ top mount plate, 1 ea. 9883 guide, 1 ea. 9881 bumper		90.20	019408	10
---	--	-------	--------	----



<b>9900</b> Reversible Side Mount Bracket	US2C	9.21	003775	20
--	------	------	--------	----



<b>9909</b> Heavy Duty Adjustable Door Guide From 3/4" to 1-3/4" (19 mm to 44 mm)	US2C	10.46	097528	20
--	------	-------	--------	----



## Sliding Door Hardware - 9400 Series Stainless Barn Door



### 9432 Packaged Sets - Top Mount Stick 2m SS Round Rail

Includes stainless steel track with two end caps, hangers with wall brackets, one bottom door guide, two track stops, mounting and installation hardware

<b>9432-78</b> - Top Mount Stick 2m (78-3/4") SS Round Rail	32D	677.45	183635	1
<b>9432-96</b> - Top Mount Stick 2m (96-3/4") SS Round Rail	32D	787.13	183636	1



### 9436 Packaged Sets - Face Mount Strap Stick 2m SS Round Rail

Includes stainless steel track with two end caps, hangers with wall brackets, one bottom door guide, two track stops, mounting and installation hardware

<b>9436-78</b> - Face mount Strap Stick 2m (78-3/4") SS Round Rail	32D	748.42	183643	1
<b>9436-96</b> - Face mount Strap Stick 2m (96-3/4") SS Round Rail	32D	780.68	183644	1



## Sliding Door Hardware- Stainless Barn Door Components



Description	Finish	2022 List	Stock No.	Case Qty.
<b>1-269-8650</b> Spring Loaded Cushion Stop for 9400 Barn Door Series I	32D	34.45	86376	1
<b>1-269-8663</b> Round Rail Connector SS304 satin nickel	32D	42.53	181901	1
<b>1-269-8664</b> Flat Rail Connector SS304 satin nickel	32D	42.53	181902	1
<b>1-269-8665</b> Tool set for 05WG; 06WG; 07WG (round rail)		4.51	183156	1
<b>1-269-8666</b> Tool set for 01W; 02W (round rail)	32D	4.51	183163	1
<b>1-269-8667</b> End Cap	32D	11.40	183164	1
<b>1-269-8668</b> Guide for wood door		7.14	183165	1
<b>1-269-8669</b> Door Stop	32D	49.67	183166	1
<b>1-269-8670</b> Guide for glass door	32D	35.52	183167	1
<b>1-269-8671</b> Top Mount Stick Sliding Door Roller for Wood, SS304 Satin	32D	177.27	183168	1
<b>1-269-8672</b> Top Mount Dual Wheel Sliding Door Roller for Wood, SS304 Satin	32D	496.23	183170	1
<b>1-269-8673</b> Top Mount Spoke Wheel Sliding Door Roller for Wood, SS304 Satin	32D	425.33	183171	1
<b>1-269-8674</b> Strap Stick Sliding Door Roller for Wood and Glass, SS304 Satin	32D	354.48	183172	1
<b>1-269-8675</b> Strap Dual Wheel Sliding Door Roller for Wood and Glass, SS304 Satin	32D	602.60	183173	1

1. For additional components, refer to component section. 2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering. 3. U/M is each unless otherwise noted. 4. Packaged sets and parts bags are available with optional components by special quotation.





Description	Finish	2022 List	Stock No.	Case Qty.
<b>1-269-8676</b> Strap Triangle Sliding Door Roller for Wood and Glass, SS304 Satin	32D	425.33	183176	1
<b>1-269-8677</b> Flat Rail Stick Sliding Door Carrier for Wood SS304 Satin	32D	237.53	183179	1
<b>1-269-8678</b> Flat Rail Door Stopper Left, SS304 Satin	32D	70.91	183180	1
<b>1-269-8679</b> Flat Rail Door Stopper Right, SS304 Satin	32D	70.91	183181	1
<b>1-269-8680</b> Flat Rail Anti Jump	32D	4.26	183182	1





Description	Finish	2022 List	Stock No.
<b>9456-72</b> Flat Rail Steel Black Top Mount 72" Track Kit Includes Track	BLK	274.24	96467
<b>9456-96</b> Flat Rail Steel Black Top Mount 96" Track Kit Includes Track	BLK	306.50	96466
<b>9457-72</b> Flat Rail Steel Black 3" Hook 72" Track Kit Includes Track	BLK	306.50	96427
<b>9457-96</b> Flat Rail Steel Black 3" Hook 96" Track Kit Includes Track	BLK	338.76	96388
<b>1-269-8649</b> Flat Rail Track Connector	BLK	16.16	96361
<b>1-269-8648</b> 72" Rail Only	BLK	114.19	96355
<b>1-269-8647</b> 96" Rail Only	BLK	129.04	96353
<b>1-269-8646</b> Flat Rail Soft Close Add On	BLK	80.68	96352
<b>1-269-8652</b> 9456 e-Conestoga - Top Mount Hanger	BLK	43.72	22541
<b>1-269-8653</b> e-Conestoga Door Stop	BLK	14.60	22523
<b>1-269-8654</b> e-Conestoga Track Support	BLK	8.77	22524
<b>1-269-8655</b> e-Conestoga Floor Guide (One Piece)	BLK	8.77	22525
<b>1-269-8656</b> e-Conestoga Anti-Jump Pin	BLK	8.77	22526
<b>1-269-8657</b> e-Conestoga Floor Guide (Two Piece)	BLK	14.60	22520
<b>1-269-8658</b> e-Conestoga 72" Track	BLK	58.32	22511
<b>1-269-8659</b> 9457 e-Conestoga - Face Mount Hanger	BLK	49.55	22502
<b>1-269-8660</b> e-Conestoga 96" Track	BLK	75.79	22503

1. For additional components, refer to component section. 2. Items with the price in **bold and red** are available for online ordering. Please use stock number when ordering. 3. U/M is each unless otherwise noted. 4. Packaged sets and parts bags are available with optional components by special quotation.



## How to Order

9458



2D



BLK



For 1-3/8" (35mm) to 1-3/4"(40mm) thick doors standard.

- Non-handed.
- ADA Compliant thumb turn for commercial applications.
- 2-1/4" or 3-1/2" backset options (see specifications for corresponding wall thickness).
- Drive in bolt casing diameter: 1" (25mm).
- Lock bolt: 1/2" (13mm) diameter, stainless Steel material.
- Lock bolt has 1" projection allowing up to 1/2" door to wall gap. Extra spacer ring accommodates up to 3/4" gap between barn door and wall.
- 1-1/4" diameter spring-loaded dust proof strike provides ample space to receive 1/2" bolt, allows easy locking from privacy side. Strike mounted in barn door for standard door.



Description	Finish	2022 List	Stock No.
<b>94582D-32D Round</b> ADA TT Stainless 2-1/4" Backset	32D	228.14	086683
<b>94582D-10B</b> Round ADA TT Oil Rubbed Bronze 2-1/4" Backset	10B	228.14	086672
<b>94582D-BLK</b> Round ADA TT Black 2-1/4" Backset	BLK	228.14	086664
<b>945835-32D</b> Round ADA TT Stainless Steel 3-1/2" Backset	32D	228.14	086663
<b>945835-10B</b> Round ADA TT Oil Rubbed Bronze 3-1/2" Backset	10B	228.14	086657
<b>945835-BLK</b> Round ADA TT Black 3-1/2" Backset	BLK	228.14	086653



Description	Finish	2022 List	Stock No.
<b>9459-32D</b> Surface Jamb Barn Door Lock ADA 1-9/16" Thumb Lever	32D	241.97	35624
<b>9459-BLK</b> Surface Jamb Barn Door Lock ADA 1-9/16" Thumb Lever	BLK	241.97	35617

