

Price List 2023

Architectural Hardware

United States | March 2023



What's New

This price book dated March 2023 contains new PRICE CHANGES.
All price changes affect the products listed below and take effect March 6, 2023.

Architectural Hardware

After careful consideration, we are announcing the following changes for the US and Canada markets:

- .7% average increase across our mechanical products BEST, dormakaba & design hardware;
- .75% Best Locks; 9.5% BEST Electronics
- .9% average increase across our electronic products (BEST, dormakaba)
- .5% increase for Keyscan and RCI products

Table of Contents

Introduction	Terms of Sale	
	Finishes Cross Reference	
Locks	Locks Product Guide	1
	M9000 Grade 1 Mortise Series	3
	D900 Grade 1 Mortise Dead Bolt Series	15
	T900 Tubular Series	19
	C100 Grade 1 Cylindrical Series	25
	C800 Grade 1 Cylindrical Series (available while supplies last)	35
	D800 Grade 1 Dead Bolt Series (available while supplies last)	46
	C200 Grade 2 Cylindrical Series	52
	CL/CK700 Grade 2 Cylindrical Series (available while supplies last)	60
	C500 Grade 2 Cylindrical Series	70
	DB600 Grade 2 Dead Bolt Series	74
	C300 Grade 2 Cylindrical Series	78
	J300 Grade 2 Interconnected Series	80
Cylinders, Keys, and Keying	Cylinders, Keys, and Keying Product Guide	84
	Master Keying/DORMA SKC Policy	88
	Mortise Cylinders	85
	Rim Cylinders	91
	Key-in-Knob/Lever Cylinders	93
	Hotel Cylinders	94
	Small Format Interchangeable Cores	96
	Large Format Interchangeable Cores	97
	Retrofit Cylinder Housings	98
	Tailpieces	99
	Keys and Key Blanks	100
	SFIC Padlocks	102
	Service Parts	103
	Labeling and Cylinder Marking	105
Exit Devices	Exit Devices Guide	109
	9000 Series	111
	9000 Series Wide Stile Exits	112
	9000 Series Wide Stile Trim	123
	9000 Series Narrow Stile Exits	140
	9000 Series Narrow Stile Trim	152
	8000 Series	159
	8000 Series Exits	160
	8000 Series Trim	166
	Mullions	175

Electronic Access Control Components	DKPS Power Supply Series	176
	ES Series	179
	EML Series	183
	EMLSG Series	191
	EMSL Series	193
	EMDE Series	195
	AC Series	197
	PB Series	199
	39 Series	203
	KS Series	205
	Accessories	208
Low Energy Operators	ED900 Series	211
	ED50/ED100	215
Surface Closers	Surface Closers Product Guide	216
	TS93 Series	218
	8900 Series	221
	8600 Series	227
	7400 Series	231
	7300 Series	235
	STA Series	239
	GSR Series	241
	Modular Packaging	243
Fire/Life Safety	Fire/Life Safety Product Guide	245
	EMR/EMF Series	247
	1800 Series	251
	EM Series	255
Concealed Closers/Pivots	Concealed Door Closers Product Guide	257
	BTS80 Series	259
	BTS80 EMB Series	265
	BTS75V Series	271
	ITS96 Series	277
	RTS88 Series	279
	LM Series Heavy-Duty Pivots	285
	LM Series Extra Heavy-Duty Pivots	289
Stops/Holders	900/700 Series	293
Architectural Pulls and Handles	Finishes Cross Reference	297
	TG 138 Locking and Non-Locking Ladder Pulls	298
	TG 9387 Non-Locking Ladder Pulls	301
	MANET Non-Locking Ladder Pulls	304
	TG Decorative Pulls	307
	ARCOS and BEYOND Decorative Pulls	308
	Pull Handles for Commercial Doors	309

General information

Terms and conditions of sale

Acceptance. The following Terms and Conditions of sale are applicable to all Quotations, Contract, Purchase Orders, Order Acknowledgement Forms, and sales of Seller's services and products, and are the only applicable terms and conditions thereto, except for terms establishing prices, quantities, delivery schedules, terms of payment, invoicing, shipping instructions, and the identification of the products associated with each transaction. If any conflict exists between the Terms and Conditions and a Quotation, Purchase Order, Order Acknowledgment form, or sale, these Terms and Conditions shall prevail BY REQUESTING A QUOTATION OF ORDERING ANY PRODUCTS OR SERVICES FROM SELLER, BUYER AGREES TO ALL THE FOLLOWING TERMS AND CONDITIONS. If a written contract signed by both parties is in existence covering the sale of the goods and services, the terms and conditions of the contract shall control to the extent they are inconsistent with these Terms and Conditions.

1. Order Procedure. Buyer may or may not request the preparation of a Quotation prior to ordering any products or services from Seller. Buyer then shall place a Purchase Order with Seller. By placing a Purchase Order, Buyer makes an offer to purchase products or services from Seller pursuant to these Terms and Conditions. Seller, in its discretion, may accept or reject the Purchase Order. If Seller accepts the Purchase Order, Seller shall issue an Order Acknowledgement Form confirming Buyer's order. No Purchase Order is binding on Seller unless accepted by Seller as provided in these Terms and Conditions.

2. Quotations. All Quotations by Seller are subject to change or withdrawal without prior notice to Buyer unless otherwise specifically stated in the Quotation. Quotation prices are valid on Purchase Orders placed within 90 days of the quote being issued, unless otherwise specifically stated in the quotation. If no order is placed within the stated time frame, prices may be adjusted to reflect the then-current published prices, surcharges, escalators, or other pricing adjustment due to, among other things, costs of materials, labor, transportation, taxes, duties, and other cost increases to Seller. All resulting Purchase Orders become effective only if and when approved and accepted in writing by Seller by the issuance of its Order Acknowledgement Form. Seller reserves the right to discontinue manufacture of any products or change products materials, design, or specifications without notice.

Quotation prices are valid on Purchase Orders placed within 90 days of the quote being issued, unless otherwise specifically stated in this quotation. If no order is placed within the stated time frame, prices may be adjusted to reflect the then-current published prices, surcharges, escalators, or other pricing adjustment due to, among other things, costs of materials, labor, transportation, taxes, duties, and other cost increases to Seller. All resulting Purchase Orders become effective only if and when approved and accepted in writing by Seller by the issuance of its Order Acknowledgement Form. All Quotations and resulting orders are subject to Seller's Terms and Conditions set forth in the price book

3. Site Requirements.

- a. The Quotation is contingent upon all work being performed during normal business hours unless otherwise negotiated and a mutually agreeable schedule. The Quotation is calculated on one continuous installation engagement based on acceptable site conditions where other dependent scopes have completed preparation for proposed materials (i.e. electrical work, floor work, adjacent construction). When Buyer has given authorization for work to begin, no other scopes may impede Seller's ability to complete

installation in agreed upon area. Seller reserves the right to invoice for costs that are incurred due to unacceptable site conditions or delays by others resulting in additional installation visits.

- b. Signed acceptance by Buyer of shop drawings and/or submittals shall be interpreted as acceptance that proposed scope is the correct interpretation of construction documents. Any field verification and/or work required by others as detailed in the submittal will be provided and coordinated by Buyer. Work shall not begin nor shall orders be placed for any projects until all shop drawings and submittals have been approved in writing by Buyer.

4. Warranty. Seller warrants only that all products sold pursuant to a Quotation or Purchase Order will conform to the description in the Price Book and will be free from defects in workmanship and materials. The duration of each product warranty is dependent on the particular product. Refer to EAD & DHW warranty statement. Extended warranties may be available for an additional cost. Seller is not responsible for defects or damages caused by wear and tear, consumable materials, vandalism, fires, storms, floods, acts of God, misuse, abuse or alteration by any company other than Seller. Seller further warrants that Buyer will receive good and valid title to the products. Any claim on account of nonconforming or defective products or for any other cause whatsoever shall conclusively be deemed waived by Buyer unless written notice thereof is given to Seller promptly after discovery but no later than sixty (60) days from date of shipment. Seller shall have the right either to replace or repair any nonconforming or defective products, to refund the purchase price upon return of the products, or to grant a reasonable allowance on account of such nonconformance or defect. Seller's liability and Buyer's exclusive remedy for nonconforming or defective products shall be limited solely to replacement, repair, refund, or allowance as Seller may elect. Seller shall be given reasonable opportunity to investigate all claims and no materials shall be returned to Seller until after inspection and approval by Seller and receipt by Buyer of written shipping instructions from Seller. Buyer acknowledges and agrees that the remedies set forth in this paragraph are Buyer's exclusive remedies for the delivery of nonconforming or defective products.

Additional Warranties

- a) No credit will be provided for any work completed by others during warranty term.
- b) Warranty work will be performed during normal business hours with our standard response times. Any warranty work taking place beyond normal business hours or with expedited response time may be billable.
- c) Products repaired or replaced under the warranty are warranted only through the remainder of the original warranty period.

Disclaimer of Further Warranties. Except as set forth above, there is no warranty, representation, or condition of any kind, express or implied (including no warranty of merchantability or fitness of the products for any use contemplated by Buyer) concerning Seller's products or services and none shall be implied by law.

5. Limitation of Liability and Remedies. Seller shall not be liable, and Buyer waives all claims against Seller for any incidental, consequential, or special damages, including without limitation, lost revenues and profits even if Seller has been advised of the possibility of such damages. Buyer's exclusive remedy for any cause of action under these Terms

General information

Terms and conditions of sale (con't)

and Conditions is a claim for damages and in no event will damages or any other recovery of any kind against Seller exceed the purchase price of the specific products or services as to which the claim is made. Seller will not be liable to Buyer for any loss, damage, or injury to persons or property resulting from the handling, storage, transportation, resale, or use of the products in manufacturing processes, or in combination with other substances, or otherwise.

6. Intellectual Property Indemnification. (a) Seller agrees to defend, indemnify and hold Buyer harmless against any claims, costs, damages, liability and expenses resulting from actual or alleged patent, trademark, or copyright infringement, misappropriation of confidential information, or violation of any other intellectual property right, domestic or foreign, in the selling or use of any part or product that is owned by Seller and that pertains to the subject matter of a Quotation, Purchase Order, or sale of products or services (provided that the product is not modified in anyway by Buyer or any other party, and that the product is used in the manner intended by Seller). If a suit or claim results in any injunction or any other order that would prevent Seller from supplying any product falling under a Quotation, Purchase Order, or sale, or if the result of such a suit or claim would, in the reasonable opinion of Seller, otherwise cause Seller to be unable to supply such products, Seller shall have the right, at its option, if it so chooses, to do one or more of the following: (i) secure an appropriate license to permit Seller to continue supplying the products to Buyer; (ii) modify the relevant product so that it becomes non-infringing, provided that any modification does not cause any material change to the operation or performance of the product; or (iii) replace the relevant product with a non-infringing but practically equivalent product. (b) Buyer agrees to defend, indemnify, and hold Seller harmless against any claims, costs, damages, liability and expenses resulting from actual or alleged patent, trademark, or copyright infringement, misappropriation of confidential information, or violation of any other intellectual property right, domestic or foreign, in the making, using or selling of any product or using any process that is owned by Buyer or is designed or specified by Buyer and that pertains to the subject matter of a Quotation, Purchase Order, or sale.

7. Ownership of Inventions. All drawings, know-how, designs, confidential information, and the like disclosed to Buyer by Seller and all rights therein will remain the property of Seller. Buyer shall have no claim to, ownership interest in, no license to, or no rights to any information provided or communicated by Seller.

8. Lead Times. If applicable, lead times are based on standard requirements by factory to provide materials proposed. Ship dates will be provided as estimate only once order is placed with the factory. Adequate packaging will be provided for any normal shipping circumstance such that materials will be protected and labeled as required. Special packaging may be provided for an additional expense. Shipping will be cost effective unless expedited fees are accepted by Buyer. If materials are to be provided to job site or Buyer location, dormakaba will make an informed decision as to the best instruction to provide the shipping company. If materials are not required to have direct delivery, materials will be brought to branch for pickup by Buyer. All freight terms shall be FOB. Any claims for damage in transit or lost freight, receiving, and inspection of materials is the responsibility of Buyer. It is a requirement of Buyer to inspect and review all materials prior to accepting shipment.

9. Title/Risk of Loss. All products shall be shipped FOB Seller's manufacturing facility to Buyer's designated delivery location. Unless otherwise agreed by the parties, Seller shall select the method of and carrier for the products. Seller reserves the right to

ship items in a single or in multiple shipments. Title and risk of loss to products ordered passes to Buyer upon delivery of the products to the freight carrier. Unless mutually agreed upon in writing, shipping dates are approximate and are based upon prompt receipt of all necessary information.

10. Prices. Quoted price is valid for 90 days. Seller reserve the right to revise quotations after the 90 days. All accepted Purchase Orders are subject to Seller's price in effect at time of shipment. Buyer shall be responsible for any increase in freight rates or transportation charges occurring after Seller prepared the Order Acknowledgment Form. on the Order Acknowledgment Form. Buyer shall pay to Seller in addition to the purchase price the amount of all fees, duties, licenses, and all sales, use, privilege, occupation, excise, or other taxes, federal, state, local, or foreign which Seller is required to pay or collect in connection with products or services sold to Buyer.

11. Payments. Unless otherwise agreed in writing between the parties, all Seller's invoices are payable within thirty (30) days of their date. Time is of the essence. Interest on past due amounts will be assessed at the rate of 2% per month (24% per annum), or the maximum allowable by law.

Seller reserves the right to full payment upon completion of work unless credit is pre-established. For any work requiring materials purchase or scheduling, a 50% deposit is due at time of proposal acceptance. Twenty percent (20%) of the Quotation, Purchase Order value may be billed after job award. Joint check agreements may be requested at the discretion of Seller. If payment is outstanding for any one account, work may be stopped and outstanding orders cancelled until account is restored. Should Seller require the use of collection, attorney's fees, or fees for insufficient funds, Buyer agrees that these funds will be repaid to Seller. Seller retains the right to file a lien against all or part of the property being improved. Seller reserves the right to add a 2.5% charge if invoice becomes delinquent beyond terms.

12. Cancellation. In the event a Buyer's Purchase Order and the issuance of an Order Acceptance Form is cancelled, it will be subject to standard 35% restocking fees, cancellation fees, engineering fees, materials & freight costs incurred, and administrative fees. Standard cancellation is 20% of order as long as no materials have been ordered. Should Buyer release material orders, Buyer will be liable for that portion of the job and 20% of the remaining amount of work unperformed/unordered.

13. Storage. If applicable, Seller reserves the right to implement a storage fee if delivery is delayed after agreed upon date. Should project timeline require storage of materials, Seller reserves the right to bill for those materials at the time they have been received at a Seller location, Buyer location, or at job site. Certificate of insurance for stored materials can be provided to Buyer upon request. Signed acceptance by Buyer of shop drawings and/or submittals shall be interpreted as acceptance that proposed scope is the correct interpretation of construction documents. Any field verification and/or work required by others as detailed in the submittal will be provided and coordinated by Buyer.

14. Insolvency. Seller may, at any time or times, suspend performance of any order or require payment in cash, security, or other adequate assurance satisfactory to Seller when, in Seller's opinion, the financial condition of Buyer or other grounds for insecurity, including the filing of a petition for bankruptcy, warrant such action.

15. Force Majeure. Seller shall not be liable for any delay in fulfilling any order due to (a) fires, floods, strikes, or other labor disputes,

General information

Terms and conditions of sale (con't)

accidents to machinery, acts of sabotage, riots, precedence or priorities granted at the request or for the benefit, directly or indirectly, of the federal or any state government or any subdivision or agency thereof, delays in transportation or lack of transportation facilities, restrictions imposed by federal or state legislation or rules of regulations thereunder; or (b) any cause beyond the control of Seller.

16. Ownership of Equipment. Unless otherwise agreed in a writing, all material, equipment, facilities, and special tooling, which term includes but is not limited to jigs, dies, fixtures, molds, patterns, special taps, special gauges, special test equipment, and manufacturing aids and replacements thereof, used in the manufacture of the products covered by any order shall remain the property of Seller. Any material, tooling, and equipment furnished to Seller by Buyer shall be and remain the personal property of Buyer with the title to and right of possession remaining in Buyer.

17. Confidential Information. All information furnished or made available by Seller to Buyer in connection with a transaction shall be held in confidence by Buyer. Buyer agrees not to use such information or disclose such information to others without Seller's prior written consent. The obligations of this paragraph does not apply to any information which (a) at the time of disclosure was, or thereafter becomes, generally available to the public by publication or otherwise through no breach by Buyer of any obligation herein, (b) Buyer can show by written records was in Buyer's possession prior to disclosure by the disclosing party, (c) is legally made available to Buyer by or through a third party having no direct or indirect confidentiality obligation to Seller with respect to such information, (d) was independently developed by Buyer without use of any of Seller's confidential information, or (e) is required to be disclosed pursuant to applicable law.

18. Waiver. No waiver by Seller of any of these Terms and Conditions shall be effective unless explicitly set forth in writing and signed by Seller. No failure to exercise, or delay in exercising, any rights, remedy, power, or privilege arising from these Terms and Conditions shall operate or be construed as a waiver thereof,

nor shall any single or partial exercise of any right, remedy, power, or privilege hereunder preclude any other or further exercise thereof or the exercise of any other right, remedy, power or privilege.

19. Assignment. No assignment of any right or interest or delegation of any obligation or performance of Buyer under this order may be made without the prior written consent of Seller. Any attempted assignment or delegation will be wholly void and totally ineffective for all purposes.

20. Choice of Law. All sales, agreements for sale, offers to sell, proposals, acknowledgments and contracts of sale, including, but not limited to, Purchase Orders accepted by Seller, shall be considered a contract under the laws of the State of Delaware, and the rights and duties of all persons, and the construction and effect of all provisions hereof, shall be governed by and construed according to the laws of the State of Delaware.

21. Integration Clause. These Terms and Conditions constitute the entirety of terms and conditions, except as set forth in paragraph one, governing the sale and purchase of products and services sold by Seller. No modification of these Terms and Conditions shall be of any force or effect unless in writing and signed Seller and Buyer. Buyer may desire to utilize its own form of acknowledgment or acceptance of these Terms and Conditions. However, the use of any such form shall be for convenience only. No modification of these Terms and Conditions shall be affected by the acknowledgment or acceptance of purchase orders, shipping instruction forms, bills of lading or any other document containing terms or conditions at variance with or in addition to those set forth herein, all such varying or additional terms being hereby objected to and rejected by Seller and deemed to be waived by Buyer.

April 2022

General information

Finishes Cross Reference

Finish Description	Finish Appearance	dormakaba/BHMA Code	Nearest U.S. Equivalent
Brass	Bright	605	US3
	Satin	606	US4
Bronze	Polished	611	US9
	Satin	612	US10
	Oil Rubbed/Dark Satin	613	US10B
Nickel	Bright	618	US14
	Satin	619	US15
Chrome	Bright	625	US26
	Satin	626	US26D
Stainless	Bright	629	US32
	Satin	630	US32D
Aluminum	Satin Anodized	628	US28
Dark Oxidized Bronze	Satin Anodized	710	US10B
Flat Black	Anodized	711	US19
Aluminum	Painted or Powder Coated	689	US28
Dark (Statuary) Bronze	Painted or Powder Coated	690	US20
Light (Dull) Bronze	Painted or Powder Coated	691	US10
Black	Painted or Powder Coated	693	Black Anodized
Dark (Duronodic) Bronze	Painted or Powder Coated	695	Dark Bronze Anodized
Satin Brass (Gold)	Painted or Powder Coated	696	US4
Primed	Painted or Powder Coated	600	USP
Custom	Painted or Powder Coated	Custom	RAL Pallet
Designer	Painted	Designer	Sample Match

* Excluding Mechanical Locks, Architectural Pulls & Handles, and Sliding Systems. See appropriate product section for available finishes.

Reference: ANSI A156.18 American National Standard for Materials and Finishes

600 Series Plated Finishes designate the appearance of the finish, regardless of the base material. For example, 605 defines a polished brass material, but 605 can be any base material, like steel or stainless, that is finished to provide the appearance of polished brass.

Standard sprayed finishes are shown above.


For a **Custom Color**, refer to the Custom Color Pallet. For Door Controls, a \$110.00 net setup fee per purchase order, per color will be charged. For exits and trim, a \$120.00 net setup fee per purchase order, per color will be charged. For a copy of the Custom Color Pallet, please contact your Representative or our Customer Service Department. Locks are NOT included in the Custom Color program.

For a **Designer Color**, custom matched to a supplied sample, three (3) each 2" x 3" color chip samples are required. For Door Controls, a non-refundable fee of \$270.00 net is required per color match request, per order prior to processing. For exits and trim, non-refundable \$430.00 net fee is required per color match request, per order prior to processing. Allow six (6) weeks for designer color development. If a match can not be made to the customer's satisfaction after three (3) attempts, dormakaba reserves the right to decline the order. Metallic colors are difficult to duplicate and may be rejected. Locks are NOT included in the Designer Color program.


Please contact our Sales Service Department, or your local sales representative for further information.

Locks

How to Determine Hand of Door



How to Determine Handed Levers




Product Guide

<div><div></div> Yes</div> <div><div></div> No</div> <div><div></div> Optional</div>	Description	ANSI BHMA	Fire Rated	Standard Cylinder	SFIC	Schlage Style LFIC
M9000 Lock	GR1 Mortise Lock	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>
T900 Lock	GR2 Decorative Tubular Lock (M9000 Trim)	<div></div>	<div></div>	N/A	N/A	N/A
D900 Dead Bolt	GR1 Small Case Mortise Dead Bolt	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>
C100 Lever Lock	GR1 Cylindrical Lever Lock	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>
C800 Lever Lock (now discontinued)	GR1 Cylindrical Lever Lock	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>
C800 Knob Lock	GR1 Cylindrical Knob Lock	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>
DB100 Dead Bolt	GR1 Tubular Dead Bolt	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>
D800 Dead Bolt (now discontinued)	GR1 Tubular Dead Bolt	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>
C200 Lever Lock	GR1 Tubular Dead Bolt	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>
CL700 Lever Lock (now discontinued)	GR2 Cylindrical Lever Lock	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>
CK700 Knob Lock (now discontinued)	GR2 Cylindrical Knob Lock	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>
DB600 Dead Bolt	GR2 Tubular Dead Bolt	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>
C500 Lever Lock	GR2 Cylindrical Lever Lock	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>
C300 Lever Lock	GR2 Cylindrical Lever Lock	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>
J300 Interconnected Lock	GR2 Interconnected Lock	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>

M9000 Series

Ordering Guide










	Function ²
Privacy w/DB & Indicator —	996
Faculty Restroom/Hotel w/DB & Indicator —	986
Storeroom w/DB Single Cylinder —	980
Classroom Intruder w/DB —	974
Dormitory w/DB (F21) —	973
Intruder Dead Bolt (F33) —	968
Intruder Dead Bolt (F34) —	967
Storeroom w/DB (F14) —	966
Storeroom w/DB (F35) —	958
Dormitory w/DB (F11) —	957
Corridor w/DB (F13) —	956
Entry w/DB (F20) —	953
Privacy w/DB (F19) —	940
Institution (F30) —	082
Electrically Unlocked/Locked w/Double Locking —	082EU/EL
Electrically Unlocked/Locked —	080EU/EL
Storeroom (F07) —	080
Classroom Intruder Latch Bolt with Indicator —	072
Classroom Intruder Latch Bolt (F32)* —	071
Classroom (F05) —	070
Apartment (F09) —	060
Office/Entry (Alt F04) —	053
Office/Entry (F04) —	050
Privacy w/Indicator —	046
Privacy w/Coin Turn —	042
Privacy, Bedroom or Bath (F22) —	040
Exit/Communicating Passage (F31) —	025
Passage/Closet (F01) —	010
Dummy Trim Two Sides —	002
Dummy Trim One Side —	001

- Indicator cannot be added to M9071 function. For intruder function with indicator, order M9072.
- Additional functions available. Detailed function descriptions available in M9000 Series brochure.
- KB knob priced same as Premium lever.
- D Rose not available in 625 or 626.
- Available in 626 and 630 finishes only. Not available on 630 H escutcheon.
- Security Screws only available with 619, 625, 626 and 630 finishes.
- Standard door thickness is 1-3/4" (44 mm). Requirements for doors 1-13/16" (46 mm) and thicker can vary by trim and function. See page 14
- Example shows default values. Refer to Configuration Options section for full details.










		Lever Design		Finish						Door Thickness ⁷		Strike Options ⁸		Lip Length ⁸	
		Premium Lever	PREMIUM		630	—	Satin Stainless								
		Knob ³	KB		626	—	Satin Chrome								
		Lever	LT		625	—	Bright Chrome								
		Lever	LR		622 PVD	—	Satin Black								
		Lever	LN		619 PVD	—	Satin Nickel								
		Lever	LG		613 PVD	—	Dark Oxidized Satin Bronze								
		Lever	LD		612 PVD	—	Satin Bronze								
		Lever	LC		606 PVD	—	Satin Brass								
					605 PVD	—	Bright Brass								
Product Family	M9														
	953														
	D														
	LR														
	A														
	626														
Heavy Duty Grade 1 Mortise Lockset															
Cylinder Type															
Rose/Escutcheon Design															
Antimicrobial Coating ⁵															
Security Screws ⁶															
Door Hand															
Keying Options Field															

Trim Options

Lever Options — Standard




Lever Options — Premium




Trim Styles

All Finishes

Wrought Roses



Escutcheons




NOTE: H Escutcheon Trim cannot be rehanded in the field.


Finish Availability Chart

	605	606	612	613	619	622	625	626	630
Standard Levers									
LR	•	•	•	•	•	•	•	•	•
LC	•	•	•	•	•	•	•	•	•
LG	•	•	•	•	•	•	•	•	•
LF	•	•	•	•	•	•	•	•	
LT	•	•	•	•	•	•	•	•	•
LV	•	•	•	•	•	•	•	•	
L118		•	•	•	•	•			•
Premium Levers									
LA	•	•	•	•	•	•	•	•	•
LD	•	•	•	•	•	•	•	•	
LN	•	•	•	•	•	•	•	•	
L109		•	•	•	•	•			•
L110	•	•	•	•	•	•	•	•	•
L112		•	•	•	•	•			•
L114	•	•	•	•	•	•	•	•	
L117	•	•	•	•	•	•			•
Knob									
KB		•	•	•	•	•			•


NOTE: See next 4 pages for mortise lock pricing arranged by Trim Style.




Standard levers with Rose trim



Standard levers with Escutcheon trim



Premium levers with Rose trim




Premium levers with Escutcheon trim

Standard Lever – Rose Styles

Levers: LR, LC, LF, LG, LT, LV, L118

Roses: A, B, D



L118 not available in 605, 625, or 626 finish.
LF and LV not available in 630 finish.
See Lever Finish Availability Chart, page 5.
D rose not available in 625 or 626 finish.

A,B,D Rose

626

605, 606,
612, 613,
619, 622,
625, 630

ANSI #	Function	Description		
Non-Keyed			List \$	
—	M9001 (w/out lock case)	Single dummy	304.00	348.00
—	M9002 (w/out lock case)	Double dummy	647.00	696.00
—	M9003 (w/lock case)	Single dummy	478.00	504.00
—	M9004 (w/lock case)	Double dummy	786.00	833.00
F01	M9010 ²	Passage/closet	845.00	940.00
F31	M9025 ¹	Exit/communicating passage	973.00	1072.00
F22	M9040	Privacy, bedroom or bath	973.00	1072.00
—	M9042	Privacy w/coin turn	1040.00	1141.00
—	M9046	Privacy w/indicator	1171.00	1223.00
F19	M9940	Privacy w/dead bolt	1171.00	1223.00
—	M9942	Privacy w/dead bolt and coin turn	1243.00	1292.00
Keyed, Single Cylinder				
F04	M9050 ¹	Office/Entry	1083.00	1188.00
F04	M9053 ²	Office/Entry	1083.00	1188.00
—	M9056	Office/Entry w/automatic unlocking	1179.00	1286.00
F05	M9070 ²	Classroom	1083.00	1188.00
F06	M9076	Holdback	1083.00	1188.00
F07	M9080 ¹	Storeroom	1083.00	1188.00
—	M9080EL ¹	Electrically locked (Fail Safe; 24 V)	1631.00	1679.00
—	M9080EU ¹	Electrically unlocked (Fail Secure; 24 V)	1631.00	1679.00
F20	M9953	Entry w/dead bolt	1115.00	1223.00
—	M9954	Security entrance w/dead bolt	1115.00	1223.00
F13	M9956	Corridor w/dead bolt	1115.00	1223.00
F12	M9959	Dormitory/Exit w/dead bolt	1115.00	1223.00
F21	M9973	Dormitory w/dead bolt	1115.00	1223.00
—	M9980	Storeroom w/dead bolt	1115.00	1223.00
F15	M9985	Faculty restroom/hotel w/dead bolt	1179.00	1286.00
—	M9986	Faculty restroom/hotel w/dead bolt/indicator	1270.00	1387.00
—	M9996	Privacy w/dead bolt/indicator	1270.00	1387.00
Keyed, Double Cylinder				
F09	M9060	Apartment	1188.00	1300.00
F32	M9071 ²	Intruder latch bolt	1188.00	1300.00
—	M9072	Intruder latch bolt with indicator	1295.00	1403.00
—	M9077	Holdback double cylinder	1188.00	1300.00
F30	M9082 ²	Institution lock	1188.00	1300.00
—	M9082EL ³	Electrically locked (Fail Safe) w/double locking (24 V)	1723.00	1770.00
—	M9082EU ³	Electrically unlocked (Fail Secure) w/double locking (24 V)	1723.00	1770.00
F11	M9957	Dormitory w/dead bolt	1247.00	1300.00
F35	M9958	Storeroom w/dead bolt	1247.00	1300.00
F14	M9966	Storeroom w/dead bolt	1247.00	1300.00
F34	M9967	Intruder w/dead bolt	1247.00	1300.00
—	M9974	Classroom intruder w/dead bolt	1247.00	1300.00
Deadbolt Only				
F17	M9960	Deadbolt Only — Cylinder × Turn (No Trim)	563.00	586.00
F18	M9961	Deadbolt Only — Cylinder × Blank (No Trim)	463.00	491.00
F16	M9962	Deadbolt Only — Cylinder × Cylinder (No Trim)	680.00	706.00
F29	M9963	Deadbolt Only — Classroom (No Trim)	680.00	706.00

NOTES:

1. Available with Request to Exit (RX), Latch Monitoring (LM) or both

2. Available with Latch Monitoring (LM) only


3. Available with Request to Exit (RX) or Latch Monitoring

See page 13 for RX and LM Pricing

Standard Lever – Escutcheon Styles

Levers: LR, LC, LF, LG, LT, LV, L118

Escutcheons: H, M



L118 not available in 605, 625, or 626 finish.
LF and LV not available in 630 finish.
See Lever Finish Availability Chart, page 5.

NOTE: H Escutcheon Trim cannot be rehanded in the field.

Escutcheons: H, M			H Escutcheon				M Escutcheon	
			626	605, 606, 612, 613, 619, 622, 625, 630	626, 630	605, 606, 612, 613, 619, 622, 625		
NOTE: H Escutcheon Trim cannot be rehanded in the field.								
L118 not available in 605, 625, or 626 finish. LF and LV not available in 630 finish. See Lever Finish Availability Chart, page 5.								
ANSI #	Function	Description	List \$					
Non-Keyed								
—	M9001 (w/out lock case)	Single dummy	356.00	378.00	292.00	333.00		
—	M9002 (w/out lock case)	Double dummy	709.00	699.00	620.00	663.00		
—	M9003 (w/lock case)	Single dummy	523.00	518.00	455.00	489.00		
—	M9004 (w/lock case)	Double dummy	852.00	836.00	750.00	797.00		
F01	M9010 ²	Passage/closet	956.00	930.00	806.00	894.00		
F31	M9025 ¹	Exit/communicating passage	—	—	923.00	1020.00		
F22	M9040	Privacy, bedroom or bath	1089.00	1055.00	923.00	1020.00		
—	M9042	Privacy w/coin turn	1158.00	1120.00	985.00	1084.00		
—	M9046	Privacy w/indicator	—	—	—	—		
F19	M9940	Privacy w/dead bolt	1241.00	1192.00	1113.00	1160.00		
—	M9942	Privacy w/dead bolt and coin turn	1308.00	1258.00	1175.00	1223.00		
Keyed, Single Cylinder								
F04	M9050 ¹	Office/Entry	1204.00	1161.00	1025.00	1126.00		
F04	M9053 ²	Office/Entry	1204.00	1161.00	1025.00	1126.00		
—	M9056	Office/Entry w/automatic unlocking	1306.00	1211.00	1117.00	1221.00		
F05	M9070 ²	Classroom	1204.00	1161.00	1025.00	1126.00		
F06	M9076	Holdback	1204.00	1161.00	1025.00	1126.00		
F07	M9080 ¹	Storeroom	1204.00	1161.00	1025.00	1126.00		
—	M9080EL ¹	Electrically locked (Fail Safe; 24 V)	1697.00	1627.00	1540.00	1586.00		
—	M9080EU ¹	Electrically unlocked (Fail Secure; 24 V)	1697.00	1627.00	1540.00	1586.00		
F20	M9953	Entry w/dead bolt	1239.00	1194.00	1055.00	1157.00		
—	M9954	Security entrance w/dead bolt	1239.00	1194.00	1055.00	1157.00		
F13	M9956	Corridor w/dead bolt	1239.00	1194.00	1055.00	1157.00		
F12	M9959	Dormitory/Exit w/dead bolt	1239.00	1194.00	1055.00	1157.00		
F21	M9973	Dormitory w/dead bolt	1239.00	1194.00	1055.00	1157.00		
—	M9980	Storeroom w/dead bolt	1239.00	1194.00	1055.00	1157.00		
F15	M9985	Faculty restroom/hotel w/dead bolt	1306.00	1241.00	1117.00	1221.00		
—	M9986	Faculty restroom/hotel w/dead bolt/indicator	—	—	—	—		
—	M9996	Privacy w/dead bolt/indicator	—	—	—	—		
Keyed, Double Cylinder								
F09	M9060	Apartment	1314.00	1265.00	1126.00	1229.00		
F32	M9071 ²	Intruder latch bolt	1314.00	1265.00	1126.00	1229.00		
—	M9077	Holdback double cylinder	1314.00	1265.00	1126.00	1229.00		
F30	M9082 ²	Institution lock	1314.00	1265.00	1126.00	1229.00		
—	M9082EL ³	Electrically locked (Fail Safe) w/double locking (24 V)	1789.00	1708.00	1625.00	1673.00		
—	M9082EU ³	Electrically unlocked (Fail Secure) w/double locking (24 V)	1789.00	1708.00	1625.00	1673.00		
F11	M9957	Dormitory w/dead bolt	1314.00	1265.00	1182.00	1229.00		
F35	M9958	Storeroom w/dead bolt	1314.00	1265.00	1182.00	1229.00		
F14	M9966	Storeroom w/dead bolt	1314.00	1265.00	1182.00	1229.00		
F34	M9967	Intruder w/dead bolt	1314.00	1265.00	1182.00	1229.00		
—	M9974	Classroom intruder w/dead bolt	1314.00	1265.00	1182.00	1229.00		
Deadbolt Only								
F17	M9960	Deadbolt Only — Cylinder x Turn (No Trim)	—	549.00	—	—		
F18	M9961	Deadbolt Only — Cylinder x Blank (No Trim)	—	460.00	—	—		
F16	M9962	Deadbolt Only — Cylinder x Cylinder (No Trim)	—	659.00	—	—		
F29	M9963	Deadbolt Only — Classroom (No Trim)	—	659.00	—	—		

NOTES:

1. Available with Request to Exit (RX), Latch Monitoring (LM) or both
 2. Available with Latch Monitoring (LM) only
 3. Available with Request to Exit (RX) or Latch Monitoring
- See page 13 for RX and LM Pricing

Premium Lever – Rose Styles

Levers: LA, LD, LN, L109, L110, L112, L114, L117, KB

Roses: A, B, D



A, B, D Rose

L109, L112, and L117 not available in 625 or 626 finishes.
LD, LN, and L114 not available in 630 finish.
See Lever Finish Availability Chart, page 5.
D rose not available in 625 or 626 finish.

			L109, L112, and L117 not available in 625 or 626 finishes. LD, LN, and L114 not available in 630 finish. See Lever Finish Availability Chart, page 5. D rose not available in 625 or 626 finish.		626	605, 606, 612, 613, 619, 622, 625, 630
ANSI #	Function	Description	List \$			
Non-Keyed						
—	M9001 (w/out lock case)	Single dummy	299.00	343.00		
—	M9002 (w/out lock case)	Double dummy	638.00	683.00		
—	M9003 (w/lock case)	Single dummy	466.00	493.00		
—	M9004 (w/lock case)	Double dummy	771.00	820.00		
F01	M9010 ²	Passage/closet	831.00	920.00		
F31	M9025 ¹	Exit/communicating passage	953.00	1050.00		
F22	M9040	Privacy, bedroom or bath	953.00	1050.00		
—	M9042	Privacy w/coin turn	1014.00	1122.00		
—	M9046	Privacy w/indicator	1144.00	1193.00		
F19	M9940	Privacy w/dead bolt	1144.00	1193.00		
—	M9942	Privacy w/dead bolt and coin turn	1215.00	1259.00		
Keyed, Single Cylinder						
F04	M9050 ¹	Office/Entry	1055.00	1157.00		
F04	M9053 ²	Office/Entry	1055.00	1157.00		
—	M9056	Office/Entry w/automatic unlocking	1150.00	1256.00		
F05	M9070 ²	Classroom	1055.00	1157.00		
F06	M9076	Holdback	1055.00	1157.00		
F07	M9080 ¹	Storeroom	1055.00	1157.00		
—	M9080EL ¹	Electrically locked (Fail Safe; 24 V)	1586.00	1632.00		
—	M9080EU ¹	Electrically unlocked (Fail Secure; 24 V)	1586.00	1632.00		
F20	M9953	Entry w/dead bolt	1087.00	1192.00		
—	M9954	Security entrance w/dead bolt	1087.00	1192.00		
F13	M9956	Corridor w/dead bolt	1087.00	1192.00		
F12	M9959	Dormitory/Exit w/dead bolt	1087.00	1192.00		
F21	M9973	Dormitory w/dead bolt	1087.00	1192.00		
—	M9980	Storeroom w/dead bolt	1087.00	1192.00		
F15	M9985	Faculty restroom/hotel w/dead bolt	1150.00	1256.00		
—	M9986	Faculty restroom/hotel w/dead bolt/indicator	1237.00	1353.00		
—	M9996	Privacy w/dead bolt/indicator	1237.00	1353.00		
Keyed, Double Cylinder						
F09	M9060	Apartment	1157.00	1266.00		
F32	M9071 ²	Intruder latch bolt	1157.00	1266.00		
—	M9072	Intruder latch bolt with indicator	1256.00	1365.00		
—	M9077	Holdback double cylinder	1157.00	1266.00		
F30	M9082 ²	Institution lock	1157.00	1266.00		
—	M9082EL ³	Electrically locked (Fail Safe) w/double locking (24 V)	1673.00	1722.00		
—	M9082EU ³	Electrically unlocked (Fail Secure) w/double locking (24 V)	1673.00	1722.00		
F11	M9957	Dormitory w/dead bolt	1220.00	1266.00		
F35	M9958	Storeroom w/dead bolt	1220.00	1266.00		
F14	M9966	Storeroom w/dead bolt	1220.00	1266.00		
F34	M9967	Intruder w/dead bolt	1220.00	1266.00		
—	M9974	Classroom intruder w/dead bolt	1220.00	1266.00		
Deadbolt Only						
F17	M9960	Deadbolt Only — Cylinder x Turn (No Trim)	526.00	549.00		
F18	M9961	Deadbolt Only — Cylinder x Blank (No Trim)	433.00	460.00		
F16	M9962	Deadbolt Only — Cylinder x Cylinder (No Trim)	635.00	659.00		
F29	M9963	Deadbolt Only — Classroom (No Trim)	635.00	659.00		

NOTES:

1. Available with Request to Exit (RX), Latch Monitoring (LM) or both

2. Available with Latch Monitoring (LM) only


3. Available with Request to Exit (RX) or Latch Monitoring

See page 13 for RX and LM Pricing

Premium Lever – Escutcheon Styles

Levers: LA, LD, LN, L109, L110, L112, L114, L117, KB

Escutcheons: H, M



NOTE: H Escutcheon Trim cannot be rehanded in the field.
L109, L112, and L117 not available in 625 or 626 finishes.
LD, LN, and L114 not available in 630 finish.
 See Lever Finish Availability Chart, page 5.

Escutcheons: H, M

</

NOTES:

1. Available with Request to Exit (RX), Latch Monitoring (LM) or both
 2. Available with Latch Monitoring (LM) only
 3. Available with Request to Exit (RX) or Latch Monitoring
- See page 13 for RX and LM Pricing

Cylinder Types, Keying Options, and Keyways

Cylinder	Option	Description	List Add/Deduct \$
Conventional Cylinders (non-interchangeable core)			
D		Conventional cylinder	Example: M9070D
	KD	Keyed differently to a random combination; SC keyway with 2 keys (default)	N/C
	KA2	Keyed alike in pairs to a random combination; SC keyway with 2 keys	N/C
	NSK	Keyed alike, sets of three or more; SC keyway with 2 keys	18.00
	NS2	Keyed alike double cylinder locks; SC keyway with 2 keys	34.00
	1-Bit	Operated by 1-bit cut key; SC, SE keyway with 2 key blanks (order 1-bit key separately)	N/C
	0-Bit	Operated by 0-bit key; D100 keyway — ⊗ Keys sold separately	N/C
	0-Bit	Operated by 0-bit cut key; AA, CA, CB, CC, CD, CE, RA, RB, GA, SF, YA, YG keyways with 2 key blanks	18.00
	MKD	Master keyed; SC, SE, or D100 keyway — ⊗ Keys sold separately	23.00
	MK2	Master keyed double cylinder lock; SC, SE, or D100 keyway — ⊗ Keys sold separately	45.00
	CMK	Construction master keyed single cylinder locks — ⊗ Keys sold separately	25.00
	CM2	Construction master keyed double cylinder locks — ⊗ Keys sold separately	49.00
L		Lock less conventional cylinder and cylinder ring	Example: M9070L Deduct 30.00
Interchangeable Core Cylinders			
T		SFIC — Housing with keyed temporary SFIC construction core (Core may be returned for a full refund) — ⊗ Keys sold separately	Example: M9070T 54.00
J		SFIC — Housing with disposable plastic SFIC plug	Example: M9070J N/C
C		SFIC — Housing with combined SFIC core installed at the factory ¹ ; BA (default), BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, D100 keyway — ⊗ Keys sold separately	Example: M9070C 62.00
G		Schlage LFIC — Housing with keyed temporary Schlage LFIC construction core (Core may be returned for full refund) — ⊗ Keys sold separately	Example: M9070G 65.00
R		Schlage LFIC — Housing less core	Example: M9070R 12.00
F		Schlage LFIC — Housing with combined Schlage LFIC installed at the factory (SC keyway) — ⊗ Keys sold separately	Example: M9070F 62.00

1. For uncombined cores, UNC, cores must be ordered separately, see Cylinders, Keys & Keying.

Locks will be supplied w/plastic construction core, Option J.

⊗ Denotes keys must be ordered separately.

Cut Keys Ordered Separately

Part #	Description	List \$
45101	SFIC Cut key— Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	10.00
45401	SFIC Cut key— Change key, master key, or control key; SKC keyways — D100 etc.	16.00
45103	SFIC Cut key— Emergency key for M9985C or M9986C; BA keyways	28.00
45403	SFIC Cut key— Emergency key for M9985C or M9986C; SKC keyways — D100 etc.	28.00
45404	CONV/LFIC Cut key — 1-bit key for operating 1-bit cylinders — SC, SE keyways	8.00
45405	LFIC Cut key — 1-bit control key (to install/remove "1-bit" LFIC cores) — SC keyway	8.00
44101SC	CONV/LFIC Key blank — SC keyway	5.00
44104SC	LFIC Key blank — Control key (to install/remove LFIC Cores) — SC keyway	7.00


NOTES:

- M9985D and M9986D are available MKD, CMK, or 1-bit only.
- Emergency keys for M9985D and M9986D are 45101 or 45401.
- Distribution of DORMA SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for DORMA SKC policies.
- 1-bit cylinder comes with (2) uncut keys and will require a 1-bit cut key, sold separately, to operate cylinder. SC and SE keyways only.
- See Keys and Key Blanks section for complete list.


Configuration Options

Description: Grade 1 Mortise Locks Less Components (Use LRA trim design and specified finish for base list price.)	List Deduct \$
Less outside lever and rose Example: M9953D LLL × LRA 626 RH 134 5006 114; includes mortise less trim kit 76007272	Deduct 36.00
Less inside lever and rose Example: M9953D LRA × LLL 626 RH 134 5006 114; includes mortise less trim kit 76007272	Deduct 36.00
Less strike Example: M9953D LRA 626 RH 134 LLL	Deduct 36.00
NOTES: <ul style="list-style-type: none"> For other configurations, consult factory. Mortise locks not available less trim both sides. 	

Strikes

	Part #	Description	List Add \$
	5006 — ANSI Strike for Mortise Lock (*see below for usage)		
	5006-114	1-1/4" × 4-7/8", 1-1/4" lip length, square corner, curved lip	N/C
	5006-078	1-1/4" × 4-7/8", 7/8" lip length, square corner, straight lip	26.00
	5006-112	1-1/4" × 4-7/8", 1-1/2" lip length, square corner, curved lip	26.00
	5006-134	1-1/4" × 4-7/8", 1-3/4" lip length, square corner, curved lip	26.00
	5006-200	1-1/4" × 4-7/8", 2" lip length, square corner, curved lip	26.00
	5006-214	1-1/4" × 4-7/8", 2-1/4" lip length, square corner, curved lip	35.00

* Default length strike shown in bold for all M9000 functions. Lip length is distance from center of mounting holes to edge of strike.

	Part #	Description	List Add \$
	5007 — ANSI Strike for Mortise Lock (*see below for usage)		
	5007-114	1-1/4" × 4-7/8", 1-1/4" lip length, square corner (specify hand)	17.00

* Optional handed strike available for M9000 functions without dead bolts. Only available in 1-1/4" lip length. Specify hand.

Antimicrobial Coating

Description of Components Coated	List Add \$
Available on 626 and 630 finishes only. Not available with 630 H escutcheon. Specify AM. Example: 626AM or 630AM	
Rose Trim A, B, or D	97.00
Escutcheon Trim H* or M	112.00

NOTES:





- Extended leadtime, consult factory.
- *AM option on 630 H escutcheon, consult factory.

Special Application Options

Lead Lined Lock Case

Part #	Description	List Add \$
660001	Lead lining plate for M9000 Series Mortise Locks	294.00


Occupancy Indicators

	Part #	Description	List Add \$
	79019	Occupancy indicator for rose trim used w/cylinder, reading OCCUPIED/VACANT or SECURED/UNSECURED. Both readings supplied. Specify finish.	123.00
		Optional RG — Solid red/green indicator inserts. Specify 79019 630 RG.	11.00
		M9072 indicator inserts (LOCKED/UNLOCKED with red/green background). Specify 79019 630 M9072.	11.00
	79020	Occupancy indicator for rose trim used without cylinder, emergency access, reading OCCUPIED/VACANT. Specify finish.	123.00
	79021	Occupancy indicator for rose trim used without cylinder, reading SECURED/UNSECURED. No emergency access. Used on inside of door with 79019 on outside.	123.00
	79022	Occupancy indicator w/cointurn for rose trim used without cylinder, reading OCCUPIED/VACANT. Specify finish.	123.00

NOTES:

- 1-3/4"–2-1/8" thick doors.
- Specify finish. Example: 79019 626.
- Indicators will work on the following functions but may have unexpected operation on lock sets that remain locked when the dead bolt is retracted: M9046, 9056, 9072, 9940, 9942, 9953, 9956, 9957, 9959, 9960, 9961, 9962, 9966, 9967, 9968, 9973, 9974, 9980, 9985, 9986, 9996

Tactile Markings

	Part #	Description	List Add \$
	660002	Knurled or grooved lever (LR, LT, and LG designs only)	85.00
	660003	Abrasive coated lever or knob (all designs)	61.00

NOTE: Tactile marking is applied to outside knob or lever only, unless otherwise specified. Prices shown per single lever or knob.

Request to Exit/Latch Monitoring

Suffix	Description	List Add \$
RX	Request to exit, M9025/ 9050/ 9080 / 9080EU/ 9080EL/ 9082EU/ 9082EL. Specify RX. Example: M9010RX.	221.00
LM	Latch Monitoring, M9010/ 9025/ 9050/ 9053/ 9070/ 9071/ 9080/ 9080EL/ 9080EU/ 9082/ 9082EL/ 9082EU. Specify LM. Example: M9080EULM.	221.00
RXLM	Request to Exit & Latch Monitoring, M9025/ 9050/ 9080/ 9080EL/ 9080EU. Specify RXLM. Example: M9050RXLM.	436.00

Security Screws

Specify	Description	List Add \$
TX A/B/D	Security screws for all exposed fasteners (sectional trim and dead bolts only).	24.00
TX H	Security screws for all exposed fasteners (H escutcheon only).	26.00
TX M	Security screws for all exposed fasteners (M escutcheon only).	26.00

NOTE: Only available for use with 619, 625, 626, and 630 finish locksets.

Special Strikes (Non-Standard Lip Lengths)

Part #	Description	626, 630	605, 606, 612, 613, 622
		List Add \$	
5006-XXX	1-1/4" × 4-7/8", special lip length (greater than 2-1/4"). Specify lip length.	113.00	140.00

Example: 5006-312 630 for a 2-1/2" lip length strike in 630 finish.

NOTE: Non-standard items are considered to be special request items and have an extended lead time. Consult factory for more information.

Non-Standard Door Thickness


Charges include special strike and cylinder requirements. Extended lead time may be required, check with factory. For functions requiring an indicator, add \$75.

Description	Type	List Add \$
Functions without a Cylinder		
Doors >1-3/4" to 2-1/2"	EE, EI, EO, ED	N/C
Doors >2-1/2" to 4"	EE, EI, EO, ED	111.00
Single Cylinder Functions		
Doors >1-3/4" to 2-1/2"	EE, EI, EO, ED	N/C
Doors >2-1/2" to 4"	EI	111.00
Doors >2-1/2" to 4"	EE, EO, ED	301.00
Double Cylinder Functions		
Doors >1-3/4" to 2-1/2"	EE, EI, EO, ED	N/C
Doors >2-1/2" to 4"	EI	111.00
Doors >2-1/2" to 4"	EE, EO, ED	524.00

NOTES:

- EE — Door thickness extended equally (lock is centered)
- EI — Door thickness extended inside only
- EO — Door thickness extended outside only
- ED — Door thickness extended differently inside and outside

Required Information — For Non-Standard Door Thickness



Special Requests:

Customized products may be available to solve unusual functions or applications.

Contact Technical Services for assistance.

Cylinder Types, Keying Options, and Keyways

Cylinder	Option	Description	List Add/Deduct \$
Conventional Cylinders (non-interchangeable core)			
D		Conventional cylinder	Example: D960D
	KD	Keyed differently to a random combination; SC keyway with 2 keys (default)	N/C
	KA2	Keyed alike in pairs to a random combination; SC keyway with 2 keys	N/C
	NSK	Keyed alike, sets of three or more; SC keyway with 2 keys	18.00
	NS2	Keyed alike double cylinder locks; SC keyway with 2 keys	34.00
	1-Bit	Operated by 1-bit cut key; SC, SE keyway with 2 key blanks (order 1-bit key separately)	N/C
	1-Bit	Operated by 1-bit cut key; D100 keyway — ⊗ Keys sold separately	N/C
	0-Bit	Operated by 0-bit cut key; AA, CA, CB, CC, CD, CE, RA, RB, GA, SF, YA, YG keyways with 2 key blanks	18.00
	MKD	Master keyed; SC, SE, or D100 keyway — ⊗ Keys sold separately	23.00
	MK2	Master keyed double cylinder lock; SC, SE, or D100 keyway — ⊗ Keys sold separately	45.00
	CMK	Construction master keyed single cylinder locks — ⊗ Keys sold separately	25.00
	CM2	Construction master keyed double cylinder locks — ⊗ Keys sold separately	49.00
L		Lock less conventional cylinder and collar	Example: D960L Deduct 30.00
Interchangeable Core Cylinders			
T		SFIC — Housing with keyed temporary SFIC construction core (Core may be returned for a full refund) — ⊗ Keys sold separately	Example: D960T 54.00
J		SFIC — Housing with disposable plastic SFIC plug	Example: D960J N/C
C		SFIC — Housing with combined SFIC core installed at the factory ¹ ; BA (default), BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, D100 keyway — ⊗ Keys sold separately	Example: D960C 62.00
G		Schlage LFIC — Housing with keyed temporary Schlage LFIC construction core (Core may be returned for full refund) — ⊗ Keys sold separately	Example: D960G 54.00
R		Schlage LFIC — Housing less core	Example: D960R 12.00
F		Schlage LFIC — Housing with combined Schlage LFIC installed at the factory (SC keyway) — ⊗ Keys sold separately	Example: D960F 62.00

¹ For uncombined cores, UNC, cores must be ordered separately, see Cylinders, Keys & Keying.

Locks will be supplied w/plastic construction core, Option J.

⊗ Denotes keys must be ordered separately.

Cut Keys Ordered Separately

Part #	Description	List \$
45101	SFIC Cut key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	9.00
45401	SFIC Cut key — Change key, master key, or control key; SKC keyways — D100 etc.	13.00
45404	CONV/LFIC Cut key — 1-bit key for operating 1-bit cylinders — SC, SE keyways	7.00
45405	LFIC Cut key — 1-bit control key (to install/remove "1-bit" LFIC cores) — SC keyway	7.00
44101SC	CONV/LFIC Key blank — SC keyway	4.00
44104SC	LFIC Key blank — Control key (to install/ remove LFIC Cores) — SC keyway	6.00

NOTES:

- Distribution of DORMA SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for DORMA SKC policies.
- 1 bit cylinder comes with (2) uncut keys and will require a 1 bit cut key, sold separately, to operate cylinder. SC and SE keyways only.
- See Keys and Key Blanks section for complete list.

D900 Accessories

Antimicrobial Coating

Description of Components Coated		List \$
Available on 626 and 630 finished. Specify AM. Example 626AM or 630AM.		
Inside	Thumb Turn and Rose if applicable to function	47.00

NOTE: AM Coating not available on Cylinders (AM Coating not available on outside). Extended lead time required, consult factory.


Security Screws

Specify	Description	List \$
TX	Security Screws for Strike, Armor Plate, Thumb Turn	24.00

NOTE: Only available for use with 619, 625, 626, and 630 finish locksets.

T900 Series








Ordering Guide












Function			Rose Design		Finish ³		Fire-Rated ⁵		Latch Bolt ⁶		Strike Options ⁶		Lip Length ⁶	
Privacy, Bedroom or Bath	40				630	— Satin Stainless								
Exit/Communicating Passage	25				626	— Satin Chrome								
Passage/Closet	10				625	— Bright Chrome								
Double Dummy	02				622 PVD	— Satin Black								
Single Dummy, Through-Bolted	01				619 PVD	— Satin Nickel								
					613 PVD	— Dark Oxidized Satin Bronze								
					612 PVD	— Satin Bronze								
					606 PVD	— Satin Brass								
					605 PVD	— Bright Brass								
Product Family			Lever Design ²		Antimicrobial Coating ⁴		Door Hand		Door Thickness ^{6,7}					
Grade 2 Tubular Lockset														

Trim Options
Lever Options


Standard



Premium




Wrought Roses



Finish Availability Chart

	605	606	612	613	619	622	625	626	630
Standard Levers									
LR	•	•	•	•	•	•	•	•	•
LC	•	•	•	•	•	•	•	•	•
LG	•	•	•	•	•	•	•	•	•
LF	•	•	•	•	•	•	•	•	
LT	•	•	•	•	•	•	•	•	•
LV	•	•	•	•	•	•	•	•	
L118		•	•	•	•	•			•
Premium Levers									
LA	•	•	•	•	•	•	•	•	•
LD	•	•	•	•	•	•	•	•	
LN	•	•	•	•	•	•	•	•	
L109		•	•	•	•	•			•
L110	•	•	•	•	•	•	•	•	•
L112		•	•	•	•	•			•
L114	•	•	•	•	•	•	•	•	
L117	•	•	•	•	•	•			•
Knob									
KB		•	•	•	•	•			•

T900 Series



Standard Levers

L118 not available in 605, 625, or 626 finish.
 LF and LV not available in 630 finish.
 See Lever Finish Availability Chart, page 21.
 D rose not available in 625 or 626.

626

605, 606, 612, 619,
622, 625, 613, 630

ANSI #	Function	Description	List \$	
Keyless				
—	T901	Single dummy, surface mounted	192.00	202.00
—	T902	Double dummy	262.00	280.00
F75	T910	Passage/closet	314.00	334.00
F111	T925	Exit/communicating	314.00	334.00
F76	T940	Privacy, bedroom or bath	336.00	354.00

NOTE: Split finishes will be priced at the higher finish list price.

Premium Levers

L109, L112, and L117 not available in 625 or 626 finishes.
 LD, LN, and L114 not available in 630 finish.
 See Lever Finish Availability Chart, page 21.
 D rose not available in 625 or 626.

626


605, 606, 612, 619,
622, 625, 613, 630

ANSI #	Function	Description	List \$	
Keyless				
—	T901	Single dummy, surface mounted	208.00	220.00
—	T902	Double dummy	291.00	310.00
F75	T910	Passage/closet	348.00	366.00
F111	T925	Exit/communicating	348.00	366.00
F76	T940	Privacy, bedroom or bath	367.00	387.00

NOTE: Split finishes will be priced at the higher finish list price.


Configuration Options

Non-Fire Latch Bolts



Part #	Backset	Description	List Add \$
90202	2-3/4"	1-1/8" faceplate, passage, square corner, non-fire, T910 only	N/C
90200	2-3/4"	1" faceplate, passage, square corner, non-fire, T910 only	N/C
90100	2-3/8"	1" faceplate, passage, square corner, non-fire, T910 only	N/C
90101	2-3/8"	1" faceplate, passage, 1/4" radius corner, non-fire, T910 only	N/C
90232	2-3/4"	1-1/8" faceplate, privacy, square corner, non-fire, T940 only	N/C
90230	2-3/4"	1" faceplate, privacy, square corner, non-fire, T940 only	N/C
90130	2-3/8"	1" faceplate, privacy, square corner, non-fire, T940 only	N/C
90131	2-3/8"	1" faceplate, privacy, 1/4" radius corner, non-fire, T940 only	N/C


Fire-Rated Latch Bolts



Part #	Backset	Description	List Add \$
91202	2-3/4"	1-1/8" faceplate, passage, square corner, 90 min fire-rated, T910	19.00
91200	2-3/4"	1" faceplate, passage, square corner, 90 min fire-rated, T910	19.00
91100	2-3/8"	1" faceplate, passage, square corner, 90 min fire-rated, T910	19.00
91101	2-3/8"	1" faceplate, passage, 1/4" radius corner, 90 min fire-rated, T910	19.00


NOTE: List add for fire-rated latch with T910 only. Fire-rated latch standard for T925 – no list add. Not available on T940.

Strikes




Part #	Description	List Add \$
5101 – T Strike with Dust Box		
5101-118	1-1/8" x 2-3/4", 1-1/8" lip length, square corner	N/C
5101-112	1-1/8" x 2-3/4", 1-1/2" lip length, square corner	26.00
5102-118	1-1/8" x 2-3/4", 1-1/8" lip length, radius corner	N/C

NOTE: Default strike shown in bold.



Part #	Description	List Add \$
5201, 5202 – Full Lip Strike		
5201-118	1-5/8" x 2-1/4", 1-1/8" lip length, square corner	N/C
5202-118	1-5/8" x 2-1/4", 1-1/8" lip length, 1/4" radius corner	N/C

Strikes Continued



Part #	Description	List Add \$
5001 – ANSI Strike, includes Dust Box		
5001-1316	1-1/4" x 4-7/8", 1-3/16 lip length, square corner	N/C
5001-112	1-1/4" x 4-7/8", 1-1/2 lip length, square corner	26.00
5001-078	1-1/4" x 4-7/8", 7/8 lip length	26.00

Special Application Options


Antimicrobial Coating

Available on 626 and 630 finish. Specify AM. Example: 626AM

Description of Components Coated	List Add \$
Lever trim Inside: Lever and rose Outside: lever and rose	59.00

NOTE: Extended leadtime, consult factory.

Tactile Markings



Part #	Description	List Add \$
660002	Knurled or grooved lever (LR, LT, and LG designs only)	84.00
660003	Abrasive coated lever or knob (all designs)	61.00

NOTE: Tactile marking is applied to outside knob or lever only, unless otherwise specified. Prices shown per single lever or knob.

Special Strikes (Non-Standard Lip Lengths)

Part #	Description	List Add \$
5001 – ANSI Strike with Tubular Lock Cutout, includes Dust Box		
5001-XXX	1-1/4" x 4-7/8", special lip length (longer than 1-1/2"). Specify length and finish.	111.00

Example: 5001-200 630 for a 2" lip length in 630 finish.


NOTE: Non-standard items are considered to be special request items and have an extended lead time. Consult factory for more information.

C100 Series

Ordering Guide

Function

F93 – Faculty Restroom/Hotel ¹	85
F87 – Asylum	82
Electrically Unlocked (Fail Secure)	80EU
Electrically Locked (Fail Safe)	80EL
F86 – Storeroom	80
F110 – Classroom Intruder	77
F90 – Corridor/Dormitory	73
F80 – Communicating	72
F84 – Classroom	70
F91 – Store Door	66
F113 – Exit/Communicating Classroom	65
F88 – Apartment	60
F92 – Service Station	55
F109 – Entry	53
F82 – Entry/Office	50
F112 – Exit/Communicating Storeroom	48
Hospital Privacy	44
F76A – Privacy, Bedroom or Bath	40
F77A – Patio	30
F111 – Exit/Communicating Passage	25
F89 – Exit	12
F75 – Passage/Closet	10
Double Dummy	02
Single Dummy	01



Finish

626	— Satin Chrome
625	— Bright Chrome
622	— Satin Black
619	— Satin Nickel
613	— Dark Oxidized Satin Bronze
612	— Satin Bronze
606	— Satin Brass
605	— Bright Brass

Cylinder Type³

D	— Conventional Cylinder
L	— Less Conventional Cylinder
J	— SFIC (Less Core)
T	— Temporary SFIC

Ordering Code Example: **C1 53 [] D LR C 626 [] [] RH 10252 134 5001 1316 XXXX**

Product Family: Heavy-Duty Grade 1 Cylindrical Lockset

Request to Exit²: RX

Lever Design: Lever — LR, LC, LG

Rose Design: C — 3-1/2" Dia., D — 3-1/2" Dia. stamped, LOCK, E — 3-1/2" Dia. stepped rose, F — 3-1/2" Dia. stepped rose stamped, LOCK

Security Screws: AM, TX

Door Hand: RH — Right Hand, LH — Left Hand

Door Thickness⁵: 134 — 1-3/4"–2-1/4", 138 — 1-3/8"–1-5/8"




Keying Options Field: XXXX

Antimicrobial Coating⁴





1. Faculty restroom/hotel function available only in SFIC.
2. Request to exit option only available on lever lock. Available with C110, C150, C153, C170, C180, C180EL & C180EU functions only.
3. Consult factory for other cylinder options

4. Antimicrobial coating available on lever trim, 626 finish only. Consult factory for other finishes.
5. Door thickness range: Lever locks 1-3/4" – 2-1/4" without spacers; 1-3/8" – 1-5/8" with spacers.


Lever Designs




Rose Designs



Lever Locks











			Lever Locks	
			626	605, 606, 612, 619, 625, 613, 622
ANSI #	Function	Description	List \$	
Keyless				
F75	C110	Passage/closet	556.00	600.00
F89	C112	Exit	556.00	600.00
F111	C125	Exit/communicating passage	556.00	600.00
F77A	C130	Patio	658.00	705.00
F76A	C140	Privacy, bedroom or bath	637.00	683.00
—	C144	Hospital privacy	637.00	683.00
—	C101	Single dummy	240.00	262.00
—	C102	Double dummy	459.00	506.00
Keyed, Single Cylinder				
F112	C148	Exit/communicating storeroom	740.00	799.00
F82	C150	Entry/office	740.00	799.00
F109	C153	Entry	740.00	799.00
F84	C170	Classroom	740.00	799.00
F92	C155	Service station	740.00	799.00
F113	C165	Exit/communicating classroom	740.00	799.00
F86	C180	Storeroom	740.00	799.00
F90	C173	Corridor/dormitory	763.00	808.00
F93	C185 ¹	Faculty restroom/hotel	865.00	910.00
—	C180EL	Electrically locked (fail safe)	1008.00	1056.00
—	C180EU	Electrically unlocked (fail secure)	1008.00	1056.00
Keyed, Double Cylinder				
F80	C172	Communicating	895.00	943.00
F87	C182	Asylum	895.00	943.00
F88	C160	Apartment	895.00	943.00
F91	C166	Store door	895.00	943.00
F110	C177	Classroom intruder (includes LOCK rose on inside)	895.00	943.00

NOTE: 1. Faculty restroom/hotel function available only in SFIC.

Cylinder Types, Keying Options, and Keyways

Cylinder	Option	Description	List Add/Deduct \$
Conventional Cylinders (non-interchangeable core)			
D		Conventional cylinder	Example: C153D
	KD	Keyed differently to a random combination; SC keyway with 2 keys (default)	N/C
	KA2	Keyed alike in pairs to a random combination; SC keyway with 2 keys	N/C
	NSK	Keyed alike, sets of three or more; SC keyway with 2 keys	16.00
	NS2	Keyed alike double cylinder locks; SC keyway with 2 keys	31.00
	1-Bit	Operated by 1-bit cut key; SC, SE keyway with 2 key blanks (order 1-bit key separately)	N/C
	0-Bit	Operated by 0-bit key; D100 keyway —  Keys sold separately	N/C
	0-Bit	Operated by 0-bit cut key; AA, CA, CB, CC, CD, CE, RA, RB, GA, SF, YA, YG keyways with 2 key blanks	16.00
	MKD	Master keyed; SC, SE, or D100 keyway —  Keys sold separately	21.00
	MK2	Master keyed double cylinder lock; SC, SE, or D100 keyway —  Keys sold separately	41.00
	CMK	Construction master keyed single cylinder locks —  Keys sold separately	23.00
	CM2	Construction master keyed double cylinder locks —  Keys sold separately	45.00
L		Lock less conventional cylinder	Example: C153L Deduct 30.00
Interchangeable Core Cylinders			
T		SFIC — Housing with keyed temporary SFIC construction core (Core may be returned for a full refund) —  Keys sold separately	Example: C170T 50.00
J		SFIC — Housing with disposable plastic SFIC plug	Example: C170J 164.00

1. For uncombined cores, UNC, cores must be ordered separately, see Cylinders, Keys & Keying.

 Denotes keys must be ordered separately.

Cut Keys Ordered Separately


Part #	Description	List \$
45101	SFIC Cut key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	9.00
45401	SFIC Cut key — Change key, master key, or control key; SKC keyways — D100 etc.	14.00
45404	CONV Cut key — 1-bit key for operating 1 bit cylinders — SC, SE keyways	7.00
44101SC	CONV Key blank — SC keyway	4.00

NOTES:

- Distribution of DORMA SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for DORMA SKC policies.
- 1-bit cylinder comes with (2) uncut keys and will require a 1-bit cut key, sold separately, to operate cylinder.
- See Keys and Key Blanks section for complete list.


Configuration Options

Latch Bolts




9/16" Throw, 2-3/4" Backset

Part #	Description	List Add \$
10252	1-1/8" x 2-3/4" front, 1" diameter, square corner	N/C




9/16" Throw, 3-3/4" Backset

Part #	Description	List Add \$
10352	1-1/8" x 2-1/4" front, 1" diameter, square corner	28.00



9/16" Throw, 5" Backset


Part #	Description	List Add \$
10552	1-1/8" x 2-1/4" front, 1" diameter, square corner	28.00



3/4" Throw, 2-3/4" Backset


Part #	Description	List Add \$
100 Locks		
18262	1-1/8" x 2-1/4" front, 1" diameter, square corner. Available in 605/ 606, 612, 613, 622, 626.	129.00

Strikes



Part #	Description	List Add \$
5001 – ANSI Strike Includes Dust Box		
5001-1316	1-1/4" × 4-7/8", 1-3/16" lip length, square corner	N/C
5003-078	ANSI 7/8" Flat lip strike	24.00

NOTE: Default strike shown in bold.



Part #	Description	List Add \$
5101 – T Strike with Dust Box		
5101-118	1-1/8" × 2-3/4", 1-1/8" lip length, square corner	N/C
5105-112	1-1/8" × 2-3/4", 1-1/2" lip length, square corner	24.00

Antimicrobial Coating

Available on 626 finish. Specify AM. Example: 626AM

Description of Components Coated	List Add \$
Lever trim Inside: Lever and rose Outside: lever and rose	55.00

NOTE: Extended leadtime, consult factory.

Special Application Options

Knurled Levers (Tactile Markings)

Part #	Description	List Add \$
660003	Abrasive adhesion	56.00

NOTE: Tactile marking is applied to outside knob or lever only, unless otherwise specified. Prices shown are for one lever only.

Spacers for 1-3/8" Doors, C100 Series

Part #	Description	605, 606, 612, 613, 622, 625, 626 List Add \$
660005	Spacers for thin door, 1 pair (2 spacers) 1-3/8" door – Specify finish.	55.00

NOTE: Spacers are included if 1-3/8" door thickness is specified.

Security Screws

Part #	Description	List Add \$
TX	Security screws for latch and strike.	20.00

NOTE: Specify finish 625/626, 605/606, 611/612, 613

Special Strikes (Non-Standard Lip Lengths)



Part #	Description	List Add \$
5001-XXX	1-1/4" × 4-7/8", special lip length (longer than 1-1/2"). Specify length.	104.00



NOTE: Non-standard items are considered to be special request items and have an extended lead time. Consult factory for more information.
Lip length is distance from center of mounting holes to edge of strike.

Request to Exit

Specify	Description	List Add \$
RX	Request to exit, available on C100 lever models: C110, C150, C153, C170, C180, C180EL, C180EU	189.00

Indicator Rose

 	Specify	Description	List Add \$
	D Rose*	Stamped LOCK on inside rose (specify finish)	N/C
	F Rose*	Stepped, stamped LOCK on inside rose (specify finish)	N/C

* Optional on inside of C160 Apartment function; Standard on inside of C177 Intruder function.

C800 Series (available only while supplies last)

Ordering Guide

Function

F93 – Faculty Restroom/Hotel ¹	85
F87 – Asylum	82
Electrically Unlocked (Fail Secure)	80EU
Electrically Locked (Fail Safe)	80EL
F86 – Storeroom	80
F110 – Classroom Intruder	77
F90 – Corridor/Dormitory	73
F80 – Communicating	72
F84 – Classroom	70
F91 – Store Door	66
F113 – Exit/Communicating Classroom	65
F88 – Apartment	60
F92 – Service Station	55
F109 – Entry	53
F82 – Entry/Office	50
F112 – Exit/Communicating Storeroom	48
Hospital Privacy	44
F76A – Privacy, Bedroom or Bath	40
F77A – Patio	30
F111 – Exit/Communicating Passage	25
F89 – Exit	12
F75 – Passage/Closet	10
Double Dummy	02
Single Dummy	01

Cylinder Type⁴

A	Corbin/Russwin 6-pin FSIC (less core)
M	Medeco FSIC 32 Series (less core)
E	Corbin Russwin 2000 series 6-Pin KIL (Less Cylinder)
N	Sargent 6300 FSIC (less core)
Y	Yale 1210/Medeco 31 Series 6-pin FSIC (less core)
S	Sargent 10 Line KIL (less cylinder)
F	Schlage LFIC
R	Schlage LFIC (Less Core)
G	Temporary Schlage LFIC
D	Conventional Cylinder
L	Less Conventional Cylinder
C	SFIC (With Core)
J	SFIC (Less Core)
T	Temporary SFIC

Finish⁷

630	Satin Stainless (Knob Designs)
626	Satin Chrome
625	Bright Chrome
622 PVD	Satin Black
619 PVD	Satin Nickel
613 PVD	Dark Oxidized Satin Bronze
612 PVD	Satin Bronze
606 PVD	Satin Brass
605 PVD	Bright Brass (Lever Designs)

E Rose

C Rose

Product Family
Heavy-Duty Grade 1 Cylindrical Lockset

Request to Exit² – RX

Lever/Knob Design

Lever	LR
Lever	LC
Lever	LG
Lever	LT
Lever, Handed	LF
Lever, Handed	LV
Knob ³	KB

Rose Design⁵

B	3" Dia.
C	3-1/2" Dia.
D	3-1/2" Dia. stamped, LOCK
E	3-1/2" Dia. stepped rose
F	3-1/2" Dia. stepped rose stamped, LOCK ⁶

Door Hand

AM	TX	RH	LH
Right Hand	Left Hand		

Security Screws

Antimicrobial Coating⁸

Door Thickness⁹

134	138
1-3/4"–2-1/4"	1-3/8"–1-5/8"

Keying Options Field

Strike Options

Lip Length

Latch Bolt

1. Faculty restroom/hotel function available in SC and SE keyway only. Not available in SFIC or prepared for competitor cylinders.

2. Request to exit option only available on lever locks. Available with C810, C850, C853, C870, C880, C880EL & C880EU functions only.

3. KB knob not available with Schlage LFIC. Conventional and SFIC only.

4. Consult factory for other cylinder options.

5. Rose B applicable to knob designs only. Roses C, D, E, and F applicable to lever designs only. Split design roses not available.








6. F Rose design in 626 only.

7. Split finishes, available on levers only, consult factory. Specify in-swing or out-swing.





8. Antimicrobial coating available on lever trim, 626 finish only. Consult factory for other finishes.

9. Door thickness range:
Lever locks 1-3/4"–2-1/4" without spacers, 1-3/8"–1-5/8" with spacers.
Knob locks 1-3/8"–2" without spacers or special tools.


Lever Designs




Rose Designs



Lever Locks




			Lever Locks	
			626	605, 606, 612, 619, 625, 613, 622
ANSI #	Function	Description	List \$	
Keyless				
F75	C810	Passage/closet	598.00	645.00
F89	C812	Exit	598.00	645.00
F111	C825	Exit/communicating passage	598.00	645.00
F77A	C830	Patio	708.00	758.00
F76A	C840	Privacy, bedroom or bath	685.00	735.00
—	C844	Hospital privacy	685.00	735.00
—	C801	Single dummy	258.00	282.00
—	C802	Double dummy	494.00	544.00
Keyed, Single Cylinder				
F112	C848	Exit/communicating storeroom	796.00	859.00
F82	C850	Entry/office	796.00	859.00
F109	C853	Entry	796.00	859.00
F84	C870	Classroom	796.00	859.00
F92	C855	Service station	796.00	859.00
F113	C865	Exit/communicating classroom	796.00	859.00
F86	C880	Storeroom	796.00	859.00
F90	C873	Corridor/dormitory	821.00	869.00
F93	C885 ¹	Faculty restroom/hotel	930.00	979.00
—	C880EL	Electrically locked (fail safe)	1084.00	1136.00
—	C880EU	Electrically unlocked (fail secure)	1084.00	1136.00
Keyed, Double Cylinder				
F80	C872	Communicating	963.00	1014.00
F87	C882	Asylum	963.00	1014.00
F88	C860	Apartment	963.00	1014.00
F91	C866	Store door	963.00	1014.00
F110	C877	Classroom intruder (includes LOCK rose on inside)	963.00	1014.00

* Split finishes priced at higher finish list price. Available on levers only.

NOTE: 1. Faculty restroom/hotel function available in SC and SE keyway only. Not available in SFIC or prepared for competitor cylinders.

Knob Locks



			Knob Locks
			630
ANSI #	Function	Description	List \$
Keyless			
F75	C810	Passage/closet	611.00
F76A	C840	Privacy, bedroom or bath	759.00
—	C801	Single dummy	280.00
Keyed, Single Cylinder			
F109	C853	Entry	882.00
F84	C870	Classroom	882.00
F86	C880	Storeroom	882.00
F90	C873	Corridor	893.00

- NOTES:
- List prices for keyed locks include standard (D) cylinder, keyed different (KD) with two (2) nickel silver keys.
 - For functions not shown, consult factory. Special order functions require extended lead times.
 - Knob locks not available prepared for competitor cylinder options.

Cylinder Types, Keying Options, and Keyways

Cylinder	Option	Description	List Add/Deduct \$
Conventional Cylinders (non-interchangeable core)			
D		Conventional cylinder	Example: C853D
	KD	Keyed differently to a random combination; SC keyway with 2 keys (default)	N/C
	KA2	Keyed alike in pairs to a random combination; SC keyway with 2 keys	N/C
	NSK	Keyed alike, sets of three or more; SC keyway with 2 keys	18.00
	NS2	Keyed alike double cylinder locks; SC keyway with 2 keys	34.00
	1-Bit	Operated by 1-bit cut key; SC, SE keyway with 2 key blanks (order 1-bit key separately)	N/C
	0-Bit	Operated by 0-bit key; D100 keyway — Keys sold separately	N/C
	0-Bit	Operated by 0-bit cut key; AA, CA, CB, CC, CD, CE, RA, RB, GA, SF, YA, YG keyways with 2 key blanks	18.00
	MKD	Master keyed; SC, SE, or D100 keyway — Keys sold separately	23.00
	MK2	Master keyed double cylinder lock; SC, SE, or D100 keyway — Keys sold separately	45.00
	CMK	Construction master keyed single cylinder locks — Keys sold separately	25.00
	CM2	Construction master keyed double cylinder locks — Keys sold separately	49.00
L		Lock less conventional cylinder	Example: C853L Deduct 30.00
Interchangeable Core Cylinders			
T		SFIC — Housing with keyed temporary SFIC construction core (Core may be returned for a full refund) — Keys sold separately	Example: C870T 50.00
J		SFIC — Housing with disposable plastic SFIC plug	Example: C870J N/C
C		SFIC — Housing with combined SFIC core installed at the factory ¹ ; BA (default), BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, D100 keyway — Keys sold separately	Example: C870C 62.00
G		Schlage LFIC — Housing with keyed temporary Schlage LFIC construction core (Core may be returned for full refund) — Keys sold separately	Example: C870G 52.00
R		Schlage LFIC — Housing less core	Example: C870R 12.00
F		Schlage LFIC — Housing with combined Schlage LFIC installed at the factory (SC keyway) — Keys sold separately	Example: C870F 62.00
Competitor Cylinder Types			
A/M/N/Y		Other manufacturer IC core prep, less core	134.00
E		Lock prepared for Corbin/Russwin 2000 Series 6-pin KIL cylinder, less cylinder (all designs)	Example: C853E N/C
S		Lock prepared for Sargent 10 line KIL, less cylinder (all designs)	Example: C853S N/C

1. For uncombined cores, UNC, cores must be ordered separately, see Cylinders, Keys & Keying.

⊗ Denotes keys must be ordered separately.

Cut Keys Ordered Separately






Part #	Description	List \$
45101	SFIC Cut key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	10.00
45401	SFIC Cut key — Change key, master key, or control key; SKC keyways — D100 etc.	16.00
45404	CONV/LFIC Cut key — 1-bit key for operating 1 bit cylinders — SC, SE keyways	8.00
45405	LFIC Cut key — 1-bit control key (to install/remove "1-bit" LFIC cores) — SC keyway	5.00
44101SC	CONV/LFIC Key blank — SC keyway	5.00
44104SC	LFIC Key blank — Control key (to install/remove LFIC Cores) — SC keyway	7.00

NOTES:


- Distribution of DORMA SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for DORMA SKC policies.
- 1-bit cylinder comes with (2) uncut keys and will require a 1-bit cut key, sold separately, to operate cylinder.
- See Keys and Key Blanks section for complete list.

Configuration Options

Latch Bolts


	1/2" Throw, 2-3/4" Backset		
	Part #	Description	List Add \$
	For 810, 840, and 844 Functions		
	10202	1-1/8" x 2-1/4" front, 1" diameter, square corner	N/C
	For All Other Functions		
	10252	1-1/8" x 2-1/4" front, 1" diameter, square corner	N/C
	1/2" Throw, 2-3/8" Backset		
	Part #	Description	List Add \$
	For 810, 840, and 844 Functions		
	10100	1" x 2-1/4" front, 7/8" diameter, square corner	16.00
	10101	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	16.00
	10102	1-1/8" x 2-1/4" front, 7/8" diameter, square corner	16.00
	For All Other Functions		
	10150	1" x 2-1/4" front, 7/8" diameter, square corner	16.00
	10151	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	16.00
	10152	1-1/8" x 2-1/4" front, 7/8" diameter, square corner	16.00
	1/2" Throw, 3-3/4" Backset		
	Part #	Description	List Add \$
	For 810, 840, and 844 Functions		
	10302	1-1/8" x 2-1/4" front, 1" diameter, square corner	31.00
	For All Other Functions		
	10352	1-1/8" x 2-1/4" front, 1" diameter, square corner	31.00
	1/2" Throw, 5" Backset		
	Part #	Description	List Add \$
	For 810, 840, and 844 Functions		
	10502	1-1/8" x 2-1/4" front, 1" diameter, square corner	31.00
	For All Other Functions		
	10552	1-1/8" x 2-1/4" front, 1" diameter, square corner	20.00
	3/4" Throw, 2-3/4" Backset		
	Part #	Description	List Add \$
	800 Locks (605 and 626 finishes only, Non-Restoring)		
	18262	1-1/8" x 2-1/4" front, 1" diameter, square corner. Available in 605 or 626 only.	139.00

Strikes




Part #	Description	List Add \$
5001 — ANSI Strike Includes Dust Box		
5001-1316	1-1/4" × 4-7/8", 1-3/16" lip length, square corner	N/C
5001-112	1-1/4" × 4-7/8", 1-1/2" lip length, square corner	26.00
5001-078	1-1/4" × 4-7/8", 7/8" lip length	26.00

NOTE: Default strike shown in bold.



Part #	Description	List Add \$
5101 — T Strike with Dust Box		
5101-118	1-1/8" × 2-3/4", 1-1/8" lip length, square corner	N/C
5101-112	1-1/8" × 2-3/4", 1-1/2" lip length, square corner	26.00
5102-118	1-1/8" × 2-3/4", 1-1/8" lip length, radius corner. Available only in 630 for use with 626 and 619.	N/C



Part #	Description	List Add \$
5201, 5202 — Full Lip Strike		
5201-118	1-5/8" × 2-1/4", 1-1/8" lip length, square corner	N/C
5202-118	1-5/8" × 2-1/4", 1-1/8" lip length, 1/4" radius corner	N/C

Antimicrobial Coating

Available on 626 finish. Specify AM. Example: 626AM

Description of Components Coated	List Add \$
Lever trim Inside: Lever and rose Outside: lever and rose	60.00

NOTE: Extended leadtime, consult factory.

Special Application Options

Knurled Knob and Levers (Tactile Markings)

Part #	Description	List Add \$
660002	Knurled or grooved lever (LR or LG designs only)	89.00
660003	Abrasive coated lever or knob (all designs)	61.00

NOTE: Tactile marking is applied to outside knob or lever only, unless otherwise specified. Prices shown are for one lever only.

Lead Lining Plate

Part #	Description	List Add \$
660004	Lead lining plate for C800, CL700	232.00

Spacers for 1-3/8" Doors, C800 Series

Part #	Description	605, 606, 612, 613, 622, 625, 626 List Add \$
660005	Spacers for thin door, 1 pair (2 spacers) 1-3/8" door – Specify finish.	60.00

NOTE: Spacers are included if 1-3/8" door thickness is specified.

Security Screws

Part #	Description	List Add \$
TX	Security screws for latch and strike.	22.00

NOTE: Only available for use with 619, 625, 626, and 630 finish locksets.

Special Strikes (Non-Standard Lip Lengths)



Part #	Description	List Add \$
5001-XXX	1-1/4" x 4-7/8", special lip length (longer than 1-1/2"). Specify length.	112.00

NOTE: Non-standard items are considered to be special request items and have an extended lead time. Consult factory for more information.
Lip length is distance from center of mounting holes to edge of strike.

Request to Exit



Specify	Description	List Add \$
RX	Request to exit, available on C800 lever models: 853, 870, 880, 880EL, 880EU	204.00

Indicator Rose


	Specify	Description	List Add \$
	D Rose*	Stamped LOCK on inside rose (specify finish)	N/C
	F Rose*	Stepped, stamped LOCK on inside rose (specify finish)	N/C

* Optional on inside of C860 Apartment function; Standard on inside of C877 Intruder function.

Drilling Jig


	Part #	Description	List \$
	76004795	Drilling Jig for C800, CL700, and C500 Locksets	18.00
	640003	Mount, C800 lever, CL700, and C500 Series — 1-1/8" × 2-1/4" faceplate	133.00

D800 Series (available only while supplies last)
Ordering Guide



Function		Cylinder Type ¹		Security Screws		Door Thickness ^{3,5}	
Turn x Turn —	82	F	— Schlage FSIC			182	— 1-13/16"–2"
Turn only —	81	R	— Schlage FSIC (Less Core)			134	— 1-3/8"–1-3/4"
Turn x Blank Plate —	80	G	— Temporary Schlage FSIC				
Turn x Occupancy Indicator —	71	D	— Conventional Cylinder				
Cylinder x Classroom —	63	C	— SFIC (With Core)				
Cylinder x Cylinder —	62	J	— SFIC (Less Core)				
Cylinder x Blank Plate —	61	T	— Temporary SFIC				
Cylinder x Turn —	60						

D800 Series



626	605, 606, 612, 619, 625, 613
-----	---------------------------------

ANSI #	Function	Description	List \$	
Keyless				
E21111	D880	Thumb turn × blank plate	212.00	235.00
E2191	D881	Thumb turn only	203.00	226.00
—	D882	Thumb turn × thumb turn (windstorm)	252.00	278.00
—	D871	Thumb turn × occupancy indicator w/coin turn	207.00	231.00
Keyed, Single Cylinder				
E2151	D860	Cylinder × turn	252.00	278.00
E2161	D861	Cylinder × blank	252.00	278.00
E2171	D863	Cylinder × classroom turn	265.00	289.00
Keyed, Double Cylinder**				
E2141	D862	Cylinder × cylinder	324.00	348.00

** CAUTION: Double cylinder locks used on residences and any door in a structure which is used for egress are a life safety hazard in times of emergency and their use is not recommended. Installation should be in accordance with existing codes only.

NOTE: List prices for keyed locks include standard DORMA (D) cylinder, keyed different (KD) with two (2) nickel silver keys.

Cylinder Types, Keying Options, and Keyways

Cylinder	Option	Description	List Add/Deduct \$
Conventional Cylinders (non-interchangeable core)			
D		Conventional cylinder	Example: D860D
	KD	Keyed differently to a random combination; SC keyway with 2 keys (default)	N/C
	KA2	Keyed alike in pairs to a random combination; SC keyway with 2 keys	N/C
	NSK	Keyed alike, sets of three or more; SC keyway with 2 keys	18.00
	NS2	Keyed Alike double cylinder locks; SC keyway with 2 keys	34.00
	1-Bit	Operated by 1-bit cut key; SC, SE keyway with 2 key blanks (order 1-bit key separately)	N/C
	0-Bit	Operated by 0-bit key; D100 keyway — ⊗ Keys sold separately	N/C
	0-Bit	Operated by 0-bit cut key; AA, CA, CB, CC, CD, CE, RA, RB, GA, SF, YA, YG keyways with 2 key blanks	18.00
	MKD	Master keyed; SC, SE, or D100 keyway — ⊗ Keys sold separately	23.00
	MK2	Master keyed double cylinder lock; SC, SE, or D100 keyway — ⊗ Keys sold separately	45.00
	CMK	Construction master keyed single cylinder locks — ⊗ Keys sold separately	25.00
	CM2	Construction master keyed double cylinder locks — ⊗ Keys sold separately	49.00
Interchangeable Core Cylinders			
T		Lock with keyed temporary SFIC construction core (cores may be returned for a full refund) — ⊗ Keys sold separately	Example: D860T 54.00
J		Lock with disposable plastic SFIC plug	Example: D860J N/C
C		Lock with combined SFIC core installed at the factory ¹ ; BA (default), BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, D100 keyway — ⊗ Keys sold separately	Example: D860C 62.00
G		Schlage LFIC — Housing with keyed temporary Schlage LFIC construction core (Core may be returned for full refund) — ⊗ Keys sold separately	Example: D862G 54.00
R		Schlage LFIC — Housing less core	Example: D860R 12.00
F		Schlage LFIC — Housing with combined Schlage LFIC installed at the factory (SC keyway) — ⊗ Keys sold separately	Example: D862F 62.00

* The Less Cylinder option is not available for the D800 Series.

¹ For uncombined cores, UNC, cores must be ordered separately, see Cylinders, Keys & Keying. Locks will be supplied w/plastic construction core, Option J.

⊗ Denotes keys must be ordered separately.

Cut Keys Ordered Separately


Part #	Description	List \$
45101	SFIC Cut key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	10.00
45401	SFIC Cut key — Change key, master key, or control key; SKC keyways — D100 etc.	16.00
45404	CONV/LFIC Cut key — 1-bit key for operating 1-bit cylinders — SC, SE keyways	8.00
45405	LFIC Cut key — 1-bit control key (to install/remove "1-bit" LFIC cores) — SC keyway	8.00
44101SC	CONV/LFIC Key blank — SC keyway	5.00
44104SC	LFIC Key blank — Control key (to install/remove LFIC Cores) — SC keyway	7.00

NOTES:

- Distribution of DORMA SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for DORMA SKC policies.
- 1-bit cylinder comes with (2) uncut keys and will require a 1-bit cut key, sold separately, to operate
- See Keys and Key Blanks section for complete list.

Configuration Options

Dead Bolts




1" Throw

Part #	Description	List Add \$
28752	1-1/8" × 2-1/4" faceplate, 2-3/4" backset, square corner	N/C
28652	1-1/8" × 2-1/4" faceplate, 2-3/8" backset, square corner	N/C


NOTE: Default configuration shown above in bold.

Strikes




Part #	Description	List Add \$
5103	Standard Strike for Dead Bolt	
5103	1-1/8" × 2-3/4", no lip, square corner	N/C


NOTE: Default strike shown above in bold.



Part #	Description	List Add \$
5004	ANSI Strike with Dead Bolt Cutout	
5004	1-1/4" × 4-7/8", no lip, square corner	10.00



Part #	Description	List Add \$
5203	Full Lip Strike with Dead Bolt Cutout	
5203-118	1-5/8" × 2-1/4", 1-1/8" lip length, square corner	N/C
5204-118	1-5/8" × 2-1/4", 1-1/8" lip length, 1/4" radius corner	N/C



Part #	Description	List Add \$
5006	ANSI Strike with Lip and Dead Bolt Cutout	
5006-114	1-1/4" × 4-7/8", 1-1/4" lip length, square corner	12.00
5006-112	1-1/4" × 4-7/8", 1-1/2" lip length, square corner	26.00

Antimicrobial Coating

Description of Components Coated	List Add \$
Available on 626 finish. Specify AM. Example: 626AM	
Inside: thumbturn, rose, or same as outside for double cylinder	59.00
Outside: trim ring and cylinder faceplate	
NOTE: Extended leadtime, consult factory.	


Security Screws

Specify	Description	List Add \$
TX	Security screws for all exposed fasteners.	26.00
NOTE: Only available for use with 619, 625, 626, and 630 finish locksets.		


Non-Standard Door Thickness

	1-3/8"-1-3/4" Door Thickness	To 2-1/2" Door Thickness	To 3" Door Thickness
Cylinder Type	List Add \$		
Standard	Standard	34.00	N/A
SFIC	Standard	54.00	54.00
LFIC	Standard	54.00	54.00

Required Information — For Non-Standard Door Thickness



C200 Series
Ordering Guide



Function

Storeroom	80
Classroom	70
Entry	53
Entry/Office	50
Privacy, Bedroom or Bath	40
Patio	30
Exit/Communicating Passage	25
Exit	12
Passage/Closet	10
Dummy Trim One Side	01

Cylinder Type

D	Conventional Cylinder
L	Less Cylinder
J	SFIC (Less Core)
T	Construction Core SFIC

Finish

626	Satin Chrome
625	Bright Chrome
613	Dark Oxidized Satin Bronze
612	Satin Bronze
606	Satin Brass
605	Bright Brass

Door Thickness

Strike Options¹

Lip Length

Lever Trim

C	2	53	D	LR	E	626		17252	134	2001	1316	XXXX
---	---	----	---	----	---	-----	--	-------	-----	------	------	------

Product Type

Product Family

Grade 2 Cylindrical Lockset

Lever Design

LR	Lever
LC	Lever
LG	Lever

Rose Design

Security Screws

Latch Bolt¹

Keying Options Field




3-7/16" Dia. Rose

TX


134

1-3/8" - 1-3/4"

1. Example shows default values. Refer to Lock Options section or price book for full details.



Lever Locks



Lever Locks

626	605, 606, 612, 625, 613
-----	-------------------------

ANSI #	Function	Description	List \$	
Keyless				
F75	C210	Passage/closet	251.00	289.00
F89	C212	Exit	278.00	316.00
F111	C225	Exit/communicating passage	278.00	316.00
F77A	C230	Patio	286.00	323.00
F76A	C240	Privacy, bedroom or bath	286.00	323.00
—	C201	Single dummy	144.00	165.00
Keyed, Single Cylinder				
F82	C250	Entry/office	366.00	403.00
F109	C253	Entry	366.00	403.00
F84	C270	Classroom	366.00	403.00
F86	C280	Storeroom	366.00	403.00

NOTES:

- Split trim not available.

Cylinder Types, Keying Options, and Keyways

Cylinder	Option	Description	List Add/Deduct \$
Conventional Cylinders (non-interchangeable core)			
D		Conventional cylinder	Example: C253D
	KD	Keyed differently to a random combination; SC keyway with 2 keys (default)	N/C
	KA2	Keyed alike in pairs to a random combination; SC keyway with 2 keys	N/C
	NSK	Keyed alike, sets of three or more; SC keyway with 2 keys	16.00
	NS2	Keyed alike double cylinder locks; SC keyway with 2 keys	31.00
	1-Bit	Operated by 1-bit cut key; SC, SE keyway with 2 key blanks (order 1-bit key separately)	N/C
	0-Bit	Operated by 0-bit key; D100 keyway — ⊗ Keys sold separately	N/C
	0-Bit	Operated by 0-bit cut key; AA, CA, CB, CC, CD, CE, RA, RB, GA, SF, YA, YG keyways with 2 key blanks	16.00
	MKD	Master keyed; SC, SE, or D100 keyway — ⊗ Keys sold separately	21.00
	MK2	Master keyed double cylinder lock; SC, SE, or D100 keyway — ⊗ Keys sold separately	41.00
	CMK	Construction master keyed single cylinder locks — ⊗ Keys sold separately	23.00
	CM2	Construction master keyed double cylinder locks — ⊗ Keys sold separately	45.00
L		Lock less conventional cylinder	Example: C253L Deduct 30.00
Small Format Interchangeable Core Cylinders			
T		Lock with keyed temporary SFIC construction core (cores may be returned for a full refund) — ⊗ Keys sold separately	Example: C253T 50.00
J		Lock with disposable plastic SFIC plug	Example: C253J 60.00

1. For uncombined cores, UNC, cores must be ordered separately, see Cylinders, Keys & Keying.
Locks will be supplied w/plastic construction core, Option J.

⊗ Denotes keys must be ordered separately.

Cut Keys Ordered Separately


Part #	Description	List \$
45101	SFIC Cut key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	9.00
45401	SFIC Cut key — Change key, master key, or control key; SKC keyways — D100 etc.	14.00
45404	CONV Cut key — 1-bit key for operating 1-bit cylinders — SC, SE keyways	7.00

NOTES:


- Distribution of DORMA SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for DORMA SKC policies.
- 1-bit cylinder comes with (2) uncut keys and will require a 1-bit cut key, sold separately, to operate cylinder.
- See Keys and Key Blanks section for complete list.

Configuration Options

Latch Bolts




1/2" Throw, 2-3/8" Backset		
Part #	Description	List Add \$
For 710, 712, 725, 750, 753, 770, or 780 Functions		
17150	1" x 2-1/4" front, 7/8" diameter, square corner	N/C
17151	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	N/C
17152	1-1/8" x 2-1/4" front, 1" diameter, square corner	N/C
For 730 & 740 Function		
17180	1" x 2-1/4" front, 7/8" diameter, square corner	N/C
17181	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	N/C
17182	1-1/8" x 2-1/4" front, 1" diameter, square corner	N/C




1/2" Throw, 2-3/4" Backset		
Part #	Description	List Add \$
For 710, 712, 725, 750, 753, 770, or 780 Functions		
17250	1" x 2-1/4" front, 7/8" diameter, square corner	N/C
17251	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	N/C
17252	1-1/8" x 2-1/4" front, 1" diameter, square corner	N/C
For 730 & 740 Function		
17280	1" x 2-1/4" front, 7/8" diameter, square corner	N/C
17281	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	N/C
17282	1-1/8" x 2-1/4" front, 1" diameter, square corner	N/C

NOTE: Default configurations for C200 shown above in bold.

Latch Bolts (continued)


**1/2" Throw, 3-3/4" Backset**

Part #	Description	List Add \$
For 710, 712, 725, 750, 753, 770, or 780 Functions		
17350	1" x 2-1/4" front, 7/8" diameter, square corner	25.00
17351	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	25.00
17352	1-1/8" x 2-1/4" front, 1" diameter, square corner	25.00
For 730 & 740 Function		
17380	1" x 2-1/4" front, 7/8" diameter, square corner	25.00
17381	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	25.00
17382	1-1/8" x 2-1/4" front, 1" diameter, square corner	25.00

**1/2" Throw, 5" Backset**


Part #	Description	List Add \$
For 710, 712, 725, 750, 753, 770, or 780 Functions		
17550	1" x 2-1/4" front, 7/8" diameter, square corner	25.00
17551	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	25.00
17552	1-1/8" x 2-1/4" front, 1" diameter, square corner	25.00
For 730 & 740 Function		
17580	1" x 2-1/4" front, 7/8" diameter, square corner	25.00
17581	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	25.00
17582	1-1/8" x 2-1/4" front, 1" diameter, square corner	25.00

Strikes




Part #	Description	List Add \$
2001 — ANSI Strike with Cylindrical Lock Cutout		
2001-1316	1-1/4" x 4-7/8", 1-3/16" lip length, square corner	N/C

NOTE: Default strike for C200 lock shown above in bold.



Part #	Description	List Add \$
2101 — T Strike with Dust Box		
2101-118	1-1/8" x 2-3/4", 1-1/8" lip length, square corner	N/C
2102-118	1-1/8" x 2-3/4", 1-1/8" lip length, radius corner. Available only in 630 for use with 626 and 619.	N/C



Part #	Description	List Add \$
2201, 2202 — Full Lip Strike		
2201-118	1-5/8" x 2-1/4", 1-1/8" lip length, square corner	N/C
2202-118	1-5/8" x 2-1/4", 1-1/8" lip length, 1/4" radius corner	N/C


Special Application Options

Security Screws

Specify	Description	List Add \$
TX	Security screws for latch and strike. 626 Finish Only	20.00

NOTE: Only available for use with 619, 625, 626, and 630 finish locksets.

CL700/CK700 Series (available only while supplies last)
Ordering Guide



Function

Storeroom	80
Classroom	70
Entry	53
Entry/Office	50
Privacy, Bedroom or Bath	40
Patio	30
Exit/Communicating Passage	25
Exit	12
Passage/Closet	10
Dummy Trim One Side	01

Cylinder Type

D	Conventional Cylinder
L	Less Cylinder
C	SFIC (With Core)
J	SFIC (Less Core)
T	Construction Core SFIC

Finish³

630	Satin Stainless (Knob only)
626	Satin Chrome (Levers only)
625	Bright Chrome (Levers only)
613	Dark Oxidized Satin Bronze (Levers only)
612	Satin Bronze (Levers only)
606	Satin Brass (Levers only)
605	Bright Brass (Levers only)

Door Thickness

Strike Options²

Lip Length²

Product Type

Knob Trim	CK
Lever Trim	CL

Grade 2 Cylindrical Lockset

Product Family

Lever/Knob Design

Lever	LR
Lever	LC
Lever	LG
Knob	KB

Rose Design¹

B	3" Dia. Rose
E	3-7/16" Dia. Rose

Security Screws





Latch Bolt²

Keying Options Field


Example Code

CL	7	53	D	LR	E	626		17252	134	5001	1316	XXXX
----	---	----	---	----	---	-----	--	-------	-----	------	------	------

1. Rose B is applicable to knob lock only. Rose E is applicable to lever lock designs only.
2. Example shows default values. Refer to Configuration Options section for full details.
3. For split finishes, consult factory. Specify in-swing or out-swing.



Lever Locks



Lever Locks

626


605, 606, 612,
625, 613

ANSI #	Function	Description	List \$	
Keyless				
F75	CL710	Passage/closet	270.00	311.00
F89	CL712	Exit	299.00	340.00
F111	CL725	Exit/communicating passage	299.00	340.00
F77A	CL730	Patio	308.00	348.00
F76A	CL740	Privacy, bedroom or bath	308.00	348.00
—	CL701	Single dummy	155.00	178.00
Keyed, Single Cylinder				
F82	CL750	Entry/office	394.00	434.00
F109	CL753	Entry	394.00	434.00
F84	CL770	Classroom	394.00	434.00
F86	CL780	Storeroom	394.00	434.00

NOTES:

- Split finishes will be priced at the higher finish list price.
- Split trim not available.

Knob Locks



			Knob Locks
			630
ANSI #	Function	Description	List \$
Keyless			
F75	CK710	Passage/closet	177.00
F77A	CK730	Patio	234.00
F76A	CK740	Privacy, bedroom or bath	184.00
—	CK701	Single dummy	100.00
Keyed, Single Cylinder			
F109	CK753	Entry	315.00
F84	CK770	Classroom	315.00
F86	CK780	Storeroom	315.00

NOTE: List prices for keyed locks include standard DORMA (D) cylinder, keyed different (KD) with two (2) nickel silver keys.

Cylinder Types, Keying Options, and Keyways

Cylinder	Option	Description	List Add/Deduct \$
Conventional Cylinders (non-interchangeable core)			
D		Conventional cylinder	Example: CL753D
	KD	Keyed differently to a random combination; SC keyway with 2 keys (default)	N/C
	KA2	Keyed alike in pairs to a random combination; SC keyway with 2 keys	N/C
	NSK	Keyed alike, sets of three or more; SC keyway with 2 keys	18.00
	NS2	Keyed alike double cylinder locks; SC keyway with 2 keys	34.00
	1-Bit	Operated by 1-bit cut key; SC, SE keyway with 2 key blanks (order 1-bit key separately)	N/C
	0-Bit	Operated by 0-bit key; D100 keyway — ⊗ Keys sold separately	N/C
	0-Bit	Operated by 0-bit cut key; AA, CA, CB, CC, CD, CE, RA, RB, GA, SF, YA, YG keyways with 2 key blanks	18.00
	MKD	Master keyed; SC, SE, or D100 keyway — ⊗ Keys sold separately	23.00
	MK2	Master keyed double cylinder lock; SC, SE, or D100 keyway — ⊗ Keys sold separately	45.00
	CMK	Construction master keyed single cylinder locks — ⊗ Keys sold separately	25.00
	CM2	Construction master keyed double cylinder locks — ⊗ Keys sold separately	49.00
L		Lock less conventional cylinder	Example: CL753L Deduct 30.00
Small Format Interchangeable Core Cylinders			
T		Lock with keyed temporary SFIC construction core (cores may be returned for a full refund) — ⊗ Keys sold separately	Example: CL753T 54.00
J		Lock with disposable plastic SFIC plug	Example: CL753J N/C
C		Lock with combined SFIC core installed at the factory ¹ ; BA (default), BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, D100 keyway — ⊗ Keys sold separately	Example: CL753C 62.00

1. For uncombined cores, UNC, cores must be ordered separately, see Cylinders, Keys & Keying.
Locks will be supplied w/plastic construction core, Option J.

⊗ Denotes keys must be ordered separately.

Cut Keys Ordered Separately


Part #	Description	List \$
45101	SFIC Cut key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	10.00
45401	SFIC Cut key — Change key, master key, or control key; SKC keyways — D100 etc.	16.00
45404	CONV/LFIC Cut key — 1-bit key for operating 1-bit cylinders — SC, SE keyways	8.00

NOTES:

- Distribution of DORMA SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for DORMA SKC policies.
- 1-bit cylinder comes with (2) uncut keys and will require a 1-bit cut key, sold separately, to operate cylinder.
- See Keys and Key Blanks section for complete list.

Configuration Options

Latch Bolts



1/2" Throw, 2-3/8" Backset

Part #	Description	List Add \$
For 710 Function		
17100	1" x 2-1/4" front, 7/8" diameter, square corner	N/C
17101	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	N/C
17102	1-1/8" x 2-1/4" front, 1" diameter, square corner	N/C
For 725, 750, 753, 770, or 780 Functions		
17150	1" x 2-1/4" front, 7/8" diameter, square corner	N/C
17151	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	N/C
17152	1-1/8" x 2-1/4" front, 1" diameter, square corner	N/C
For 730 Function		
17180	1" x 2-1/4" front, 7/8" diameter, square corner	N/C
17181	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	N/C
17182	1-1/8" x 2-1/4" front, 1" diameter, square corner	N/C
For 740 Function		
17130	1" x 2-1/4" front, 7/8" diameter, square corner	N/C
17131	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	N/C
17132	1-1/8" x 2-1/4" front, 1" diameter, square corner	N/C

1/2" Throw, 2-3/4" Backset

Part #	Description	List Add \$
For 710 Function		
17200	1" x 2-1/4" front, 7/8" diameter, square corner	N/C
17201	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	N/C
17202	1-1/8" x 2-1/4" front, 1" diameter, square corner	N/C
For 725, 750, 753, 770, or 780 Functions		
17250	1" x 2-1/4" front, 7/8" diameter, square corner	N/C
17251	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	N/C
17252	1-1/8" x 2-1/4" front, 1" diameter, square corner	N/C
For 730 Function		
17280	1" x 2-1/4" front, 7/8" diameter, square corner	N/C
17281	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	N/C
17282	1-1/8" x 2-1/4" front, 1" diameter, square corner	N/C
For 740 Function		
17230	1" x 2-1/4" front, 7/8" diameter, square corner	N/C
17231	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	N/C
17232	1-1/8" x 2-1/4" front, 1" diameter, square corner	N/C

NOTE: Default configurations for CL700 shown above in bold.

Latch Bolts (continued)

1/2" Throw, 3-3/4" Backset

Part #	Description	List Add \$
--------	-------------	-------------

For 710 Function

17300	1" x 2-1/4" front, 7/8" diameter, square corner	31.00
17301	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	31.00
17302	1-1/8" x 2-1/4" front, 1" diameter, square corner	31.00

For 725, 750, 753, 770, or 780 Functions


17350	1" x 2-1/4" front, 7/8" diameter, square corner	31.00
17351	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	31.00
17352	1-1/8" x 2-1/4" front, 1" diameter, square corner	31.00

For 730 Function

17380	1" x 2-1/4" front, 7/8" diameter, square corner	31.00
17381	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	31.00
17382	1-1/8" x 2-1/4" front, 1" diameter, square corner	31.00

For 740 Function

17330	1" x 2-1/4" front, 7/8" diameter, square corner	31.00
17331	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	31.00
17332	1-1/8" x 2-1/4" front, 1" diameter, square corner	31.00

**1/2" Throw, 5" Backset**

Part #	Description	List Add \$
--------	-------------	-------------

For 710 Function

17500	1" x 2-1/4" front, 7/8" diameter, square corner	31.00
17501	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	31.00
17502	1-1/8" x 2-1/4" front, 1" diameter, square corner	31.00

For 725, 750, 753, 770, or 780 Functions


17550	1" x 2-1/4" front, 7/8" diameter, square corner	31.00
17551	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	31.00
17552	1-1/8" x 2-1/4" front, 1" diameter, square corner	31.00

For 730 Function


17580	1" x 2-1/4" front, 7/8" diameter, square corner	31.00
17581	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	31.00
17582	1-1/8" x 2-1/4" front, 1" diameter, square corner	31.00

For 740 Function

17530	1" x 2-1/4" front, 7/8" diameter, square corner	31.00
17531	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	31.00
17532	1-1/8" x 2-1/4" front, 1" diameter, square corner	31.00




Strikes




Part #	Description	List Add \$
5001 – ANSI Strike with Cylindrical Lock Cutout		
5001-1316	1-1/4" × 4-7/8", 1-3/16" lip length, square corner	N/C
5001-112	1-1/4" × 4-7/8", 1-1/2" lip length, square corner	26.00

NOTE: Default strike for CL700 lock shown above in bold.



Part #	Description	List Add \$
5101 – T Strike with Dust Box		
5101-118	1-1/8" × 2-3/4", 1-1/8" lip length, square corner	N/C
5101-112	1-1/8" × 2-3/4", 1-1/2" lip length, square corner	26.00
5102-118	1-1/8" × 2-3/4", 1-1/8" lip length, radius corner. Available only in 630 for use with 626 and 619.	N/C



Part #	Description	List Add \$
5201, 5202 – Full Lip Strike		
5201-118	1-5/8" × 2-1/4", 1-1/8" lip length, square corner	N/C
5202-118	1-5/8" × 2-1/4", 1-1/8" lip length, 1/4" radius corner	N/C

Special Application Options

Abrasive Coated Knobs and Levers (Tactile Markings)

Part #	Description	List Add \$
660003	Abrasive coated lever or knob (all designs)	61.00

NOTE: Tactile marking is applied to outside knob or lever only, unless otherwise specified.

Lead Lining Plate

Part #	Description	List Add \$
660004	Lead lining plate for C800, CL700	232.00

Security Screws



Specify	Description	List Add \$
TX	Security screws for latch and strike. 626 Finish Only	22.00

NOTE: Only available for use with 619, 625, 626, and 630 finish locksets.

Special Strikes (Non-Standard Lip Lengths)

Part #	Description	List Add \$
5001-078	1-1/4" x 4-7/8", 7/8" lip length	N/C
5001-XXX	1-1/4" x 4-7/8", special lip length (other than 7/8", 1-3/16", or 1-1/2"). Specify length.	112.00

Drilling Jig


	Part #	Description	List \$
	76004795	Drilling jig for C800, CL700, and C500 locksets	18.00
	640003	Mount, C800 lever, CL700, and C500 Series — 1-1/8" x 2-1/4" faceplate	133.00

Page blank intentionally

Page blank intentionally

C500 Series

Finish Availability Chart						
	613	619	626	605	606	625
LR	•	•	•	•	•	•
LC	•	•	•	•	•	•
LG	•	•	•	—	—	—



Function

Store room — 80

Classroom — 70

Entry — 53

Office/Entry — 50

Privacy, Bedroom or Bath — 40

Patio — 30

Exit/Communicating Passage — 25

Passage/Closet — 10

Dummy Trim One Side — 01

Cylinder Type¹

D — Conventional Cylinder

C — SFIC (With Core)

J — SFIC (Less Core)

T — Temporary SFIC

Finish²

626 — Satin Chrome

625 — Bright Chrome

619 — Satin Nickel

613 — Dark Oxidized Satin Bronze

606 — Satin Brass

605 — Bright Brass

Keying Options Field

Strike Options³

C5

53

D

LR

C

626

15250

134

5001

XXXX

Grade 2 Cylindrical Lockset

LR

LC

LG

Product Family

Lever Design

Rose Design




Latch Bolt³

Door Thickness

134 — 1-3/8"–1-3/4"

1. The C500 is not available less conventional cylinder.
All keyed functions are available with or without SFIC cores.
2. For split finishes, consult factory. Specify in-swing or out-swing.
3. Example shows default values. Refer to Configuration Options section for full details.

NOTE: SFIC available on LR and LC lever designs only, not available on LG lever.



Lever Locks

Lever Locks

			Lever Locks	
			626	605, 606, 613, 619, 625
ANSI #	Function	Description	List \$	
Keyless				
F75	C510	Passage/closet	162.00	179.00
F111	C525	Exit/Communicating passage	162.00	179.00
F77A	C530	Patio	166.00	182.00
F76A	C540	Privacy, bedroom or bath	166.00	182.00
—	C501	Single dummy	96.00	104.00
Keyed, Single Cylinder				
F82A	C550	Entry/Office	177.00	195.00
F109	C553	Entry	177.00	195.00
F84	C570	Classroom	177.00	195.00
F86	C580	Storeroom	177.00	195.00

NOTE: Split finishes will be priced at the higher finish list price.

Cylinder Types, Keying Options & Keyways

Cylinder	Option	Description	List Add/Deduct \$
Conventional Cylinders (non-interchangeable core)			
D	Conventional cylinder	Example: C553D	
	KD	Keyed differently to a random combination; SC keyway with 2 keys (default)	N/C
	KA2	Keyed alike in pairs to a random combination; SC keyway with 2 keys	N/C
	NSK	Keyed alike, sets of three or more; SC keyway with 2 keys	18.00
	1-Bit	Operated by 1-bit cut key; D100 keyway — ⊗ Keys sold separately	N/C
	0-Bit	Operated by 0-bit key; SC, SE keyway with 2 key blanks (order 1-bit key separately)	N/C
	0-Bit	Operated by 0-bit cut key; SC, SE, AA, CA, CB, CC, CD, CE, RA, RB, GA, SF, YA, YG keyways with 2 key blanks	18.00
	MKD	Master keyed; SC, SE, or D100 keyway — ⊗ Keys sold separately	23.00
	CMK	Construction master keyed single cylinder locks — ⊗ Keys sold separately	25.00
Small Format Interchangeable Core Cylinders			
T	Temporary SFIC construction core (Cores may be returned for a full refund) — ⊗ Keys sold separately	Example: C553T	53.00
J	SFIC core sold separately (see Cylinders & Keying)	Example: C553J	N/C
C	Lock with combined SFIC core installed at the factory ¹ ; BA (default), BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, D100 keyway — ⊗ Keys sold separately	Example: C553C	62.00

¹The Less Cylinder option is not available for the C500 Series

1. For uncombined cores, UNC, cores must be ordered separately, see Cylinders, Keys & Keying.

⊗ Denotes keys must be ordered separately.

Cut Keys Ordered Separately


Part #	Description	List \$
45101	SFIC Cut key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	10.00
45401	SFIC Cut key — Change key, master key, or control key; SKC keyways — D100 etc.	16.00
45404	CONV/LFIC Cut key — 1-bit key for operating 1-bit cylinders — SC, SE keyways	8.00

NOTES:

- Distribution of DORMA SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for DORMA SKC policies.
- 1-bit cylinder comes with (2) uncut keys and will require a 1-bit cut key, sold separately, to operate cylinder.
- See Keys and Key Blanks section for complete list.

Configuration Options

Latch Bolts



1/2" Throw, 2-3/8" Backset

Part #	Description	Add List \$
--------	-------------	-------------

For 510 or 540 Functions


15130	1" x 2-1/4" front, 7/8" diameter, square corner	N/C
15131	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	N/C

For 525, 550, 553, 570, or 580 Functions

15150	1" x 2-1/4" front, 7/8" diameter, square corner	N/C
15151	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	N/C

For 530 Function

15180	1" x 2-1/4" front, 7/8" diameter, square corner	N/C
15181	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	N/C



1/2" Throw, 2-3/4" Backset

Part #	Description	List Add \$
--------	-------------	-------------

For 510 or 540 Functions

15230	1" x 2-1/4" front, 7/8" diameter, square corner	N/C
15231	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	N/C
15232	1-1/8" x 2-1/4" front, 7/8" diameter, square corner	N/C

For 525, 550, 553, 570, or 580 Functions

15250	1" x 2-1/4" front, 7/8" diameter, square corner	N/C
15251	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	N/C
15252	1-1/8" x 2-1/4" front, 7/8" diameter, square corner	N/C



For 530 Function

15280	1" x 2-1/4" front, 7/8" diameter, square corner	N/C
15281	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	N/C
15282	1-1/8" x 2-1/4" front, 7/8" diameter, square corner	N/C


NOTE: Default configurations for C500 shown above in bold.

Special Application Options


Drilling Jig


	Part #	Description	List \$
	76004795	Drilling jig for C800, CL700, and C500 locksets	18.00
	640003	Mount, C800 lever, CL700, and C500 Series — 1-1/8" × 2-1/4" faceplate	131.00

Strikes

	Part #	Description	List Add \$
	5001 — ANSI Strike with Cylindrical Lock Cutout		
	5001-1316	1-1/4" × 4-7/8", 1-3/16" lip length, square corner	N/C
	5001-112	1-1/4" × 4-7/8", 1-1/2" lip length, square corner	26.00

NOTE: Default strike for C500 lock shown above in bold.

	Part #	Description	List Add \$
	5101, 5102 — "T" Strike with Dust Box		
	5101-118	1-1/8" × 2-3/4", 1-1/8" lip length, square corner	N/C
	5101-112	1-1/8" × 2-3/4", 1-1/2" lip length, square corner	26.00
	5102-118	1-1/8" × 2-3/4", 1-1/8" lip length, 1/4" radius corner	N/C
	5102-112	1-1/8" × 2-3/4", 1-1/2" lip length, 1/4" radius corner	26.00


	Part #	Description	List Add \$
	5201, 5202 — Full Lip Strike		
	5201-118	1-5/8" × 2-1/4", 1-1/8" lip length, square corner	N/C
	5202-118	1-5/8" × 2-1/4", 1-1/8" lip length, 1/4" radius corner	N/C

Abrasive Coated Levers (Tactile Markings)

Part #	Description	List Add \$
660003	Abrasive coated lever (all designs)	61.00

NOTE: Tactile marking is applied to outside lever only, unless otherwise specified.

DB600 Series
Ordering Guide



		Function		Cylinder Type ⁵				Door Thickness ⁶		Keying Options Field	
Cylinder × Blank ¹		80	D	Conventional Cylinder							
Cylinder × Cylinder		62	C	SFIC (With Core)							
Cylinder × Turn		60	J	SFIC (Less Core)							
			T	Temporary SFIC							
						134		1-3/8" – 1-3/4"			
DB		6	60	D	630	26170	134	5103	XXXX		
Dead Bolt – DB		Bright Brass – 605		26173		Adj, Drive-In					
Product Type		Dark Oxidized Satin Bronze – 613		26171		Adj, 1" RC		Strike Options ⁶			
		Satin Nickel ² – 619		26170		Adj, 1" SQ with Filler					
		Satin Chrome – 626		Latch Bolt ⁶							
Grade 2 Tubular Dead Bolt		Bright Stainless ³ – 629									
Product Family		Satin Stainless – 630									
		Finish ⁴									

DB600 Series

			626, 630	605, 613, 619* 629**
ANSI #	Function	Description	List \$	
E2152	DB660	Cylinder × turn	122.00	131.00
E2142	DB662	Cylinder × cylinder	154.00	166.00
	DB680	Turn × blank	91.00	100.00

* 619 finish available standard cylinder only.

**629 finish only available for DB660 – standard and SFIC

NOTES:

- List prices for keyed locks include standard DORMA (D) cylinder, keyed different (KD) with two (2) nickel silver keys.
- Split finishes will be priced at the higher finish list price.

Cylinder Types, Keying Options & Keyways

Cylinder	Option	Description	List Add/Deduct \$
Conventional Cylinders (non-interchangeable core)			
D	Conventional cylinder	Example: DB660D	
	KD	Keyed differently to a random combination; SC keyway with 2 keys (default)	N/C
	KA2	Keyed alike in pairs to a random combination; SC keyway with 2 keys	N/C
	NSK	Keyed alike, sets of three or more; SC keyway with 2 keys	18.00
	NS2	Keyed alike double cylinder locks; SC keyway with 2 keys	34.00
	1-Bit	Operated by 1-bit cut key; SC, SE keyway with 2 key blanks (order 1-bit key separately)	N/C
	0-Bit	Operated by 0-bit key; D100 keyway — Keys sold separately	N/C
	0-Bit	Operated by 0-bit cut key; AA, CA, CB, CC, CD, CE, RA, RB, GA, SF, YA, YG keyways with 2 key blanks	18.00
	MKD	Master keyed; SC, SE, or D100 keyway — Keys sold separately	23.00
	MK2	Master keyed double cylinder lock; SC, SE, or D100 keyway — Keys sold separately	45.00
	CMK	Construction master keyed single cylinder locks — Keys sold separately	25.00
	CM2	Construction master keyed double cylinder locks — Keys sold separately	49.00
Small Format Interchangeable Core Cylinders			
T	Locks with keyed temporary SFIC construction cores (Cores may be returned for a full refund) — Keys sold separately	Example: DB660T	54.00
J	SFIC core sold separately	Example: DB660J	N/C
C	Lock with combined SFIC core installed at the factory ¹ ; BA (default), BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, D100 keyway — Keys sold separately Example: DB660C		62.00

* The Less Cylinder option is not available for the DB600 Series.

¹ For uncombined cores, UNC, cores must be ordered separately, see Cylinders, Keys & Keying.

⊗ Denotes keys must be ordered separately.

Cut Keys Ordered Separately


Part #	Description	List \$
45101	SFIC Cut key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	10.00
45401	SFIC Cut key — Change key, master key, or control key; SKC keyways — D100 etc.	16.00
45404	CONV/LFIC Cut key — 1-bit key for operating 1-bit cylinders — SC, SE keyways	8.00

NOTES:

- Distribution of DORMA SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for DORMA SKC policies.
- 1-bit cylinder comes with (2) uncut keys and will require a 1-bit cut key, sold separately, to operate cylinder.
- See Keys and Key Blanks section for complete list.

Configuration Options

Dead Bolts




1" Throw, 2-3/8" – 2-3/4" Adjustable Backset

Part #	Description	List Add \$
26170	1" × 2-1/4" faceplate, square corner (1-1/8" wide w/filler)	N/C
26171	1" × 2-1/4" Faceplate, Radius Corner	N/C
26173	1" diameter, drive in (626 Finish only)	N/C


NOTE: Default configuration shown above in bold.

Strikes




Part #	Description	List Add \$
5103	Standard Strike for Dead Bolt	
5103	1-1/8" × 2-3/4", no lip, square corner	N/C

NOTE: Default strike shown above in bold.




Part #	Description	List Add \$
5203	Full Lip Strike with Dead Bolt Cutout	
5203-118	1-5/8" × 2-1/4", 1-1/8" lip length, square corner	N/C
5204-118	1-5/8" × 2-1/4", 1-1/8" lip length, 1/4" radius corner	N/C



Part #	Description	List Add \$
5004	ANSI Strike with Dead Bolt Cutout	
5004	1-1/4" × 4-7/8", no lip, square corner	8.00

C300 Series

Finish Availability Chart				
	626	613	619	605
LR	•	•		
LC	•	•		•
LG	•	•	•	
LS		•	•	•
L118	•	•	•	



Grade 2
Cylindrical Lockset

Product
Family

Lever

L118

2-3/8" Fire

238F

ANSI Strike,
Square Corner

5001

ANSI Strike,
Square Corner

5101

Full Lip,
Square Corner

5201

Full Lip,
Radius Corner

5202

Backset

238F

234F

238N

234N

Strike

5001

5101

5201

5202

Cylinder
Type

D

Standard Cylinder

Keying

D

Standard Cylinder

C3

53

LRB

626

RH

D

SCKD

Single Dummy

01

626

Satin Chrome

100S

1" Square

RH

SC

SC Keyway

Passage

10

613

Dark Bronze

118S

1-1/8" Square

LH

D100

DORMA SKC D100 Keyway

Patio

30

619

Satin Nickel

100R

1" Radius

Privacy

40

605

Bright Brass

DRIV

Drive-In 238N Only

Entry

53

Function

01

626

613

619

605

Finish

100S

118S

100R

DRIV

Faceplate

RH

LH

Handing





SC

D100




Keyway

*C353 and C330 only
available with fire rated latch.

Levers



Strikes



			626	605, 613, 619
ANSI #	Function	Description	List \$	
—	C301	Single dummy	48.00	50.00
F75	C310	Passage/closet	93.00	95.00
F77A	C330	Patio	105.00	108.00
F76A	C340	Privacy, bedroom, or bath	97.00	99.00
F109	C353	Entry	120.00	123.00

Strikes

Option	Description	List \$
5202	Full lip strike, radius corner — default	N/C
5001	ANSI strike	12.00
5101	T strike, square corner	N/C
5102	T strike, radius corner	N/C
5201	Full lip strike, square corner	N/C

Latches

Option	Description	List \$
C310/C340 Latches		
234N	2-3/4" Backset non-fire	N/C
238N	2-3/8" Backset non-fire	N/C
234F	2-3/4" Backset fire rated	13.00
238F	2-3/8" Backset fire rated	13.00
C330/C353 Latches		
234F	2-3/4" Backset fire rated	N/C
238F	2-3/8" Backset fire rated	N/C

Abrasive Coated Levers (Tactile Markings)

Part #	Description	List \$
660003	Abrasive coated lever (all designs)	61.00

NOTE: Tactile marking is applied to outside lever only, unless otherwise specified.

Keying

Option	Description	List \$
KD	Keyed differently to a random combination; SC keyway with 2 keys (default)	N/C
KA2	Keyed alike in pairs to a random combination; SC keyway with 2 keys	18.00
NSK	Keyed alike, sets of three or more; SC keyway with 2 keys	18.00
1-Bit	Operated by 1-bit cut key, SC, SE keyway with 2 key blanks (order 1-bit key separately)	18.00
0-Bit	Operated by 0-bit key, D100 keyway — ⊗ Keys sold separately	18.00
0-Bit	Operated by 0-bit cut key; AA, CA, CB, CC, CD, CE, RA, RB, GA, SF, YA, YG keyways with 2 key blanks	18.00
MKD	Master keyed; SC, SE, or D100 keyway — ⊗ Keys sold separately	23.00
CMK	Construction master keyed single cylinder locks — ⊗ Keys sold separately	25.00

NOTE: Less Cylinder option is not available on the C300 series. ⊗ Denotes keys must be ordered separately.

Keys


Part #	Description	List \$
45101	SFIC Cut key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	10.00
45401	SFIC Cut key — Change key, master key, or control key; SKC keyways — D100 etc.	16.00
45404	CONV/LFIC Cut key — 1-bit key for operating 1-bit cylinders — SC, SE keyways	8.00

NOTES:

- Distribution of DORMA SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for DORMA SKC policies.
- 1-bit cylinder comes with (2) uncut keys and will require a 1-bit cut key, sold separately, to operate cylinder.
- See Keys and Key Blanks section for complete list.

J300 Series

Finish Availability Chart				
	626	613	619	605¹
LR	•	•		
LC	•	•		•
LG	•	•	•	
LS		•	•	•
L118	•	•	•	



Product Family

J3

Grade 2 Interconnected Lockset

10

Lever

LRB

Finish

626

Function

10

Backset

238F

Handing

LH

Cylinder Type

T

Keying

D

Strike

5701

Lever

L118

Lever (Handed)

LSB

Lever

LGB

Lever

LCB

Lever

LRB

2-3/8" Fire

238F

2-3/4" Fire

234F

Left Hand/Left Hand Reverse

LH

Right Hand/Right Hand Reverse

RH

Temporary SFIC

T

SFIC (With Core)

C

SFIC (Less Core)

J

Standard Cylinder

D

1" Square

100S

1-1/8" Square

118S

1" Radiused

100R

Faceplate

5705

Strike

5706

Satin Chrome

626

Dark Bronze

613

Satin Nickel

619

Bright Brass

605

Entry – Single Cylinder

10

Privacy with Indicator¹

46

Entry – Double Cylinder²

53

(1) T Strike Square, (1) No Lip Square

5701

(1) Full Lip Square, (1) No Lip Square

5703

(1) Full Lip Radiused, (1) No Lip Radiused

5704

(1) Full Lip Square, (1) Full Lip Square





5705

(1) Full Lip Radiused, (1) Full Lip Radiused




5706

1. J346 not available in 605.
2. SFIC core on C353 function available with LR lever only.

Levers



Strikes



All Levers — Per Chart

ANSI #	Function	Description	List \$	
			626	605, 613, 619
F95	J310	Entrance, Single Locking	483.00	501.00
—	J346	Privacy with Indicator	483.00	501.00
F97	J353	Entrance, Double Locking	604.00	619.00

Strikes

Option	Description	List Add \$
5701	Lock — T strike square/Deadbolt — no lip square (default)	N/C
5703	Lock — full lip square/Deadbolt — no lip square	N/C
5704	Lock — full lip radiused/Deadbolt — no lip radiused	N/C
5705	Lock — full lip square/Deadbolt — full lip square	N/C
5706	Lock — full lip radiused/Deadbolt — full lip radiused	N/C
Description		
Split Finish		43.00

Cylinder Types, Keying Options and Keyways

Cylinder	Option	Description	List Add/Deduct \$
Conventional Cylinders (non-interchangeable core)			
D	Conventional cylinder		
	KD	Keyed differently to a random combination; SC keyway with 2 keys (default)	N/C
	KA2	Keyed alike in pairs to a random combination; SC keyway with 2 keys	18.00
	NSK	Keyed alike, sets of three or more; SC keyway with 2 keys	18.00
	1-Bit	Operated by 1-bit cut key; SC, SE keyway with 2 key blanks (order 1-bit key separately)	18.00
	0-Bit	Operated by 0-bit key; D100 keyway — Keys sold separately	18.00
	0-Bit	Operated by 0-bit cut key; AA, CA, CB, CC, CD, CE, RA, RB, GA, SF, YA, YG keyways with 2 key blanks	18.00
	MKD	Master keyed; SC, SE, or D100 keyway — Keys sold separately	23.00
	MK2	Master keyed double cylinder lock; SC, SE, or D100 keyway — Keys sold separately	43.00
	CMK	Construction master keyed single cylinder locks — Keys sold separately	25.00
	CM2	Construction master keyed double cylinder locks — Keys sold separately	49.00
L	Lock less conventional cylinder, per cylinder		Example: J310L Deduct 30.00
Small Format Interchangeable Core Cylinders			
T	Lock with keyed temporary SFIC construction core, per cylinder (cores may be returned for a full refund) — Keys sold separately		Example: J310T 53.00
J	Lock with disposable plastic SFIC construction core		Example: J353J N/C
C	Lock with combined SFIC core installed at the factory ¹ ; BA (default), BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, D100 keyway — Keys sold separately		Example: J310C 62.00

NOTE: The Less Cylinder option is not available on the C500 Series.

☒ Denotes keys must be ordered separately.

Cut Keys Ordered Separately

Part #	Description	List \$
45101	SEIC Cut key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	10.00
45401	SFIC Cut key — Change key, master key, or control key; SKC keyways — D100 etc.	16.00
45404	CONV/LFIC Cut key — 1-bit key for operating 1-bit cylinders — SC, SE keyways	8.00

NOTES:

- 1-bit cylinder comes with (2) uncut keys and will require a 1-bit cut key, sold separately, to operate cylinder. SC and SE keyways only.
- See Keys and Key Blanks section for complete list.

Page blank intentionally

Page blank intentionally

Cylinders, Keys, and Keying

Product Guide

CYLINDER AVAILABILITY	Conventional	Interchangeable Core 6-Pin	Interchangeable Core 7-Pin	Conventional Hotel	Interchangeable Core Hotel
Mortise Cylinder	90	96	97	—	98
Rim Cylinder	80	86	87	—	—
KIL Cylinder	70	—	—	75	—
KIK Cylinder	71	—	—	—	—
Small Format Interchangeable Core	—	76	77	—	—

KEYWAY AVAILABILITY <div> <div></div> Yes <div></div> No </div>	SC Keyway	SE Keyway	Retrofit Keyways AA, CA, CB, CC, CD, CE, RA, RB, GA, SF, WA, YA, YG	SFIC Keyways BA, BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ	DORMA SKC Keyways D100
KD Keyed different to a random combination	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>
KA2 Keyed alike in pairs to a random combination	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>
NSK Keyed alike in sets of 3 or more	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>
MKD Master keyed or keyed to a specific combination	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>
CMK Construction master keyed	<div></div>	<div></div>	<div></div>	<div></div>	<div></div> (Not available SFIC)

Master Keying

Master keying charges do not include keys. Always order and price keys as a separate line item.

A completed Key System Specification Form is required for every new master key system ordered. Orders and keying schedules must use BHMA/ANSI Standard Key Coding Symbols. See ANSI 156.28 for reference.

Keying capacity varies greatly with product and system architecture. Check keying requirements prior to selecting product. Expressions like "Plan for maximum expansion" have no meaning. The table below is a very general guide and can be misinterpreted. For more information, please contact Customer Service.

Cylinder/Core Mechanism	Theoretical Number of Changes Under the Top Master Key	System Capacity	Example of Theoretical Keying Capacity in Three Levels of Keying (Grand Master, Master and Changes)
SC Keyway with Construction Keying	$4^5 = 1,024$	Smaller Projects	GMK and 16 Masters of 64 Changes Each
SC Keyway without Construction Keying	$4^6 = 4,096$	Medium Projects	GMK and 16 Masters of 256 Changes Each
77BA, BB etc. SFIC only	$4^7 = 16,384$	Larger Projects	GMK and 64 Masters of 256 Changes Each
DORMA SKC with Construction keying	$6 \times 4^6 = 24,576$	Very Large Projects	GMK and 96 Masters of 256 Changes Each
DORMA SKC without Construction Keying	$6 \times 4^7 = 98,304$	Extremely Large Projects	GMK and 384 Masters of 256 Changes Each

DORMA SKC

Distribution of DORMA SKC (Shown in the price list as D100 keyway) is restricted. Possession of a price list does not constitute authorization to purchase DORMA SKC. Contact your local representative for information about authorization to purchase DORMA SKC.

DORMA SKC may only be used in the USA and Canada.

Conventional (Non-IC) Mortise Cylinders Ordering Guide

Cylinder Type

Conventional Mortise — **90** **X**

Cylinder Ring (List Add)

90 **X** **10** **SC** **118** **626** **KD**

Adams Rite & dormakaba 1340KR Key Removable Mullion — **01**

Adams Rite 4070 — **02**

dormakaba 9600, 9700 & 9800 Exit Z Trim w/09 or 12 Functions — **09**

dormakaba M9050, 9080 & 9082 (2) Mortise Locks; dormakaba 9100, 9300, 9400 & 9500 Exit Y Trim/Options & Other Straight Cam Applications — **10**

dormakaba M9056, 9080EL/EU, 9080ELRX/EURX 9082EL/EU & M9900 Mortise Locks w/Dead Bolts — **11**

dormakaba M9053, 9070, 9071 (2), 9076, 9077 (2) & 9060 Insider Cylinder Mortise Locks — **12**

dormakaba M9060 Outside Cylinder Mortise Locks; dormakaba 9600, 9700 & 9800 Exit Z Trim w/08 or 11 Functions — **13**

Schlage Style Clover (L) — **15**

dormakaba 5000 Series Exit J Trim, Sargent & Yale Narrow — **16**

Best & CorbinRusswin Style Clover — **19**

Falcon Dead Bolt Style Clover — **30**

CorbinRusswin DL4000 Style — **31**

D900 — **32**

Cam

Length

300 — 3"

234 — 2-3/4"

212 — 2-1/2"

214 — 2-1/4"

200 — 2"

134 — 1-3/4"

158 — 1-5/8"

112 — 1-1/2"

138 — 1-3/8"

114 — 1-1/4"

118 — 1-1/8"

Keying

OBIT — SC & D100 provided in 1-bit - 1-bit key sold separately; other keyways provided in O-bit

CMK — Construction Master Keyed

MKD — Master Keyed

NSK — Keyed Alike, sets of 3 or More

KA2 — Keyed Alike, Sets of 2

KD — Keyed Different

Finish

605 — Bright Brass

606 — Satin Brass

612 — Satin Bronze

613 — Dark Oxidized Satin Bronze


625 — Bright Chrome

626 — Satin Chrome


630 — Satin Stainless (also for use with 619)

NOTE: For Cylinder Rings, refer to page 67.

NOTE: Not all keyways available in all cylinder lengths. Consult factory.



Length Includes Cam



Mortise Cylinder

Option	Keyway	Example	Keys	All Finishes \$
KD (standard)/KA2	SC	90X10 SC 118 626 KD	2 keys ea.	89.00
NSK (keyed alike, sets of 3 or more)	SC	90X10 SC 118 626 NSK KA31	2 keys ea.	Add 31.00
Master keyed	SC, SE, D100	90X10 SC 118 626 MKD	⊗ Keys sold separately	Add 31.00
Construction master keyed	SC, SE, D100	90X10 SC 118 626 CMK	⊗ Keys sold separately	Add 38.00
O-Bit	SC, SE	90X10 SC 118 626 OBIT	2 key blanks provided (1-bit key needed to operate).	89.00
O-Bit	D100	90X10 D100 118 626 OBIT	⊗ Keys sold separately	89.00
O-Bit	Retro	90X10 RB 118 626 OBIT	2 key blanks	89.00
138, 112, 158, 134, or 200 length		90X10 SC 112 626 KD		Add 75.00
214, 212, 234, or 300 length		90B10 SC 200 626 KD		Add 55.00

⊗ Denotes keys must be ordered separately.

Keys Ordered Separately for MKD, CMK, and SKC

Part #	Description	List \$
45101	Cut key — change key, master key, construction key; SC, SE keyways	10.00
45401	Cut key — change key, master key, construction key; SKC keyways — D100 etc.	16.00
45404	CONV Cut key — 1-bit key for operating 1-bit cylinders; SC, SE keyways only	8.00


NOTES:

- D100 keyway cylinders must be ordered O-bitted or MKD; keys sold separately.
- Other restrictions apply. See Cylinders, Keys & Keying section for DORMA SKC policies.
- 1-bit cylinder comes with (2) uncut keys and will require a 1-bit cut key, sold separately, to operate cylinder. SC and SE keyways only.
- See Keys and Key Blanks section for complete list.


Small Format Interchangeable Core Mortise Housings

Ordering Guide

Cylinder Type		Cylinder Ring (List Add)	Length		
For 7 Pin Core —	97		300	— 3"	
For 6 Pin Core —	96	X	212	— 2-1/2"	
			214	— 2-1/4"	
			200	— 2"	
			134	— 1-3/4"	
			138	— 1-3/8"	
	97	X	10	138	626
Adams Rite & dormakaba 134OKR Key Removable Mullion —	01			605	— Bright Brass
Adams Rite 4070 —	02			606	— Satin Brass
dormakaba 9600, 9700 & 9800 Exit Z Trim w/09 or 12 Functions —	09			612	— Satin Bronze
dormakaba M9050, 9080 & 9082 (2) Mortise Locks; dormakaba 9100, 9300, 9400 & 9500 Exit Y Trim/Options & Other Straight Cam Applications —	10			613	— Dark Oxidized Satin Bronze
dormakaba M9056, 9080EL/EU, 9080ELRX/EURX 9082EL/EU & M9900 Mortise Locks w/Dead Bolts —	11			625	— Bright Chrome
dormakaba M9053, 9070, 9071 (2), 9076, 9077 (2) & 9060 Inside Cylinder Mortise Locks —	12			626	— Satin Chrome
dormakaba M9060 Outside Cylinder Mortise Locks; dormakaba 9600, 9700 & 9800 Exit Z Trim w/08 or 11 Functions —	13			630	— Satin Stainless (also for use with 619)
D900, Schlage Style Clover (L) —	15				
dormakaba 5000 Series Exit J Trim, Sargent & Yale Narrow —	16				
Best & CorbinRusswin Style Clover —	19				
Falcon Dead Bolt Style Clover —	30				
CorbinRusswin DL4000 Style —	31				
					Finish



Length Includes Cam



SFIC Mortise Housing

NOTES:

- For Cylinder Rings, refer to page 67.
- To order cores, refer to page 73.

Description	Example	All Finishes \$
Housing less core	97X10 00 138 626	82.00
Housing less core — 200 or 214 length (extended leadtime)	97X10 00 200 626	ADD 285.00
Housing less core — 212 or 300 length (extended leadtime)	97X10 00 212 626	ADD 358.00

Dummy and Thumbturn Cylinders

Ordering Guides

Cylinder Ring
(List Add)

Cylinder Type

Dummy — 91 X

91 X 118 626

1-1/8" — 118

1-1/4" — 114

Length

605 — Bright Brass

606 — Satin Brass


612 — Satin Bronze

613 — Dark Oxidized Satin Bronze

625 — Bright Chrome

626 — Satin Chrome

Finish



Dummy Cylinder

NOTE: For Cylinder Rings, refer to page 67.

Cylinder Ring
(List Add)

Cylinder Type

Thumbturn — 92 X

92 X 10 118 626

Adams Rite & dormakaba 1340KR
Key Removable Mullion — 01

Adams Rite 4070 — 02

dormakaba M9050, 9080 & 9082 (2) Mortise Locks;
DORMA 9100, 9300, 9400 & 9500
Exit Y Trim/Options & Other Straight Cam Applications — 10

dormakaba M9056, 9080EL/EU, 9080ELRX/EURX
9082EL/EU & M9900 Mortise Locks w/Dead Bolts — 11

dormakaba M9053, 9070, 9071 (2), 9076,
9077 (2) & 9060 Insider Cylinder Mortise Locks — 12

Best & CorbinRusswin Style Clover — 19

Cam

626 — Satin Chrome

625 — Bright Chrome

613 — Dark Oxidized
Satin Bronze

612 — Satin Bronze

606 — Satin Brass


605 — Bright Brass

100 — 1"

114 — 1-1/4"

118 — 1-1/8"

Length



Thumbturn Cylinder

NOTE: For Cylinder Rings, refer to page 67.

NOTE: For special arm applications, consult Technical Services.

Description	Example	All Finishes \$
91 Series dummy cylinder	91X 118 626	66.00
92 Series thumbturn cylinder	92X 10 118 626	89.00

NOTE: For cylinders over 1-1/4" long, contact the factory.

Mortise Cylinder Cams for DORMA Products

Ordering Guide

Product Type

Mortise Cylinder Cam — **63**

Pattern

C — dormakaba SFIC Screw-On
dormakaba 93R Housing for Schlage FSIC

D — dormakaba Conventional

63 10 D

dormakaba Key Removable Mullion & Adams Rite — **01**

Adams Rite 4070 & Amarlite: Baldwin Mortise Locks;
Miscellaneous Non-dormakaba Straight Cam Applications — **02** (Not available in SFIC)

dormakaba 9600, 9700 & 9800 Exit
Z Trim w/09 or 12 Functions — **09**

dormakaba M9050, 9080 & 9082 (2) Mortise Locks;
dormakaba 9100, 9300, 9400 & 9500 (prior to 11/2014)
Exit Y Trim/Options & Other Straight Cam Applications — **10**

dormakaba M9056, 9080EL/EU, 9080ELRX/EURX
9082EL/EU & M9900 Mortise Locks w/Dead Bolts' — **11**

dormakaba M9053, 9070, 9071 (2), 9076,
9077 (2) & 9060 Insider Cylinder Mortise Locks; — **12**

dormakaba 9500 05 and 08 Functions (11/2014 or later)
dormakaba M9060 Outside Cylinder Mortise Locks; — **13**

dormakaba 9500 05 and 08 Functions (11/2014 or later),
9600, 9700 & 9800 Exit Z Trim w/08 or 11 Functions — **15**

D900 C Only;
Schlage Style Clover (L) — **16**

dormakaba 5000 Series Exit J Trim,
Sargent & Yale Narrow — **19**

Best & CorbinRusswin Style Clover — **22**


Vingcard — **32**

D900 D Only — **Cam**

6310D **6310C**

Conventional Cams (Suffix D) have mounting holes at 3 and 9 o'clock.

SFIC/LFIC Cams (Suffix C) have mounting screw holes at 12 and 6 o'clock.



Description	U/M	List \$
Cams — 6301D, 6302D, 6309D, 6310D, 6311D, 6312D, 6313D, 6315D, 6316D, 6319D, 6332D	ea.	10.00
Cams — 6301C, 6309C, 6310C, 6311C, 6312C, 6313C, 6315C, 6316C	ea.	10.00

Part#	Description	U/M	List \$
76007125	Cam screws, DORMA I/C mortise housing (used with "C" suffix cams) – pack of 20	pack	30.00
76019185	Cam screws, DORMA standard mortise cylinder (used with "D" suffix cams) – pack of 20	pack	30.00

Retrofit Mortise Cylinder Cams

Ordering Guide for other manufacturers' cylinders when used in M9000 Series Locks

Product Type

Mortise Cylinder Cam — 63

6311CR

dormakaba 9600, 9700 & 9800 Exit Z Trim w/09 or 12 Functions — 091

dormakaba M9056, 9080EL/EU, 9080ELRX/EURX 9082EL/EU & M9900 Mortise Locks w/Dead Bolts — 11

dormakaba M9053, 9070, 9071 (2), 9076, 9077 (2) & 9060 Insider Cylinder Mortise Locks — 12

dormakaba M9060 Outside Cylinder Mortise Locks; dormakaba 9600, 9700 & 9800 Exit Z Trim w/08 or 11 Functions — 13



Pattern

SG — Arrow and Sargent Conventional Cylinders

CR — CorbinRusswin Conventional Cylinders

Cam

1. 09 cam required for dormakaba Z09 & Z12 exit trim. For this, or any other application not shown, contact Technical Services.



6311SG6311CR

Retrofit cams are configured to fit non-dormakaba cylinders. Use of incorrect cams can cause lockouts.

Description	List \$
Cams — 6311CR, 6312CR, 6313CR	12.00
Cams — 6311SG, 6312SG, 6313SG	12.00

Mortise Cylinder Rings

Ordering Guide

Product Type

Mortise Cylinder Ring — 64

64JC626

Cylinder Ring

H — 13/16" Tapered Ring raises cylinder 5/8" off door

G — 11/16" Tapered Ring raises cylinder 1/2" off door

K — 17/32" Tapered Ring raises cylinder 7/16" off door

J — 7/16" Tapered Ring raises cylinder 1/4" off door

A — 9/32" Tapered Ring raises cylinder 3/32" off door

D — 1/4" Blocking Ring

C — 1/8" Blocking Ring

Finish

605 — Bright Brass

606 — Satin Brass

612 — Satin Bronze



613 — Dark Oxidized Satin Bronze

622 — Satin Black

625 — Bright Chrome

626 — Satin Chrome

630 — Satin Stainless (also for use with 619)



Cylinder with Blocking RingCylinder with Tapered Ring

626605, 606, 612, 619, 625, 630

Description	List \$	
Blocking rings — 64C, 64D	10.00	12.00
Tapered rings — 64A, 64J, 64K (includes wave washer)	28.00	31.00
Tapered rings — 64G, 64H (includes wave washer)	30.00	32.00
Wave washer (sold in multiples of 25 only)	25 pack	25 pack

Example: 64J 626

Conventional (Non-IC) Rim Cylinders

Ordering Guide

Cylinder Ring
Standard Ring


Tailpiece

Finish

Cylinder Type

Keyway

Keying



80 — Conventional Rim

R — Standard Ring

40 — Long Horizontal

30 — Long Vertical

20 — Horizontal

10 — Vertical

SC — Schlage C

SE — Schlage E

D100 — DORMA SKC

AA — Arrow A

CA — Corbin 60

CB — Corbin 67

CC — Corbin 77

CD — Corbin 59A1

CE — CorbinRusswin L4

RA — Russwin 981

RB — Russwin D1

GA — Sargent LA

SF — Schlage F

YA — Yale 8

YG — Yale GA

630 — Satin Stainless (also for use with 619)

626 — Satin Chrome

625 — Bright Chrome

613 — Dark Oxidized Satin Satin Bronze

612 — Satin Bronze

606 — Satin Brass

605 — Bright Brass

KD — Keyed Different

KA2 — Keyed Alike, Sets of 2

NSK — Keyed Alike, Sets of 3 or More

MKD — Master Keyed

CMK — Construction Master Keyed

OBIT — O-Bitted (Pinned 1 Bit, Uncut Keys)

Retrofit Keyways Available O-Bitted Only

Option	Keyway	Example	Keys	All Finishes \$
KD (standard)/KA2/KA4	SC	80R40 SC 626 KD	2 keys ea.	62.00
NSK (KA other than KA2/KA4)	SC	80R40 SC 626 NSK KA31	2 keys ea.	Add 28.00
Master keyed	SC, SE, D100	80R40 SC 626 MKD	⊗ Keys sold separately	Add 28.00
Construction master keyed	SC, SE, D100	80R40 SC 626 CMK	⊗ Keys sold separately	Add 35.00
O-Bit	SC, SE	80R40 SC 626 OBIT	2 keys ea.	62.00
O-Bit	D100	80R40 D100 626 OBIT	⊗ Keys sold separately	62.00
O-Bit	Retro	80R40 RB 626 OBIT	2 keys ea.	62.00

⊗ Denotes keys must be ordered separately.

Keys Ordered Separately for MKD, CMK, and SKC


Part #	Description	List \$
45101	Cut key — change key, master key, construction key; SC, SE keyways	9.00
45401	Cut key — change key, master key, construction key; SKC keyways — D100 etc.	16.00
45404	CONV Cut key — 1-bit key for operating 1-bit cylinders; SC, SE keyways only	7.00

NOTES:

- D100 keyway cylinders must be ordered O-bitted or MKD; keys sold separately.
- Other restrictions apply. See Cylinders, Keys & Keying section for DORMA SKC policies.
- 1-bit cylinder comes with (2) uncut keys and will require a 1-bit cut key, sold separately, to operate cylinder. SC and SE keyways only.
- See Keys and Key Blanks section for complete list.

Small Format Interchangeable Core Rim Housings

Ordering Guide




NOTES: • To order cores, refer to page 73.


Description	Example	All Finishes \$
Housing less core	87R40 00 626	59.00

Conventional (Non-IC) Hotel Cylinders

Ordering Guide



Description	Example	All Finishes \$
Key-in-Lever Cylinders		
Key-in-lever hotel cylinder	7585 SC 626 OBIT	90.00
Key-in-lever master keyed cylinder — Keys sold separately	7585 SC 626 MKD	Add 28.00
Key-in-lever construction keyed cylinder — Keys sold separately	7585 SC 626 CMK	Add 35.00



- NOTES:**
- For key-in-lever locksets in 619, 625, and 626 finish, order cylinders in 626. For key-in-lever locksets in 605, 606, 612, and 613, order in 606.
 - Key-in-lever hotel cylinders are not available in D100 keyway.
 -  Denotes keys must be ordered separately.

Keys Ordered Separately for MKD and CMK cylinders		
Part #	Description	List \$
45101	Cut key — change key, master key, construction key; SC, SE keyways	9.00
45401	Cut key — change key, master key, construction key; SKC keyways — D100 etc.	16.00
45102	Cut key — emergency key 75CYL; SC, SE keyways	25.00


- NOTES:**
- D100 keyway cylinders must be ordered 0-bitted or MKD; keys sold separately.
 - Other restrictions apply. See Cylinders, Keys & Keying section for DORMA SKC policies.
 - See Keys and Key Blanks section for complete list.

Small Format Interchangeable Core Hotel Cylinder

Ordering Guide



Cylinder without Ring



Length Includes Cam

* Extended length cylinders not available.

NOTES: • To order cores, refer to page 73.

Description	Example	All Finishes \$
Housing less core	98H11 00 158 626	79.00

1. For uncombined cores, UNC, cores must be ordered separately.

Small Format Interchangeable Cores

Ordering Guide

Core Length

7-Pin Core — **77**

6-Pin Core — **76**

Finish

626 — Satin Chrome

606 — Satin Brass

77 BA 606 MKD

Keying

BA — Best A

BB — Best B

BC — Best C

BD — Best D

BE — Best E

BF — Best F

BG — Best G

BH — Best H

BJ — Best J

BK — Best K

BL — Best L

BM — Best M

TB — Best TB

BQ — Best Q

D100 — DORMA SKC (supplied standard with DORMA logo - 7-pin Core only)

BLK — Black Construction Core

BLU — Blue Construction Core


GRN — Green Construction Core

Specify Color If Required to Match Existing Project




MKD — Combined (Master Keyed)

UNC — Uncombined

TMP — Temporary Construction Core




NOTE: To order tailpiece only, refer to page 76.

Description	Example	All Finishes \$
Uncombined core —  Keys sold separately	77 BA 606 UNC	42.00
76 or 77 Series core, combined —  Keys sold separately	77 BA 606 MKD	Add 28.00
Temporary construction core —  Keys sold separately	77 XX 606 TMP	55.00
Cores may be returned for a full refund (Quantities limited; contact Customer Service for details)		

NOTES:

- For locksets in 619, 625, 626, 629, and 630 finish, order cores in 626. For locksets in 605, 606, 612, and 613, order cores in 606.
- SFIC cores are not available O-Bitted.

 Denotes keys must be ordered separately.

Keys Ordered Separately

Part #	Description	List \$
45101	Cut key — change key, master key, control key; "B" keyways	9.00
45401	Cut key — change key, master key, control key; SKC keyways — D100 etc.	16.00
45103	Cut key — emergency key for M9985C "B" keyways	25.00
45403	Cut key — emergency key for M9985C D100 keyway	25.00

NOTES:


- D100 keyway cylinders must be ordered UNC or MKD; keys sold separately.
- Other restrictions apply. See Cylinders, Keys & Keying section for DORMA SKC policies.
- See Keys and Key Blanks section for complete list.

Service Items

Part #	Description	List \$
860051	Plastic construction core	8.00

Large Format Interchangeable Core

Ordering Guide



Large Format Interchangeable Cores

Keyway	Option	Example	Keys	All Finishes \$
SC	0-BIT	73 SC 626 0-BIT	2 Keys Ea. (Control Key Sold Separately)	61.00
SC	MKD	73 SC 626 MKD	Keys Sold Separately	89.00
D100	0-BIT	73 D100 626 0-BIT	Keys Sold Separately	61.00
D100	MKD	73 D100 626 MKD	Keys Sold Separately	89.00
SC	Temp Construction Core	73 BLK 626 TMP	Keys Sold Separately	77.00

NOTES:

- "0-bitted" SC cores come with (2) uncut keys, a 1-bit cut key is required to operate cylinder and must be ordered separately. Control key for removing and installing core must be ordered separately.
- "0-bitted" D100 cores do not come with keys. Keys must be ordered separately (pages 77–78).
- Distribution of DORMA SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for DORMA SKC policies.

Keys

Part #	Description	List \$
45101	Cut key — change key, master key, construction key — SC keyway	9.00
45401	Cut key — change key, master key, construction key — D100 keyway	16.00
45404	Cut key — 1-bit change key (to operate "1-bit" cores) — SC keyway	7.00
45405	Cut key — 1-bit control key (to install/remove "1-bit" LFIC cores) — SC keyway	7.00
44101SC	Key blank — SC keyway	4.00
44104SC	Key blank — Control key (to install/remove LFIC Cores) — SC keyway	6.00
44404D100	Key blank — control key — D100 76014824	20.00
45404D100	Cut key — control key — D100	25.00

Retrofit Interchangeable Core Cylinder Housings

Ordering Guides

Cylinder Type
Rim Cylinder Housing — **83**

Cylinder Ring
Standard Ring — **R**

Tailpiece
40 — Long Horizontal
30 — Long Vertical

Retrofit Type
Sargent XC 11-P-7300B
Arrow Choice Plus CP7S
Arrow Choice Flex C7FS
Arrow Choice Base C7S — **X7**
Arrow Choice Plus CP6S
Arrow Choice Flex C6FS
Arrow Choice Base C6S — **X6**
Schlage FSIC — **R**

Finish
605 — Bright Brass
606 — Satin Brass
612 — Satin Bronze
613 — Dark Oxidized Satin Bronze
625 — Bright Chrome
626 — Satin Chrome
630 — Satin Stainless (also for use with 619)

Length
112 — 1-1/2" (R only)
134 — 1-3/4" (X7, X6 only)
138 — 1-3/8" (X7, X6 only)

Cylinder Type
Interchangeable Core Housing — **93**

Retrofit Type
Sargent XC 11-P-7300B
Arrow Choice Plus CP7S
Arrow Choice Flex C7FS
Arrow Choice Base C7S — **R**
Schlage FSIC — **X6**
Schlage FSIC — **X7**

Cylinder Ring (List Add)
X

Cam
01 — Adams Rite & dormakaba 1340KR Key Removable Mullion
02 — Adams Rite 4070
09 — dormakaba 9600, 9700 & 9800 Exit Z Trim w/09 or 12 Functions
10 — dormakaba M9050, 9080 & 9082 (2) Mortise Locks; dormakaba 9100, 9300, 9400 & 9500 Exit Y Trim/Options & Other Straight Cam Applications
11 — dormakaba M9056, 9080EL/EU, 9080ELRX/EURX 9082EL/EU & M9900 Mortise Locks w/Dead Bolts
12 — dormakaba M9053, 9070, 9071 (2), 9076, 9077 (2) & 9060 Inside Cylinder Mortise Locks
13 — dormakaba M9060 Outside Cylinder Mortise Locks; dormakaba 9600, 9700 & 9800 Exit Z Trim w/08 or 11 Functions
15 — Schlage Style Clover (L)
16 — dormakaba 5000 Series Exit J Trim, Sargent & Yale Narrow
19 — Best & CorbinRusswin Style Clover
30 — Falcon Dead Bolt Style Clover
31 — CorbinRusswin DL4000 Style

Finish
605 — Bright Brass
606 — Satin Brass
612 — Satin Bronze
613 — Dark Oxidized Satin Bronze
625 — Bright Chrome
626 — Satin Chrome
630 — Satin Stainless (also for use with 619)

1. Interchangeable cores only available in **R** option (Schlage C) for these rim cylinder housings.

1. Interchangeable cores only available in **R** option (Schlage C) for these mortise cylinder housings.

Retrofit	Description	Example	All Finishes \$
Full Size Interchangeable Core Housing — Less Core			
R	Housing prepared for Schlage FSIC	83 R R 40 00 626 or 93 R G 10 00 112 626	71.00
Small Format Interchangeable Core Housings — Less Core			
X7 ¹	Housing prepared for Sargent XC 7P and Arrow Choice 7P	83 X7 R 40 00 626 or 93 X7 G 10 00 112 626	71.00
X6 ¹	Housing prepared for Arrow Choice 6P	83 X6 R 40 00 626 or 93 X6 G 10 00 112 626	71.00

NOTE: If temporary construction cores are required, consult technical services. SFIC housings X6 require 6-pin temporary cores; X7 require 7-pin temporary cores.

Tailpieces

C800 Lever	Tailpiece	Cylinder Type	Application	List \$
	6727D	Standard	All functions except C873, C885	9.00
	6728D	Standard	C873 function only	9.00
	6785D	Standard	C885 function only (hotel)	9.00
	6727C	SFIC	All functions except C873, C885	9.00
	6728C	SFIC	C873 function only	9.00
	6727R	R (Schlage FSIC)	All functions except C873	9.00
	6728R	R (Schlage FSIC)	C873 function only	9.00
	6727A	A (Corbin FSIC)	All functions except C873	9.00
	6728A	A (Corbin FSIC)	C873 function only	9.00
	6727M	M (Medeco 32 FSIC)	All functions except C873	9.00
	6728M	M (Medeco 32 FSIC)	C873 function only	9.00
	6727E	E (Corbin 2000 KIL)	All functions except C873	9.00
	6728E	E (Corbin 2000 KIL)	C873 function only	9.00
	6727N	N (Sargent 6300 FSIC)	All functions except C873	9.00
	6728N	N (Sargent 6300 FSIC)	C873 function only	9.00
	6727S	S (Sargent 10 Line KIL)	All functions except C873	9.00
	6728S	S (Sargent 10 Line KIL)	C873 function only	9.00
	6727Y	Y (Yale 1210/Medeco 31 FSIC)	All functions except C873	9.00
	6728Y	Y (Yale 1210/Medeco 31 FSIC)	C873 function only	9.00
C800 Knob				
	6727D	Standard	All functions except C873	9.00
	6728D	Standard	C873 function only	9.00
	6712C	SFIC	All functions except C873	9.00
	6729C	SFIC	C873 function only	9.00
CL700 Lever				
	6713D	Standard	All functions	9.00
	6713C	SFIC	All functions	9.00
CK700 Knob				
	6712D	Standard	All functions	9.00
	6712C	SFIC	All functions	9.00
C500 Tailpieces				
	6724D	Standard	All functions except C570	9.00
	6725D	Standard	C570 function only	9.00
	6724C	SFIC	All functions except C570	9.00
	6725C	SFIC	C570 function only	9.00
J300 Tailpieces				
	6732D	Standard	J353 (lever)	9.00
	6733D	Standard	All functions (deadbolt)	9.00
	6733C	SFIC	All functions (deadbolt)	9.00
	6732C	SFIC	J353 (lever)	9.00
C300 Tailpieces				
	6732D	Standard	C353	9.00

NOTE: 6727C & 6728C tailpieces for C800C accommodate both 6 & 7-pin cores.

D800 Tailpieces	Tailpiece	Cylinder Type	Application	List \$
	6718C	SFIC	D861	9.00
	6718D	Standard	D861	9.00
	6719C	SFIC	D860/D863	9.00
	6719D	Standard	D860/D863	9.00
	6720C	SFIC	D862	9.00
	6720D	Standard	D862	9.00
	6721C	SFIC	D862	9.00
	6721D	Standard	D862	9.00
	6726C	SFIC	D860/D863 long (4.5" door)	9.00
	6726D	Standard	D860/D863 (1-3/4"–2" door)	9.00
DB600 Tailpieces				
	6716D	Standard	D660	9.00
	6717D	Standard	D662	9.00
	6716C	SFIC	D660	9.00
	6717C	SFIC	D662	9.00

Miscellaneous Tailpieces/Parts

Part #	Description	List \$
76008829	Tailpiece, Rim cylinder	9.00
76009468	SFIC tailpiece spacer for use with 6-pin cores (except C800C Series)	5.00

Keys and Key Blanks

Key Blanks

Part #	Description	List \$
44101SC	SC section 6-pin (order in multiples of 50), w/DORMA logo	4.00
44101SE	SE section 6-pin (order in multiples of 50), w/DORMA logo	4.00
44101BA	BA section 7-pin (order in multiples of 50), w/DORMA logo and stamped DO NOT DUPLICATE	4.00
44401D100	D100 section 7-pin (order in multiples of 50), w/DORMA logo and stamped DO NOT DUPLICATE	7.00
44102SC	SC section emergency blank for C885D	22.00
44102SE	SE section emergency blank for C885D	22.00
44103BA	BA section emergency blank for M9985C and M9986C	25.00
44104SC	Key Blank — Control key (to install/remove LFIC Cores) SC keyway.	6.00
44403D100	D100 section emergency blank for M9985C and M9986C	25.00
44404D100	Key blank – control key – (to install/remove LFIC cores) D100 keyway	20.00
44303D400	D400 Emergency key blank for M9985 and M9986C	27.00

NOTE: Distribution of DORMA SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for DORMA SKC policies.

Cut Keys

Use cut key for master keys, change keys, control keys, construction keys, and emergency key for M9985 and M9986

Part #	Description	List \$
45101	Cut key SC, SE, or B sections	9.00
45401D100	Cut key D100 section	16.00
45102SC	SC section emergency key for C885D	25.00
45102SE	SE section emergency key for C885D	25.00
45103	Emergency keys for SFIC, M9985C, and M9986C (specify B keyway)	25.00
45403D100	D100 section emergency key for M9985C and M9986C	25.00
45404D100	Cut key - control key (to install/remove LFIC cores) D100 keyway	25.00

NOTE: Distribution of DORMA SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for DORMA SKC policies.

Key Stamping


Part #	Description	List Add \$
—	Alpha-numeric non-standard key symbols, up to 6 characters	8.00
—	Do not duplicate or US Property Do Not Duplicate	8.00

NOTE: BB through BQ section key stamped DUPLICATION PROHIBITED

SFIC Padlocks

Ordering Guides

Shackle Length		Cylinder Type		Keying	
2" Shackle —	20	T	— SFIC, Temporary Core	TMP	— Temporary Construction Core
1" Shackle —	10	C	— SFIC, with Core	MKD	— Combined (Master Keyed)
		J	— SFIC, Less Core		
SFIC Heavy Duty Padlock —	P1	10	J	626	BA MKD
			626	BA	— Best A
				BB	— Best B
				BC	— Best C
				BD	— Best D
				BE	— Best E
				BF	— Best F
				BG	— Best G
				BH	— Best H
				BJ	— Best J
				BK	— Best K
				BL	— Best L
				BM	— Best M
				BQ	— Best Q
				TB	— Best TB
				D100	— DORMA SKC 7-Pin Only
				BLK	— Black Construction Core
				BLU	— Blue Construction Core
				GRN	— Green Construction Core
					Keyway



Description	List \$
P110 J 626 — SFIC Padlock with 1" shackle, less core	62.00
P120 J 626 — SFIC Padlock with 2" shackle, less core	73.00

Small Format Interchangeable Cores	List Add \$
T Temporary construction core — Cores may be returned for a full refund	49.00
J SFIC Core sold separately	N/C
C Padlock with combined SFIC core; BA (default). Shipped separately BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, D100 Keyway — Keys sold separately	56.00

Cut Keys Ordered Separately

Part #	Description	List \$
45101	Change key, master key, construction master key or control key; BA, BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	9.00
45401	Change key, master key or control key; SKC keyways — D100 etc.	16.00

Service Parts

Pin Kits

Part #	Description	List \$
76006942	Pin kit for SC and SE keyway conventional cylinders (0.015 dia. pins)	181.00
76006943	Pin kit for dormakaba small format IC (BA, BB, etc., A2 system; 0.108 dia. pins)	181.00
76007399	Pin kit for DORMA SKC (D100) SFIC and conventional cylinders (A2 system)	425.00


NOTE: 7-pin kit for DORMA SKC also pins B keyway SFIC.

Key Machine


Part #	Description	List \$
76007932	Code key machine for originating DORMA SKC keys, 120 VAC 60 Hz. 4 week lead time.	5565.00
76007934	Code key machine for originating DORMA SKC keys, 220 VAC 60 Hz. 4 week lead time.	5841.00
76007936	Replacement cutter for dormakaba key machines	532.00
76007938	Replacement belt for dormakaba key machines	86.00
76010077	DORMA SKC code card for HPC1200/Ilco Universal code machines	33.00

IC Capping Equipment

Part #	Description	List \$
76007939	Capsaver press for D100	2192.00
76010091	Manual capping set for D100 and B keyways (capping block and capping tool)	241.00
76010076	SFIC decombining block and ejector tool (for B keyways only)	214.00
76010074	Capping tool for manual capping	57.00
76010075	Ejector tool for decombining	33.00
76010068	Capping strips (pack of 50)	82.00
76010069	Individual caps for manual capping (pack of 500)	25.00



Capsaver Press



Capping Block



Capping Tool



Ejector Tool

Tools and Service Items

Part #	Description	List \$
76010070	Small format IC housing installation wrench	113.00
76010071	Pin tumbler tweezers	47.00
76010072	Cylinder shims (pack of 25; for servicing conventional cylinders)	19.00
76007846	Follower (for servicing all dormakaba conventional cylinders)	16.00
76010246	DORMA SKC sample set	165.00
76010534	BA sample set, 626	82.00
76010535	BA sample set, 606	82.00

Replacement Pins, A2 System

Part #	Description (Order in multiples of 100) — Price is per pin	List \$
76007952	SKC Spring	0.13
76007953	SKC full size 0 bottom pin .185"	0.28
76007954	SKC full size 1 bottom pin .1975"	0.28
76007955	SKC full size 2 bottom pin .210"	0.28
76007956	SKC full size 3 bottom pin .2225"	0.28
76007957	SKC full size 4 bottom pin .235"	0.28
76007958	SKC full size 5 bottom pin .2475"	0.28
76007959	SKC full size 6 bottom pin .260"	0.28
76007960	SKC full size 7 bottom pin .2725"	0.28
76007961	SKC full size 8 bottom pin .285"	0.28
76007962	SKC full size 9 bottom pin .2975"	0.28
76007963	SKC full size A top pin .200"	0.28
76007964	SKC full size B top pin .235"	0.28
76007965	SKC full size C top pin .285"	0.28
76007966	SKC full size D top pin .2975"	0.28
76010031	SFIC/SKC size 2 top .025"	0.16
76010032	SFIC/SKC size 3 top .0375"	0.16
76010033	SFIC/SKC size 4 top .050"	0.16
76010034	SFIC/SKC size 5 top .0625"	0.16
76010035	SFIC/SKC size 6 top .075"	0.16
76010036	SFIC/SKC size 7 top .0875"	0.16
76010037	SFIC/SKC size 8 top .100"	0.16


Part #	Description (Order in multiples of 100) — Price is Per Pin	List \$
76010038	SFIC/SKC size 9 top .1125"	0.16
76010039	SFIC/SKC size 10 top .125"	0.16
76010040	SFIC/SKC size 11 top .1375"	0.16
76010041	SFIC/SKC size 12 top .150"	0.16
76010042	SFIC/SKC size 13 top .1625"	0.16
76010043	SFIC/SKC size 14 top .175"	0.16
76010044	SFIC/SKC size 15 top .1875"	0.16
76010045	SFIC/SKC size 16 top .200"	0.16
76010046	SFIC/SKC size 17 top .2125"	0.16
76010047	SFIC/SKC size 18 top .225"	0.16
76010048	SFIC/SKC size 19 top .2375"	0.16
76010049	SFIC/SKC size 0 bottom pin .110"	0.16
76010050	SFIC/SKC size 1 bottom pin .1225"	0.16
76010051	SFIC/SKC size 2 bottom pin .135"	0.16
76010052	SFIC/SKC size 3 bottom pin .1475"	0.16
76010053	SFIC/SKC size 4 bottom pin .160"	0.16
76010054	SFIC/SKC size 5 bottom pin .1725"	0.16
76010055	SFIC/SKC size 6 bottom pin .185"	0.16
76010056	SFIC/SKC size 7 bottom pin .1975"	0.16
76010057	SFIC/SKC size 8 bottom pin .210"	0.16
76010058	SFIC/SKC size 9 bottom pin .2225"	0.16

Labeling and Cylinder Marking


Each product on a contract order is automatically labeled with door number, keying information, and hardware set information. This information is placed on a special secondary label. **There is no extra charge for this service.**

In addition to the secondary label, we mark our cylinders with our key symbol in a concealed location using a water-resistant marker. If the cylinder needs to be rekeyed, the marking can be rubbed off without damaging the cylinder.

Visible Cylinder Marking Locations



Concealed Cylinder Marking Locations



Page blank intentionally

Page blank intentionally

Page blank intentionally

Exit Devices

Product Guide (1 of 2)

GRADE 1 EXIT DEVICES	Concealed Vertical Rod	Rim	Surface Vertical Rod	Mortise
Architectural Wide Stile 9000 Series Panic and Fire Rated	9100	9300	9400	9500
Architectural Narrow Stile 9000 Series Panic and Fire Rated	9600	9700	9800	—
Wide Stile 8000 Series Panic and Fire Rated	—	8300	8400	—

Architectural Mullions 1300 Series Panic/Fire Rated	Aluminum 1-5/8" x 2-5/8" 1310 Panic Rated	Steel 1-1/2" x 2-1/2" 1330 Panic Rated	Steel 2" x 3" 1300 Panic/Fire Rated	Steel 2" x 3" HC1300 Hurricane Rated	Steel 2" x 3" 1340 Key Removable Panic/Fire Rated
---	--	---	--	---	---

Exit Devices


Product Guide (1 of 2)

<div><div></div> Yes</div> <div><div></div> No</div>	A156.3 Grade 1	EN1125 Grade 1	5 Mil Extended Cycle Test	Latch Bolt Load Rated	Hurricane Rated	Plated Finishes	Powder Coat Finishes	Fire Rated	Panic Rated	Escutcheon Trim	Sectional Trim	Plate and Pull Trim	Electric Latch Retraction	Delayed Egress
8300 Rim Wide Stile														
8400 SVR Wide Stile														
9300 Rim Wide Stile														
9100 CVR Wide Stile														
9400 SVR Wide Stile														
9500 Mortise Wide Stile														
9700 Rim Narrow Stile														
9600 CVR Narrow Stile														
9800 SVR Narrow Stile														

Barrier-free (BF) Model Availability


ANSI Exit Device Type	dormakaba Exit Device Model	Functions	Electric Options	Device Lengths	Ratings
Type 1 – Rim	8300BF	01, 02, 03, 05, 08, 23	BA, B4	36" & 48"	Panic & Fire
	9300BF				
Type 3 – Mortise	9500 BF				
Type 4 – Narrow Rim	9700BF				

Handling



9000 Series Exit Devices

How to Order



9100 Series

Wide Stile Concealed Vertical Rod Exit Device

9100 Series Device								Options (Specify)								Cylinders and Keying		
Device	Length	Touchbar	Handing	Door Height	Top Strike	Bottom Strike	Finish	Special Finish Coating	Bottom Latch	Alum Door Latch Brackets	Fastener Package	Control	Alarm	Monitoring	Dogging	Cylinder Type	Keyway	Keying
9100	B		RHR	7	418	439	630									D	SC	KD
F9100	A	FL	RHR	7	418	340	605	*AM	LB	ALD	SK	DE	BA	LM	CD	T	CA	KD
9100	B		LHR	8	419	431	606	**PC	PB		SNB	DE30	B4	MS	LD	J	CD	KA2
	C			9		439	611		SB		TX	ES	DA	LMMS		C	CE	KA4
	SPCL			10			612				SKTX	DECBC		LMMSBP		L	*D100	NSK
				SPCL			613				SKSNB	MLR				D	GA	MKD
							619				TXSNB					G	RA	CMK
							625				SKTXSNB					R	RB	SKD
							626									F	SC	OBit
							628									X6	SE	
							629									X7	SF	
							630										YA	
							689										YG	
							691											
							693											
							695											
							696											
							Custom											
							Designer											



— Default



— Supplied with Standard KD Cylinder

*Patented Key Control

D100 is the keyway for our patented **SKC** serialized key control system. **SKC** is internet based and provides added layers of security. For more information, contact your local sales representative or Technical Service at 800-387-4938.

9000 Series – Wide Stile Applications


Device Length	All Device Options (except BA, DA, or DE)		BA or DA Device Options	DE Device Option
	Maximum Door Width ¹	Minimum Door Width ²	Minimum Door Width ²	Minimum Door Width ²
A	48" (1220 mm)	34" (864 mm)	39" (991 mm)	41" (1042 mm)
B	36" (915 mm)	28" (712 mm)	33" (839 mm)	35" (889 mm)
C	30" (762 mm)	25" (635 mm)	30" (762 mm)	N/A

1. As delivered from factory, device will fit doors of this width. For other widths, consult Technical Services.

2. Touch bar and rail assembly can be shortened at time of installation to fit doors down to this width.

*Antimicrobial available to 626 and 630 finishes only

**PC - Clear Powder Coat available over 630 - Stainless Steel



Available Finishes \$

			689, 691, 693, 695, 696	630	606, 612, 613, 619	605, 611, 625, 626, 629**
Function	Description	Device, Exit Only				
01	Panic	9100 Concealed vertical rod	2460.00	2903.00	2932.00	3119.00
01	Fire	F9100 Concealed vertical rod	2732.00	3164.00	3195.00	3374.00
Typical Options						
Item	Description					List Add \$
ALD	Wide Stile aluminum door bracket (9100 Series)					N/C
CD	Cylinder dogging (Includes cylinder)					120.00
LD	Less dogging (Standard with fire rated device)					N/C
AM	Antimicrobial coating Note: Antimicrobial available to 626 and 630 finishes only					106.00
SNB	Sex nuts (Included with F and HC Options)					23.00
TX	Security screws					46.00
FL	Full length touchbar (Not Available DE)					N/C
LB	Less bottom rod					N/C
PB	Pullman bottom latch					73.00
SB	Slide bolt (Default)					N/C
Up to 8'	7' to 8' Adjustable					N/C
Up to 10'	Door Heights over 8' to 10'		—	145.00	—	—

** For 629 finish, please allow 4 week lead time.

NOTES:

- Prices shown apply to A, B, or C length devices.
- Specify door width and handing. If not specified, Size B, RHR is the standard default.
- List price includes default strikes. For optional strikes, specify strike number and adjust list price accordingly.
- List price for the device does not include trim.
- Devices include wood and machine screws standard.
- Fire and hurricane rated devices include SNB sex nuts standard.
- For options requiring a cylinder, the option list price includes the default cylinder.
- Device includes precut and drilled rods for 7' to 8' doors.
For 9' doors, device includes precut and drilled rods for a 7' door and a 2' rod extension for the top rod. Specify 9' on order. For 10' doors, device includes precut and drilled rods for an 8' door and a 2' rod extension for the top rod. Specify 10' on order.
- See Device Options for pricing information.
- For special lengths and/or door heights over 10', consult Technical Service.
- All standard devices and trim are designed for 1-3/4"–2-1/4" thick doors. For door thickness greater than 2-1/4", consult Technical Service.
- ALD** for Wide and Narrow Stile aluminum.

9300 Series

Wide Stile Rim Exit Device

9300 Series Device					Options (Specify)								Cylinders and Keying		
Device	Length	Touchbar	Strike	Finish	Special Finish Coating		Special Application Package	Fastener Package	Control	Alarm	Monitoring	Dogging	Cylinder Type	Keyway	Keying
9300	B		463	630									D	SC	KD
F9300	A	FL	320	605	*AM	HC	SK	DE	BA	LM	CD	T	CA	KD	
9300	B		430	606	**PC	**BF	SNB	DE30	B4	MS	LD	J	CD	KA2	
	C		463	611			TX	ES	DA	LMMS		C	CE	KA4	
	SPCL		486	612			SKTX	DECBC		LMMSBP		L	*D100	NSK	
				613			SKSNB	MLR				D	GA	MKD	
				619			TXSNB					G	RA	CMK	
				625			SKTXSNB					R	RB	SKD	
				626								F	SC	OBIt	
				629								X6	SE		
				630								X7	SF		
				689									YA		
				691									YG		
				693											
				695											
				696											
				Custom											
				Designer											


— Default

— Supplied with Standard KD Cylinder

*Patented Key Control

D100 is the keyway for our patented SKC serialized key control system. SKC is internet based and provides added layers of security. For more information, contact your local sales representative or Technical Service at 800-387-4938.

 – Default

 – Supplied with Standard KD Cylinder

***Patented Key Control**
D100 is the keyway for our patented **SKC** serialized key control system. **SKC** is internet based and provides added layers of security. For more information, contact your local sales representative or Technical Service at 800-387-4938.

**** Barrier Free option availability:**

Exit Device	Functions	Electric Options	Device Lengths	Ratings
9300BF	01, 02, 03, 05, 08, 23	ES, BA, B4, LM, MS, LM/MS, LM/MS/BP	36" & 48"	Panic & Fire

9000 Series – Wide Stile Applications


Device Length	All Device Options (except BA, DA, or DE)		BA or DA Device Options	DE Device Option
	Maximum Door Width ¹	Minimum Door Width ²	Minimum Door Width ²	Minimum Door Width ²
A	48" (1220 mm)	34" (864 mm)	39" (991 mm)	41" (1042 mm)
B	36" (915 mm)	28" (712 mm)	33" (839 mm)	35" (889 mm)
C	30" (762 mm)	25" (635 mm)	30" (762 mm)	N/A

1. As delivered from factory, device will fit doors of this width. For other widths, consult Technical Services.

2. Touch bar and rail assembly can be shortened at time of installation to fit doors down to this width.

*Antimicrobial available to 626 and 630 finishes only

**PC - Clear Powder Coat available over 630 - Stainless Steel



Function	Description	Device, Exit Only	Available Finishes \$			
			689, 691, 693, 695, 696	630	606, 612, 613, 619	605, 611, 625, 626, 629**
01	Panic	9300 Rim	1202.00	1865.00	1883.00	2027.00
01	Fire	F9300 Rim	1441.00	2094.00	2115.00	2249.00

Typical Options

Item	Description	List Add \$
CD	Cylinder dogging (Includes cylinder)	120.00
LD	Less dogging (Standard with fire rated device)	N/C
AM	Antimicrobial coating Note: Antimicrobial available to 626 and 630 finishes only	106.00
SNB	Sex nuts (Included with F and HC Options)	23.00
TX	Security screws	46.00
HC	Hurricane (Includes SNB)	222.00
BF	Barrier free exit device, meets California Building Code (Section 11B-309.4) requirements for maximum 5 lb operating force. See page 86 for compatible functions/options.	65.00
FL	Full length touchbar (Not Available DE)	N/C

**** For 629 finish, please allow 4 week lead time.**


NOTES:


- Prices shown apply to A, B, or C length devices.
- Specify door width. If not specified, Size B is the standard default.
- List price includes default strikes. For optional strikes, specify strike number and adjust list price accordingly.
- List price for the device does not include trim.
- Devices include wood and machine screws standard.
- Fire and hurricane rated devices include 463 rim strike and SNB sex nuts standard.
- For options requiring a cylinder, the option list price includes the default cylinder.
- For special lengths, consult Technical Service.
- All standard devices and trim are designed for 1-3/4"–2-1/4" thick doors. For door thickness greater than 2-1/4", consult Technical Service.

9400 Series

Wide Stile Surface Vertical Rod Exit Device

9400 Series Device								Options (Specify)								Cylinders and Keying		
Device	Length	Touchbar	Handing	Door Height	Top Strike	Bottom Strike	Finish	Special Finish Coating	Bottom Latch	Special Application Package	Fastener Package	Control	Alarm	Monitoring	Dogging	Cylinder Type	Keyway	Keying
9400	B		RHR	7	426	439	630									D	SC	KD
F9400	A	FL	RHR	7	426	340	605	*AM	LB	HC	SK	ES	BA	LM	CD	T	CA	KD
9400	B		LHR	8	426A	416V	606	**PC	PB		SNB	MLR	B4	MS	LD	J	CD	KA2
	C			9		431	611		SB		TX		DA	LMMS		C	CE	KA4
	SPCL			10		439	612				SKTX			LMMSBP		L	D100	NSK
				SPCL			613				SKSNB					D	GA	MKD
							619				TXSNB					G	RA	CMK
							625				SKTXSNB					R	RB	SKD
							626									F	SC	OBIt
							629									X6	SE	
							630									X7	SF	
							689										YA	
							691										YG	
							693											
							695											
							696											
							Custom											
							Designer											

 — Default

 — Supplied with Standard KD Cylinder

***Patented Key Control**

D100 is the keyway for our patented SKC serialized key control system. SKC is internet based and provides added layers of security. For more information, contact your local sales representative or Technical Service at 800-387-4938.



— Default



— Supplied with Standard KD Cylinder

***Patented Key Control**
D100 is the keyway for our patented **SKC** serialized key control system. **SKC** is internet based and provides added layers of security. For more information, contact your local sales representative or Technical Service at 800-387-4938.

9000 Series – Wide Stile Applications


Device Length	All Device Options (except BA or DA)		BA or DA Device Options
	Maximum Door Width ¹	Minimum Door Width ²	Minimum Door Width ²
A	48" (1220 mm)	34" (864 mm)	39" (991 mm)
B	36" (915 mm)	28" (712 mm)	33" (839 mm)
C	30" (762 mm)	25" (635 mm)	30" (762 mm)

1. As delivered from factory, device will fit doors of this width. For other widths, consult Technical Services.

2. Touch bar and rail assembly can be shortened at time of installation to fit doors down to this width.

*Antimicrobial available to 626 and 630 finishes only

**PC - Clear Powder Coat available over 630 - Stainless Steel



			Available Finishes \$			
			689, 691, 693, 695, 696	630	606, 612, 613, 619	605, 611, 625, 626, 629**
Function	Description	Device, Exit Only				
01	Panic	9400 Surface vertical rod	2403.00	2717.00	2743.00	2959.00
01	Fire	F9400 Surface vertical rod	2677.00	2980.00	3009.00	3213.00
Typical Options						
Item	Description					List Add \$
CD	Cylinder dogging (Includes Cylinder)					120.00
LD	Less dogging (Standard with fire rated device)					N/C
AM	Antimicrobial coating Note: Antimicrobial available to 626 and 630 finishes only					106.00
SNB	Sex nuts (included with F and HC options)					23.00
TX	Security screws					46.00
HC	Hurricane (Includes SNB)					222.00
FL	Full length touchbar (Not Available DE)					N/C
LB	Less bottom rod					N/C
PB	Pullman bottom latch					73.00
SB	Slide bolt (Default)					N/C
Up to 8'	7' Default					N/C
Up to 10'	Door Heights over 8' to 10'		74.00	145.00	145.00	145.00

**** For 629 finish, please allow 4 week lead time.**

NOTES:

- Prices shown apply to A, B, or C length devices.
- Specify door width and handing. If not specified, Size B, RHR is the standard default.
- List price includes default strikes. For optional strikes, specify strike number and adjust list price accordingly.
- List price for the device does not include trim.
- Devices include wood and machine screws standard.
- Fire and hurricane rated devices include SNB sex nuts standard.
- For options requiring a cylinder, the option list price includes the default cylinder.
- Device includes precut and drilled rods for 7' or 8' doors as specified on order.
For 9' doors, device includes precut and drilled rods for a 7' door and a 2' rod extension for the top rod.
For 10' doors, device includes precut and drilled rods for an 8' door and a 2' rod extension for the top rod.
See Device Options for pricing information.
- For special lengths and/or door heights over 10', consult Technical Service.
- All standard devices and trim are designed for 1-3/4"-2-1/4" thick doors. For door thickness greater than 2-1/4", consult Technical Service.

9500 Series

Wide Stile Mortise Exit Device

9500 Series Device							Options (Specify)								Cylinders and Keying		
Device	Length	Touchbar	Function	Handing	Strike	Finish	Special Finish Coating	Special Application Package	Fastener Package	Electric Locking	Control	Alarm	Monitoring	Dogging	Cylinder Type	Keyway	Keying
9500	B		08	RHR	465	630									D	SCKD	
F9500	A	FL	01	RHR	465	605	*AM	HC	SK	LFSC	DE	BA	LM	CD	T	CA	KD
9500	B		03	LHR	565	606	**PC	**BF	SNB	LFSF	DE30	B4	MS	LD	J	CD	KA2
	C		05			611			TX		DECBC	DA	LMMS		C	CE	KA4
	SPCL		08			612			SKTX		MLR		LMMSBP		L	D100	NSK
			22			613			SKSNB						D	GA	MKD
						619			TXSNB						G	RA	CMK
						625			SKTXSNB						R	RB	SKD
						626									F	SC	OBIt
						629									X6	SE	
						630									X7	SF	
						689										YA	
						691										YG	
						693											
						695											
						696											
						Custom											
						Designer											

— Default

— Supplied with Standard KD Cylinder

***Patented Key Control**

D100 is the keyway for our patented SKC serialized key control system. SKC is internet based and provides added layers of security. For more information, contact your local sales representative or Technical Service at 800-387-4938.



— Default



— Supplied with Standard KD Cylinder

***Patented Key Control**
D100 is the keyway for our patented **SKC** serialized key control system. **SKC** is internet based and provides added layers of security. For more information, contact your local sales representative or Technical Service at 800-387-4938.

** Barrier Free option availability:

Exit Device	Functions	Electric Options	Device Lengths	Ratings
9500BF	01, 02, 03, 05, 08, 23	ES, BA, B4, LM, MS, LM/MS, LM/MS/BP	36" & 48"	Panic & Fire

9000 Series — Wide Stile Applications


Device Length	All Device Options (except BA, DA, or DE)		BA or DA Device Options	DE Device Option
	Maximum Door Width ¹	Minimum Door Width ²	Minimum Door Width ²	Minimum Door Width ²
A	48" (1220 mm)	34" (864 mm)	39" (991 mm)	41" (1042 mm)
B	36" (915 mm)	28" (712 mm)	33" (839 mm)	35" (889 mm)
C	30" (762 mm)	25" (635 mm)	30" (762 mm)	N/A

1. As delivered from factory, device will fit doors of this width. For other widths, consult Technical Services.

2. Touch bar and rail assembly can be shortened at time of installation to fit doors down to this width.

*Antimicrobial available to 626 and 630 finishes only

**PC - Clear Powder Coat available over 630 - Stainless Steel



Function	Description	Device, Exit Only	Available Finishes \$			
			689, 691, 693, 695, 696	630	606, 612, 613, 619	605, 611, 625, 626, 629**
01	Panic	9500 Mortise	2149.00	2611.00	2637.00	2756.00
01	Fire	F9500 Mortise	2386.00	2841.00	2869.00	2979.00

Typical Options

Item	Description	List Add \$
CD	Cylinder dogging (Includes Cylinder)	120.00
LD	Less dogging (Standard with fire rated device)	N/C
AM	Antimicrobial coating Note: Antimicrobial available to 626 and 630 finishes only	106.00
SNB	Sex nuts (Included with F and HC options)	23.00
TX	Security screws	46.00
HC	Hurricane (Includes SNB)	222.00
FL	Full length touchbar (Not Available DE)	N/C
BF	Barrier free exit device, meets California Building Code (Section 11B-309.4) requirements for maximum 5 lb operating force. See page 86 for compatible functions/options.	65.00
LFSF	Fail safe, electric locking of mortise lock (requires DKPS-2A power supply and ES105 power transfer)	1294.00
LFSC	Fail secure, electric unlocking of mortise lock (requires DKPS-2A power supply and ES105 power transfer)	1294.00

**** For 629 finish, please allow 4 week lead time.**

NOTES:

- Prices shown apply to A, B, or C length devices.
- Specify door width and handing. If not specified, Size B, RHR is the standard default.
- List price includes default strikes. For optional strikes, specify strike number and adjust list price accordingly.
- List price for the device does not include trim.
- Devices include wood and machine screws standard.
- Fire and hurricane rated devices include SNB sex nuts standard.
- For options requiring a cylinder, the option list price includes the default cylinder.
- For special lengths, consult Technical Service.
- All standard devices and trim are designed for 1-3/4" - 2-1/4" thick doors. For door thickness greater than 2-1/4", consult Technical Service.

Wide Stile Dummy Bars

		Available Finishes \$			
		689, 691, 693, 695, 696	630	606, 612, 613, 619	605, 611, 625, 626, 629**
Item	Description				
Dummy Touchbars					
9030	Rigid dummy touchbar	767.00	1106.00	1144.00	1144.00
9030MS	Dummy touchbar w/ microswitch	1135.00	1414.00	1430.00	1430.00
9035	Rigid touchbar	767.00	1106.00	1144.00	1144.00
9036	Moveable touchbar	767.00	1106.00	1144.00	1144.00
9036MS	Moveable touchbar w/ microswitch	1135.00	1414.00	1430.00	1430.00

**** For 629 finish, please allow 4 week lead time.**
NOTE: Dummy touchbars available in all rail sizes: A, B or C

Wide Stile Options

Option Code	Description	List Add \$
Strikes		
9100, 9400 Concealed and Surface Vertical Rods		
340	Flat slide bolt bottom strike (9100 and 9400 Series)	N/C
416V	Surface bottom strike for pullman latch (9400)	N/C
418	Standard top strike (9100 Series)	N/C
419	Wood frame top strike (9100 Series)	23.00
426	Standard top strike (9400 Series)	N/C
426A	Top strike w/angle (9400 Series)	38.00
431	Recessed bottom strike for pullman latch (9100 and 9400 Series)	38.00
439	Standard slide bolt bottom strike (9100 and 9400 Series)	N/C
9300 Rim Devices		
320	Overlap strike	38.00
430	Rim box strike	60.00
463	Standard rim strike (default/no charge for 9300/F9300)	N/A
486	Roller strike	23.00
9500 Mortise		
465	Standard mortise strike	N/C
565	Open back strike	38.00
Special Finishes and Coatings		
AM	Antimicrobial protected coating Note: Antimicrobial available to 626 and 630 finishes only	103.00
PC	Clear Powder Coat available over 630 – Stainless Steel	106.00
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.	
	Per order, setup charge (Net)	169.00
	per exit device only, list add	93.00
	per trim only, list add	93.00
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" x 3" color chip samples required. For details, see Finishes Cross Reference , page viii.	
	per order, non-refundable development/setup charge (Net)	597.00
	per exit device only, list add	93.00
	per trim only, list add	93.00
Bottom Latches for 9100 Concealed Vertical Rods & 9400 Surface Vertical Rods		
LB	Less bottom rod	N/C
PB	Pullman bottom latch	73.00
SB	Slide bolt (Default)	N/C
Door Height Designation		
9100 Concealed Vertical Rods		
7 or 8	Door heights from 7' to 8' adjustable	N/C
9 or 10	Door heights over 8', up to 10'	74.00
Over 10'	Contact DORMA Technical Service for assistance	
9400 Surface Vertical Rods		
7 or 8	Door heights from 7' to 8' (7' Default)	N/C
9 or 10	Door heights over 8', up to 10'	
	For 689, 691, 693, 695, 696 finishes	74.00
	For 605, 606, 611, 612, 613, 619, 625, 626, 630 finishes	145.00


Wide Stile Options (continued)

Option Code	Description	List Add \$
Over 10'	Consult DORMA Technical Service	
Special Application Packages		
HC	Hurricane (9300, 9400, and 9500 Series only) Includes SNB	222.00
FL	Full length touchbar (Not Available DE)	N/C
BF	Barrier free exit device, meets California Building Code (Section 11B-309.4) requirements for maximum 5 lb operating force. See page 86 for compatible functions/options.	65.00
Fastener Package		
SK	Shim kit	119.00
SNB	Sex nuts	23.00
TX	Security screws	46.00
SKTX	Shim kit and security screws	184.00
SKSNB	Shim kit and sex nuts	138.00
TXSNB	Security screws and sex nuts	92.00
SKTXSNB	Shim kit, security screws, and sex nuts	207.00
Electronic Controls		
DE*	Delayed egress (requires ES100 power supply and ES105 power transfer)	2185.00
DE30*	Delayed egress, 30 second (requires special approval from authority having jurisdiction)	2703.00
DECBC*	Delayed egress, CBC compliant	2703.00
MLR	Motorized Latch Retraction/dogging (use DKPS-2A or DKPS-2A power supply—2 MLR's)	1225.00
ES	Electric latch retraction (requires PS501 power supply and ES105 power transfer)	1156.00
Alarm		
BA*	Battery powered alarm	801.00
B4*	Battery powered alarm, 4 minute reset	855.00
DA*	Direct wired alarm	801.00
Monitoring		
LM	Latch bolt monitoring	317.00
MS	Monitor switch in touchbar	317.00
LMMS	Latch bolt and touchbar monitor	630.00
LMMSBP*	Latch bolt and touchbar monitor with bypass	630.00
Dogging		
CD*	Cylinder dogging (panic devices only)	120.00
LD	Less dogging (panic devices only)	N/C
MD	Electric dogging (requires DKPS-2A power supply)	1056.00
Power Supplies, Power Transfers, Power Modules		
AD100	Export power supply for up to 2 ES or LFSF/LFSC or 1 DE device 220 V.	962.00
ES101	Delay module	179.00
ES103	Relay module	113.00
ES100	Power supply for DE devices and LFSC/LFSF trims. Powers 1 DE device or 2 trims.	819.00
ES105	Power transfer (recommended for ES, DE & MLR options)	275.00
PS501	Power supply for ES9000 devices. Powers up to 2 devices.	962.00
PS501220	Export power supply, 220 VAC. Powers up to 2 ES9000 devices.	962.00
ES2	Power supply card for PS501. Powers an additional 2 devices.	524.00
DKPS-2A	Power supply for 9500 LFSC/LFSF, or MLR. Powers 1 device.	736.00
DKPS-2A	Power supply for 9500 LFSC/LFSF powers 2 devices (will also power 1 MLR device).	736.00
DKPS-2A	Power supply for MLR. Powers 2 devices.	736.00
PS406BB	Power supply with battery back-up for solenoid electric latch retraction option.	1373.00

* List price includes default cylinder.

9000 Series Exit Trim

How to Order



Lever and Knob Styles



ANSI Function	Description	Y Series Raised Escutcheon 2-3/4" W x 8-1/2" H x 15/16" D	Sectional Trim 3-3/8" Diameter Rose	Plate 2" W x 16" H	Plate 3" W x 16" H	Pulls	Cylinder Only Pull by Others
DT	Dummy trim						
02	Entrance by trim when touchbar is dogged						
03	Entrance by trim when latch bolt is retracted by key. Key removable only when trim is locked.						
05	Entrance by thumbpiece. Key locks or unlocks thumbpiece.						
06	Entrance by thumbpiece only when released by key. Key removable only when locked.						
08	Entrance by lever or knob. Key locks or unlocks lever or knob.						
08C w/ clutch (Handed)	Entrance by lever with clutch option. Key locks or unlocks lever.						
0808 Double Cylinder	Entrance by knob or lever. Outside or inside key locks or unlocks knob or lever. (9300 only)						
09	Entrance by lever or knob only when unlocked by key. Key removable only when locked.						
09C w/ clutch (Handed)	Entrance by lever with clutch option trim unlocked by key. Key removable only when locked.						
11	Entrance by thumbturn and pull. Key locks or unlocks thumbturn.						
12	Entrance by thumbturn and pull only when released by key. Key removable only when locked.						
22	Entrance by thumbpiece (no cylinder). Thumbpiece always active.						
23	Entrance by lever or knob (no cylinder). Lever or knob always active.						
25	Entrance by thumbturn and pull (no cylinder). Thumbturn always active.						

9000 Series Wide Stile Y Escutcheon Trim

Y Series Trim (Specify)					Special Finish Coating		Cylinders and Keying					
					Door Thickness	Retrofit						
Escutcheon	Knob, Pull, or Lever	Function	Handing	Electric Locking ²	Finish			Cylinder Type	Keyway	Keying		
					630			D	S	C	K	D
Y	A	DT	RHR	LFSC	605	Ext3	*AM	R1 ³	T	CA	KD	
Handed –	C	02R	LHR	LFSF	606	Ext4	**PC		J	CD	KA2	
	D	03			611				C	CE	KA4	
	K	03R			612				L	D100	NSK	
Handed –	F	03MR			613				D	GA	MKD	
	G	08			619				G	RA	CMK	
	R	08M			625				R	RB	SKD	
	T	08C – Handed			626				F	SC	OBIt	
	O	08MC – Handed			629 ¹				X6	SE		
	P	0808 – Double Cylinder (Specific handing)			630				X7	SF		
Handed –	N	09			689					YA		
	V	09C – Handed			691					YG		
	L109	23			693							
	L110				695							
Handed –	L112	Suffix M required for 9500 mortise			696							
	L114	Suffix C and LHR/RHR required for clutch			Custom							
	L117	Suffix R required for rigid lever			Designer							
	L118											



YK



YC



YP

***Patented Key Control**
D100 is the keyway for our patented SKC serialized key control system. SKC is internet based and provides added layers of security. For more information, contact your local sales representative or Technical Service at 800-387-4938.

1. For 629 finish, please allow 4 week lead time.
2. LFSC/LFSF only on 09/09C Functions
3. R1 available for 9300 series devices only.

*Antimicrobial available to 626 and 630 finishes only
**PC - Clear Powder Coat available over 630 - Stainless Steel

		Concealed Vertical Rod	Rim	Surface Vertical Rod	Mortise	Available Finishes \$		
		9100 F9100	9300 F9300	9400 F9400	9500 F9500	689, 691, 693, 695, 696	630	605, 606, 611, 612, 613, 619, 625, 626, 629**
ANSI Function	Description							
DT	Dummy trim	YODT				177.00	254.00	292.00
02	Entrance by trim when touchbar is dogged.	YP02, YK02R, Yx02R				374.00	542.00	597.00
03	Entrance by trim when latch bolt is retracted by key. Key removable only when trim is locked.	YO03*			YO03M*	276.00	368.00	390.00
		YP03, YK03R, Yx03R			YP03M YK03R Yx3MR	491.00	637.00	694.00
08	Entrance by lever or knob. Key locks or unlocks lever or knob.	YK08, Yx08			YK08M Yx08M	645.00	745.00	858.00
08 w/clutch	Entrance by lever with clutch option. Key locks or unlocks lever. (Handed)	Yx08C			Yx08MC	915.00	1060.00	1117.00
0808 (9300)	Entrance by lever. Outside or inside key locks or unlocks lever.	—	Yx0808	—	—	1130.00	1281.00	1329.00
09	Entrance by lever or knob only when unlocked by key. Key removable only when locked.	YK09, Yx09			—	645.00	745.00	858.00
09 w/clutch	Entrance by lever with clutch option trim unlocked by key. Key removable only when locked. (Handed)	Yx09C			—	915.00	1060.00	1117.00
11	Entrance by thumbturn. Key locks or unlocks thumbturn.	YP11			—	609.00	731.00	755.00
12	Entrance by thumbturn when unlocked by key. Key removable only when locked.	YP12			—	609.00	731.00	755.00
11	Entrance by thumbturn. Key locks or unlocks thumbturn.	Y011			—	532.00	684.00	705.00
12	Entrance by thumbturn when unlocked by key. Key removable only when locked.	Y012			—	532.00	684.00	705.00
23	Entrance by lever or knob (no cylinder). Lever or knob always active.	YK23, Yx23			YK23M Yx23M	427.00	623.00	637.00

* Requires Pull by Others

** For 629 finish, please allow 4 week lead time.

NOTES:

- Where x appears above, x = lever styles A, C, D, F, G, N, R, T, V, L109, L110, L112, L114, L117 or L118.
(Handed Levers — D, F, V, L114)
- List price includes the default cylinder.

9000 Series Wide Stile Sectional Trim

Sectional Trim (Specify)			Special Finish Coating	Cylinders and Keying		
Knob or Lever	Function	Finish		Cylinder Type	Keyway	Keying
		626		D	SC	KD
9C	02	605	*AM	C	CA	KD
9G	03	606	**PC	D	CD	KA2
9K	08	611		J	CE	KA4
9R	23	612		L	D100	NSK
		613		T	GA	MKD
		619		RA	CMK	
		625		RB	SKD	
		626		SC	OBit	
		630		SE		
		689		SF		
		691		YA		
		693		YG		
		695				
		696				
		Custom				
		Designer				



9R



9K

 — Default

***Patented Key Control**
D100 is the keyway for our patented SKC serialized key control system. SKC is internet based and provides added layers of security. For more information, contact your local sales representative or Technical Service at 800-387-4938.

*Antimicrobial available to 626 and 630 finishes only
**PC - Clear Powder Coat available over 630 - Stainless Steel

		Concealed Vertical Rod	Rim	Surface Vertical Rod	Mortise	Available Finishes \$	
		9100 F9100	9300 F9300	9400 F9400	9500 F9500	689, 691, 693, 695, 696	605, 606, 611, 612, 613, 619, 625, 626
ANSI Function	Description						
02	Entrance by trim when touchbar is dogged.		9C02R 9G02R 9K02R 9R02R		—	412.00	— 465.00
03	Entrance by trim when latch bolt is retracted by key. Key removable only when trim is locked.		9C03 9G03 9K03 9R03		—	505.00	— 561.00
08	Entrance by lever or knob. Key locks or unlocks lever or knob.		9C08 9G08 9K08 9R08		—	505.00	— 561.00
23	Entrance by lever or knob (no cylinder). Lever or knob always active.		9C23 9G23 9K23 9R23		—	412.00	— 465.00

NOTE: List price includes the default cylinder.

9000 Series Wide Stile 3" Plate Trim

Plate Trim (Specify)			Special Finish Coating	Retrofit	Cylinders and Keying		
Plate Type	Function	Finish			Cylinder Type	Keyway	Keying
		630			D	SC	KD
HRT	DT	630	*AM	R1 ¹	T	CA	KD
HTT	DTCV	689	**PC		J	CD	KA2
NPT	02	691			C	CE	KA4
PRT	02CV	693			L	*D100	NSK
PTT	03	695			D	GA	MKD
80	03CV	696			G	RA	CMK
	03M	696			R	RB	SKD
	05	Custom			F	SC	OBit
	05CV	Designer			X6	SE	
	05M				X7	SF	
	06					YA	
	06CV					YG	
	22						
	22CV						
	22M						

Suffix **CV** required for 9100 CVR
Suffix **M** required for 9500 mortise

***Patented Key Control**
D100 is the keyway for our patented **SKC** serialized key control system. **SKC** is internet based and provides added layers of security. For more information, contact your local sales representative or Technical Service at 800-387-4938.

1. R1 available for 9300 series devices only.

*Antimicrobial available to 626 and 630 finishes only
**PC - Clear Powder Coat available over 630 - Stainless Steel



HTT



PRT

		Concealed Vertical Rod	Rim	Surface Vertical Rod	Mortise	Available Finishes \$	
		9100 F9100	9300 F9300	9400 F9400	9500 F9500	689, 691, 693, 695, 696	630 605, 606, 611, 612, 613, 619, 625, 626
ANSI Function	Description						
DT	Dummy Trim	NPTDTCV	NPTDT			165.00	224.00 245.00
02	Entrance by trim when touchbar is dogged.	PRT02CV PTT02CV	PRT02 PTT02	PRT02M PTT02M		183.00	264.00 305.00
03	Entrance by trim when latch bolt is retracted by key. Key removable only when trim is locked.	NPT03CV* PRT03CV PTT03CV	NPT03* PRT03 PTT03	NPT03M* PRT03M PTT03M		286.00	384.00 405.00
05	Entrance by thumbpiece. Key locks or unlocks thumbpiece.	HRT05CV HTT05CV	HRT05 HTT05	HRT05M HTT05M		326.00	405.00 441.00
06	Entrance by thumbpiece only when released by key. Key removable only when locked.	HRT06CV HTT06CV	HRT06 HTT06	—		326.00	405.00 441.00
22	Entrance by thumbpiece (no cylinder). Thumb-piece always active.	HRT22CV HTT22CV	HRT22 HTT22	HRT22M HTT22M		326.00	322.00 365.00

* Requires Pull by Others

NOTE: List price includes the default cylinder.

9000 Series Wide Stile 2" Plate Trim

Plate Trim (Specify)

Special Finish Coating

Retrofit

Cylinders and Keying

Plate Type	Function	Finish			Cylinder Type	Keyway	Keying
		630			D	SC	KD
VO	DT	605	*AM	R1 ¹	T	CA	KD
V1	DTCV	606	**PC		J	CD	KA2
V3	02	611			C	CE	KA4
	02CV	612			L	D100	NSK
	03	613			D	GA	MKD
	03CV	619			G	RA	CMK
	03M	625			R	RB	SKD
		626			F	SC	OBit
		630			X6	SE	
		689			X7	SF	
		691				YA	
		693				YG	
		695					
		696					
		Custom					
		Designer					

Suffix CV required for 9100 CVR

Suffix M required for 9500 mortise

*Patented Key Control


D100 is the keyway for our patented SKC serialized key control system. SKC is internet based and provides added layers of security. For more information, contact your local sales representative or Technical Service at 800-387-4938.

1. R1 available for 9300 series devices only.

*Antimicrobial available to 626 and 630 finishes only


**PC - Clear Powder Coat available over 630 - Stainless Steel

2"



V3

2"



V1

		Concealed Vertical Rod	Rim	Surface Vertical Rod	Mortise	Available Finishes \$		
		9100 F9100	9300 F9300	9400 F9400	9500 F9500	689, 691, 693 695, 696	630	605, 606, 611, 612, 613, 619, 625, 626
ANSI Function	Description							
DT	Dummy Trim	VODTCV		VODT	—	165.00	182.00	245.00
02	Entrance by trim when touchbar is dogged.	V102CV V302CV		V102 V302	—	183.00	245.00	305.00
03	Entrance by trim when latch bolt is retracted by key. Key removable only when trim is locked.	VO03CV* V103CV V303CV		VO03* V103 V303	VO03M* V103M V303M	286.00	342.00	405.00

* Requires Pull by Others
NOTE: List price includes the default cylinder.

9000 Series Wide Stile Pull Trim

Pulls (Specify)				Special Finish Coating	Cylinders and Keying		
Pull Type	Function	Handing	Finish		Cylinder Type	Keyway	Keying
			630		D	SC	KD
OP	02	RHR	605	*AM	T	CA	KD
POF	03HDA	LHR	606	**PC	J	CD	KA2
VRF	02SPM		611		C	CE	KA4
9PBO ¹	03SPM		612		L	[*] D100	NSK
	03		613		D	GA	MKD
			619		G	RA	CMK
			625		R	RB	SKD
			626		F	SC	OBit
			630		X6	SE	
			689		X7	SF	
			691			YA	
			693			YG	
			695				
			696				
			Custom				
			Designer				



VRF



OP



POF



9PBO

***Patented Key Control**
D100 is the keyway for our patented **SKC** serialized key control system. **SKC** is internet based and provides added layers of security. For more information, contact your local sales representative or Technical Service at 800-387-4938.

¹ 9PBO not applicable on 9500 Device. 03 Function only.
Not available in 693 finish.

*Antimicrobial available to 626 and 630 finishes only
**PC - Clear Powder Coat available over 630 - Stainless Steel

ANSI Function	Description	Concealed Vertical Rod	Rim	Surface Vertical Rod	Mortise	Available Finishes \$		
		9100 F9100	9300 F9300	9400 F9400	9500 F9500	689, 691, 693, 695, 696	630	605, 606, 611, 612, 613, 619 625, 626
02	Entrance by trim when touchbar is dogged.	OP02				165.00	204.00	240.00
		—	VRF02SPM	—	—	—	824.00	—
03	Entrance by trim when latch bolt is retracted by key. Key removable only when trim is locked.	—	POF03HDA	—	—	—	1164.00	—
		9PBO03				184.00	183.00	183.00
		—	VRF03SPM	—	—	—	824.00	—

NOTES:


- List price includes the default cylinder.
- 9PBO03 trim not recommended for wood doors. For hollow metal and aluminum door applications. Not applicable on 9500 devices. Not available in 693 finish.

Trim Options


Option Code	Description	List Add \$
Special Finishes and Coatings		
AM	Antimicrobial protected coating Note: Antimicrobial available to 626 and 630 finishes only	106.00
PC	Clear Powder Coat available over 630 – Stainless Steel	106.00
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.	
	Per order, setup charge (Net)	169.00
	per exit device only, list add	93.00
	per trim only, list add	93.00
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" x 3" color chip samples required. For details, see Finishes Cross Reference , page viii.	
	per order, non-refundable development/setup charge (Net)	597.00
	per exit device only, list add	93.00
	per trim only, list add	93.00
Electric Locking Trim for 9100 Concealed Vertical Rods, 9300 Rim & 9400 Surface Vertical Rods		
LFSC	Fail secure (requires DORMA ES100 power supply)	740.00
LFSF	Fail safe (requires DORMA ES100 power supply)	740.00
Retrofit		
R1	Von Duprin® retrofit. For Y series and wide stile plate trims (9300 Series devices only)	N/C
Door Thickness (includes extended spindle and fasteners)		
Ext3	Door thickness from 2-1/4"–3-1/4" (57 mm to 83 mm)	111.00
Ext4	Door thickness from 3-1/4"–4-1/4" (83 mm to 108 mm)	111.00

Cylinders


Rim Cylinders



Mortise Cylinders



Key-in-Lever Cylinders



Wide Stile

Application	ANSI Function	Cylinder Type	Conventional (Default)	Cam	SFIC 7-Pin
Cylinders for 9100/F9100 Concealed Vertical Rod, 9300/F9300 Rim, and 9400/F9400 Surface Vertical Rod Wide Stile Devices					
Sectional Trim (Key-in-Lever)	03, 08	Key-in-lever	7013SC	NA	77BA
Wide Plate Trim	03	Rim	80R40SC	NA	87R40BA
Wide Plate Trim	05, 06	Mortise	90A10BA118	#10	97A10BA138
Narrow Plate Trim	03	Rim	80R40SC	NA	87R40BA
Y Escutcheon Trim	03	Rim	80R40SC	NA	87R40BA
Y Escutcheon Trim	08	Mortise	90X10SC118	#10	97D10BA138
Y Escutcheon Trim	09	Mortise	90X09SC118	#9	97D09BA138
Cylinders for 9500/F9500 Mortise Devices shipped prior to 11/2014					
Wide Plate Trim	03, 05	Mortise	90A10SC118	#10	97B10BA138
Wide Plate Trim	03	Mortise	90A10SC118	#10	97B10BA138
Y Escutcheon Trim	03, 08	Mortise	90X10SC158	#10	97D10BA134
Cylinders for 9500/F9500 Mortise Devices shipped 11/2014 or after					
Wide Plate Trim	03	Mortise	90A13SC118	#13	97B13BA138
Wide Plate Trim	05	Mortise	90A12SC118	#12	97B12BA138
Narrow Plate Trim	03	Mortise	90A13SC118	#13	97B13BA138
Y Escutcheon Trim	03	Mortise	90X13SC118	#13	97C13BA138
Y Escutcheon Trim	05, 08	Mortise	90X12SC118	#12	97C12BA138
Cylinders for Device Options					
CD, BA, B4, DE, DE30, DECBC, DA, LMMSBP	—	Mortise	90X10SC118	#10	97D10BA138

Cylinder Types, Keying Options and Keyways for Removable Mullions and Exit Devices

Cylinder	Option	Description	List Add/Deduct \$
Conventional Cylinders (non-interchangeable core)			
D		Keying for exit device or removable mullions with conventional cylinder (default)	
	KD	Keyed differently to a random combination; SC keyway with 2 keys (default)	N/C
	KA2	Keyed alike in pairs to a random combination; SC keyway with 2 keys	N/C
	NSK	Keyed alike, sets of three or more; SC keyway with 2 keys	19.00
	1-Bit	Operated by a 1-bit key (sold separately); SC, SE keyway with 2 key blanks	N/C
	1-Bit	Operated by a 1-bit key (sold separately); D100 keyway — ⊗ Keys sold separately	N/C
	0-Bit	Operated by a key blank; CA, CD, CE, RA, RB, GA, SF, YA, YG keyways with 2 key blanks	19.00
	MKD	Master keyed; SC, SE, or D100 keyway — ⊗ Keys sold separately	23.00
	CMK	Construction master keyed single cylinder locks — ⊗ Keys sold separately	25.00
L		Keying for exit device or removable mullions less conventional cylinder	Deduct 30.00
Interchangeable Core Cylinders			
T		Keying for exit device or removable mullions with keyed temporary SFIC construction core Keying for exit trim with keyed temporary SFIC construction core (cores may be returned for a full refund) — ⊗ Keys sold separately	55.00
J		Keying for exit device or removable mullions with disposable plastic SFIC construction core	N/C
C		Keying for exit device or removable mullions with combined SFIC core installed at factory ¹ Keying for exit trim with combined core installed at factory; BA (default), BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, D100 keyway — ⊗ Keys sold separately	62.00
G		Schlage LFIC — Housing with keyed temporary Schlage LFIC construction core (Core may be returned for full refund) — ⊗ Keys sold separately	55.00
F		Schlage LFIC — Housing with combined Schlage LFIC installed at the factory (SC keyway) — ⊗ Keys sold separately	62.00
Cylinder Housings Less Cores			
R		Housing prepared for Schlage LFIC	12.00
X7		Housing prepared for Sargent XC 7P and Arrow Choice 7P SFIC	12.00
X6		Housing prepared for Arrow Choice 6P SFIC	12.00

¹ For uncombined cores, **UNC**, cores must be ordered separately, see **Cylinders, Keys & Keying**. Exits/trim will be supplied w/ plastic construction core, Option J.

⊗ Denotes keys must be ordered separately.

Cut Keys Ordered Separately		
Part #	Description	List \$
45101	SFIC Cut key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	10.00
45401	SFIC Cut key — Change key, master key, or control key; D100 keyways — D100 etc.	16.00
45404	CONV/LFIC Cut key — 1 bit key for operating 1 bit cylinders — SC, SE keyways	8.00
45405	LFIC Cut key — 1 bit control key (to install/remove "0-bit" LFIC cores) — SC keyway	8.00
44101SC	CONV/LFIC Key blank — SC keyway	5.00
44104SC	LFIC Key blank — Control key (to install/remove LFIC Cores) — SC keyway	7.00

NOTES:

- Distribution of DORMA SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for DORMA SKC policies.
- For additional information, please refer to Cylinders, Keys, and Keying
- See Keys and Key Blanks section for complete list.

Mullions

Item	Description	List \$
Aluminum Mullions × 628 (clear anodized), 1-5/8" × 2-5/8"		
1310-8	8'	1246.00
1310-8 × 443	8', recessed strike	1453.00
WS1310-8	8', weatherstrip	1327.00
WS1310-8 × 443	8', weatherstrip and recessed strike	1467.00
1310-10	10'	1327.00
1310-10 × 443	10', recessed strike	1593.00
WS1310-10	10', weatherstrip	1453.00
WS1310-10 × 443	10', weatherstrip and recessed strike	1683.00
Aluminum Mullions × 695 (painted), 1-5/8" × 2-5/8"		
1310-8	8'	1513.00
1310-8 × 443	8', recessed strike	1714.00
WS1310-8	8', weatherstrip	1593.00
WS1310-8 × 443	8', weatherstrip and recessed strike	1811.00
1310-10	10'	1638.00
1310-10 × 443	10', recessed strike	1856.00
WS1310-10	10', weatherstrip	1747.00
WS1310-10 × 443	10', weatherstrip and recessed strike	1762.00
Steel Mullions × 600 (primed for paint), 1-1/2" × 2-1/2"		
1330-8	8'	626.00
1330-10	10'	657.00
Steel Mullions × 600 (primed for paint), 2" × 3"		
1300-8	8'	812.00
F1300-8	8', fire-rated	1046.00
F1300-10	10', fire-rated	1396.00
1340KR-8	8', key removable (includes standard cylinder using 01 cam)	1373.00
F1340KR-8	8', fire-rated mullion, key removable (includes standard cylinder using 01 cam)	1608.00
F1340KR-10	10', fire-rated mullion, key removable (includes standard cylinder using 01 cam)	1883.00
1300-10	10'	936.00
1340KR-EL	8', key removable, electrified mullion	1593.00
1340KR-10	10', key removable (includes standard cylinder using 01 cam)	1453.00
1340KR-EL-10	10', key removable, electrified mullion	1670.00
HC1300-8	8', design pressure rated 80PSF for openings up to 8' × 8' with HC9300 device.	1513.00
Mullion Storage Kit		
1340SK	Storage kit for 1340/F1340 Series key removable mullion.	408.00



Cylinders for 1340KR/F1340KR Mullions and 1340SK Storage Kit

Type	Standard	7-pin IC	Cam
Mortise	90X01SC118	97D01BA138	01 (AR)

9600 Series

Narrow Stile Concealed Vertical Rod Exit Device

9600 Series Device									Options (Specify)							Cylinders and Keying		
Device	Length	Touchbar	Handing	Door Height	Top Strike	Bottom Strike	Door Latch Brackets	Finish	Special Finish Coating	Bottom Latch	Fastener Package	Control	Alarm	Monitoring	Dogging	Cylinder Type	Keyway	Keying
9600	BB		RHR	7	418	439	NS	630								D	SC	KD
F9600	AA	FL	RHR	7	418	340	NS	605	*AM	LB	SK	DE	BA	LM	CD	T	CA	KD
9600	BB		LHR	8	419	431	ALD	606	**PC	PB	SNB	DE30	B4	MS	LD	J	CD	KA2
	CC			9		439	WD	611		SB	TX	ES	DA	LMMS		C	CE	KA4
	SPCL			10				612			SKTX	DECBC		LMMSBP		L	D100	NSK
				SPCL				613			SKSNB	MLR				D	GA	MKD
								619			TXSNB					G	RA	CMK
								625			SKTXSNB					R	RB	SKD
								626			METRIC					F	SC	OBIt
								629								X6	SE	
								630								X7	SF	
								689									YA	
								691									YG	
								693										
								695										
								696										
								Custom										
								Designer										

 — Default
  — Supplied with Standard KD Cylinder

***Patented Key Control**

D100 is the keyway for our patented **SKC** serialized key control system. **SKC** is internet based and provides added layers of security. For more information, contact your local sales representative or Technical Service at 800-387-4938.

9000 Series — Narrow Stile Applications: Standard Glass AL Doors

	All Device Options (except BA, DA, or DE)		BA or DA Device Options	DE Device Option
Device Length	Maximum Door Width ¹	Minimum Door Width ²	Minimum Door Width ²	Minimum Door Width ²
AA	48" (1220 mm)	32-1/2" (826 mm)	37.5" (952.5 mm)	40" (1016 mm)
BB	36" (915 mm)	27" (686 mm)	31.5" (800.1 mm)	32" (812.8 mm)
CC	36" (915 mm)	23-1/2" (597 mm)	28.5" (723.9 mm)	N/A

9000 Series — Narrow Stile with Full Length Touchbar Applications


	All Device Options (except BA, DA, or DE)		BA or DA Device Options	DE Option
Device Length	Maximum Door Width ¹	Minimum Door Width ²	Minimum Door Width ²	N/A on FL Touchbar
AA	48" (1220 mm)	33" (839 mm)	34" (837 mm)	—
BB	36" (915 mm)	27" (686 mm)	28" (711 mm)	—
CC	36" (915 mm)	24" (610 mm)	25" (635 mm)	—

1. As delivered from factory, device will fit doors of this width. For other widths, consult Technical Services.

2. Touch bar and rail assembly can be shortened at time of installation to fit doors down to this width. Varies by installations.

*Antimicrobial available to 626 and 630 finishes only

**PC - Clear Powder Coat available over 630 - Stainless Steel



			Available Finishes \$			
			689, 691, 693, 695, 696	630	606, 612, 613, 619	605, 611, 625, 626, 629**
Function	Description	Device, Exit Only				
01	Panic	9600 Concealed vertical rod	2714.00	3176.00	3056.00	3228.00
01	Fire	F9600 Concealed vertical rod	2843.00	3440.00	3310.00	3471.00
Typical Options						
Item	Description					List Add \$
ALD	Wide Stile aluminum door bracket (9600 Series)					N/C
NS	2-1/8" narrow stile aluminum door bracket (default, 9600 Series only)					N/C
WD	Narrow stile wood or hollow steel door bracket (9600 Series only)					N/C
CD	Cylinder dogging (includes cylinder)					120.00
LD	Less dogging (Standard with fire rated device)					N/C
AM	Antimicrobial coating Note: Antimicrobial available to 626 and 630 finishes only					106.00
SNB	Sex nuts (Included with F and HC options)					23.00
TX	Security screws					46.00
FL	Full length touchbar (Not Available DE)					N/C
LB	Less bottom rod					N/C
PB	Pullman bottom latch					73.00
SB	Slide Bolt (Default)					N/C
Up to 8'	7' to 8' adjustable					N/C
Up to 10'	Door heights over 8' to 10'		—	145.00	—	—

**** For 629 finish, please allow 4 week lead time.**

Notes:

- Prices shown apply to AA, BB, or CC length devices.
- Specify door width and handing. If not specified, Size BB, RHR is the standard default.
- List price includes default strikes. For optional strikes, specify strike number and adjust list price accordingly.
- List price for the device does not include trim.
- Devices include wood and machine screws standard.
- Specify door latch brackets: **NS** (default) for 2-1/8" narrow stile aluminum, **ALD** for Wide Stile aluminum, or **WD** for wood or hollow steel.
- Fire rated devices include SNB sex nuts standard.
- For options requiring a cylinder, the option list price includes the default cylinder.
- Device includes precut and drilled rods for 7' to 8' doors as specified on order
For 9' doors, device includes precut and drilled rods for a 7' door and a 2' rod extension for the top rod. Specify 9' on order.
For 10' doors, device includes precut and drilled rods for an 8' door and a 2' rod extension for the top rod. Specify 10' on order.
See Device Options for pricing information.
- For special lengths and/or door heights over 10', consult Technical Service.
- All standard devices and trim are designed for 1-3/4"-2-1/4" thick doors. For door thickness greater than 2-1/4", consult Technical Service.
- FL (full length touchbar) and **METRIC** (metric installation fasteners) must be specified when ordered and included in the model number.
Example: 9600 BB FL RHR 430 630 METRIC
- Full length touchbar not available with DE. CD option on FL devices supplied with U.S. mortise cylinder.
- ALD wide stile aluminum door bracket (9100 and 9600 Series) N/C
- NS 2-1/8" narrow stile aluminum door bracket (9600 Series only) N/C
- WD narrow stile wood or hollow steel door bracket (9600 Series only) N/C

9700 Series

Narrow Stile Rim Exit Device

9700 Series Device					Options (Specify)							Cylinders and Keying		
Device	Length	Touch Bar	Strike	Finish	Special Finish Coating	Special Applications Package	Fastener Package	Control	Alarm	Monitoring	Dogging	Cylinder Type	Keyway	Keying
9700	BB		430	630								D	SC	KD
F9700	AA	FL	320	605	*AM	HC	SK	DE	BA	LM	CD	T	CA	KD
9700	BB		430	606	**PC	**BF	SNB	DE30	B4	MS	LD	J	CD	KA2
	CC		463	611			TX	ES	DA	LMMS		C	CE	KA4
	SPCL		486	612			SKTX	DECB		LMMSBP		L	D100	NSK
				613			SKSNB	MLR				D	GA	MKD
				619			TXSNB					G	RA	CMK
				625			SKTXSNB					R	RB	SKD
				626			METRIC					F	SC	OBIt
				629								X6	SE	
				630								X7	SF	
				689								YA		
				691								YG		
				693										
				695										
				696										
				Custom										
				Designer										

— Default
 — Supplied with Standard KD Cylinder

***Patented Key Control**
D100 is the keyway for our patented **SKC** serialized key control system. **SKC** is internet based and provides added layers of security. For more information, contact your local sales representative or Technical Service at 800-387-4938.

**** Barrier Free option availability:**

Exit Device	Functions	Electric Options	Device Lengths	Ratings
9700BF	01, 02, 03, 05, 08, 23	ES, BA, B4, LM, MS, LM/MS, LM/MS/BP	36" & 48"	Panic & Fire

9000 Series — Narrow Stile Applications: Standard Glass AL Doors

	All Device Options (except BA, DA, or DE)		BA or DA Device Options	DE Device Options
Device Length	Maximum Door Width ¹	Minimum Door Width ²	Minimum Door Width ²	Minimum Door Width ²
AA	48" (1220 mm)	32-1/2" (826 mm)	37.5" (952.5 mm)	40" (1016 mm)
BB	36" (915 mm)	27" (686 mm)	31.5" (800.1 mm)	32" (812.88 mm)
CC	36" (915 mm)	23-1/2" (597 mm)	28.5" (723.9 mm)	N/A

9000 Series — Narrow Stile with Full Length Touchbar Applications


	All Device Options (except BA, DA, or DE)		BA or DA Device Options	DE Device Option
Device Length	Maximum Door Width ¹	Minimum Door Width ²	Minimum Door Width ²	N/A on FL touchbar
AA	48" (1220 mm)	33" (839 mm)	34" (837 mm)	—
BB	36" (915 mm)	27" (686 mm)	28" (711 mm)	—
CC	36" (915 mm)	24" (610 mm)	25" (635 mm)	—

1. As delivered from factory, device will fit doors of this width. For other widths, consult Technical Services.

2. Touch bar and rail assembly can be shortened at time of installation to fit doors down to this width.

*Antimicrobial available to 626 and 630 finishes only

**PC - Clear Powder Coat available over 630 - Stainless Steel



Function	Description	Device, Exit Only	Available Finishes \$			
			689, 691, 693, 695, 696	630	606, 612, 613, 619	605, 611, 625, 626, 629**
01	Panic	9700 Rim	1458.00	2276.00	2187.00	2562.00
01	Fire	F9700 Rim	1614.00	2505.00	2412.00	2776.00

Typical Options

Item	Description	List Add \$
CD	Cylinder dogging (Includes cylinder)	108.00
LD	Less dogging (Standard with fire rated device)	N/C
AM	Antimicrobial coating Note: Antimicrobial available to 626 and 630 finishes only	106.00
SNB	Sex nuts (Included with F and HC options)	23.00
TX	Security screws	46.00
HC	Hurricane (Includes SNB)	222.00
BF	Barrier free exit device, meets California Building Code (Section 11B-309.4) requirements for maximum 5 lb operating force. See page 86 for compatible functions/options.	65.00
FL	Full length touchbar (Not Available DE)	N/C

**** For 629 finish, please allow 4 week lead time.**

NOTES:


- Prices shown apply to AA, BB, or CC length devices.
- Specify door width. If not specified, Size BB is the standard default.
- List price includes default strikes. For optional strikes, specify strike number and adjust list price accordingly.
- List price for the device does not include trim.
- Devices include wood and machine screws standard.
- Fire and hurricane rated devices include 463 rim strike and SNB sex nuts standard.
- For options requiring a cylinder, the option list price includes the default cylinder.
- All standard devices and trim are designed for 1-3/4"-2-1/4" thick doors. For door thickness greater than 2-1/4", consult Technical Service.
- FL** (full length touchbar) and **METRIC** (metric installation fasteners) must be specified when ordered and included in the model number.
Example: 9700 BB FL RHR 430 630 METRIC
- For special lengths, consult Technical Service.
- Full length touchbar not available with DE. CD option on FL devices supplied with U.S. mortise cylinder.

9800 Series

Narrow Stile Surface Vertical Rod Exit Device

9800 Series Device								Options (Specify)								Cylinders and Keying		
Device	Length	Touch Bar	Handing	Door Height	Top Strike	Bottom Strike	Finish	Special Finish Coating	Special Applications Package	Bottom Latch	Fastener Package	Control	Alarm	Monitoring	Dogging	Cylinder Type	Keyway	Keying
9800	BB		RHR	7	426	439	630									D	SC	KD
F9800	AA	FL	RHR	7	426	340	605	*AM	HC	LB	SK	ES	BA	LM	CD	T	CA	KD
9800	BB		LHR	8	426A	416V	606	**PC	TGD	PB	SNB	MLR	B4	MS	LD	J	CD	KA2
	CC			9		431	611			SB	TX		DA	LMMS		C	CE	KA4
	SPCL			10		439	612				SKTX			LMMSBP		L	D100	NSK
				SPCL			613				SKSNB					D	GA	MKD
							619				TXSNB					G	RA	CMK
							625				SKTXSNB					R	RB	SKD
							626				METRIC					F	SC	OBIt
							629									X6	SE	
							630									X7	SF	
							689										YA	
							691										YG	
							693											
							695											
							696											
							Custom											
							Designer											

 — Default

 — Supplied with Standard KD Cylinder

***Patented Key Control**
D100 is the keyway for our patented **SKC** serialized key control system. **SKC** is internet based and provides added layers of security. For more information, contact your local sales representative or Technical Service at 800-387-4938.

9000 Series — Narrow Stile Applications: Standard Glass AL Doors

	All Device Options (except BA or DA)		BA or DA Device Options
Device Length	Maximum Door Width ¹	Minimum Door Width ²	Minimum Door Width ²
AA	48" (1220 mm)	32-1/2" (826 mm)	37.5" (952.5 mm)
BB	36" (915 mm)	27" (686 mm)	31.5" (800.1 mm)
CC	36" (915 mm)	23-1/2" (597 mm)	28.5" (723.9 mm)

9000 Series — Narrow Stile with Full Length Touchbar Applications


	All Device Options (except BA or DA)		BA or DA Device Options
Device Length	Maximum Door Width ¹	Minimum Door Width ²	Minimum Door Width ²
AA	48" (1220 mm)	33" (839 mm)	34" (837 mm)
BB	36" (915 mm)	27" (686 mm)	28" (711 mm)
CC	36" (915 mm)	24" (610 mm)	25" (635 mm)

1. As delivered from factory, device will fit doors of this width. For other widths, consult Technical Services.

2. Touch bar and rail assembly can be shortened at time of installation to fit doors down to this width. Varies by installation.

*Antimicrobial available to 626 and 630 finishes only

**PC - Clear Powder Coat available over 630 - Stainless Steel



			Available Finishes \$			
			689, 691, 693, 695, 696	630	606, 612, 613, 619	605, 611, 625, 626, 629**
Function	Description	Device, Exit Only				
01	Panic	9800 Surface vertical rod	2657.00	2992.00	2876.00	3075.00
01	Fire	F9800 Surface vertical rod	2791.00	3255.00	3132.00	3319.00
Typical Options						
Item	Description					List Add \$
CD	Cylinder dogging (Includes Cylinder)					120.00
LD	Less dogging (Standard with fire rated device)					N/C
AM	Antimicrobial coating Note: Antimicrobial available to 626 and 630 finishes only					106.00
SNB	Sex nuts (Included with F and HC options)					23.00
TX	Security screws					46.00
HC	Hurricane (Includes SNB)					222.00
FL	Full length touchbar (Not available DE)					N/C
LB	Less bottom rod					N/C
PB	Pullman bottom latch					73.00
SB	Slide bolt (Default)					N/C
TGD	Tempered glass doors—9800 only		—	837.00	—	
Up to 8'	7' Default					N/C
Up to 10'	Door Heights over 8' to 10'		74.00	145.00	145.00	145.00

**** For 629 finish, please allow 4 week lead time.**

NOTES:

- Prices shown apply to AA, BB, or CC length devices.
- Specify door width and handing. If not specified, Size BB, RHR is the standard default.
- List price includes default strikes. For optional strikes, specify strike number and adjust list price accordingly.
- List price for the device does not include trim.
- Devices include wood and machine screws standard.
- Fire and hurricane rated devices include SNB sex nuts standard.
- For options requiring a cylinder, the option list price includes the default cylinder.
- Device includes precut and drilled rods for 7' or 8' doors as specified on order.
For 9' doors, device includes precut and drilled rods for a 7' door and a 2' rod extension for the top rod.
For 10' doors, device includes precut and drilled rods for an 8' door and a 2' rod extension for the top rod.
See Device Options for pricing information.
- For special lengths and/or door heights over 10', consult Technical Service.
- All standard devices and trim are designed for 1-3/4"-2-1/4" thick doors. For door thickness greater than 2-1/4", consult Technical Service.
- **FL** (full length touchbar) and **METRIC** (metric installation fasteners) must be specified when ordered and included in the model number.
Example: 9800 BB FL RHR 430 630 METRIC
- Full length touchbar not available with DE. CD option on FL devices supplied with U.S. mortise cylinder.

Narrow Stile Dummy Bars

		Available Finishes \$			
		689, 691, 693, 695, 696	630	606, 612, 613, 619	605, 611, 625, 626, 629**
Item	Description				
Dummy Touchbars					
9230	Rigid dummy touchbar	767.00	1106.00	1144.00	1144.00
9230MS	Dummy touchbar with microswitch	1135.00	1414.00	1430.00	1430.00
9235	Rigid touchbar	767.00	1106.00	1144.00	1144.00
9236	Moveable touchbar	767.00	1106.00	1144.00	1144.00
9236MS	Moveable touchbar with microswitch	1135.00	1414.00	1430.00	1430.00

** For 629 finish, please allow 4 week lead time.

NOTE: Dummy touchbars available in all rail sizes: AA, BB or CC

Narrow Stile Options


Option Code	Description	List Add \$
Strikes		
9600, and 9800 Concealed and Surface Vertical Rods		
340	Flat slide bolt bottom strike (9600, and 9800 Series)	N/C
416V	Surface bottom strike for pullman latch (9800 Series)	N/C
418	Standard top strike (9600 Series)	N/C
419	Wood frame top strike (9600 Series)	23.00
426	Standard top strike (9800 Series)	N/C
426A	Top strike w/angle (9800 Series)	38.00
431	Recessed bottom strike for pullman latch (9600, and 9800 Series)	38.00
439	Standard slide bolt bottom strike (9600, and 9800 Series)	N/C
9700 Rim Devices		
320	Overlap strike	38.00
430	Rim box strike (default/no charge for 9700 Series panic devices)	60.00
463	Standard rim strike (default/no charge for F9700 devices)	96.00
486	Roller strike	23.00
Special Finishes and Coatings		
AM	Antimicrobial protected coating Note: Antimicrobial available to 626 and 630 finishes only	106.00
PC	Clear Powder Coat available over 630 – Stainless Steel	106.00
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.	
	Per order, setup charge (Net)	169.00
	per exit device only, list add	93.00
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" x 3" color chip samples required. For details, see Finishes Cross Reference , page viii.	
	per order, non-refundable development/setup charge (Net)	597.00
	per exit device only, list add	93.00
	per trim only, list add	93.00
Bottom Latches for 9600 Concealed Vertical Rods & 9800 Surface Vertical Rods		
LB	Less bottom rod	N/C
PB	Pullman bottom latch	73.00
SB	Slide bolt (Default)	N/C
Door Height Designation		
9600 Concealed Vertical Rods		
7 or 8	Door heights from 7' to 8' adjustable	N/C
9 or 10	Door heights over 8', up to 10'	74.00
Over 10'	Contact Technical Service for assistance	
9800 Surface Vertical Rods		
7 or 8	Door heights from 7' to 8' (7' Default)	N/C
9 or 10	Door heights over 8', up to 10'	
	For 689, 691, 693, 695, 696 finishes	74.00
	For 605, 606, 611, 612, 613, 619, 625, 626, 630 finishes	145.00
Over 10'	Consult Technical Service	

Narrow Stile Options (continued)

Option Code	Description	List Add \$
Over 10'	Consult Technical Service	
Special Application Packages		
HC	Hurricane (9700, 9800) Includes SNB	222.00
BF	Barrier free exit device (9700), meets California Building Code (Section 11B-309.4) requirements for maximum 5 lb operating force. See page 86 for compatible functions/options.	65.00
FL	Full length touchbar (Not Available DE)	N/C
Fastener Package		
SK	Shim kit	119.00
SNB	Sex nuts	23.00
TX	Security screws	46.00
SKTX	Shim kit and security screws	184.00
SKSNB	Shim kit and sex nuts	138.00
TXSNB	Security screws and sex nuts	92.00
SKTXSNB	Shim kit, security screws, and sex nuts	207.00
METRIC	Metric installation fasteners (9600, 9700, and 9800 Series only)	N/C
Tempered Glass Door Applications (9800 Series Only)		
TGD	Tempered glass doors in 630 finish	921.00
Electronic Controls		
DE*	Delayed egress (requires ES100 power supply and ES105 power transfer)	2146.00
DE30*	Delayed egress, 30 second (requires special approval from authority having jurisdiction)	2655.00
DECBC*	Delayed egress, CBC compliant	2655.00
MLR	Motorized Latch Retraction/dogging (use DKPS-2A or DKPS-2A power supply—2 MLR's)	1202.00
ES	Electric latch retraction (requires PS501 power supply and ES105 power transfer)	1156.00
Alarm		
BA*	Battery powered alarm	801.00
B4*	Battery powered alarm, 4 minute reset	855.00
DA*	Direct wired alarm	801.00
Monitoring		
LM	Latch bolt monitoring	317.00
MS	Monitor switch in touchbar	317.00
LMMS	Latch bolt and touchbar monitor	630.00
LMMSBP*	Latch bolt and touchbar monitor with bypass	630.00
Dogging		
CD*	Cylinder dogging (panic devices only)	120.00
LD	Less dogging (panic devices only)	N/C
MD	Electric dogging (requires DKPS-2A power supply)	1056.00
Power Supplies, Power Transfers, Power Modules		
AD100	Export power supply for up to 2 ES or 1 DE device 220 V.	962.00
ES101	Delay module	179.00
ES103	Relay module	113.00
ES100	Power supply for DE devices. Powers 1 DE device.	819.00
ES105	Power transfer (recommended for ES, DE & MLR options)	275.00
PS501	Power supply for ES9000 devices. Powers up to 2 devices.	962.00
PS501220	Export power supply, 220 VAC. Powers up to 2 ES9000 devices.	962.00
ES2	Power supply card for PS501. Powers an additional 2 devices.	524.00
DKPS-2A	Power supply for MLR. Powers 1 device.	736.00
DKPS-2A	Power supply for Powers 2 devices (will also power 1 MLR device).	736.00
DKPS-2A	Power supply for MLR. Powers 2 devices.	736.00
PS406BB	Power supply with battery back-up for solenoid electric latch retraction option.	1373.00

9000 Series Exit Trim












How to Order



*Antimicrobial available to 626 and 630 finishes only
**PC - Clear Powder Coat available over 630 - Stainless Steel

Lever and Knob Styles



ANSI Function	Description	Z Series Raised Escutcheon 1-5/8" W x 8-1/2" H x 15/16" D	Cylinder Only Pull by Others
DT	Dummy trim		
02	Entrance by trim when touchbar is dogged		
03	Entrance by trim when latch bolt is retracted by key. Key removable only when trim is locked.		
08	Entrance by lever or knob. Key locks or unlocks lever or knob.		
08C w/ clutch (Handed)	Entrance by lever with clutch option. Key locks or unlocks lever.		
09	Entrance by lever or knob only when unlocked by key. Key removable only when locked.		
09C w/ clutch (Handed)	Entrance by lever with clutch option trim unlocked by key. Key removable only when locked.		
11	Entrance by thumbturn and pull. Key locks or unlocks thumbturn.		
12	Entrance by thumbturn and pull only when released by key. Key removable only when locked.		
23	Entrance by lever or knob (no cylinder). Lever or knob always active.		
25	Entrance by thumbturn and pull (no cylinder). Thumbturn always active.		

9000 Series Narrow Stile Z Trim

Z Series Trim (Specify)				Special Finish Coating			Special Application Package			
Door Thickness				Cylinders and Keying						
Escutcheon	Knob, Pull, or Lever	Function	Handing	Finish			Cylinder Type	Keyway	Keying	
				630			D	SC	KD	
Z	A	DT	RHR	605	Ext3	*AM	TGD	T	CA	KD
	C	02	LHR	606	Ext4	**PC		J	CD	KA2
Handed —	D	02R		611				C	CE	KA4
	K	03		612				L	D100	NSK
Handed —	F	03R		613				D	GA	MKD
	G	08		619				G	RA	CMK
	R	08C	— Handed	625				R	RB	SKD
	T	09		626				F	SC	OBit
	O	09C	— Handed	629				X6	SE	
	P	11		630				X7	SF	
Handed —	N	12		689					YA	
	V	23		691					YG	
	L109	25		693						
	L110			695						
Handed —	L112			696						
	L114			Custom						
	L117			Designer						
	L118									

Suffix **C** and **LH/RH** required for clutch
Suffix **R** required for rigid lever



ZP



ZK



ZC

***Patented Key Control**
D100 is the keyway for our patented SKC serialized key control system. SKC is internet based and provides added layers of security. For more information, contact your local sales representative or Technical Service at 800-387-4938.

*Antimicrobial available to 626 and 630 finishes only
**PC - Clear Powder Coat available over 630 – Stainless Steel

		Concealed Vertical Rod	Rim	Surface Vertical Rod	Available Finishes \$		
		9600 F9600	9700 F9700	9800 F9800	689, 691, 693 695, 696	630	605, 606, 611, 612, 613, 619, 625, 626, 629**
ANSI Function	Description						
DT	Dummy trim	ZODT			177.00	254.00	292.00
02	Entrance by trim when touchbar is dogged.	ZPO2			332.00	443.00	503.00
		ZK02R, Zx02R			249.00	399.00	487.00
03	Entrance by trim when latch bolt is retracted by key. Key removable only when trim is locked.	ZO03			276.00	368.00	390.00
		ZP03, ZK03R, Zx03R			491.00	637.00	694.00
08	Entrance by lever or knob. Key locks or unlocks lever or knob.	ZK08, Zx08			645.00	745.00	858.00
08 w/ clutch (Handed)	Entrance by lever with clutch option. Key locks or unlocks lever.	Zx08C			915.00	1060.00	1117.00
09	Entrance by lever or knob only when unlocked by key. Key removable only when locked.	ZK09, Zx09			645.00	745.00	858.00
09 w/ clutch (Handed)	Entrance by lever with clutch option trim unlocked by key. Key removable only when locked.	Zx09C			915.00	1060.00	1117.00
11	Entrance by thumbturn. Key locks or unlocks thumbturn	Z011			532.00	684.00	705.00
12	Entrance by thumbturn when unlocked by key. Key removable only when locked.	Z012			532.00	684.00	705.00
11	Entrance by thumbturn. Key locks or unlocks thumbturn	ZP11			609.00	731.00	755.00
12	Entrance by thumbturn when unlocked by key. Key removable only when locked.	ZP12			609.00	731.00	755.00
23	Entrance by lever or knob (no cylinder). Lever or knob always active.	ZK23, Zx23			427.00	597.00	637.00
25	Entrance by thumbturn and pull (no cylinder). Thumbturn always active.	ZP25			529.00	645.00	786.00

**** For 629 finish, please allow 4 week lead time.**

NOTES:


- Where x appears above, x = lever styles A, C, D, F, G, N, R, T, V, L109, L110, L112, L114, L117 or L118.
(Handed — D, F, V, L114)
- List price includes the default cylinder.

Trim Options


Option Code	Description	List Add \$
Special Finishes and Coatings		
AM	Antimicrobial protected coating Note: Antimicrobial available to 626 and 630 finishes only	106.00
PC	Clear Powder Coat available over 630 – Stainless Steel	106.00
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.	
	Per order, setup charge (Net)	169.00
	per exit device only, list add	93.00
	per trim only, list add	93.00
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" x 3" color chip samples required. For details, see Finishes Cross Reference , page viii.	
	per order, non-refundable development/setup charge (Net)	597.00
	per exit device only, list add	93.00
	per trim only, list add	93.00
Tempered Glass Door Applications		
TGD	Tempered glass doors (Z series trim only), available in 630 finish only	55.00
Door Thickness (includes extended spindle and fasteners)		
Ext3	Door thickness from 2-1/4"–3-1/4" (57 mm to 83 mm)	111.00
Ext4	Door thickness from 3-1/4"–4-1/4" (83 mm to 108 mm)	111.00

Cylinders


Rim Cylinders



Mortise Cylinders



Key-in-Lever Cylinders










Narrow Stile


Application	ANSI Function	Cylinder Type	Conventional (Default)	Cam	SFIC 7-Pin
Cylinders for 9600/F9600 Concealed Vertical Rod, 9700/F9700 Rim, and 9800/F9800 Surface Vertical Rod Narrow Stile Devices					
Z Escutcheon Trim	03	Rim	80R40SC	NA	87R40BA
Z Escutcheon Trim	08, 11	Mortise	90x13SC118	#13	97C13BA138
Z Escutcheon Trim	09, 12	Mortise	90x09SC118	#9	97C09BA138
Cylinders for Device Options					
CD, BA, B4, DE, DE30, DECBC, DA, LMMSBP	—	Mortise	90x10SC118	#10	97D10BA138

NOTE: For additional information, please refer to Cylinders, Keys & Keying.

Cylinder Types, Keying Options and Keyways for Removable Mullions and Exit Devices

Cylinder	Option	Description	List Add/Deduct \$
Conventional Cylinders (non-interchangeable core)			
D		Keying for exit device or removable mullions with conventional cylinder (default)	
	KD	Keyed differently to a random combination; SC keyway with 2 keys (default)	N/C
	KA2	Keyed alike in pairs to a random combination; SC keyway with 2 keys	N/C
	NSK	Keyed alike, sets of three or more; SC keyway with 2 keys	19.00
	1-Bit	1-bit key (sold separately); SC, SE keyway with 2 key blanks	N/C
	1-Bit	1-bit key (sold separately); D100 keyway —  Keys sold separately	N/C
	0-Bit	Operated by a key blank; CA, CD, CE, RA, RB, GA, SF, YA, YG keyways with 2 key blanks	18.00
	MKD	Master keyed; SC, SE, or D100 keyway —  Keys sold separately	23.00
	CMK	Construction master keyed single cylinder locks —  Keys sold separately	25.00
L		Keying for exit device or removable mullions less conventional cylinder	Deduct 30.00
Interchangeable Core Cylinders			
T		Keying for exit device or removable mullions with keyed temporary SFIC construction core Keying for exit trim with keyed temporary SFIC construction core (cores may be returned for a full refund) —  Keys sold separately	55.00
J		Keying for exit device or removable mullions with disposable plastic SFIC construction core	N/C
C		Keying for exit device or removable mullions with combined SFIC core installed at factory ¹ Keying for exit trim with combined core installed at factory; BA (default), BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, D100 keyway —  Keys sold separately	62.00
G		Schlage LFIC — Housing with keyed temporary Schlage LFIC construction core (Core may be returned for full refund) —  Keys sold separately	55.00
F		Schlage LFIC — Housing with combined Schlage LFIC installed at the factory (SC keyway) —  Keys sold separately	62.00
Cylinder Housings Less Cores			
EP		Euro profile half cylinder housing	N/C
R		Housing prepared for Schlage LFIC	12.00
X7		Housing prepared for Sargent XC 7P and Arrow Choice 7P SFIC	12.00
X6		Housing prepared for Arrow Choice 6P SFIC	12.00

1. For uncombined cores, **UNC** cores must be ordered separately, see **Cylinders, Keys & Keying**. Exits/trim will be supplied w/ plastic construction core, Option J.

 Denotes keys must be ordered separately.

Cut Keys Ordered Separately

Part #	Description	List \$
45101	SFIC Cut key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	10.00
45401	SFIC Cut key — Change key, master key, or control key; D100 keyways — D100 etc.	16.00
45404	CONV/LFIC Cut key — 1 bit key for operating 1 bit cylinders — SC, SE keyways	8.00
45405	LFIC Cut key — 1 bit control key (to install/remove "0-bit" LFIC cores) — SC keyway	8.00
44101SC	CONV/LFIC Key blank — SC keyway	5.00
44104SC	LFIC Key blank — Control key (to install/remove LFIC Cores) — SC keyway	7.00

NOTES:

- Distribution of DORMA SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for DORMA SKC policies.
- For additional information, please refer to Cylinders, Keys, and Keying
- See Keys and Key Blanks section for complete list.

Mullions


Item	Description	List \$
Aluminum Mullions × 628 (clear anodized), 1-5/8" × 2-5/8"		
1310-8	8'	1246.00
1310-8 × 443	8', recessed strike	1453.00
WS1310-8	8', weatherstrip	1327.00
WS1310-8 × 443	8', weatherstrip and recessed strike	1467.00
1310-10	10'	1327.00
1310-10 × 443	10', recessed strike	1593.00
WS1310-10	10', weatherstrip	1453.00
WS1310-10 × 443	10', weatherstrip and recessed strike	1683.00
Aluminum Mullions × 695 (painted), 1-5/8" × 2-5/8"		
1310-8	8'	1513.00
1310-8 × 443	8', recessed strike	1714.00
WS1310-8	8', weatherstrip	1593.00
WS1310-8 × 443	8', weatherstrip and recessed strike	1811.00
1310-10	10'	1638.00
1310-10 × 443	10', recessed strike	1856.00
WS1310-10	10', weatherstrip	1747.00
WS1310-10 × 443	10', weatherstrip and recessed strike	1762.00
Steel Mullions × 600 (primed for paint), 1-1/2" × 2-1/2"		
1330-8	8'	626.00
1330-10	10'	657.00
Steel Mullions × 600 (primed for paint), 2" × 3"		
1300-8	8'	812.00
F1300-8	8', fire-rated	1046.00
F1300-10	10', fire-rated	1396.00
1340KR-8	8', key removable (includes standard cylinder using 01 cam)	1373.00
F1340KR-8	8', fire-rated mullion, key removable (includes standard cylinder using 01 cam)	1608.00
F1340KR-10	10', fire-rated mullion, key removable (includes standard cylinder using 01 cam)	1883.00
1300-10	10', fire-rated	936.00
1340KR-EL	8', key removable, electrified mullion	1593.00
1340KR-10	10', key removable (includes standard cylinder using 01 cam)	1453.00
1340KR-EL-10	10', key removable, electrified mullion	1670.00
HC1300-8	8', design pressure rated 80PSF for openings up to 8' × 8' with HC9300 device.	1513.00
Mullion Storage Kit		
1340SK	Storage kit for 1340/F1340 Series key removable mullion.	408.00

Cylinders for 1340KR/F1340KR Mullions and 1340SK Storage Kit

Type	Standard	7-pin IC	Cam
Mortise	90X01SC118	97D01BA138	01 (AR)

8000 Series Exit Devices

How to Order



8300 Series
Rim Exit Device

8300 Series Device				Options (Specify)				Cylinders and Keying			
Device	Length	Strike	Finish	Special Finish Coating	Special Application Package	Fastener Package	Alarm	Dogging	Cylinder Type	Keyway	Keying
8300	B	463	689						D	SC	KD
F8300	A	320	689	*PC	HC	SK	BA	LD	T	CA	KD
8300	B	430	689		**BF	SNB	B4		J	CD	KA2
	C	463	630TB			TX			C	CE	KA4
	SPCL	486	691			SKTX			L	*D100	NSK
			693			SKSNB			D	GA	MKD
			695			TXSNB			G	RA	CMK
			696			SKTXSNB			R	RB	SKD
			Custom						F	SC	OBit
			Designer						X6	SE	
									X7	SF	
									YA		
									YG		

— Default

— Supplied with Standard KD Cylinder

***Patented Key Control**

D100 is the keyway for our patented **SKC** serialized key control system. **SKC** is internet based and provides added layers of security. For more information, contact your local sales representative or Technical Service at 800-387-4938.

** Barrier Free option availability:

Exit Device	Functions	Device Lengths	Ratings
8300BF	01, 02, 03, 05, 08, 23	36" & 48"	Panic & Fire

8000 Series — Wide Stile Applications

Device Length	All Device Options (except BA or DA)		BA or DA Device Options
	Maximum Door Width ¹	Minimum Door Width ²	Minimum Door Width ²
A	48" (1220 mm)	34" (864 mm)	39" (991 mm)
B	36" (915 mm)	28" (712 mm)	33" (839 mm)
C	36" (915 mm)	22" (559 mm)	22" (559 mm)

1. As delivered from factory, device will fit doors of this width. For other widths, consult Technical Services.
2. Touch bar and rail assembly can be shortened at time of installation to fit doors down to this width.

*PC - Clear Powder Coat available over 630 – Stainless Steel



			Available Finishes \$	
			689, 691, 693, 695, 696	689 w/ 630 TB
Function	Description	Device, Exit Only		
01	Panic	8300 Rim	683.00	1028.00
01	Fire	F8300 Rim	934.00	1283.00

Typical Options

Item	Description	List Add \$
ES	Electric latch retraction (requires ES100 power supply and ES105 power transfer)	784.00
CD	Cylinder dogging (includes cylinder)	79.00
LD	Less dogging (Standard with fire rated device)	N/C
SNB	Sex nuts (Included with F and H options)	23.00
TX	Security screws	46.00
HC	Hurricane (includes SNB)	222.00
BF	Barrier free exit device, meets California Building Code (Section 11B-309.4) requirements for maximum 5 lb operating force. See page 86 for compatible functions/options.	31.00
320	Overlap strike	38.00
430	Rim box strike	60.00
463	Standard rim strike	N/C
486	Roller strike	23.00

NOTES:

- Prices shown apply to A, B, or C length devices.
- Specify door width. If not specified, Size B is the standard default.
- List price includes default strikes. For optional strikes, specify strike number and adjust list price accordingly.
- List price for the device does not include trim.
- Devices include wood and machine screws standard.
- Fire and hurricane rated devices include SNB sex nuts standard.
- For options requiring a cylinder, the option list price includes the default cylinder.
- For special lengths, consult Technical Service.
- All standard devices and trim are designed for 1-3/4"–2-1/4" thick doors. For door thickness greater than 2-1/4", consult Technical Service.

8400 Series

Surface Vertical Rod Exit Device

8400 Series Device							Options (Specify)						Cylinders and Keying		
Device	Length	Handing	Door Height	Top Strike	Bottom Strike	Finish	Special Finish Coating	Bottom Latch	Special Application Package	Fastener Package	Alarm	Dogging	Cylinder Type	Keyway	Keying
8400	B	RHR	7	426	439	689							D	SC	KD
F8400	A	RHR	7	426	340	689	*PC	LB	HC	SK	BA	LD	T	CA	KD
8400	B	LHR	8	426A	416V	689 630TB		PB		SNB	B4		J	CD	KA2
	C		9		431	691		SB		TX			C	CE	KA4
	SPCL		10		439	693				SKTX			L	D100	NSK
			SPCH			695				SKSNB			D	GA	MKD
						696				TXSNB			G	RA	CMK
						Custom				SKTXSNB			R	RB	SKD
						Designer							F	SC	OBIt
													X6	SE	
													X7	SF	
														YA	
														YG	

— Default

— Supplied with Standard KD Cylinder

— Default

— Supplied with Standard KD Cylinder


8000 Series — Wide Stile Applications

Device Length	All Device Options (except BA or DA)		BA or DA Device Options
	Maximum Door Width ¹	Minimum Door Width ²	Minimum Door Width ²
A	48" (1220 mm)	34" (864 mm)	39" (991 mm)
B	36" (915 mm)	28" (712 mm)	33" (839 mm)
C	36" (915 mm)	22" (559 mm)	22" (559 mm)

1. As delivered from factory, device will fit doors of this width. For other widths, consult Technical Services.

2. Touch bar and rail assembly can be shortened at time of installation to fit doors down to this width.

*PC - Clear Powder Coat available over 630 – Stainless Steel



Available Finishes \$

Function	Description	Device, Exit Only	689, 691, 693, 695, 696	689 w/ 630 TB
01	Panic	8400 Surface vertical rod	1163.00	1536.00
01	Fire	F8400 Surface vertical rod	1478.00	1848.00

Typical Options

Item	Description	List Add \$
ES	Electric latch retraction (requires ES100 power supply and ES105 power transfer)	784.00
CD	Cylinder dogging (includes cylinder)	79.00
LD	Less dogging (Standard with fire rated device)	N/C
SNB	Sex nuts (Included with F and HC options)	23.00
TX	Security screws	46.00
HC	Hurricane (Includes SNB)	222.00
LB	Less bottom rod	N/C
PB	Pullman bottom latch	73.00
SB	Slide bolt (Default)	N/C
Up to 8'	7' default	N/C
Up to 10'	Door heights over 8' to 10' (over 10', call Technical Service)	70.00
340	Flat slide bolt bottom strike	N/C
416V	Surface bottom strike for pullman latch	N/C
426	Standard top strike	N/C
426A	Top strike with angle	38.00
431	Recessed bottom strike for pullman latch	38.00
439	Standard slide bolt bottom strike	N/C

NOTES:


- Prices shown apply to A, B, or C length devices.
- Specify door width and handing. If not specified, Size B, RHR is the standard default.
- List price includes default strikes. For optional strikes, specify strike number and adjust list price accordingly.
- List price for the device does not include trim.
- Devices include wood and machine screws standard.
- Fire and hurricane rated devices include SNB sex nuts standard.
- For options requiring a cylinder, the option list price includes the default cylinder.
- Device includes precut and drilled rods for 7' or 8' doors as specified on order.
For 9' doors, device includes precut and drilled rods for a 7' door and a 2' rod extension for the top rod.
For 10' doors, device includes precut and drilled rods for an 8' door and a 2' rod extension for the top rod.
See Device Options for pricing information.
- For special lengths and/or door heights over 10', consult Technical Service.
- All standard devices and trim are designed for 1-3/4"-2-1/4" thick doors. For door thickness greater than 2-1/4", consult Technical Service.

Options


Option Code	Description	List Add \$
Special Finishes and Coatings		
PC	Powder Coat available over 630 – Stainless Steel	98.00
Custom Color	Custom painted finish selected from RAL color pallet book.	157.00
	For details, see Finishes Cross Reference	
	Per order, setup charge (Net)	86.00
	per exit device only, list add	86.00
	per trim only, list add	555.00
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" x 3" color chip samples required. For details, see Finishes Cross Reference per order, non-refundable development/setup charge (Net)	86.00
	per exit device only, list add	86.00
	per trim only, list add	86.00
Fastener Package		
SK	Shim kit	110.00
SNB	Sex nuts	21.00
TX	Security screws	42.00
SKTX	Shim kit and security screws	171.00
SKSNB	Shim kit and sex nuts	128.00
TXSNB	Security screws and sex nuts	85.00
SKTXSNB	Shim kit, security screws, and sex nuts	192.00
Special Application Packages		
HC	Hurricane. Includes SNB	206.00
BF	Barrier free exit device (8300), meets California Building Code (Section 11B-309.4) requirements for maximum 5 lb operating force. See page 86 for compatible functions/options.	28.00
Alarm		
BA*	Battery Power Alarm	745.00
B4*	Battery Power Alarm, 4 minute reset	795.00
DA*	Direct wired alarm	752.00
Monitoring		
LM	Latch bolt monitoring	274.00
MS	Monitor switch in touchbar	274.00
LMMS	Latch bolt and touchbar monitor	578.00
Power Supplies, Power Transfers, Power Modules		
ES101	Delay module	166.00
ES103	Relay module	105.00
ES100	Power supply. Powers (2) 8000 ES devices.	761.00
ES105	Power transfer for ES devices	255.00






















8000 Series Exit Trim

How to Order



Lever and Knob Styles



ANSI Function	Description	Escutcheon	Sectional 3-3/8" Diameter Rose	Wide Plate 3" W x 16" H	Pulls	Cylinder Only Pull by Others
DT	Dummy trim					
02	Entrance by trim when touchbar is dogged					
03	Entrance by trim when latch bolt is retracted by key. Key removable only when trim is locked.					
05	Entrance by thumbpiece. Key locks or unlocks thumbpiece.					
06	Entrance by thumbpiece only when released by key. Key removable only when locked.					
08	Entrance by lever or knob. Key locks or unlocks lever or knob.					
09	Entrance by lever or knob when unlocked by key. Key removable only when locked.					
22	Entrance by thumbpiece (no cylinder). Thumbpiece always active.					
23	Entrance by lever or knob (no cylinder). Lever or knob always active.					

8000 Series Escutcheon Trim

Escutcheon Trim (Specify)			Special Finish Coating	Cylinders and Keying		
Knob or Lever	Function	Finish		Cylinder Type	Keyway	Keying
		626		D	SC	KD
8HC	DT	626	*PC	C	AA	KD
8HG	03	689		D	CA	KA2
8HK	08	691		J	CB	KA4
8HR	09	693		L	CC	NSK
	23	695		T	CD	MKD
		696			CE	CMK
		Custom			D100	SKD
		Designer			GA	OBIt
				RA		
				RB		
				SC		
				SE		
				SF		
				YA		
				YG		



8HR



8HK

***Patented Key Control**
D100 is the keyway for our patented **SKC** serialized key control system. **SKC** is internet based and provides added layers of security. For more information, contact your local sales representative or Technical Service at 800-387-4938.

 — Default

Rim	Surface Vertical Rod	Available Finishes \$	
8300 F8300	8400 F8400	689, 691, 693 695, 696	626

ANSI Function	Description			
DT	Dummy trim	8HDT	360.00	335.00
03	Entrance by trim when latch bolt is retracted by key. Key removable only when trim is locked.	8Hx03 8HK03	486.00	446.00
08	Entrance by lever or knob. Key locks or unlocks lever or knob.	8Hx08 8HKx08	486.00	446.00
09	Entrance by lever or knob when unlocked by key. Key removable only when locked.	8Hx09 8HK09	486.00	446.00
23	Entrance by lever or knob (no cylinder). Lever or knob always active.	8Hx23 8HK23	403.00	354.00

- NOTES:**
- List price includes the default cylinder.
 - Where x appears above, x = lever style. See page 142 for details.

*PC - Clear Powder Coat available over 630 – Stainless Steel

8000 Series Sectional Trim

Sectional Trim (Specify)			Special Finish Coating	Cylinders and Keying		
Knob or Lever	Function	Finish		Cylinder Type	Keyway	Keying
		689		D	SC	KD
8C	02	626	*PC	C	AA	KD
8G	03	689		D	CA	KA2
8K	08	691		J	CB	KA4
8R	23	693		L	CC	NSK
		695		T	CD	MKD
		696			CE	CMK
		Custom			*D100	SKD
		Designer			GA	OBIt
				RA		
				RB		
				SC		
				SE		
				SF		
				YA		
				YG		

 — Default



8R



8K

***Patented Key Control**

D100 is the keyway for our patented **SKC** serialized key control system. **SKC** is internet based and provides added layers of security. For more information, contact your local sales representative or Technical Service at 800-387-4938.

Rim	Surface Vertical Rod	Available Finishes \$	
8300 F8300	8400 F8400	689, 691, 693 695, 696	626

ANSI Function	Description			
02	Entrance by trim when touchbar is dogged.	8x02R 8K02R	354.00	403.00
03	Entrance by trim when latch bolt is retracted by key. Key removable only when trim is locked.	8x03 8K03	434.00	360.00
08	Entrance by lever or knob. Key locks or unlocks lever or knob.	8x08 8K08	434.00	486.00
23	Entrance by lever or knob (no cylinder). Lever or knob always active.	8x23 8K23	354.00	403.00

Notes:

- List price includes the default cylinder.
- Where x appears above, x = lever style. See page 142 for details.

*PC - Clear Powder Coat available over 630 – Stainless Steel

8000 Series Wide Plate Trim

Wide Plate Trim (Specify)			Special Finish Coating	Cylinders and Keying		
Plate Type	Function	Finish		Cylinder Type	Keyway	Keying
		630		D	SC	KD
HRS	DT	630	*PC	T	AA	KD
HTS	02	689		J	CA	KA2
NPS	03	691		C	CB	KA4
PRS	05	693		L	CC	NSK
PTS	06	695		D	CD	MKD
8O	08	696		G	CE	CMK
	22	Custom		R	*D100	SKD
		Designer		F	GA	OBIt
				X6	RA	
				X7	RB	
					SC	
					SE	
					SF	
					YA	
					YG	



PRS



HTS

***Patented Key Control**
D100 is the keyway for our patented SKC serialized key control system. SKC is internet based and provides added layers of security. For more information, contact your local sales representative or Technical Service at 800-387-4938.

*PC - Clear Powder Coat available over 630 – Stainless Steel

		Rim	Surface Vertical Rod	Available Finishes \$	
		8300 F8300	8400 F8400	689, 691, 693 695, 696	630
ANSI Function	Description				
DT	Dummy trim	NPSDT		159.00	222.00
		80DT		98.00	—
02	Entrance by trim when touchbar is dogged.	PRS02 PTS02		222.00	276.00
03	Entrance by trim when latch bolt is retracted by key. Key removable only when trim is locked.	NPS03		222.00	296.00
		PRS03 PTS03		276.00	354.00
05	Entrance by thumbpiece. Key locks or unlocks thumbpiece.	HRS05 HTS05		314.00	412.00
06	Entrance by thumbpiece only when released by key. Key removable only when locked.	HRS06 HTS06		314.00	412.00
22	Entrance by thumbpiece (no cylinder). Thumbpiece always active.	HRS22 HTS22		258.00	314.00

NOTE:

- List price includes the default cylinder.

8000 Series Pull Trim

Pulls
(Specify)

Special
Finish
Coating

Cylinders
and Keying

Pull Type	Function	Finish		Cylinder Type	Keyway	Keying
		689		D	SC	KD
8O ¹	DTP	689	*PC	T	AA	KD
8P	O2	691		J	CA	KA2
8PBO ²	O3	693		C	CB	KA4
	O3P	695		L	CC	NSK
		696		D	CD	MKD
		Custom		G	CE	CMK
		Designer		R	*D100	SKD
				F	GA	OBit
				X6	RA	
				X7	RB	
					SC	
					SE	
					SF	
					YA	
					YG	

— Default

***Patented Key Control**
D100 is the keyway for our patented **SKC** serialized key control system. **SKC** is internet based and provides added layers of security. For more information, contact your local sales representative or Technical Service at 800-387-4938.



1. Specify hand.
2. 8PBO available for O3 Function only. Not available in 693 finish.

		Rim	Surface Vertical Rod	Available Finishes \$
		8300 F8300	8400 F8400	689, 691, 693 695, 696
ANSI Function	Description			
02	Entrance by trim when touchbar is dogged.	8P02		314.00
		80DTP		220.00
		8PDT		121.00
03	Entrance by trim when latch bolt is retracted by key. Key removable only when trim is locked.	8003P		296.00
		8003		159.00
		8P03		198.00
		8PBO03		177.00

- NOTES:
- List price includes the default cylinder.

8PBO03 trim not recommended for wood doors. Hollow metal and aluminum door applications.


*PC - Clear Powder Coat available over 630 – Stainless Steel

Trim Options


Option Code	Description	List Add \$
Special Finishes and Coatings		
P	Clear powder coat	106.00
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.	
	Per order, setup charge (Net)	169.00
	per exit device only, list add	93.00
	per trim only, list add	93.00
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" × 3" color chip samples required. For details, see Finishes Cross Reference , page viii.	
	per order, non-refundable development/setup charge (Net)	597.00
	per exit device only, list add	93.00
	per trim only, list add	93.00

Cylinders


Rim Cylinders



Mortise Cylinders



Key-in-Lever Cylinders



Application	ANSI Function	Cylinder Type	Conventional (Default)	SFIC 7-Pin
Trim				
Sectional Trim (Key-in-Lever)	03, 08	Key-in-lever	70135C	77
3" Wide Plate Trim	03	Rim	80R40SC	87A40
3" Wide Plate Trim	05, 06	Mortise	90X10SC118	97C10138
Pulls	03	Rim	80R40SC	87A40
Device Options				
CD, BA, B4,		Mortise	90X10SC118	97D10138

NOTE:

- For additional information, please refer to Cylinders, Keys, and Keying.

Cylinder Types, Keying Options and Keyways for Removable Mullions and Exit Devices

Cylinder	Option	Description	List Add/Deduct \$
Conventional Cylinders (non-interchangeable core)			
D		Keying for exit device or removable mullions with conventional cylinder (default)	
	KD	Keyed differently to a random combination; SC keyway with 2 keys (default)	N/C
	KA2	Keyed alike in pairs to a random combination; SC keyway with 2 keys	N/C
	1-Bit	1-bit key (sold separately); SC, SE keyway with 2 key blanks	N/C
	1-Bit	1-bit key (sold separately); D100 keyway — ⊗ Keys sold separately	N/C
	0-Bit	Operated by a key blank; CA, CD, CE, RA, RB, GA, SF, YA, YG keyways with 2 key blanks	19.00
	NSK	Keyed alike, sets of three or more; SC keyway with 2 keys	19.00
	MKD	Master keyed; SC, SE, or D100 keyway — ⊗ Keys sold separately	23.00
	CMK	Construction master keyed single cylinder locks — ⊗ Keys sold separately	25.00
L		Keying for exit device or removable mullions less conventional cylinder	Deduct 30.00
Interchangeable Core Cylinders			
T		Keying for exit device or removable mullions with keyed temporary SFIC construction core Keying for exit trim with keyed temporary SFIC construction core (cores may be returned for a full refund) — ⊗ Keys sold separately	55.00
J		Keying for exit device or removable mullions with disposable plastic SFIC construction core	
C		Keying for exit device or removable mullions with combined SFIC core installed at factory ¹ Keying for exit trim with combined core installed at factory; BA (default), BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, D100 keyway — ⊗ Keys sold separately	62.00
G		Schlage LFIC — Housing with keyed temporary Schlage LFIC construction core (Core may be returned for full refund) — ⊗ Keys sold separately	55.00
F		Schlage LFIC — Housing with combined Schlage LFIC installed at the factory (SC keyway) — ⊗ Keys sold separately	62.00
Cylinder Housings Less Cores			
R		Housing prepared for Schlage FSIC	12.00
X7		Housing prepared for Sargent XC 7P and Arrow Choice 7P SFIC	12.00
X6		Housing prepared for Arrow Choice 6P SFIC	12.00

1. For uncombined cores, **UNC** cores must be ordered separately, see **Cylinders, Keys & Keying**. Exits/trim will be supplied w/ plastic construction core, Option J.

⊗ Denotes keys must be ordered separately.

Cut Keys Ordered Separately

Part #	Description	List \$
45101	SFIC Cut key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	10.00
45401	SFIC Cut key — Change key, master key, or control key; D100 keyways — D100 etc.	16.00
45404	CONV/LFIC Cut key — 1 bit key for operating 1 bit cylinders — SC, SE keyways	8.00
45405	LFIC Cut key — 1 bit control key (to install/remove "0-bit" LFIC cores) — SC keyway	8.00
44101SC	CONV/LFIC Key blank — SC keyway	5.00
44104SC	LFIC Key blank — Control key (to install/remove LFIC Cores) — SC keyway	7.00

NOTES:

- Distribution of DORMA SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for DORMA SKC policies.
- For additional information, please refer to Cylinders, Keys, and Keying
- See Keys and Key Blanks section for complete list.


Mullions

Item	Description	List \$
Aluminum Mullions × 628 (clear anodized), 1-5/8" × 2-5/8"		
1310-8	8'	1246.00
1310-8 × 443	8', recessed strike	1453.00
WS1310-8	8', weatherstrip	1327.00
WS1310-8 × 443	8', weatherstrip and recessed strike	1467.00
1310-10	10'	1327.00
1310-10 × 443	10', recessed strike	1593.00
WS1310-10	10', weatherstrip	1453.00
WS1310-10 × 443	10', weatherstrip and recessed strike	1683.00
Aluminum Mullions × 695 (painted), 1-5/8" × 2-5/8"		
1310-8	8'	1513.00
1310-8 × 443	8', recessed strike	1714.00
WS1310-8	8', weatherstrip	1593.00
WS1310-8 × 443	8', weatherstrip and recessed strike	1811.00
1310-10	10'	1638.00
1310-10 × 443	10', recessed strike	1856.00
WS1310-10	10', weatherstrip	1747.00
WS1310-10 × 443	10', weatherstrip and recessed strike	1762.00
Steel Mullions × 600 (primed for paint), 1-1/2" × 2-1/2"		
1330-8	8'	626.00
1330-10	10'	657.00
Steel Mullions × 600 (primed for paint), 2" × 3"		
1300-8	8'	812.00
F1300-8	8', fire-rated	1046.00
F1300-10	10', fire-rated	1396.00
1340KR-8	8', key removable (includes standard cylinder using 01 cam)	1373.00
F1340KR-8	8', fire-rated mullion, key removable (includes standard cylinder using 01 cam)	1608.00
F1340KR-10	10', fire-rated mullion, key removable (includes standard cylinder using 01 cam)	1883.00
1300-10	10'	936.00
1340KR-EL	8', key removable, electrified mullion	1593.00
1340KR-10	10', key removable (includes standard cylinder using 01 cam)	1453.00
1340 KR-EL-10	10', key removable, electrified mullion	1670.00
HC1300-8	8', design pressure rated 80PSF for openings up to 8' × 8' with HC9300 device.	1513.00
Mullion Storage Kit		
1340SK	Storage kit for 1340/F1340 Series key removable mullion.	408.00
Cylinders for 1340KR/F1340KR Mullions and 1340SK Storage Kit		

Type	Standard	7-pin IC	Cam
Mortise	90X01SC118	97D01BA138	01 (AR)

DKPS Power Supply Series

Ordering Guide



DKPS-4A

DKPS Power Supply Series


Item	Description	List \$
DKPS-2A	110 V/2.0 A @ 24 VDC filter/reg, class 2 selectable output	731.00
DKPS-4A	110 V/4.0 A @ 24 VDC filter/reg, class 2 selectable output, (2) 2.0 A or (1) 4.0 A	1352.00
DKPS-6A	110 V/6.0 A @ 24 VDC filter/reg, class 2 selectable output, (3) 2.0 A or (1) 6.0 A	1627.00
PS502RF-220	220V/1.0 A @ 24 VDC filter/reg, class 2 selectable output	742.00

DKPS Series Specifications

Features	DKPS-2A	DKPS-4A	DKPS-6A
Enclosure dimensions	Metric 338mm X 448mm X 110mm, Standard 13-5/16" X 17-41/64" X 4-21/64"		
UL294, CAN/ULC -60839-11-1	Y	Y	Y
CAN/ULC-S533, CE, FCC	Y	Y	Y
Input Requirements	100-240VAC, 50-60Hz. 2.4A Max draw	100-240VAC, 50-60Hz. 1.8A Max draw	100-240VAC, 50-60Hz. 2.5A Max draw
Output Performance	2.5 Amps continuous supply current at Nominal 12/24 VDC	4 Amps continuous supply current at Nominal PF 0.6 at nominal 12/24 VDC	6 Amps continuous supply current at Nominal PF 0.6 at nominal 12/24 VDC
Battery Back-Up Charger (ordered separately)	Standard	Standard	Standard
Keyed Cabinet	Standard (Keyed alike)	Standard (Keyed alike)	Standard (Keyed alike)
LED Power Status Indicator	Standard	Standard	Standard
Fire Alarm Termination	Standard	Standard	Standard
Power Distribution Board	4 Outputs	8 Outputs	8 Outputs
Warranty	Limited Lifetime		

DKPS Power Supply Series

Ordering Guide



DKPS-2A

Options

Item	Description	List \$
BB12-4	4.5 Ahr battery backup for 12 V	69.00
BB12-7	7 Ahr battery backup for 12 V	107.00
BB24-4	4.5 Ahr battery backup for 24 V	138.00
BB24-7	7 Ahr battery backup for 24 V	210.00

Power Supplies for Use with Exit Devices

Item	Description	List \$
ES100	110 V/24 VDC, 6 A surge, 0.65 A continuous per zone. Use with delayed egress (DE) exit device or LFSC/LFSF electrified exit device trim.	813.00
PS501	110 V/36 VDC, 14-18 A surge, 2 A continuous per zone. Use with solenoid latch retraction (ES) exit devices (UL requirement)	956.00
AD100	220 V/24 VDC, 6 A surge, 0.65 A continuous per zone. Use with solenoid latch retraction (ES) exit devices (UL requirement)	956.00
PS406BB*	Power supply with battery backup solenoid latch retraction	1365.00

Note: PS406BB can only be used with latch retraction option


Power Supply Options for Use with Exit Devices

Item	Description	List \$
ES101	Delay module (ES100 only)	178.00
ES103	Relay module (ES100 only)	112.00
ES105	Power transfer (recommended for ES and DE option)	274.00
ES2	Power card (PS501 only), powers an additional 2 devices (4 total)	522.00

Electric Strikes

ES62 Ordering Guide

Application — Rim Exit Device




ES62

NOTE: Fail secure only.

ES62 Electric Strikes		
Item	Description	List \$
ES62 FSV 630	Surface mount rim exit strike, UL 1034 (CVXY), 12/24 V	739.00
ES62F FSV 630	3 Hour fire rated surface mount rim exit strike, UL 1034 (CVXY), 12/24 V	814.00
ES62 FSV LM 630	Surface mount rim exit strike with Latch Monitor switch, UL 1034 (CVXY), 12/24 V	886.00
ES62F FSV LM 630	Fire rated surface mount rim exit strike with Latch Monitor switch, UL 1034 (CVXY), 12/24 V	920.00
ES62 Accessories		
DPH62	Door pair housing, ES62, 628 finish only	236.00
MSK62	Shim mounting kit, ES62	20.00

ES96F Ordering Guide

Application – Mortise Lock / Cylindrical Lock



ES96F

ES96F Electric Strikes


Item	Description	List \$
ES96F FSV 630	Heavy duty, fire rated mortise strike, 12/24 V, 3 hr	815.00
ES96F FSV LM 630	Heavy duty, fire rated mortise strike with Latch Monitor switch, 12/24 V, 3 hr	886.00

ES96F Accessories

96LM	Latch monitor switch, ES96F	74.00
------	-----------------------------	-------

ES72F Ordering Guide

Application – Fire Rated Cylindrical Lock





ES72F

ES72F Electric Strikes

Item	Description	List \$
ES72F 12V 630	Commercial duty, fire rated cylindrical strike, 12 V, 90 minute fire rated	623.00
ES72F 24V 630	Commercial duty, fire rated cylindrical strike, 24 V, 90 minute fire rated	623.00

ES84/86 Ordering Guide

Application – Non-Fire Rated Cylindrical Lock



NOTE: Field Selectable. Fail safe/ fail secure.


ES84/86 Electric Strikes		
Item	Description	List \$
ES84 FSV U 630	Low profile, commercial duty cylindrical strike, 12/24 V	312.00
ES84 FSV LM U 630	Low profile, commercial duty cylindrical strike with Latch Monitor switch, 12/24 V	390.00
ES86 FSV U 630	Standard profile, commercial duty cylindrical strike, 12/24 V	312.00
ES86 FSV LM U 630	Standard profile, commercial duty cylindrical strike with Latch Monitor strike, 12/24 V	390.00
Strike Plate Options (ES84/86, 630 finish)		
U	Universal strike kit standard with ES84/86 electric strikes includes (3) face plates S4, S4S, and S7	N/C
S4*	1-1/4" × 4-7/8" with radius corners	Deduct 6.00
S4S*	1-1/4" × 4-7/8" with square corners	Deduct 6.00
S5	1-1/8" × 5-7/8" with radius corners	Deduct 6.00
S6	1-1/4" × 6-7/8" with radius corners	Deduct 6.00
S7*	1-7/16" × 7-15/16" with radius corners	Deduct 6.00

* Included with "U" kit

ES84/86 Accessories

Item	Description	List \$
84LE1	1" Lip extension, ES84	90.00
84LE2	2" Lip extension, ES84	103.00
84LE3	3" Lip extension, ES84	120.00
86LE1	1" Lip extension, ES86	90.00
86LE2	2" Lip extension, ES86	103.00
86LE3	3" Lip extension, ES86	120.00
84JIG	Frame prep jig, ES84	120.00
86JIG	Frame prep jig, ES86	120.00
84TP5	Trim plate, ES84	39.00
86TP5	Trim plate, ES86	39.00
86LG	Latch guard, ES84/86	39.00
84/86HK	Mounting hardware kit, ES84/86	111.00
84S4DD	Face plate kit – 1-1/4" x 4-7/8" with radius corners, bullnose for double door, low profile (ES84)	71.00
86S4DD	Face plate kit – 1-1/4" x 4-7/8" with radius corners, bullnose for double door, standard profile (ES86)	71.00

ES74F Ordering Guide

Application – Heavy Duty Fire Rated Cylindrical Lock – BHMA Listed**ES74F****NOTE:** Fail secure only.**ES74F Electric Strikes**

Item	Description	List \$
ES74F 12V 630	Heavy duty, fire rated cylindrical strike, 12 V, 90 minute fire rated	582.00
ES74F 24V 630	Heavy duty, fire rated cylindrical strike, 24 V, 90 minute fire rated	582.00

Electromagnetic Locks

EML310/320 Ordering Guide

Series		Options	
EML	Electromagnetic Locks	SAP	Split Armature Plate (EML310)
		DP	Door Position Sensor
		BADP	Bond Alert w/Door Position Sensor
EML	310		628
Single Door, 1500 lb	310	Plated	605
Double Door, 1500 lb	320		606
Single Door, Encoded Armature, 1500 lb	310TP		613
Double Door, Encoded Armature, 1500 lb	320TP		625
Model		Painted	628
			691
			693
			696
		Finish	

NOTE: All finishes other than 628 are supplied as a cover wrap.

NOTE: All finishes other than 628 are supplied as a cover wrap.



EML310/320 Electromagnetic Locks

Item	Description	628 Finish \$	Painted Finishes \$	Plated Finishes \$
EML310 Series Single Door, 1500 lb Holding Force				
EML310	Single lock	668.00	794.00	848.00
EML310 DP	Single lock w/ DP sensor	778.00	903.00	956.00
EML310 BA DP	Single lock w/ BA sensor, DP sensor	886.00	1010.00	1063.00
EML310TP Series Single Door, 1500 lb Holding Force				
EML310TP	Single lock w/ encoded armature	935.00	—	—
EML320 Series Double Door, 1500 lb Holding Force				
EML320	Double lock	1274.00	1423.00	1486.00
EML320 DP	Double lock w/ DP sensor	1478.00	1626.00	1693.00
EML320 BA DP	Double lock w/ BA sensor, DP sensor	1674.00	1824.00	1890.00
EML320TP Series Double Door, 1500 lb Holding Force				
EML320TP	Double lock w/ encoded armature	1859.00	—	—

EML310/320 Options

Item	Description	628 List Add \$	695 List Add \$
Angle Brackets			
AB11	1"H x 1"W x 10-1/2"L, EML310	63.00	75.00
AB12	1-1/2"H x 1"W x 10-1/2"L, EML310	66.00	79.00
AB13	1-1/2"H x 1-1/4"W x 10-1/2"L, EML310	69.00	81.00
AB20	1"H x 1"W x 21"L, EML320	90.00	112.00
AB21	1-1/2"H x 1"W x 21"L, EML320	99.00	127.00
AB22	1-1/2"H x 1-1/2"W x 21"L, EML320	112.00	137.00
L Brackets			
LB10	2-1/2"H x 2"W x 10-1/2"L, EML310	111.00	—
LB20	2-1/2"H x 2"W x 21"L, EML320	221.00	—
Filler Bars			
FB11	1/8"H x 3/4"W x 10-1/2"L, EML310	47.00	—
FB12	1/4"H x 3/4"W x 10-1/2"L, EML310	49.00	55.00
FB14N	1/2"H x 5/8"W x 10-1/2"L, EML310	61.00	66.00
FB14	1/2"H x 3/4"W x 10-1/2"L, EML310	55.00	61.00
FB15	5/8"H x 3/4"W x 10-1/2"L, EML310	59.00	63.00
FB21	1/8"H x 3/4"W x 21"L, EML320	66.00	—
FB22	1/4"H x 3/4"W x 21"L, EML320	66.00	75.00
FB24N	1/2"H x 5/8"W x 21"L, EML320	79.00	88.00
FB24	1/2"H x 3/4"W x 21"L, EML320	71.00	81.00
FB25	5/8"H x 3/4"W x 21"L, EML320	75.00	85.00
Blade Stop Spacers			
BSS14	1/2"H x 1-1/2"W x 10-1/2"L, EML310	68.00	81.00
BSS15	5/8"H x 1-1/2"W x 10-1/2"L, EML310	74.00	88.00
BSS24	1/2"H x 1-1/2"W x 10-1/2"L, EML320	133.00	159.00
BSS25	5/8"H x 1-1/2"W x 10-1/2"L, EML320	145.00	171.00

Item	Description	628 List Add \$	695 List Add \$
Top Jam Brackets			
TJ10	Top jamb bracket, EML310	198.00	211.00
TJ20	Top jamb bracket, EML320	392.00	423.00
Conduit Mounting Bracket			
CMB10	1"H × 2-1/4"W × 10-9/16"L, EML310	111.00	—
Armature Plates			
AP02	5/8" (15.9 mm) thick, EML310/EML320	89.00	—
AP21	5/8" (15.9 mm) thick, EML310/EML320 with DP function	137.00	—
Armature Plate Holders			
APH10	Armature plate holder, EML310	111.00	120.00
APH15	Armature plate holder, EML310 with DP function	75.00	83.00
APH20	Armature plate holder, EML320	221.00	227.00
APH25	Armature plate holder, EML320 with DP function	147.00	155.00
Armature Mounting Bolts			
AMB225	Extended length for doors 1-3/4" to 2-1/4" thick	16.00	—
AMB275	Extended length for doors 2-1/4" to 2-3/4" thick	16.00	—
AMB300	Extended length for doors 2-3/4" to 3" thick	16.00	—

Glass Door Brackets

Item	Description	630 List Add \$
GDB14	1/2" thick glass, EML310	247.00
GDB16	3/4" thick glass, EML310	247.00
GDB24	1/2" thick glass, EML320	465.00
GDB26	3/4" thick glass, EML320	465.00

Split Armature Plate

Item	Description	List Add \$
SAP	Split armature plate, EML310	146.00

EML310/320 Accessories

Item	Description	Painted Finishes \$	Plated Finishes \$
MCW310	Cover wrap for EML310	120.00	170.00
MCW320	Cover wrap for EML320	147.00	206.00
MCW310TP	Cover wrap for EML310TP	120.00	170.00

EML371/372 Ordering Guide

Series

Electromagnetic Locks

EML

Door Position Sensor

Bond Alert w/Door Position Sensor

DP

BA DP

Options

DP

BA DP

Painted

Plated

Finish¹

696

693

691

628

626

625

613

606

605

— Gold

— Black

— Dull Bronze

— Clear Anodized Aluminum

— Satin Chrome

— Bright Chrome

— Oxidized Satin Bronze

— Satin Brass

— Bright Brass

EML

371

628

Single Door, 750 lb

Double Door, 750 lb

371

372

Model

- 1. Lock body supplied in 628. All other finishes supplied as a cover.
- 2. Specify 628 or 695 finish, except BSS752 available in 628 only.



EML371/372 Electromagnetic Locks

Item	Description	628 Finish \$	Painted Finishes \$	Plated Finishes \$
EML371 Single Door, 750 lb Holding Force				
EML371	Single lock	513.00	623.00	661.00
EML371 DP	Single lock w/ DP sensor	599.00	707.00	749.00
EML371 BA DP	Single lock w/ BA sensor, DP sensor	694.00	802.00	842.00
EML372 Double Door, 750 lb Holding Force				
EML372	Single lock	1025.00	1157.00	1214.00
EML372 DP	Single lock w/ DP sensor	1196.00	1326.00	1387.00
EML372 BA DP	Single lock w/ BA sensor, DP sensor	1382.00	1512.00	1574.00

EML371/372 Options


Item	Description	628 List Add \$	695 List Add \$
Angle Brackets			
AB710	1"H x 1"W x 9-3/8"L, EML371	63.00	69.00
AB711	1-1/2"H x 1"W x 9-3/8"L, EML371	66.00	71.00
AB712	1-1/2"H x 1-1/2"W x 9-3/8"L, EML371	69.00	75.00
AB713	1-1/2"H x 2"W x 9-3/8"L, EML371	71.00	79.00
AB720	1"H x 1"W x 18-3/4"L, EML372	97.00	108.00
AB721	1-1/2"H x 1"W x 18-3/4"L, EML372	99.00	112.00
AB722	1-1/2"H x 1-1/2"W x 18-3/4"L, EML372	103.00	117.00
AB723	1-1/2"H x 2"W x 18-3/4"L, EML372	106.00	120.00
Filler Bars			
FB712	1/4"H x 3/4"W x 9"L, EML371	49.00	55.00
FB713	3/8"H x 3/4"W x 9"L, EML371	52.00	59.00
FB714	1/2"H x 3/4"W x 9"L, EML371	55.00	61.00
FB715	5/8"H x 3/4"W x 9"L, EML371	59.00	63.00
FB722	1/4"H x 3/4"W x 18-3/4"L, EML372	66.00	75.00
FB724	1/2"H x 3/4"W x 18-3/4"L, EML372	69.00	79.00
FB725	5/8"H x 3/4"W x 18-3/4"L, EML372	75.00	85.00
Blade Stop Spacers			
BSS714	1/2"H x 1"W x 9-3/8"L, EML371	61.00	74.00
BSS715	5/8"H x 1"W x 9-3/8"L, EML371	66.00	80.00
BSS724	1/2"H x 1"W x 18-3/4"L, EML372	120.00	145.00
BSS725	5/8"H x 1"W x 18-3/4"L, EML372	131.00	156.00
Top Jam Brackets			
TJ71	Top jamb bracket, EML371	198.00	211.00
TJ72	Top jamb bracket, EML372	392.00	423.00

Item	Description	628 List Add \$	695 List Add \$
Armature Plate			
AP03	3/8" (9.5 mm) thick, EML371/EML372	89.00	—
Armature Plate Holders			
APH71	Armature plate holder, EML371	111.00	120.00
Armature Mounting Bolts			
AMB225	Extended length for doors 1-3/4" to 2-1/4" thick	16.00	—
AMB275	Extended length for doors 2-1/4" to 2-3/4" thick	16.00	—
AMB300	Extended length for doors 2-3/4" to 3" thick	16.00	—
APH72	Armature plate holder, EML372	221.00	227.00
Glass Door Brackets			
Item	Description	630 List Add \$	
GDB714	1/2" thick glass, EML371	235.00	
GDB716	3/4" thick glass, EML371	235.00	
GDB724	1/2" thick glass, EML372	465.00	
GDB726	3/4" thick glass, EML372	465.00	

EML371/372 Accessories

Item	Description	Painted Finishes \$	Plated Finishes \$
MCW371	Cover wrap for EML371	111.00	147.00
MCW372	Cover wrap for EML372	133.00	193.00

EML375 Ordering Guide

**EML375**

EML375 Electromagnetic Locks

Item	Description	628 Finish \$	Painted Finishes \$	Plated Finishes \$
EML375 Single Door, 300 lb Holding Force				
EML375	Single lock	344.00	476.00	513.00

EML375 Options

Item	Description	628 List Add \$	695 List Add \$
Blade Stop Spacers			
BSS752	1/4"H x 13/16"W x 6-9/16"L, EML375	68.00	—
Top Jam Brackets			
TJ75	Top jamb bracket, EML375	176.00	183.00
Armature Plate			
AP04	5/16" (7.9 mm) thick, EML375	79.00	—
Armature Plate Holders			
APH75	Armature plate holder, EML375	111.00	120.00
Armature Mounting Bolts			
AMB225	Extended length for doors 1-3/4" to 2-1/4" thick	16.00	—
AMB275	Extended length for doors 2-1/4" to 2-3/4" thick	16.00	—
AMB300	Extended length for doors 2-3/4" to 3" thick	16.00	—

Glass Door Brackets

Item	Description	630 List Add \$
GDB754	1/2" thick glass, EML375	235.00
GDB756	3/4" thick glass, EML375	235.00

EML375 Accessories

Item	Description	Painted Finishes \$	Plated Finishes \$
MCW375	Cover wrap for EML375	133.00	193.00

Specialized Electromagnetic Locks

EMLSG360/365 Ordering Guide

Specialized Electromagnetic Lock —

Series

EMLSG

EMLSG

360

628

Low Profile Mortise, Sliding Doors, 700 lb —

360

628

— Clear Anodized Aluminum

Compact Mortise, Sliding Doors, 300 lb —

365

Finish

Model



EMLSG360



EMLSG365

EMLSG380 Ordering Guide

Specialized Electromagnetic Lock —

Series

EMLSG

Options

PB80 — Sliding Gate Post Bracket

TJ80 — Swinging Gate Top Jam Bracket

EMLSG

380

628

Weather-Resistant, Swinging or Sliding Gates —

380

628

— Clear Anodized Aluminum

630

— Satin Stainless Steel

Model

Finish



EMLSG380

EMLSG Series Specialized Electromagnetic Locks

Item	Description	628 Finish \$	630 Finish \$
EMLSG360	Mortise lock for sliding doors, 750 lb	682.00	—
EMLSG365	Mortise lock for sliding drawers, 300 lb	406.00	—
EMLSG380	Weather-resistant gate lock with stainless steel housing	—	682.00

EMLSG Option


Item	Description	628 List Add \$	695 List Add \$
TJ80	Top jamb bracket, EMLSG380	170.00	—
PB80	Post bracket, EMLSG380	—	111.00
AP03	3/8" (9.5 mm) thick, EMLSG360	89.00	—
AP04	5/16" (7.9 mm) thick, EMLSG365	79.00	—

Shear Locks

EMSL Ordering Guide

			Options (multiple options may be ordered)		
Wood Door Reinforcement Box (2700-65, 2700-66) —			WDRB		
Wood Door Reinforcement Box (2000-61, 2000-62) —			WDRBM		
External LED —			L3		
Door Position Switch —			DPS		
Bond Alert Sensor —			BA		
Top Rail Bracket —			ATR		
			Finish		
			628 — Satin Aluminum (2061S & 2061TJ Surface Series only)		
Model					
Shear Lock, Concealed, 2700 lb Holding Force —			2700		
Micro Shear Lock, Concealed, 2000 lb Holding Force —			2000		
EMSL					
65			AC		
Micro Shear Lock Built-In Auto Re-Lock and Time Delay —			61		
Micro Shear Lock Surface, Push Side —			61S		
Micro Shear Lock Surface, Pull Side —			61TJ		
Micro Shear Lock Built-In Auto Re-Lock and External Time Delay —			62		
Micro Shear Lock Semi-Concealed, Push Side —			62SC		
Micro Shear Lock Semi-Concealed with Glass Door Bracket ** —			6SC x GBRKT		
Built-In Auto Re-Lock and Time Delay (EMSL2700 only) —			65		
Built-In Auto Re-Lock and External Time Delay (EMSL2700 only) —			66		
Function			Mounting Kit Options		
			AC — Mounting Kit - Aluminum Doors (suffix "M" for Micro Shear Locks)		
			FC — Mounting Kit - Flush Steel Doors (suffix "M" for Micro Shear Locks)		
			AHC — Mounting Kit - Wood or Metal Doors w/7/8" to 1-1/8" Web (suffix "M" for Micro Shear Locks)		

** Specify 1/2" or 3/4" for glass thickness



EMSL2000-61



EMSL2000-62



EMSL2700-65



EMSL2700-66

EMSL Series Micro Shear Locks (2,000 lb Holding Force)

Item	Description	List \$
EMSL2000-61	Concealed mount with integral time delay. 1-5/8" projection (fits 1-3/4"-2" frame).	1673.00
EMSL2000-61S	Surface mount push side of door	2324.00
EMSL2000-61TJ	Surface mount pull side of door	2324.00
EMSL2000-62	Concealed mount with external time delay. 1-1/4" projection (fits 1-1/4"-1-3/4" frame).	1673.00
EMSL2000-62SC	Semi-concealed push side of door. Lock is mortised.	1977.00
EMSL2000-62SCGDB-KT1/2	Semi-concealed w/glass door bracket, 1/2" glass. Lock is mortise	2440.00
EMSL2000-62SCGDB-KT3/4	Semi-concealed w/glass door bracket, 3/4" glass. Lock is mortised	2440.00


* Specify mounting kit for all locks (see options below).


EMSL Series High Shear Locks (2,700 lb Holding Force)

Item	Description	List \$
EMSL2700-65	Built-in auto re-lock and time delay to ensure alignment before re-locking. 1-5/8" projection (fits 1-3/4"-2" frame).	1813.00
EMSL2700-66	Built-in auto re-lock and external time delay. 1-1/4" projection (fits 1-1/4"-1-1/2" frame).	1813.00

* Specify mounting kit for all locks (see options below).

EMSL Series Options

Item	Description	List Add \$
*AHC	Standard mounting armature kit for aluminum and hollow metal doors w/ 7/8" to 1-1/8" deep top channels, wood doors, and factory prepared hollow metal flush edge doors	N/C
*FC	Mounting kit for field prepared horizontal mounting in hollow metal doors w/flush edge	N/C
*AC	Mounting kit for aluminum doors with 1-15/16" web (1 pack of two 1" shims)	N/C
Must specify one of the above options for every shear lock ordered. Add Suffix "M" for Micro Shear Lock Armatures: i.e. AHCM		
ATR	Aluminum top rail armature bracket for leading edge adjustments	740.00
BA	Bond sensor (Not available on 2062 or 2766)	240.00
DPS	Door position switch	111.00
L3	External LED. Mounted separately through the frame 	37.00
WDRBM	Wood door reinforcement box (Micro-shear)	90.00
WDRB	Wood door reinforcement box (High-shear)	90.00

 L3 option may use one, two, or three colors.

Delayed Egress Electromagnetic locks

EMDE Series Ordering Guide

Series

Delayed Egress Electromagnetic Lock —

EMDE

EMDE

SE

628

Delayed Egress with External Sounder —

SE


628

— Clear Anodized Aluminum

Delayed Egress with Built-In Sounder —

SI

Finish



Item	Description	628 Finish \$
EMDE SE	Lock with external sounder, 1200 lb	1629.00
EMDE SI	Lock with integral sounder, 1200 lb	1859.00

AC Series

Available Items

AC200 Keypads		
Item	Description	List \$
AC217 630	Keypad, Indoor 120 user code, satin stainless face plate	582.00
AC217 605	Keypad, Indoor 120 user code, bright brass face plate	744.00
AC225 630	Keypad, Outdoor, 480 user code, satin stainless face plate	847.00



AC217



AC225


Red Mushroom Push Buttons

Available Items

Item	Color	Label	Diameter	Faceplate	Switch	Faceplate Finish	List \$
PB RE2 MA 628	Red	Exit	1-9/16"	Narrow	Maintained	Brushed Aluminum	209.00
PB RE2 MO 628	Red	Exit	1-9/16"	Narrow	Momentary	Brushed Aluminum	209.00
PB RE2 MA 710	Red	Exit	1-9/16"	Narrow	Maintained	Dark Bronze	209.00
PB RE2 MO 710	Red	Exit	1-9/16"	Narrow	Momentary	Dark Bronze	209.00
PB EP0 PA 630	Red	Push to exit	1-5/8"	Narrow	Momentary with pneumatic time delay	Satin Stainless	625.00
PB RE3 MA 628	Red	Exit	1-9/16"	Single Gang	Maintained	Brushed Aluminum	209.00
PB RE3 MO 628	Red	Exit	1-9/16"	Single Gang	Momentary	Brushed Aluminum	209.00
PB RE3 MA 710	Red	Exit	1-9/16"	Single Gang	Maintained	Dark Bronze	209.00
PB RE3 MO 710	Red	Exit	1-9/16"	Single Gang	Momentary	Dark Bronze	209.00
PB E03 MA 628	Red	Exit	2-3/8"	Single Gang	Maintained	Brushed Aluminum	243.00
PB E03 MO 628	Red	Exit	2-3/8"	Single Gang	Momentary	Brushed Aluminum	243.00
PB E03 MA 710	Red	Exit	2-3/8"	Single Gang	Maintained	Dark Bronze	243.00
PB E03 MO 710	Red	Exit	2-3/8"	Single Gang	Momentary	Dark Bronze	243.00
PB EP3 PA 630	Red	Push to exit	1-5/8"	Single Gang	Momentary with pneumatic time delay	Satin Stainless	576.00

Accessories

Item	Description	
TD-ADJ	Field Selectable Timer — 0-30 seconds — wire inline	123.00
TD-FIX	Fixed Timer — 30 seconds — wire inline	123.00
SBX	Surface mounting box, single gang — PBBH2 MO 630 SBX	83.00



Blue Mushroom Push Buttons

Available Items

Item	Color	Label	Diameter	Faceplate	Switch	Faceplate Finish	List \$
PB BH2 MA 628	Blue	Handicap	1-9/16"	Narrow	Maintained	Brushed Aluminum	209.00
PB BH2 MO 628	Blue	Handicap	1-9/16"	Narrow	Momentary	Brushed Aluminum	209.00
PB BH2 MA 710	Blue	Handicap	1-9/16"	Narrow	Maintained	Dark Bronze	209.00
PB BH2 MO 710	Blue	Handicap	1-9/16"	Narrow	Momentary	Dark Bronze	209.00
PB HP2 PA 630	Blue	Handicap	1-5/8"	Narrow	Momentary with pneumatic time delay	Satin Stainless	625.00
PB BH3 MA 628	Blue	Handicap	1-9/16"	Single Gang	Maintained	Brushed Aluminum	209.00
PB BH3 MO 628	Blue	Handicap	1-9/16"	Single Gang	Momentary	Brushed Aluminum	209.00
PB BH3 MA 710	Blue	Handicap	1-9/16"	Single Gang	Maintained	Dark Bronze	209.00
PB BH3 MO 710	Blue	Handicap	1-9/16"	Single Gang	Momentary	Dark Bronze	209.00
PB HO3 MA 628	Blue	Handicap	2-3/8"	Single Gang	Maintained	Brushed Aluminum	243.00
PB HO3 MO 628	Blue	Handicap	2-3/8"	Single Gang	Momentary	Brushed Aluminum	243.00
PB HO3 MA 710	Blue	Handicap	2-3/8"	Single Gang	Maintained	Dark Bronze	243.00
PB HO3 MO 710	Blue	Handicap	2-3/8"	Single Gang	Momentary	Dark Bronze	243.00
PB HP3 PA 630	Blue	Handicap	1-5/8"	Single Gang	Momentary with pneumatic time delay	Satin Stainless	576.00

Accessories

Item	Description	
TD-ADJ	Field Selectable Timer — 0–30 seconds — wire inline	123.00
TD-FIX	Fixed Timer — 30 seconds — wire inline	123.00
SBX	Surface mounting box, single gang — PBBH2 MO 630 SBX	83.00

PB BH 2 MO 628

Series

Button

Faceplate

Switch

Faceplate Finish

Single Gang
#3 Faceplate

Narrow
#2 Faceplate

PBHO

PBBH

PBHP

200

Architectural Hardware Price List - PL35


Illuminated Push Buttons

Available Items

Item	Button	Faceplate	Switch	Faceplate Finish	List \$
PB 731 MO 630	2" x 2" LED	Single Gang	Momentary	Brushed Stainless	79.00
PB 752 MO 628	1" x 1" LED	Narrow	Momentary	Brushed Aluminum	257.00
PB 752 MO 710	1" x 1" LED	Narrow	Momentary	Dark Bronze	257.00

Accessories

Item	Description	List \$
TD-ADJ	Field Selectable Timer — 0–30 seconds — wire inline	123.00
TD-FIX	Fixed Timer — 30 seconds — wire inline	123.00
SBX	Surface mounting box, single gang — PB731 MO 630 SBX	83.00



Rotary/Key Release Switches

Ordering Guide

Red Key Release, 1-9/16" Dia —

Red Rotary, 1-3/4" Dia —

Push-Button/Switch Actuator —

Style

KR¹

RR

PB

Faceplate Option

3

1

MA

Mounting Box

SBX

Series

PB

Switch Function

MA

Finish

630

628

710

Aluminum, 628 or 710

Stainless Steel, 630

Clear Anodized Aluminum (PBRR only)

Satin Stainless (PBKR only)

Satin Anodized Dark Oxidized Bronze (PBRR only)

Surface Mount, Single Gang

630

PBRR

PBKR


1. PBKR Key Switch uses a disc tumbler style cylinder. This style cylinder can NOT be configured into the building master key system.

Mounting Box Options for PB Series

Item	Description	List \$
SBX	Surface Mount	75.00

39 Series Sounders

Ordering Guide



39032



39033



3914/3914W

39 Series Alerts/Sounders/Specialty Switches

Item	Description	List \$	628 Finish \$	710 Finish \$
Alerts				
39032	Audible alert, narrow	—	249.00	249.00
39033	Audible alert	—	249.00	249.00
Sounders				
3914	Sounder, red w/ weatherproof gasket	160.00	—	—
3914W	Sounder, white	160.00	—	—

KS Series

Ordering Guide

Timer Options²

Key Switch Options

Series

30 Sec Adjustable — EA

30 Sec Fixed — EF

Key Switch Actuator — KS

L2 — 2 Bicolor LEDs (Red/Green)

L1 — Bicolor LED (Red/Green)

Mounting Box

SBX — Surface Mount, Single Gang

KS

628

D

XXXX

Faceplate Options

Switch Function

Narrow Aluminum¹ — 5

Single Gang Aluminum — 8

01 — MA SPDT

02 — MO SPDT

03 — MA DPDT

04 — MO DPDT

07 — 2 MO SPDT

08 — 1 MO SPDT/1 MA SPDT

17 — 2 MO SPDT Reset/Bypass

Finish

628 — Clear Anodized Aluminum

710 — Satin Dark Bronze Aluminum

Keying Options

T — Temporary SFIC

J — SFIC (Less Core)

C — SFIC (With Core)

L — Less Cylinder

D — Conventional Cylinder

G — Temporary Schlage LFIC

R — Schlage LFIC (less core)

F — Schlage LFIC

X6 — Arrow Choice 6P SFIC (Less Core)

X7 — Sargent XC 7P and Arrow Choice 7P SFIC (Less Core)

See Brochure for Keying Options

1. Faceplate option 5 only available with switch functions 01 and 02.
2. Timer options only available with switch function 02.
3. List price includes default conventional cylinder.



KS8 Single Gang Aluminum




KS5 Narrow Aluminum

KS Series Key Switches

Item	Description	List \$
KS800 Series Single Gang Aluminum		
KS801	MA SPDT	236.00
KS802	MO SPDT	236.00
KS 802 EA	MO SPDT, electronic timer, 1–30 sec adjustable	362.00
KS 802 EF	MO SPDT, electronic timer, 30 sec fixed	362.00
KS 803	MA DPDT	236.00
KS 804	MO DPDT	236.00
KS 503	MA DPDT	236.00
KS 504	MA DPDT	236.00
KS807	MO (2) SPDT	297.00
KS808	MO SPDT/MA SPDT	297.00
KS817	MO (2) SPDT, labeled Reset/Bypass	297.00
KS500 Series Narrow Aluminum		
KS501	MA SPDT	236.00
KS502	MO SPDT	236.00
KS502 EA	MO SPDT, electronic timer, 1–30 sec adjustable	362.00
KS502 EF	MO SPDT, electronic timer, 30 sec fixed	362.00
KS 502 PA	(2) SPDT, pneumatic timer, 2–60 sec adjustable	639.00

Options

Item	Description	List Add \$
Key Switch Options		
L1	One (1) bicolor (red/green) LED added to faceplate	31.00
Mounting Box Options		
SBX	Surface mount, single gang	83.00



Cylinder, Keying, and Keyway Options for KS Series

Cylinder	Option	Description	Examples	List Add/Deduct \$
Conventional Cylinders (non-interchangeable core)				
		Keying with conventional cylinder (default)	KS02628	
	KD	Keyed differently to a random combination; SC keyway with 2 keys (default)		N/C
	KA2	Keyed alike in pairs to a random combination; SC keyway with 2 keys		N/C
	NSK	Keyed alike, sets of three or more; SC keyway with 2 keys		20.00
	NS2	Keyed alike double cylinder locks; SC keyway with 2 keys		36.00
	1-Bit	Operated by 1-bit cut key; SC, SE keyway with 2 key blanks (order 1-bit key separately)		20.00
	0-Bit	Operated by 0-bit key; D100 keyway — Keys sold separately		20.00
	0-Bit	Operated by 0-bit cut key; AA, CA, CB, CC, CD, CE, RA, RB, GA, SF, YA, YG keyways with 2 key blanks		20.00
	MKD	Master keyed; SC, SE, or D100 keyway — Keys sold separately		24.00
	MK2	Master keyed double cylinder lock; SC, SE, or D100 keyway — Keys sold separately		47.00
	CMK	Construction master keyed single cylinder locks — Keys sold separately		26.00
	CM2	Construction master keyed double cylinder locks — Keys sold separately		52.00
L		Keying less conventional cylinder	KS02628L	Deduct 32.00
Interchangeable Core Cylinders				
T		SFIC — Housing with keyed temporary SFIC construction core (Core may be returned for a full refund) — Keys sold separately		59.00
J		SFIC — Housing with disposable plastic SFIC plug		N/C
C		SFIC — Housing with combined SFIC core installed at the factory ¹ ; BA (default), BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, D100 keyway — Keys sold separately		64.00
G		Schlage LFIC — Housing with keyed temporary Schlage LFIC construction core (Core may be returned for full refund) — Keys sold separately		59.00
R		Schlage LFIC — Housing less core		—
F		Schlage LFIC — Housing with combined Schlage LFIC installed at the factory (SC keyway) — Keys sold separately		64.00
Cylinder Housings Less Cores				
R		Housing prepared for Schlage LFIC		13.00
X7		Housing prepared for Sargent XC 7P and Arrow Choice 7P SFIC		13.00
X6		Housing prepared for Arrow Choice 6P SFIC		13.00

1. For uncombined cores, **UNC**, cores must be ordered separately.

⊗ Denotes keys must be ordered separately

Cut Keys Ordered Separately

Item	Description	List \$
45101	SFIC Cut key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	11.00
45401	SFIC Cut key — Change key, master key, or control key; D100 keyways — D100 etc.	17.00
45404	CONV/LFIC Cut key — 1-bit key for operating 1-bit cylinders — SC, SE keyways	9.00
45405	LFIC Cut key — 1-bit control key (to install/remove "1-bit" LFIC cores) — SC keyway	9.00
44101SC	CONV/LFIC Key blank — SC keyway	6.00
44104SC	LFIC Key blank — Control key (to install/remove LFIC Cores) — SC keyway	8.00

NOTES:

- Distribution of DORMA SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for DORMA SKC policies
- See Keys and Key Blanks section for complete list.

Accessories

Available Items

Item	Description	List \$	
Power Transfer			
ES105	Power transfer conduit — satin chrome finish	274.00	
Flex Loops			
3118 628	Loop, 18", surface mount flex, satin aluminum finish	54.00	
3118 695	Loop, 18" flex, surface mount, less wires, dark bronze painted	79.00	
3118 714	Loop, 18" flex, surface mount, less wires, white painted	79.00	
3218 630	Loop, 18" flex, heavy duty, less wires, satin stainless	102.00	
Wired Hinges		STD	DPS
PTH4 626 / PTH4 DPS 626	Hinge, 4 wire power transfer, 4-1/2" x 4-1/2", satin chrome finish	389.00	514.00
PTH4 613 / PTH4 DPS 613	Hinge, 4 wire power transfer, 4-1/2" x 4-1/2", dark bronze finish	389.00	514.00
PTH4 605 / PTH4 DPS 605	Hinge, 4 wire power transfer, 4-1/2" x 4-1/2", bright brass finish	389.00	514.00
PTH6 626 / PTH6 DPS 626	Hinge, 6 wire power transfer, 4-1/2" x 4-1/2", satin chrome finish	611.00	578.00
PTH6 613 / PTH6 DPS 613	Hinge, 6 wire power transfer, 4-1/2" x 4-1/2", dark bronze finish	611.00	578.00
PTH6 605 / PTH6 DPS 605	Hinge, 6 wire power transfer, 4-1/2" x 4-1/2", bright brass finish	611.00	578.00
PTH10 626 / PTH10 DPS 626	Hinge, 10 wire power transfer, 4-1/2" x 4-1/2", satin chrome finish	630.00	645.00
PTH10 613 / PTH10 DPS 613	Hinge, 10 wire power transfer, 4-1/2" x 4-1/2", dark bronze finish	630.00	645.00
PTH10 605 / PTH10 DPS 605	Hinge, 10 wire power transfer, 4-1/2" x 4-1/2", bright brass finish	630.00	645.00
Wired Pivots			
75200 626 (standard)	Pivot, 3/4" offset intermediate, electrified, 8 wire, satin chrome finish	779.00	
75200 605	Pivot, 3/4" offset intermediate, electrified, 8 wire, bright brass finish	779.00	
75200 606	Pivot, 3/4" offset intermediate, electrified, 8 wire, satin brass finish	779.00	
75200 611	Pivot, 3/4" offset intermediate, electrified, 8 wire, bright bronze finish	779.00	
75200 612	Pivot, 3/4" offset intermediate, electrified, 8 wire, satin bronze finish	779.00	
75200 613	Pivot, 3/4" offset intermediate, electrified, 8 wire, dark bronze finish	779.00	
75200 619	Pivot, 3/4" offset intermediate, electrified, 8 wire, satin nickel finish	779.00	
75200 625	Pivot, 3/4" offset intermediate, electrified, 8 wire, bright chrome finish	779.00	
E80622 630 (Standard)	Pivot, center hung top, electrified, 2 wire, satin chrome finish	850.00	
E80622 605	Pivot, center hung top, electrified, 2 wire, bright brass finish	850.00	
E80622 606	Pivot, center hung top, electrified, 2 wire, satin brass finish	850.00	
E80622 611	Pivot, center hung top, electrified, 2 wire, bright bronze finish	850.00	
E80622 612	Pivot, center hung top, electrified, 2 wire, satin bronze finish	850.00	
E80622 613	Pivot, center hung top, electrified, 2 wire, dark bronze finish	850.00	
E80622 619	Pivot, center hung top, electrified, 2 wire, satin nickel finish	850.00	
E80622 629	Pivot, center hung top, electrified, 2 wire, bright stainless finish	850.00	
E80622 689	Pivot, center hung top, electrified, 2 wire, aluminum painted finish	850.00	
E80622 695	Pivot, center hung top, electrified, 2 wire, dark bronze painted finish	850.00	
E80624 630 (Standard)	Pivot, center hung top, electrified, 4 wire, satin chrome finish	850.00	
E80624 605	Pivot, center hung top, electrified, 4 wire, bright brass finish	850.00	
E80624 606	Pivot, center hung top, electrified, 4 wire, satin brass finish	850.00	
E80624 611	Pivot, center hung top, electrified, 4 wire, bright bronze finish	850.00	
E80624 612	Pivot, center hung top, electrified, 4 wire, satin bronze finish	850.00	
E80624 613	Pivot, center hung top, electrified, 4 wire, dark bronze finish	850.00	
E80624 619	Pivot, center hung top, electrified, 4 wire, satin nickel finish	850.00	
E80624 629	Pivot, center hung top, electrified, 4 wire, bright stainless finish	850.00	
E80624 689	Pivot, center hung top, electrified, 4 wire, aluminum painted finish	850.00	
E80624 695	Pivot, center hung top, electrified, 4 wire, dark bronze painted finish	850.00	

Request to Exit Touch Bars (No latch assembly)

		628, 711	605, 629, 630
Item	Description	Standard Finish \$	Plated Finish \$
MSD550	Exit touch bar with mechanical switch (power transfer required), 628 or 711 finish standard, optional plated finishes 605, 629, 630	529.00	843.00

Timers/Relays

Item	Description	List \$
14-2	7-day programmable timer with memory and battery back-up. Specify 12 or 24 V	555.00
TD-ADJ	0-30 second adjustable timer	123.00
TD-FIX	30 second fixed timer	123.00
TDM	Time delay module sequencer relay	337.00

Desk Switches

Item	Description	List \$
PD15-1	MA SPDT	250.00
PD15-2	MO SPDT	172.00
PD15-3	MA SPDT (Toggle)	299.00

Desk Top Models for One or Two Doors

Item	Description	List \$
CC401DTM	One Momentary (MO) switch and one LED	504.00
CC402DTM	Two Momentary (MO) switches and two LEDs	626.00
CC403DTM	One Momentary (MO) and one Maintained (MA) switch and two LEDs	753.00
CC402DTMA	Two Maintained (MA) switches and two LEDs	626.00

Specialty Switches

Item	Description	List \$
3909S MA	Rocker switch, maintained	93.00
3909S MO	Rocker switch, momentary	93.00
39043B	Emergency pull station, blue with red pull	257.00
39043Y	Emergency pull station, yellow with red pull	290.00

Door Position Sensors (SPDT)

Item	Description	List \$
DPS11	Adjustable ball type SPDT, 5 amp	103.00
DPS112	Adjustable ball type 2 SPDT, 5 amp	155.00
MC4	Recessed magnetic	63.00
MC4M	Recessed magnetic mounted on plate	198.00
MC7	Biased high security recessed magnetic	155.00

Passive Infrared Egress Control

Item	Description	List \$
MS1RV1	Motion sensor (Requires PS1 RMT)	513.00
PS1RMT	Remote control for motion sensor	89.00
MD31DOW	Motion sensor with time delay — off white	513.00
MD31DB	Motion sensor with time delay — black	513.00

Monitor Strikes

Item	Description	List \$
MS12	Cylindrical latch monitor, 2-3/4" SPDT	282.00
MS12D	Cylindrical latch monitor, 2-3/4" DPDT	362.00
MS14	Cylindrical latch monitor, 4-7/8" SPDT	282.00
MS14D	Cylindrical latch monitor, 4-7/8" DPDT	362.00
MS16	Mortise lock latch monitor SPDT	282.00
MS16D	Mortise lock latch monitor DPDT	362.00
MS18	Mortise lock dead bolt monitor SPDT	282.00
MS18D	Mortise lock dead bolt monitor DPDT	387.00
MS20	Mortise lock latch and bolt monitor SPDT	362.00
MS20D	Mortise lock latch and bolt monitor DPDT	479.00

ED900 Series
Ordering Guide

Low Energy Swing Door Operator —

Power Door Operator —

Model

ED

900

PR

Function

CMP

Mount/Arm

T

T275

J8

J12

Options

PC

CB

Series

ED

900

SW

689

Application

Pair of Doors
2 ED900s

PR

Cover

SW

FWS

FW2

FWPRS

FWPR3

Painted

Finish

Remote Key switch
(628 finish) less cylinder

— Pull Side Track Mount, 0"–1" Reveal

— Pull Side Track Mount, 1" – 2-3/4" Reveal

— Push Side Top Jab Mount, 0-8" Reveal

— Push Side Top Jamb Mount, 8–12" Reveal

— Power Cord

— Conduit Box

— Standard Width

— Full Width, Sgl. Door, Seamless Cover

— Full Width, Sgl. Doors 2 piece cover

— Full Width, Pair of Doors, Seamless Cover

— Full Width, Pair of Doors, 3-Piece

— Primed

— Aluminum

— Statuary Bronze

— Dull Bronze

— Black

— Dark Duranodic Bronze


— Gold

— Custom Painted Finish

— Designer Painted Finish


SW

Standard Width 27"; Single Door




FWS

Seamless Full Width Cover, Single Door, From 29" (737 mm) to 48" (1219 mm)




FW2

Full Width Cover, 2-Pieces, Includes 27" SW Cover and extension cover up to 21" (533 mm).




FWPRS

Seamless Full Width Cover for Pair of Doors, From 56" (1422 mm) to 96" (2438 mm)



FWPR3

Full Width Pair of Doors, includes two 27" Standard Width Covers, and extension cover to fill remaining opening, up to 35" (889 mm).



ED900 Series Low Energy Operators

Single Door Applications

Model	Arm	Mounting	List Add Painted \$
ED900	T	Pull-side, regular mount, track arm, 0"–1" reveal	7881.00
ED900	T275	Pull-side, regular mount, track arm, 1"–2-3/4" reveal	8094.00
ED900	J8	Push-side, top jamb mount, 0"–8" reveal, mechanical arm stop	7881.00
ED900	J12	Push-side, top jamb mount, 8"–12" reveal, mechanical arm stop	8094.00
Covers			
SW		Standard width cover, 27", included with ED900	N/C
FWS		Full width cover for single door (door widths from 29"–48"), double mode switch and cable included.	338.00
FW2		A 27" standard cover, with field cut cover and mounting plate, (door width up to 48"), seam concealer, double mode switch and cable included.	338.00

Pair of Door Applications (Includes two ED900 Operators)

Model	Arm	Mounting	List Add Painted \$
ED900PR	T	Two ED900 operators, pull-side mount with track arms, 0"–1" reveal for pairs of doors	15756.00
ED900PR	T275	Two ED900 operators, pull-side mount with track arms, 1"–2-3/4" reveal, for pairs of doors	16199.00
ED900PR	J8	Two ED900 operators, push-side, top jamb mount arms, 0"–8" reveal, for pairs of doors	15756.00
ED900PR	J12	Two ED900 operators, push-side, top jamb mount arms, 8"–12" reveal, for pairs of doors	16199.00
ED900PRCMP	T	ED900 operator with manual door closer for second door, single full length cover, pull-side mount with track arms, 0"–1" reveal for pairs of doors	12682.00
ED900PRCMP	T275	ED900 operator with manual door closer for second door, single full length cover, pull-side mount with track arms, 1"–2-3/4" reveal for pairs of doors	12682.00
ED900PRCMP	J8	ED900 operator with manual door closer for second door, single full length cover, push-side, top jamb mount arms, 0"–8" reveal for pairs of doors	12682.00
ED900PRCMP	J12	ED900 operator with manual door closer for second door, single full length cover, push-side, top jamb mount arms, 8"–12" reveal for pairs of doors	12682.00
Covers			
SW		Two standard width covers, 27", for two ED900 operators	N/C
FWPRS		Seamless full width cover for pair of doors (door widths from 56"–96"), includes center mounting plate, control switch wiring harness, synchronizing cable, mode switch with cable, and power harness jumper.	696.00
FWPR3		Two 27" standard covers with field cut cover and mounting plate (door widths from 56"–96"), with seam concealers, control switch wiring harness, synchronizing cable, mode switch with cable, and power harness jumper.	696.00

NOTE: ED900 T, J8, J12 and ED900PR T, J8, J12 models include all axle extension 5/16" (9mm), 3/4" (20mm), 1-1/8" (30mm), and 2-3/8" (60mm).

Options

Item	Description	List Add \$
Special Finishes		
Custom Color	Custom painted finish selected from DORMA RAL color pal book. For details, see DORMA Finishes Cross Reference, page viii.	
	Per operator, set-up charge (Net)	93.00
	Per operator, list add	86.00
Designer Color	Designer painted color matched to supplied samples. Three (3) each, 2" x 2" color chip samples required. For details, see DORMA Finishes Cross Reference, page viii.	
	Per operator, non-refundable development/set-up charge (Net)	333.00
	Per operator, list add	119.00
Electrical Connection Options		
CB	Conduit box (only)	89.00
PC	Power cord (includes conduit box and power cord)	170.00

Accessories

Item	Description	List \$
Hard Wired Switches and Accessories		
WS1	Wall Switch — 6" square	403.00
WS 1 LOGO	Wall switch — with wheelchair logo only, 6" square	403.00
WS 1 SQ4	Wall switch, 4-1/2" square	446.00
WS 1 RND4	Wall switch, 4-1/2" round	446.00
WSTLS	Wall switch, touch-less sensor (available in white, gray, black)	686.00
FS 1	Frame switch, 1-3/4" x 4-1/2"	276.00
FS 1 LOGO	Frame switch with wheelchair logo only, 1-3/4" x 4-1/2"	276.00
UMB	Universal mounting box, for surface mounting WS-1, where no junction box is supplied	177.00
UMBFR	Universal mounting box flush mount ring, dress ring for WS-1	119.00
UMBRFT	Universal mounting box only, for 6" square WS/RFT 1 type switches (includes circuit board)	410.00

Item	Description	List \$
RF Switches and Accessories		
WSRFT 1	Wall switch — RF 300 MHz, 6" square	658.00
WSRFT 1 LOGO	Wall switch — RF 300 MHz, 6" square, with wheelchair logo only	658.00
WSRFT 1 433	Wall switch — RF 433 MHz, 6" square	644.00
WSRFT 1 433 SQ4	Wall switch — RF 433 MHz, 4-1/2" square	644.00
WSRFT 1 433 RND4	Wall switch — RF 433 MHz, 4-1/2" round	644.00
RFR	RF receiver, 300 MHz, 12 or 24 AC/DC (can be powered from ED900)	455.00
RFR 433	RF receiver, 433 MHz, 12 or 24 VAC/DC, 24AC (can be powered from ED900)	324.00
HHRFT 1 433	Hand held transmitter, 433 MHz	197.00
HHRFT 2 433	Hand held dual transmitter, 433 MHz	270.00
HHRFT 4 433	Hand held four button transmitter, 433 MHz	339.00
KCRFT 2 433	Key chain dual transmitter, 433 MHz	177.00
Miscellaneous Accessories		
SP1	Axle adaptor, zero extension	95.00
SP2	Axle adaptor, 3/4" (20mm) extension	95.00
SP3	Axle adaptor, 1-1/8" (30mm) extension	95.00
SP6	Axle adaptor, 2-3/8" (60mm) extension	111.00
SCRPK, ED900 Track	ED900 track arm, screwpack	20.00
970	Angle bracket	365.00
SCRPK900970	ED900 970 bracket, screwpack	20.00
930	Drop plate for arm shoe	96.00
SCRPK900930	930 drop plate, screwpack	20.00
BSTP25	Bumper/stop (1/4" thick plate)	103.00
BSTP50	Bumper/stop (1/2" thick plate)	103.00
BSTPSHM25	Bumper/stop shim, 1/4" thick	103.00
BSTPSHM50	Bumper/stop shim, 1/2" thick	103.00
BUMPER BLK	Bumper only	37.00
HEXKEY T	Hex key, 5mm, T-handle	26.00
DECAL ED900	Decal, ED900 door set	69.00
PRCONKIT96	Pair connection kit up to 96" opening width	258.00
TERMCONBD	Terminal Connection Board	117.00
T	Pull side track mount arm, 0"–1" reveal	372.00
T275	Pull side deep reveal track mount arm, 1"–2-3/4" reveal	580.00
J8	Push side top jamb mount arm, 0"–8" reveal	372.00
J12	Push side top jamb deep reveal mount arm, 8"–12" reveal	580.00
CAPSCOV5	Plastic endcaps/pinion cover	36.00

ED50LE

The ED50LE low energy swing door operator is easy to install and is the perfect solution for touch-free access applications, offering a true manual door closer experience.

This medium-duty swing door operator can automate new or existing manual swing doors with a wave plate (RCI 946T, 950T Series; 910TC Series or 912 Series), or other "knowing act" device. The ED50LE combines advanced automatic power assist, minimal push forces (as low as ANSI size 1) and reliable closing. Outswing or inswing doors can be adapted for touch-free access with push or pull arms suited to a wide variety of door usage options.

Item	Description	Finish	List \$
ED50LE			
7266003	34" Single Operator, PULL ARM	CL - Clear anodized	3893.00
7266004	34" Single Operator, PULL ARM	DB - Dark bronze anodized	3893.00
7266005	34" Single Operator, PUSH ARM	CL - Clear anodized	3893.00
7266006	34" Single Operator, PUSH ARM	DB - Dark bronze anodized	3893.00

**ED100LE**

The ED100LE low energy swing door operator is the perfect solution for touch free access applications, a versatile operator ideal for ADA-compliant applications.

This medium or heavy-duty swing door operator can automate new or existing manual swing doors with a wave plate (RCI 946T, 950T Series; 910TC Series or 912 Series) or other "knowing act" device. The ED100LE combines advanced power assist, reliable closing, and special firmware capabilities to help manage the combination of wind and building pressure. With a multitude of adjustable features, you have the flexibility to fine tune the operator to meet opening requirements.

Item	Description	Finish	List \$
ED100LE			
7265853	34" Single Operator, PULL ARM	CL - Clear anodized	6794.00
7265854	34" Single Operator, PULL ARM	DB - Dark bronze anodized	6794.00
7265855	34" Single Operator, PUSH ARM	CL - Clear anodized	6794.00
7265856	34" Single Operator, PUSH ARM	DB - Dark bronze anodized	6794.00



Surface Closers

Product Guide (1 of 2)

SURFACE MOUNTED CLOSERS	Full Cover	Slimline Cover	No Cover
Grade 1 — Cam Action Fully Adjustable (Power) Size	TS93	—	—
Grade 1 — Heavy Duty Fully Adjustable (Power) Size	8900	—	—
	STA8900	—	—
Grade 1 — Fully Adjustable (Power) Size	8600 × FC/FMC/FCSL	8600 × COV	—
	STA8600 × FC/FMC/FCSL	STA8600 × COV	—
Grade 1 — Adjustable (Power) Size	7400 × FC/FCSL	7400 × COV	7400
	STA7400 × FC/FCSL	STA7400 × COV	STA7400
Grade 1 — Sized (Power) per Application	—	7300 × COV	7300

Surface Closers

Product Guide (2 of 2)

<div><div></div>Yes</div> <div><div></div>No</div>	A156.4 Grade1	UL10C	Advanced Cam and Roller Design	Rack and Pinion Design	Stainless	Plated or Decorative Finishes	Standard Painted Finishes	Custom Painted Finishes	Adjustable Power	Fixed Power
TS93										
8900										
STA8900										
8600										
STA8600										
7400										
7300										
GSR										

* 689 and 695 only.

TS93 Series
Ordering Guide

Arm Type

171°–180° Pocket Mount —

TPKT180

120°–170° Pocket Mount —

TPKT170

90°–119° Pocket Mount —

TPKT119

90° Pocket Mount —

TPKT90

Spring Stop Track Hold Open (Pull) —

STH

Push Side Track Hold —

PTH

Pull Side Track Hold —

TH

Spring Stop Track (Push) —

SPT

Spring Stop Track (Pull) —

ST

Push Side Track —

PT

Pull Side Track —

T

Fastener Pack

SN4

— Sex Nuts for 1-3/8" Door

SN3

— Sex Nuts for 1-3/4" Door

Painted

PNT

— Special Sprayed Finish (must specify)

696

— Gold

695

— Dark Duranodic Bronze

693

— Black

691

— Dull Bronze

690

— Statuary Bronze

689

— Aluminum

600

— Primed

Plated

605

— Bright Brass

630

— Satin Stainless

TS93

15

T

SN3

689

TS93

15

— Size 1–5

Bumper Cushion —

CS*

605

— Bright Brass

Model

56

— Size 5–6

Options


630

— Satin Stainless

Spring Size

Architectural

Finish



* Available for use with T, TH, PT, PTH arms only.

- NOTES:**
- All combinations of features and options are not available for all models.
 - Please refer to TS93 Series product brochure for details.

Body	Arm	Mounting	Painted Finish \$	605/630 \$
Slide Track Non-Hold Open				
TS9315, TS9356	T	Door mounted (pull side)	782.00	1296.00
	PT	Soffit mounted (push side)	782.00	1296.00
Slide Track Hold Open				
TS9315, TS9356	TH	Door mounted (pull side)	821.00	1336.00
	PTH	Soffit mounted (push side)	821.00	1336.00
Slide Track Non-Hold Open w/Spring Cushion				
TS9315, TS9356	ST	Door mounted w/ stop (pull side)	1126.00	1699.00
	SPT	Soffit mounted w/ stop (push side)	1126.00	1699.00
Slide Track Hold Open w/Spring Cushion				
TS9315, TS9356	STH	Door mounted w/ stop (pull side)	1168.00	1741.00

NOTE: S-track (stop) units ordered in 630 finish are furnished as a combination of 619 and 630 finish components.

Body	Arm	Mounting	Painted Finish \$
90° Slide Track/Pocket Pivot Applications			
TS9356	TPKT90	90° track application less pocket pivots	840.00
		For nonfire-rated applications, order (3 ea.) plated finish 75520 pocket pivots, separately	
		For 3-hour fire-rated applications, order (3 ea.) plated finish 75523 pocket pivots, separately	
90°–180° Slide Track/Pocket Pivot Applications			
TS9356	TPKT119	90° to 119°, offset pivots or hinges, closer on door, track in pocket. Order EM504 electromagnet separately.	1013.00
	TPKT170	120° to 170°, closer on wall in pocket, track on door, right handed. Order EM504 electromagnet separately.	1071.00
	TPKT180L	171° to 180°, closer on wall in pocket, track on door, left handed. Order EM504 electromagnet separately	1123.00
	TPKT180R	171° to 180°, closer on wall in pocket, track on door, right handed. Order EM504 electromagnet separately.	1123.00

Options

(List Price 'add' when ordered with complete closer)


Item	Description	List Add/Deduct \$
CS	Cushion stop/bumper to help slow door in normal opening cycle (for T, TH, PT, PTH arms only)	54.00
SN4	(4) each 10-32 aluminum sex nuts for 1-3/8" door	N/C
LSN	Less sex nuts (less SN3 pack)	Deduct 5.00
Custom Color	Custom painted finish selected from RAL color pallet book.For details, see Finishes Cross Reference , page viii.	
	per order, setup charge (Net)	157.00
	per closer, list add	52.00
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" x 3" color chip samples required. For details, see Finishes Cross Reference , page viii.	
	per order, non-refundable development/ setup charge (Net)	380.00
	per closer, list add	52.00

- NOTES:**
- Painted finish price includes full metal cover with plastic end caps.
 - Specify closer and arm designation and finish when ordering
 - TS93 packaged (2) units per master carton.
 - SN3 sex nuts and (DA) delayed action is standard with all TS93 closers.

8900 Series

Ordering Guide

Spring Size				Body Cover				Accessory Plates				Other Accessories			
Adjustable 1-6	16			Full Plastic	FC			Drop Plate	DP89			AB89	Angle Bracket		
Fixed Size 7	07	TANDEM****	Dual Closer Body System	Full Plastic Slotted	FCSL			Back Plate	BP89			NFHD	Narrow Frame Bracket, Heavy Duty		
Adjustable 5-6	56	DA	Delay	Full Metal Cover	FMC**							FTHD	Flush Transom Bracket, Heavy Duty		
												BS	Blade Stop Spacer		
												BSHD	Blade Stop Heavy Duty		



NOTES:

- All combinations of features and options are not available for all models. Please refer to 8900 product brochure for details.
- Non-fire rated, 90TPK (90° pocket) applications require (3 ea.) 75520 pocket pivots, ordered separately.
- Fire rated, 90 TPK (90° pocket) applications require (3 ea.) 75523 pocket pivots, ordered separately.

*When used with flat form non-hold open arms, the MJ bracket must be used with a special length arm. Specify AF8MJ.

**Optional 630 stainless satin finish with stainless base material only available for SIS/SISJ arms or FMC.

***For optional dormakaba custom color or designer Color Finishes, contact Customer Service.

**** Only in combination with SPA arm and FMC.

Body	Arm	Mounting	Painted Finish \$	Plated Finish \$
Non-Hold Open				
8916, 8956	AF89P	PA, REG & TJ fpr reveals to 4" (flat)	632.00	1057.00
	AF89J	TJ for reveals 4" to 8" (flat)	627.00	984.00
	AF89	REG or TJ for reveals to 4" (flat)	621.00	977.00
	AF8MJ	REG with mortise jamb bracket (flat)	654.00	—
	RRA	REG, rigid regular mount arm (flat)	696.00	—
Bumper or Spring Cushion				
8916, 8956	DS	Heavy-duty door saver cushion parallel arm	702.00	1134.00
	DST	w/thumb turn hold open	762.00	1185.00
	SDS	Extra heavy-duty door saver spring cushion parallel arm	885.00	1422.00
	SDST	w/thumb turn hold open	943.00	1483.00
	IS	Heavy-duty cushion arm, REG and TJ for 0" to 3-1/2" reveal	872.00	1272.00
	ISH	Heavy-duty cushion arm, w/ hold open REG and TJ for 0" to 3-1/2" reveal (not available on 8956)	935.00	—
	SIS	Extra heavy-duty spring cushion arm, REG and TJ for 0" to 3-1/2" reveal	935.00	1444.00
	SISH	w/hold open, REG and TJ for 0" to 3-1/2" reveal (not available on 8956)	1034.00	—
	ISJ	Heavy-duty cushion arm, TJ for 3-1/2" to 6-1/2" reveal	903.00	1296.00
	ISJH	Heavy-duty cushion arm w/hold open, TJ for 3-1/2" to 6-1/2" reveal (not available on 8956)	964.00	—
	SISJ	Extra heavy-duty spring cushion arm, TJ for 3-1/2" to 6-1/2" reveal	1003.00	1475.00
	SISJH	w/hold open, TJ for 3-1/2" to 6-1/2" reveal (not available on 8956)	1060.00	—
Heavy Duty PA				
8916, 8956	SPA	Super parallel arm	657.00	1082.00
	SPAT	w/thumb turn hold open	718.00	1134.00
	SPAS6	Super parallel arm w/ drop spacer	665.00	—
Hold Open				
8916, 8956	FHP	Friction PA, REG & TJ for reveals to 4"	678.00	—
	FHJ	TJ for reveals 4" to 8"	673.00	—
	FH	REG or TJ for reveals to 4"	669.00	—
	PHP	Plunger PA & TJ for reveals 1-1/4" to 3-1/4"	780.00	1200.00
	PH	REG or TJ for reveals 0" to 1-1/4"	776.00	1117.00

* Available in 630 finish only and not intended for corrosive environments.

NOTE: Standard arm configuration is indicated in **bold**.

Body	Arm	Mounting	Painted Finish \$	Plated Finish \$
Slide Track				
8916, 8956	T	Door mounted (pull side)	673.00	1082.00
	JT	Frame mounted (pull side)	673.00	1082.00
	FT	Flush transom mounted (push side)	673.00	1082.00
	PT	Soffit mounted (push side)	673.00	1082.00
	TDE	Frame mounted double egress frame (pull side), specify hand	750.00	1156.00
Track Hold Open				
8916, 8956	TH	Door mounted (pull side)	705.00	1113.00
	JTH	Frame mounted (pull side)	705.00	1113.00
	FTH	Flush transom mounted (push side)	705.00	1113.00
	PTH	Soffit mounted (push side)	705.00	1113.00
	TDEH	Frame mounted double egress frame (pull side), specify hand	779.00	1192.00
Pocket Applications				
8956	TPKT90	Track application, 90 degree pocket door	673.00	1082.00
8907	AFPKT90	Double lever flat form arm, 90 degree pocket door	673.00	1097.00
	AFPKT180	Double lever flat form arm, 180 degree pocket door	673.00	1149.00



Options



Item	Description	List Add/Deduct \$
DA	Adjustable delayed action (suffix to model)	45.00
FCSL	Full plastic slotted cover (low ceiling conditions)	N/C
FMC	Full metal cover (handed for TJ or T [FMCL/FMCR])	11.00
FMCLL	Full metal cover, lead lined. Handed & non-handed.	141.00
SN2	(4) each 1/4-20 aluminum sex nuts for 1-3/8" thick door	N/C
LSN	Less sex nuts (less SN1 pack)	Deduct 5.00
DPK89	All fasteners to be self-drilling (in lieu of standard fasteners)	N/C
SNDPK	Standard fasteners and DPK89	16.00
TPK89	All fasteners to be self-tapping (in lieu of standard fasteners)	N/C
SNTPK	Standard fasteners and TPK89	16.00
TX89	All exposed fasteners to be Torx security fasteners (n/a with track applications)	37.00
TANDEM	Dual closer body system for extra heavy or wide doors or doors with difficult air handling conditions 8916 or 8956 (select one). SPA, FMC.	725.00
TANDEM	Dual closer body system for extra heavy or wide doors or doors with difficult air handling conditions. 8907, SPA, FMC.	759.00
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.	
	per order, setup charge (Net)	138.00
	per closer, list add	45.00
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" x 3" color chip samples required. For details, see Finishes Cross Reference , page viii.	
	per order, non-refundable development/setup charge (Net)	333.00
	per closer, list add	45.00

NOTES:

- All painted components w/plated line item will be painted complementary finish.
Example: For a line item ordered w/plated 626 FMC only, all other components will be 689.
- Painted finish price includes full plastic cover.
- Plated finish price includes optional full metal cover.
- Specify closer and arm designation, hand (when required), finish, and options when ordering.
All spring cushion, heavy-duty PA, tracks, and top jamb (J) configurations packaged (4) units per master carton.
- All others are packaged (6) units per master carton.
- FMC is only cover available in plated finishes.
- Sex nuts for 1-3/4" door (SN1) furnished standard with all 8900 and included in price. Specify (SN2) for 1-3/8" door.

Accessories


Item	Description	List \$
BP89	Backplate for top jamb with frame < 2-7/8" wide	42.00
DP89	Drop plate for PA where top rail is < 5-3/4"	42.00
AB89	Angle bracket for closer with full plastic cover	77.00
PFT	Parallel flush transom bracket	33.00
PD	Parallel drop bracket, non-hold open arms (AF89 only)	42.00
MJ  	Mortised jamb bracket, non-hold open arms (AF89 only)	31.00
BS	Blade stop spacer (P89, PHB, and PD)	31.00
BSHD	Blade stop spacer for use with heavy duty door saver and super parallel arms	34.00
NFHD	Narrow frame bracket for use with heavy duty door saver and super parallel arms	34.00
FTHD	Flush transom bracket for use with heavy duty door saver and super parallel arms	59.00

  When used with flat form non-hold open arms, the MJ bracket must be used with a special length arm. Specify AF8MJ for 8600 or 8900 Series closers.

8600 Series

Ordering Guide

Series		Spring Size		Cover		Fastener Pack		Arm Fastener Pack	
8600	16	Adjustable 1-6	DA	Slim Cover — COV	Full Plastic — FC	Less Sex Nuts — LSN	Sex Nuts & Machine Screws, 1-3/8" — SNB2	AWS — All Wood Screws	TX86 — Torx Security Pack
				Full Plastic Slotted — FC SL	Full Metal Cover — FMC**	Sex Nuts & Machine Screws, 1-3/4" — SNB1		SNTPK — Std. and Self-Tapping	TPK86 — Self-Tapping
								SNDPK — Std. and Self-Drilling	DPK86 — Self-Drilling
								COMBO — Wood/Machine Screw Combination	
86	16			AF86P	COV	SNB1			689
Flat Form Non-Hold Open, Tri-Pack — AF86P Flat Form Non-Hold Open, TJ 4"-8" Reveal — AF86J Flat Form Non-Hold Open With Mortise Jamb Bracket — AF8MJ Flat Form Non-Hold Open, Reg./TJ 0"-4" Reveal — AF86 Round Arm Non-Hold Open, Tri-Pack — ARP Round Arm Non-Hold Open, Narrow Profile, Reg./TJ 0"-4" Reveal — ARNP Round Arm Non-Hold Open, Reg. 4"-8" Reveal, Narrow Profile — ARNPJ Round Arm Non-Hold Open, Tri-pack, Narrow Profile — ARNPP Round Arm Non-Hold Open, TJ 4"-8" Reveal — ARJ Round Arm Non-Hold Open, TJ 0"-4" Reveal — AR Round Arm Secure Non-Hold Open, Tri-Pack — AO8P Round Arm Secure Non-Hold Open, Reg./TJ 0"-4" Reveal — AO8 Friction Hold Open, Tri-Pack — FHP Friction Hold Open, TJ 4"-8" Reveal — FHJ Friction Hold Open, Reg./TJ 0"-4" Reveal — FH Plunger Hold Open, Parallel and TJ (1-1/2"-3-1/2" Reveal) — PHP Plunger Hold Open, Reg./TJ 0"-1-1/2" Reveal — PH Heavy-duty Door Saver Cushion, Parallel — DS Heavy-duty Door Saver Cushion Thumb Turn Hold Open, Parallel — DST Extra Heavy-duty Door Saver Spring Cushion Thumb Turn Hold Open, Parallel — SDST Heavy-duty Cushion, Reg./TJ 0"-3-1/2" Reveal — IS Extra Heavy-duty Spring Cushion, Reg./TJ 0"-3-1/2" Reveal — ISH Heavy-duty Cushion, Top Jamb 3-1/2"-6-1/2" Reveal — SIS* Heavy-duty Cushion, Top Jamb 3-1/2"-6-1/2" Reveal — SISH Extra Heavy-duty Spring Cushion, Top Jamb 3-1/2"-6-1/2" Reveal — ISJ Extra Heavy-duty Spring Cushion, Top Jamb 3-1/2"-6-1/2" Reveal — ISJH Super Parallel Arm — SISJ* Super Parallel Arm Thumb Turn Hold Open — SISJH Super Parallel Arm, Drop Spacer — SPA Track, Pull Side Door Mounted — SPAT Jamb Track, Pull Side Frame Face Mounted — SPAS6 Push Track, Push Side Soffit Mounted — T Track Double Egress, Pull Side Transom Mounted — JT Flush Track, Push Side Transom Mounted — PT Track Hold Open, Pull Side Door Mounted — TDE Push Track Hold Open, Push Side Soffit Mounted — FT Flush Track Hold Open, Push Side Transom Mount — TH Jamb Track Hold Open, Pull Side Frame Face Mounted — JTH Track Double Egress Hold Open, Pull Side Frame Face Mounted — PTH TDEH FTH									
PFT — PA Flush Transom Bracket PD — Drop Bracket MJ* — Mortise Jamb									
Narrow Frame Bracket, Heavy Duty — NFHD Flush Transom Bracket, Heavy Duty — FT Conversion Plate — BP86C									
Other Accessories 605 — Polished Brass 606 — Satin Brass 611 — Polished Bronze 612 — Satin Bronze 613 — Oxidized Satin Oil Rubbed Bronze 618 — Polished Nickel 619 — Satin Nickel 625 — Polished Chrome 626 — Satin Chrome 630** — Satin Stainless Finish with Stainless Base Material 600 — Primed 689 — Aluminum 690 — Statuary Bronze 691 — Dull Bronze 693 — Black 695 — Dark Duranodic Bronze 696 — Gold PNT — Special Sprayed Finish (must specify)									
Plated Architectural Painted Finish									
Accessory Brackets Heavy-duty Door Saver Cushion, Parallel — DS Extra Heavy-duty Door Saver Spring Cushion, Parallel — SDST Heavy-duty Cushion Hold Open, Reg./TJ 0"-3-1/2" Reveal — ISH Extra Heavy-duty Spring Cushion Hold Open, Reg./TJ 0"-3-1/2" Reveal — SIS* Heavy-duty Cushion Hold Open, Top Jamb 3-1/2"-6-1/2" Reveal — ISJ Extra Heavy-duty Spring Cushion Hold Open, Top Jamb 3-1/2"-6-1/2" Reveal — SISJ* Heavy-duty Cushion Hold Open, Top Jamb 3-1/2"-6-1/2" Reveal — ISJH Extra Heavy-duty Spring Cushion Hold Open, Top Jamb 3-1/2"-6-1/2" Reveal — SISJH									
Arm Type Jamb Track Hold Open, Pull Side Frame Face Mounted — JTH Track Double Egress Hold Open, Pull Side Frame Face Mounted — PTH TDEH FTH									



*When used with flat form non-hold open arms, the MJ bracket must be used with a special length arm. Specify AF8MJ.

** Optional 630 stainless satin finish with stainless base material only available for SIS/SISJ arms or FMC.

NOTES:

- All combinations of features and options are not available for all models. Please refer to 8600 Series product brochure for details.
- To simplify initial installation, a range of back plates (BPxx), drop plates (DPxx), brackets, and spacers are listed under 8600 Accessories in this section. Refer to 8600 Series product brochure for details.

Body	Arm	Mounting	Painted Finish \$	Plated Finish \$
Non-Hold Open				
8616	AF86P	PA, REG and TJ for reveals to 4" (flat)	492.00	958.00
	AF86J	TJ for reveals 4" to 8" (flat)	477.00	869.00
	AF86	REG or TJ for reveals to 4" (flat)	472.00	855.00
	AF8MJ	REG with mortise jamb bracket (flat)	502.00	—
	ARP	PA, REG and TJ for reveals to 4" (round)	475.00	909.00
	ARNP	Narrow profile, REG or TJ for reveals to 4" (round)	456.00	824.00
	ARNPJ	Narrow profile for reveals 4" to 8" (round)	428.00	771.00
	ARNPP	Narrow profile, PA, REG, TJ (round)	441.00	845.00
	ARJ	TJ for reveals 4" to 8" (round)	461.00	829.00
	AR	REG or TJ for reveals to 4" (round)	456.00	824.00
	AO8P	PA, REG and TJ secured elbow for reveals to 4" (round)	475.00	—
	AO8	REG or TJ secured elbow for reveals to 4" (round)	469.00	—
Bumper or Spring Cushion				
8616	DS	Heavy-duty door saver cushion parallel arm	575.00	1019.00
	DST	w/ thumb turn hold open	642.00	1082.00
	SDS	Extra heavy-duty door saver spring cushion parallel arm	753.00	1331.00
	SDST	w/ thumb turn hold open	819.00	1395.00
	IS	Heavy-duty cushion arm, REG and TJ for 0" to 3-1/2" reveal	744.00	1153.00
	ISH	Heavy-duty cushion arm w/hold open, REG and TJ for 0" to 3-1/2" reveal	808.00	—
	SIS	Extra heavy-duty spring cushion arm, REG and TJ for 0" to 3-1/2" reveal	847.00	1349.00
	SISH	w/ hold open, REG and TJ for 0" to 3-1/2" reveal	907.00	—
	ISJ	Heavy-duty cushion arm, TJ for 3-1/2" to 6-1/2" reveal	774.00	1195.00
	ISJH	Heavy-duty cushion arm w/hold open, TJ for 3-1/2" to 6-1/2" reveal	840.00	0.00
	SISJ	Extra heavy-duty spring cushion arm, TJ for 3-1/2" to 6-1/2" reveal	878.00	1384.00
	S-ISJH	w/ hold open, TJ for 3-1/2" to 6-1/2" reveal	939.00	—
Heavy Duty PA				
8616	SPA	Super parallel arm	516.00	974.00
	SPAT	w/ thumb turn hold open	581.00	1039.00
	SPAS6	Super parallel arm w/ drop spacer	480.00	—
Hold Open				
8616	FHP	Friction PA, REG and TJ for reveals to 4"	554.00	—
	FHJ	TJ for reveals 4" to 8"	533.00	—
	FH	REG or TJ for reveals to 4"	527.00	—
	PHP	Plunger PA and TJ for reveals 1-1/2" to 3-1/2"	648.00	1101.00
	PH	REG or TJ for reveals 0" to 1-1/2"	641.00	1030.00
Slide Track				
8616	T	Door mounted (pull side)	533.00	960.00
	JT	Frame mounted (pull side)	533.00	960.00
	FT	Flush transom mounted (push side)	533.00	960.00
	PT	Soffit mounted (push side)	533.00	960.00
	TDE	Frame mounted double egress frame (pull side), specify hand	613.00	1044.00

* Available in 630 finish only and not intended for corrosive environments.

* FMC is the only cover available in 630 finish

NOTE: Standard arm configuration is indicated in **bold**

Body	Arm	Mounting	Painted Finish \$	Plated Finish \$
Track Hold Open				
8616	TH	Door mounted (pull side)	566.00	1077.00
	JTH	Frame mounted (pull side)	566.00	1077.00
	FTH	Flush transom mounted (push side)	566.00	1077.00
	PTH	Soffit mounted (push side)	566.00	1077.00
	TDEH	Frame mounted double egress frame (pull side), specify hand	645.00	1037.00

Options

(List Price 'add' when ordered with complete closer)


Item	Description	List Add/Deduct \$
DA	Adjustable delayed action (suffix to model)	49.00
LCOV	Less slim plastic cover, Deduct	11.00
FC	Full plastic cover	11.00
FCSL	Full plastic slotted cover (low ceiling conditions)	17.00
FMC	Full metal cover (handed for TJ or JT [FMCL/FMCR])	15.00
FMCLL	Full metal cover, lead lined. Handed & non-handed.	N/C
SNB2	(4) each 1/4-20 aluminum sex nuts and bolts for 1-3/8" door	N/C
LSN	Less sex nuts (less SN1 pack)	Deduct 5.00
AWS	All wood screws	14.00
DPK86	All fasteners to be self-drilling (in lieu of standard fasteners)	N/C
SNDPK	Standard fasteners and DPK86	17.00
TPK86	All fasteners to be self-tapping (in lieu of standard fasteners)	N/C
SNTPK	Standard fasteners and TPK86,	17.00
TX86	All exposed fasteners to be Torx security fasteners (n/a with track applications)	39.00


Item	Description	List Add/Deduct \$
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.	
	per order, setup charge (Net)	152.00
	per closer, list add	49.00
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" x 3" color chip samples required. For details, see Finishes Cross Reference , page viii.	
	per order, non-refundable development/setup charge (Net)	362.00
	per closer, list add	49.00

NOTES:

- All painted components w/plated line item will be painted complementary finish.
Example: For a line item ordered w/plated 626 FMC only, all other components will be 689.
- Painted finish price includes slim plastic cover.
- Plated finish price includes optional full metal cover.
- Specify closer and arm designation, hand (when required), and finish when ordering.
- All spring cushion, heavy-duty PA, tracks, and top jamb (J) configurations packaged (4) units per master carton.
- All others are packaged (6) units per master carton.
- FMC is only cover available in plated finishes.
- All 8600 closers standard with SNB1.
- T, TH, FT, FTH include backplate standard.
- 8600 Series closer prepared standard to accept COV, FC, FCSL, or FMC.

Accessories


Item	Description	List \$
BP86	Backplate for closer with slim cover	45.00
BP86FC	Backplate for closer with full cover	45.00
BP86T	Backplate for slide track closer with slim cover	45.00
BP86TFC	Backplate for slide track closer with full cover	45.00
BP86FTFC	Backplate for flush transom slide track closer w/wo/cover or full cover	45.00
DP86	Drop plate for closer with slim cover	45.00
DP86FC	Drop plate for closer with full cover	45.00
BP86C	Backplate for conversion of 7600 Series to 8600 Series	45.00
AB86	Angle bracket for closer with slim cover	79.00
PFT	Parallel flush transom bracket	37.00
PD	Parallel drop bracket, non-hold open arms (AF86, AR, AO8 only)	47.00
MJ 	Mortised jamb bracket, non-hold open arms (AF86 only)	33.00
BS	Blade stop spacer (P86, PHB, and PD)	33.00
BSHD	Blade stop spacer for use with heavy duty door saver and super parallel arms	38.00
NFHD	Narrow frame bracket for use with heavy duty door saver and super parallel arms	38.00
FTHD	Flush transom bracket for use with heavy duty door saver and super parallel arms	64.00

 When used with flat form non-hold open arms, the MJ bracket must be used with a special length arm.
Specify AF8MJ for 8600 or 8900 Series closers.

7400 Series

Ordering Guide

Spring Size				Cover		Fastener Pack		Accessory Plates		Other Accessories	
Series	7400	Adjustable 1-4	Adjustable 3-6	Slim Cover	Full Plastic	Drop Plate	Back Plate	ABXX	XXHD	PD	BS
		14	36	DA	FCOV						
ARP				COMBO		689					
Round Arm Non-Hold Open, Tri-Pack				ARP	SNB1		COMBO	Default Pack	600	Primed	
Round Arm Non-Hold Open, TJ 4"-8" Reveal				ARJ	SNB2		DPK86	Self-Drilling	689	Aluminum	
Round Arm Non-Hold Open, Reg./TJ 0"-4" Reveal				AR	Sex Nuts & Machine Screws, 1-3/4"		CMBDPK	Std. & Self-Drilling	690	Statuary Bronze	
Round Arm Secure Non-Hold Open, Tri-Pack				AO8P			TPK86	Self-Tapping	691	Dull Bronze	
Round Arm Secure Non-Hold Open, Reg./TJ 0"-4" Reveal				AO8	Sex Nuts & Machine Screws, 1-3/8"		CMBTPK	Std. & Self-Tapping	693	Black	
Friction Hold Open, Tri-Pack				FHP			TX86	Torx Security Pk	695	Dark Duranodic Bronze	
Friction Hold Open, TJ 4"-8" Reveal				FHJ			AWS	Wood Screws	696	Gold	
Friction Hold Open, Reg./TJ 0"-4" Reveal				FH			Arm Fastener Pack		PNT	Special Sprayed Finish (must specify)	
Heavy-duty Door Saver Cushion, Parallel				DS							
Heavy-duty Door Saver Cushion Thumb Turn Hold Open, Parallel				DST							
Extra Heavy-duty Door Saver Spring Cushion, Parallel				SDS							
				SDST							
Heavy-duty Cushion, Reg./TJ 0"-3-1/2" Reveal				IS							
				ISH							
Extra Heavy-duty Spring Cushion Reg./TJ 0"-3-1/2" Reveal				SIS							
				SISH							
Heavy-duty Cushion, Top Jamb 3-1/2"-6-1/2" Reveal				ISJ							
				ISJH							
Extra Heavy-duty Spring Cushion, Top Jamb 3-1/2"-6-1/2" Reveal				SISJ							
				SISJH							
Super Parallel				SPA							
Super Parallel Thumb Turn Hold Open				SPAT							
Track, Pull Side Door Mounted				T							
Jamb Track, Pull Side Frame Face Mounted				JT							
Push Track, Push Side Soffit Mounted				PT							
Track Double Egress, Pull Side Transom Mounted (7436 only)				TDE							
Flush Track, Push Side Transom Mounted				FT							
Track Hold Open, Pull Side Door Mounted				TH							
				JTH							
Push Track Hold Open, Push Side Soffit Mounted				PTH							
				TDEH							
Flush Track Hold Open, Pull Side Frame Face Mounted				FTH							
				Arm Type							



NOTES:

- All combinations of features and options are not available for all models. Please refer to 7400 Series product brochure for details.
- To simplify initial installation, a range of back plates (BPxx), drop plates (DPxx), brackets, and spacers are listed under 7400 Accessories in this section. Refer to 7400 Series product brochure for details.

Body	Arm	Mounting	Painted Finish \$
Non-Hold Open			
7414, 7436	ARP	PA, REG & TJ for reveals to 4" (round)	332.00
	ARJ	TJ for reveals 4" to 8" (round)	324.00
	AR	REG or TJ for reveals to 4" (round)	319.00
	AO8P	PA, REG & TJ secured elbow for reveals to 4" (round)	333.00
	AO8	REG or TJ secured elbow for reveals to 4" (round)	319.00
Bumper or Spring Cushion			
7414, 7436	DS	Heavy-duty door saver cushion parallel arm	427.00
	DST	w/thumb turn hold open	493.00
	SDS	Extra heavy-duty door saver spring cushion parallel arm	623.00
	SDST	w/thumb turn hold open	686.00
	IS	Heavy-duty cushion arm, REG and TJ for 0" to 3-1/2" reveal	612.00
	ISH	Heavy-duty cushion arm w/hold open, REG and TJ for 0" to 3-1/2" reveal	676.00
	SIS	Extra heavy-duty spring cushion arm, REG and TJ for 0" to 3-1/2" reveal	714.00
	SISH	w/hold open, REG and TJ for 0" to 3-1/2" reveal	780.00
	ISJ	Heavy-duty cushion arm, TJ for 3-1/2" to 6-1/2" reveal	642.00
	ISJH	Heavy-duty cushion arm w/hold open, TJ for 3-1/2" to 6-1/2" reveal	709.00
	SISJ	Extra heavy-duty spring cushion arm, TJ for 3-1/2" to 6-1/2" reveal	748.00
	SISJH	w/hold open, TJ for 3-1/2" to 6-1/2" reveal	814.00
Heavy Duty PA			
7436	SPA	Super parallel arm	381.00
	SPAT	w/thumb turn hold open	446.00
Friction Hold Open			
7414, 7436	FHP	PA, REG & TJ for reveals to 4"	415.00
	FHJ	TJ for reveals 4" to 8"	399.00
	FH	REG or TJ for reveals to 4"	393.00
Slide Track			
7436	T	Door mounted (pull side)	399.00
	JT	Frame mounted (pull side)	399.00
	FT	Flush transom mounted (push side)	399.00
	PT	Soffit mounted (push side)	399.00
	TDE	Frame mounted double egress frame (pull side), specify hand	446.00
Track Hold Open			
7436	TH	Door mounted (pull side)	432.00
	JTH	Frame mounted (pull side)	432.00
	FTH	Flush transom mounted (push side)	432.00
	PTH	Soffit mounted (push side)	432.00
	TDEH	Frame mounted double egress frame (pull side), specify hand	476.00

NOTE: Standard arm configuration is indicated in **bold**.

Options

(List Price 'add' when ordered with complete closer)

Item	Description	List Add \$
DA	Adjustable delayed action (suffix to model number)	49.00
COV	Slim plastic cover	26.00
FC	Full plastic cover	33.00
FCSL	Full plastic slotted cover (low ceiling conditions)	33.00
SNB1	(4) each 1/4-20 sex nuts and machine screws for 1-3/4" door	12.00
SNB2	(4) each 1/4-20 sex nuts and machine screws for 1-3/8" door	12.00
AWS	All wood screws	14.00
DPK86	All fasteners to be self-drilling fasteners (In lieu of combo screws)	N/C
CMBDPK	Standard and DPK86 fasteners	17.00
TPK86	All fasteners to be self-tapping fasteners (In lieu of combo screws)	N/C
CMBTPK	Standard and TPK86 fasteners	17.00
TX86	All exposed fasteners to be Torx security fasteners (n/a with track applications)	39.00
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.	
	per order, setup charge (Net)	152.00
	per closer, list add	49.00
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" x 3" colorchip samples required. For details, see Finishes Cross Reference , page viii.	
	per order, non-refundable development/setup charge (Net)	365.00
	per closer, list add	49.00

NOTES:

- Standard price does not include cover.
- Specify closer and arm designation, hand (when required), and finish when ordering.
- All dead stop, heavy-duty PA, tracks, and top jamb (J) configurations packaged (4) units per master carton.
- All others are packaged (6) units per master carton.
- T, TH, FT, FTH include backplate standard.
- 7400 closers are not furnished to accept FC or FCSL unless specified at time of order.
- Sex nuts and bolts standard with cushion or dead stop arms and included in list price.


Accessories

Item	Description	List \$
BP74	Backplate for 7400	45.00
BP74T	Backplate for 7400 slide track closer without cover	45.00
BP640C	Back plate to retrofit 9 1/16" hole spacing with 7400. Examples: DORMA 640, Norton 1600 or Yale 50.	10.00
BP86	Backplate for closer with slim cover	45.00
BP86T	Backplate for 7400 slide track closer with slim cover	45.00
BP86FC	Backplate for closer with full cover	45.00
DP74	Drop plate for 7400	45.00
DP86	Drop plate for closer with slim cover	45.00
DP86FC	Drop plate for closer with full cover	45.00
AB74	Angle bracket for 7400 without cover	79.00
AB86	Angle bracket for 7400 with slim cover	79.00
PFT	Parallel flush transom bracket	37.00
PD	Parallel drop bracket, non-hold open arms (AR, AO8 only)	47.00
BS	Blade stop spacer (P86, PHB, and PD)	33.00
BSHD	Blade stop spacer for use with heavy duty door saver and super parallel arms	38.00
NFHD	Narrow frame bracket for use with heavy duty door saver and super parallel arms	38.00
FTHD	Flush transom bracket for use with heavy duty door saver and super parallel arms	64.00

7300 Series

Ordering Guide

				Finish	
				PNT	Special Sprayed Finish (must specify)
				696	Gold
				695	Dark Duranodic Bronze
				693	Black
				691	Dull Bronze
				690	Statuary Bronze
				689	Aluminum
				600	Primed
Series		Spring Size		Cover	
7300		05	ANSI Size 5	COV	Slim Cover
		04	ANSI Size 4		No Cover
		03	ANSI Size 3		
73		04		AR	
Round Arm Non-Hold Open, Tri-Pack				ARP	
Round Arm Non-Hold Open, TJ 4"-8" Reveal				ARJ	
Round Arm Non-Hold Open, Reg./TJ 0"-4" Reveal				AR	
Round Arm Secure Non-Hold Open, Tri-Pack				AO8P	
Round Arm Secure Non-Hold Open, Reg./TJ 0"-4" Reveal				AO8	
Friction Hold Open, Tri-Pack				FHP	
Friction Hold Open, TJ 4"-8" Reveal				FHJ	
Friction Hold Open, Reg./TJ 0"-4" Reveal				FH	
Heavy-duty Door Saver Cushion, Parallel				DS	
Heavy-duty Door Saver Cushion Thumb Turn Hold Open, Parallel				DST	
Extra Heavy-duty Door Saver Spring Cushion, Parallel				SDS	
Extra Heavy-duty Door Saver Spring Cushion Thumb Turn Hold Open, Parallel				SDST	
Heavy-duty Cushion, Reg./TJ 0"-3-1/2" Reveal				IS	
				ISH	Heavy-duty Cushion Hold Open, Reg./TJ 0"-3-1/2" Reveal
Extra Heavy-duty Spring Cushion Reg./TJ 0"-3-1/2" Reveal				SIS	
				SISH	Extra Heavy-duty Spring Cushion Hold Open, Reg./TJ 0"-3-1/2" Reveal
Heavy-duty Cushion, Top Jamb 3-1/2"-6-1/2" Reveal				ISJ	
				ISJH	Heavy-duty Cushion Hold Open, Top Jamb 3-1/2"-6-1/2" Reveal
Extra Heavy-duty Spring Cushion, Top Jamb 3-1/2"-6-1/2" Reveal				SISJ	
				SISJH	Extra Heavy-duty Spring Cushion Hold Open, Top Jamb 3-1/2"-6-1/2" Reveal
Super Parallel				SPA	
Super Parallel Thumb Turn Hold Open				SPAT	
Track, Pull Side Door Mounted				T	
Jamb Track, Pull Side Frame Face Mounted				JT	
Push Track, Push Side Soffit Mounted				PT	
Flush Track, Push Side Transom Mounted				FT	
Track Hold Open, Pull Side Door Mounted				TH	
				JTH	Jamb Track Hold Open, Pull Side Frame Face Mounted
Push Track Hold Open, Push Side Soffit Mounted				PTH	
				FTH	Flush Track Hold Open, Pull Side Frame Face Mounted
				Arm Type	
				COMBO	
				689	
				SNB1	
				SNB2	
				Sex Nuts & Machine Screws, 1-3/4"	
				Sex Nuts & Machine Screws, 1-3/8"	
				Fastener Pack	
				COMBO	Default Pack
				DPK86	Self-Drilling
				CMBDPK	Std. & Self-Drilling
				TPK86	Self-Tapping
				CMBTPK	Std. & Self-Tapping
				TX86	Torx Security Pk
				AWS	Wood Screws
				Arm Fastener Pack	



NOTES:

- All combinations of features and options are not available for all models. Please refer to 7300 Series product brochure for details.
- To simplify initial installation, a range of back plates (BPxx), drop plates (DPxx), brackets, and spacers are listed under 7300 Accessories in this section. Refer to 7300 Series product brochure for details.

Body	Arm	Mounting	Painted Finish \$
Non-Hold Open			
7303, 7304,	ARP	PA, REG and TJ for reveals to 4" (round)	352.00
7305	ARJ	TJ for reveals 4" to 8" (round)	343.00
	AR	REG or TJ for reveals to 4" (round)	337.00
	AO8P	PA, REG and TJ secured elbow for reveals to 4" (round)	352.00
	AO8	REG or TJ secured elbow for reveals to 4" (round)	337.00
Bumper or Spring Cushion			
7303, 7304,	DS	Heavy-duty door saver cushion parallel arm (size 5)	454.00
7305	DST	w/ thumb turn hold open (size 5)	523.00
	SDS	Extra heavy-duty door saver spring cushion parallel arm (size 5)	659.00
	SDST	w/ thumb turn hold open (size 5)	727.00
	IS	Heavy-duty cushion arm, REG and TJ for 0" to 3-1/2" reveal	648.00
	ISH	Heavy-duty cushion arm w/ hold open, REG and TJ for 0" to 3-1/2" reveal	714.00
	SIS	Extra heavy-duty spring cushion arm, REG and TJ for 0" to 3-1/2" reveal	754.00
	SISH	w/ hold open, REG and TJ for 0" to 3-1/2" reveal	824.00
	ISJ	Heavy-duty cushion arm, TJ for 3-1/2" to 6-1/2" reveal	681.00
	ISJH	Heavy-duty cushion arm w/ hold open, TJ for 3-1/2" to 6-1/2" reveal	749.00
	SISJ	Extra heavy-duty spring cushion arm, TJ for 3-1/2" to 6-1/2" reveal	791.00
	SISJH	w/ hold open, TJ for 3-1/2" to 6-1/2" reveal	860.00
Heavy Duty PA			
7305	SPA	Super parallel arm	403.00
	SPAT	w/ thumb turn hold open	471.00
Friction Hold Open			
7303, 7304,	FHP	PA, REG and TJ for reveals to 4"	427.00
7305	FHJ	TJ for reveals 4" to 8"	422.00
	FH	REG or TJ for reveals to 4"	415.00
Track Units			
7305	T	Door mounted (pull side)	422.00
	JT	Frame mounted (pull side)	422.00
	FT	Flush transom mounted (push side)	422.00
	PT	Soffit mounted (push side)	422.00
	TH	Door mounted (pull side)	456.00
	JTH	Frame mounted (pull side)	456.00
	FTH	Flush transom mounted (push side)	456.00
	PTH	Soffit mounted (push side)	456.00

NOTE: Standard arm configuration is indicated in **bold**.

Options

(List Price 'add' when ordered with complete closer)

Item	Description	List Add \$
COV	Slim plastic cover	26.00
SNB1	(4) each 1/4-20 sex nuts and machine screws for 1-3/4" door	12.00
SNB2	(4) each 1/4-20 sex nuts and machine screws for 1-3/8" door	12.00
AWS	All wood screws	14.00
DPK86	All fasteners to be self-drilling fasteners (In lieu of combo screws)	N/C
CMBDPK	Standard and DPK86 fasteners	17.00
TPK86	All fasteners to be self-tapping fasteners (In lieu of combo screws)	N/C
CMBTPK	Standard and TPK86 fasteners	17.00
TX86	All exposed fasteners to be Torx security fasteners (n/a with track applications)	39.00
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.	
	per order, setup charge (Net)	152.00
	per closer, list add	49.00
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" x 3" color chip samples required. For details, see Finishes Cross Reference , page viii.	
	per order, non-refundable development/setup charge (Net)	365.00
	per closer, list add	49.00

NOTES:

- Standard price does not include cover.
- Specify closer and arm designation, hand (when required), and finish when ordering.
- All spring cushion, heavy-duty PA, tracks, and top jamb (J) configurations packaged (4) units per master carton.
- All others are packaged (6) units per master carton.

Accessories

Item	Description	List \$
BP73	Backplate for 7300	45.00
BP73T	Backplate for 7300 slide track closer without cover	45.00
BP86	Backplate for closer with slim cover	45.00
BP86T	Backplate for 7300 slide track closer with slim cover	45.00
DP73	Drop plate for 7300	45.00
DP86	Drop plate for closer with slim cover	45.00
AB73	Angle bracket for 7300 without cover	79.00
AB86	Angle bracket for 7300 with slim cover	79.00
PFT	Parallel flush transom bracket	37.00
PD	Parallel drop bracket, non-hold open arms (AR, AO8 only)	47.00
BS	Blade stop spacer (P86, PHB, and PD)	33.00
BSHD	Blade stop spacer for use with heavy duty door saver and super parallel arms	38.00
NFHD	Narrow frame bracket for use with heavy duty door saver and super parallel arms	38.00
FTHD	Flush transom bracket for use with heavy duty door saver and super parallel arms	64.00

STA Series

Ordering Guide

Model
Stainless-All exposed components are corrosion resistant

Spring Size
Adjustable 5-6 (8956)
Adjustable 1-6 (8916/8616)

Arm Type
Round Form Non-Hold Open Stainless, Tri-Pack
Delay
Round Form Non-Hold Open Stainless, Reg./TJ 0"-4" Reveal

Fastener Pack
SN2 - Sex Nuts 1-3/8"
SN1 - Sex Nuts 1-3/4"


STA	86	16		ARP		SN1	689
------------	-----------	-----------	--	------------	--	------------	------------

Series
8600 - **86**
8900 - **89**

Cover
Full Metal Stainless Cover - **FMC**
Full Plastic Slotted Cover - **FCSL**
Full Plastic Cover - **FC**
Slim Plastic Cover - **COV****

Architectural
Painted

Finish
630 - Satin Stainless Finish with Stainless Base Material
600 - Primed
689 - Aluminum
690 - Dark (Statuary) Bronze
691 - Light (Dull) Bronze
693 - Black
695 - Dark (Duranodic) Bronze
696 - Satin Brass (Gold)



NOTE: Because STA is specified in the beginning of the model description, it does not need to be specified at the component level.

Example: **STA8616 ARP FC SN1 689**

* Delay Action is a standard feature for spring size 1-6 version and not available for 5-6 version

** Slim plastic cover only available for 8600 series

Body	Arm	Mounting	Painted Finish \$	630 \$
STA 8900				
STA 8916/8956	ARP	PA, REG & TJ for reveals to 4" (painted price w/FC)	1163.00	1660.00
	AR	REG or TJ for reveals to 4" (painted price w/FC)	1084.00	1541.00
STA 8600				
STA 8616	ARP	PA, REG & TJ for reveals to 4" (painted price w/COV)	1092.00	1717.00
	AR	REG or TJ for reveals to 4" (painted price w/COV)	1003.00	1580.00

Options

(List Price 'add' when ordered with complete closer)

Item	Model	Description	List Add/Deduct \$
DA	8000	Adjustable delayed action (suffix to model number) (Only for 8616 and 8916)	45.00
LSN	8000	Less sex nuts (less SN1 pack)	Deduct 5.00
SN2	8000	(4) each 1/4-20 aluminum sex nuts for 1-3/8" door	N/C
LCOV	8600	Less slim plastic cover for 8600	Deduct 11.00
FC or FCSL	8600	Full plastic cover for 8600(FC standard w/8900)	11.00
FCSL	8900	Full plastic slotted cover for 8900	N/C
FMC	8600/8900	Full metal cover for 8600 and 8900	15.00
Custom Color		Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.	
		per order, setup charge (Net)	138.00
		per closer, list add	45.00
Designer Color		Designer painted color matched to supplied samples. Three (3) each 2" x 3" color chip samples required. For details, see Finishes Cross Reference , page viii.	
		per order, non-refundable development/setup charge (Net)	333.00
		per closer, list add	45.00

NOTES:

- Architectural finish price (630) includes optional full stainless metal cover.
- Specify closer and arm designation and finish when ordering.
- All STA Series closers are packaged (6) units per master.
- STA full metal cover (FMC) is the only cover available in architectural finish 630.
- STA closers are supplied standard with SN1. Specify LSN for less SN1 deduct.
- STA 8900 standard with FC, 8600 standard with COV.

GSR Series

Ordering Guide

Series		Fastener Pack		Accessories	
TS93, Size 5-6	TS9356	Sex Nuts for 1-3/8" Door	SN4	GSREXTKIT	Extended Center Cover, Over 98" Door
TS93, Size 1-5	TS9315	Sex Nuts for 1-3/4" Door	SN3	MK398	Carry Bar, Over 42" Door (GSR/T variants only)
				MK397	Carry Bar, Up to 42" Door (GSR/T variants only)
TS9315		GSR/T		SN3	
Coordinator/Closer, Pull Side,	GSR/T	1A	Electric Hold Open Active Door Only (GSR/T only)	605	Bright Brass
Coordinator/Closer, Pull Side w/ Hold Open	GSR/T EMF	1I	Electric Hold Open Inactive Door Only (GSR/T only)	630	Satin Stainless*
Coordinator/Closer, Push Side	GSR/PT	2	Electric Hold Open for Both GSR/T and GSR/PT	600	Primed
Coordinator/Closer, Push Side w/ Hold Open	GSR/PT EMF			689	Aluminum
	Model	Hold Open Type		690	Statuary Bronze
				691	Dull Bronze
				693	Black
				695	Dark Duranodic Bronze
				696	Gold
				PNT	Special Sprayed Finish (must specify)
				Finish	

MK397 Carry Bar — Recommended for use with the GSR/T for doors up to 3' 6" to ensure that the active door is opened far enough for the inactive door to close. See Carry Bar Instructions for installation.

MK398 Carry Bar — Required and standard with the GSR/PT and GSR/PT EMF units. Recommended for use with GSR/T for doors 3' 6" and wider to ensure that the active door is opened far enough for the inactive door to close. See Carry Bar Instructions for installation.

* Stainless steel base material with Satin Finish

NOTES:

- All combinations and options are not available for all models.
- Please refer to EMR/EMF Series Product Brochure for details.
- EMR/EMF accepts 24 VAC/DC.
- Transformer must be purchased if power source is 120 VAC.

Body	Arm	Mounting	Painted Finish \$	605/630
TS93 Coordinators				
TS9315, TS9356	GSR/T	Door closer/coordinator system only (pull side)	2041.00	3368.00
TS9315, TS9356	GSR/PT	Door closer/coordinator system only (push side)	2722.00	4540.00
	GSR/T EMF/1A	Electromagnetic holder/release device (active door) closer/coordinator system (pull)	2972.00	4171.00
	GSR/T EMF/1I	Electromagnetic holder/release device (inactive door) with door closer/coordinator system (pull)	2972.00	4171.00
	GSR/T EMF/2	Electromagnetic holder/release device (both doors) with door closer/coordinator system (pull)	3816.00	5008.00
	GSR/PT EMF/2	Electromagnetic holder/release device (both doors) with door closer/coordinator system (push)	5027.00	6683.00

NOTE: Standard GSR is packaged for installation on openings 53" to 98" wide. For narrower or wider openings, contact the factory. Opening size is derived from measuring centerline of hinge on one door to centerline of hinge on second door.

Options

(List Price 'add' when ordered with complete closer)

Item	Description	Painted Finish \$
SN4	(4) each 10-32 sex nuts for 1-3/8" door	N/C
LSN	Less sex nuts (less SN3 pack)	Deduct 3.00
MK397	Carry bar — up to 3' 6" wide doors (included with GSR/PT variants option for GRS/PT variants)	63.00
MK398	Carry bar — 3' 6" and wider doors (included with GSR/PT variants option for GRS/PT variants)	69.00
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.	
	per order, setup charge (Net)	157.00
	per closer, list add	52.00
Designer Color	Designer painted color matched to supplied samples. Three (3) Color each 2" x 3" colorchip samples required. For details, see Finishes Cross Reference , page viii.	
	per order, non-refundable development/setup charge (Net)	380.00
	per closer, list add	52.00

NOTES:

- Specify body and arm designation, centerline to centerline of hinge or hanging means (indicate type), hand of active door, and finish, when ordering.
- Closer cover and/or track main arm only are electroplated when specified. Frame unit cover and closer cover caps are furnished primed or in complementing color.
- MK carry bars will be painted complementary color when ordered for plated units.

8900/8600/7400

Closer Bodies



Item	Description	Painted Finish \$
MOD, 8916 FCXX	Closer body × full plastic cover and mounting screws	484.00
MOD, 8916 FCSL	Closer body × slotted full plastic cover and mounting screws	484.00
MOD, 8916 FMC	Closer body × full metal cover and mounting screws	493.00
MOD, 8916DA FC	Delay closer body × full plastic cover and mounting screws	530.00
MOD, 8916DA FCSL	Delay closer body × slotted full plastic cover and mounting screws	530.00
MOD, 8916DA FMC	Delay closer body × full metal cover and mounting screws	539.00
MOD, 8956 FC	Closer body × full plastic cover and mounting screws	484.00
MOD, 8956 FCSL	Closer body × slotted full plastic cover and mounting screws	484.00
MOD, 8956 FMC	Closer body × full metal cover and mounting screws	493.00
MOD, 8956DA FC	Delay closer body × full plastic cover and mounting screws	530.00
MOD, 8956DA FCSL	Delay closer body × slotted full plastic cover and mounting screws	530.00
MOD, 8956DA FMC	Delay closer body × full metal cover and mounting screws	539.00
MOD, 8616 COV	Closer body × slim plastic cover and mounting screws	338.00
MOD, 8616 FC	Closer body × full plastic cover and mounting screws	344.00
MOD, 8616 FCSL	Closer body × slotted full plastic cover and mounting screws	344.00
MOD, 8616 FMC	Closer body × full metal cover and mounting screws	350.00
MOD, 8616DA COV	Delay closer body × slim plastic cover and mounting screws	387.00
MOD, 8616DA FC	Delay closer body × full plastic cover and mounting screws	396.00
MOD, 8616DA FCSL	Delay closer body × slotted full plastic cover and mounting screws	396.00
MOD, 8616 DA FMC	Delay closer body × full metal cover and mounting screws	406.00
MOD, 7414	Closer body and mounting screws	198.00
MOD, 7414 COV	Closer body × slim plastic cover and mounting screws	226.00
MOD, 7414 FC	Closer body × full plastic cover and mounting screws	233.00
MOD, 7414 FCSL	Closer body × slotted full plastic cover and mounting screws	233.00
MOD, 7414DA	Delay closer body and mounting screws	248.00
MOD, 7414DA COV	Delay closer body × slim plastic cover and mounting screws	275.00
MOD, 7414DA FC	Delay closer body × full plastic cover and mounting screws	282.00
MOD, 7414DA FCSL	Delay closer body × slotted full plastic cover and mounting screws	282.00
MOD, 7436	Closer body and mounting screws	198.00
MOD, 7436 COV	Closer body × slim plastic cover and mounting screws	226.00
MOD, 7436 FC	Closer body × full plastic cover and mounting screws	233.00
MOD, 7436 FCSL	Closer body × slotted full plastic cover and mounting screws	233.00
MOD, 7436DA	Delay closer body and mounting screws	248.00
MOD, 7436DA COV	Delay closer body × slim plastic cover and mounting screws	275.00
MOD, 7436DA FC	Delay closer body × full plastic cover and mounting screws	282.00
MOD, 7436DA FCSL	Delay closer body × slotted full plastic cover and mounting screws	282.00

Arms (All arms include "all" mounting screws and installation instructions)

Item	Description	Painted Finish \$
MOD, AF89P (8900 only)	Arm, flat tri-pack NHO w/P89 bracket	139.00
MOD, AF89J (8900 only)	Arm, flat NHO TJ 4" to 8" reveal	133.00
MOD, AF89 (8900 only)	Arm, flat NHO Reg./TJ 0" to 4" reveal	128.00
MOD, AF86P (8600 only)	Arm, flat tri-pack NHO w/P86 bracket	139.00
MOD, AF86J (8600 only)	Arm, flat NHO TJ 4" to 8" reveal	135.00
MOD, AF86 (8600 only)	Arm, flat NHO Reg./TJ 0" to 4" reveal	127.00
MOD, ARP (8600/7400)	Arm, round tri-pack NHO w/P86 bracket	125.00
MOD, ARJ (8600/7400)	Arm, round NHO TJ 4" to 8" reveal	119.00
MOD, AR (8600/7400)	Arm, round NHO Reg./TJ 0" to 4" reveal	110.00
MOD, AO8P (8600/7400)	Arm, round secure tri-pack NHO w/P86 bracket	131.00
MOD, AO8 (8600/7400)	Arm, round secure Reg./TJ 0" to 4" reveal	126.00
MOD, DS	Arm, heavy-duty door saver cushion parallel	194.00
MOD, DST	Arm, heavy-duty door saver cushion parallel with thumb turn hold open	249.00
MOD, SDS	Arm, extra heavy-duty door saver spring cushion parallel	355.00
MOD, SDST	Arm, extra heavy-duty door saver spring cushion parallel with thumb turn hold open	412.00
MOD, FHP	Arm, friction hold open w/PHB bracket (0" to 4" reveal)	176.00
MOD, FHJ	Arm, friction hold open TJ 4" to 8" reveal	170.00
MOD, FH	Arm, friction hold open Reg./TJ 0" to 4" reveal	164.00
MOD, IS	Arm, heavy-duty cushion, Reg./TJ 0" to 3-1/2" reveal	348.00
MOD, ISH	Arm, heavy-duty cushion with hold open, Reg./TJ 0" to 3-1/2" reveal	399.00
MOD, SIS	Arm, extra heavy-duty spring cushion	434.00
MOD, SISH	Arm, extra heavy-duty spring cushion with hold open	489.00
MOD, ISJ	Arm, heavy-duty cushion, TJ 3-1/2" to 6-1/2" reveal	376.00
MOD, ISJH	Arm, heavy-duty cushion with hold open, TJ 3-1/2" to 6-1/2" reveal	427.00
MOD, SISJ	Arm, extra heavy-duty spring cushion, top jamb and mount for 3-1/2" to 6-1/2" reveal	462.00
MOD, SISJH	Arm, extra heavy-duty spring cushion with hold open, top jamb and mount for 3-1/2" to 6-1/2" reveal	515.00
MOD, PHP	Arm, plunger hold open w/ P89 bracket 1-1/2" to 3-1/2"	265.00
MOD, PH	Arm, plunger hold open Reg. 0" to 1-1/2" reveal	260.00
MOD, SPA	Arm, parallel heavy duty (Super Parallel Arm)	155.00
MOD, SPAT	Arm, parallel heavy duty thumb turn hold open (Super Parallel Arm)	210.00
MOD, T	Arm, track (T, JT and FT)	170.00
MOD, TH	Arm, track hold open (TH, JTH and FTH)	196.00
MOD, TDE	Arm, track double egress	237.00
MOD, TDEH	Arm, track double egress hold open	264.00

NOTES:

- MOD, 8600 Series includes SNB1 standard. Deduct \$6.00 list when ordering MOD, 8600 Series less SNB1.
- Modular packaging is designed to save you, our valued stocking distributor up to 15% on your inventory dollars. Instead of stocking all door closer requirements in complete units in various arm types, dormakaba produces a packaging option to allow a mixed stock of closer body combinations and arm types in separate packaging that easily combine later in the stocking distributor warehouse.
- Determine the arm type required to be packaged with a particular closer body, place the closer body package inside the arm pack, mark the appropriate check list on the carton label and deliver the product. It's that simple.
- dormakaba recommends that the 80% usage items such as 8916 AF89P FC SN1 689 and 8616 AF86P COV 689 be packaged complete and the remainder of inventory be packaged in modular packaged items. This allows the 20% mixed variations to be handled with much less inventory. Arm mix inventory can be cut in half since the majority of arms can be used with the 8900, 8600, or 7400 Series closer.

Fire/Life Safety

Product Guide (1 of 2)

FIRE/LIFE SAFETY CLOSER/HOLDERS	Surface Mount	Floor-Mount	Wall-Mount
Closer/Holder Only	TS93 EMF	—	
	8900 EMF	—	
	8600 EMF	—	
Closer/Holder with Integral Smoke Detector	TS93 EMR	—	
	8900 EMR	—	
	8600 EMR	—	
	1800 Series	—	
Electromagnetic Door Holders	—	EM501	EM504
	—	EM502	EM505
	—	—	EM508
	—	—	EM509

Fire/Life Safety

Product Guide (2 of 2)

<div> <div>●</div> Yes </div> <div> <div>○</div> No </div>	A156.15	UL10C	Includes Smoke Detector	No Smoke Detector	Advanced Cam & Roller Design	Rack & Pinion Design	Plated Finishes	Custom Painted Finishes	Adjustable Power
TS93 EMF	●	●	○	●	●	○	●	●	●
8900 EMF	●	●	○	●	○	●	●	●	●
8600 EMF	●	●	○	●	○	●	●	●	●
TS93 EMR	●	●	●	○	●	○	●	●	●
8900 EMR	●	●	●	○	○	●	●	●	●
8600 EMR	●	●	●	○	○	●	●	●	●
1800 SD	●	●	●	○	○	●	●	●	●
1800	●	●	○	●	○	●	●	●	●

EMR/EMF Series
Ordering Guide

Series						Options		Finish	
TS93	Double Egress Pull Side Track	TDE	Hand	Specify for Right Handed Units (TDE only)	BYP	Bypass Switch	120 VAC to 24 VAC External Transformer	PNT	Special Sprayed Finish (must specify)
89	Push Side Track	PT	RH	Specify for Left Handed Units (TDE only)	TRANSF	Preparation for Exposed Wiring Connection		696	Gold
86	Pull Side Track	T	LH		EXP			695	Dark Duranodic Bronze
89	16	EMR	T		FC			693	Black
Size 1-5 (TS9315)	15	EMR			COV			691	Dull Bronze
Size 1-6 (8900)	16	EMF			FC			690	Statuary Bronze
Size 5-6 (TS9356, 8900, or 8600)	56				FMC			689	Aluminum
Spring Size						Cover Options		600	Primed



- NOTES:
- All combinations of features and options are not available for all models.
 - Please refer to EMR/EMF Series product brochure for details.

EMR Series (with Detector)

Body	Arm	Mounting	Painted Finish \$
Premium Electromagnetic Slide Track Holder/Closing Device with Detector — 24 VAC/DC			
TS9315, TS9356	EMR/T	Frame mounted (pull side)	2940.00
	EMR/PT	Soffit mounted (push side)	2940.00
	EMR/TDE	Frame mounted (pull side; double egress), handed	3023.00
Heavy-Duty Electromagnetic Slide Track Holder/Closing Device with Detector — 24 VAC/DC			
8916, 8956	EMR/T	Frame mounted (pull side)	2870.00
	EMR/PT	Soffit mounted (push side)	2870.00
	EMR/TDE	Frame mounted (pull side; double egress), handed	2952.00
Electromagnetic Slide Track Holder/Closing Device with Detector — 24 VAC/DC			
8656	EMR/T	Frame mounted (pull side)	2682.00
	EMR/PT	Soffit mounted (push side)	2682.00
	EMR/TDE	Frame mounted (pull side; double egress), handed	2764.00

EMF Series (No Detector)

Body	Arm	Mounting	Painted Finish \$
Premium Electromagnetic Slide Track Holder/Closing Device — 24 VAC/DC. Transformer required if power source is 120 VAC.			
TS9315, TS9356	EMF/T	Frame mounted, (pull side)	1312.00
	EMF/PT	Soffit mounted (push side)	1312.00
	EMF/TDE	Frame mounted (pull side; double egress), handed	1396.00
Heavy-Duty Electromagnetic Slide Track Holder/Closing Device — 24 VAC/DC. Transformer required if power source is 120 VAC.			
8916, 8956	EMF/T	Frame mounted, (pull side)	1258.00
	EMF/PT	Soffit mounted (push side)	1258.00
	EMF/TDE	Frame mounted (pull side; double egress), handed	1342.00
Electromagnetic Slide Track Holder/Closing Device — 24 VAC/DC. Transformer required if power source is 120 VAC.			
8656	EMF/T	Frame mounted (pull side)	1073.00
	EMF/PT	Soffit mounted (push side)	1073.00
	EMF/TDE	Frame mounted (pull side; double egress), handed	1156.00

Options

(List Price 'add' when ordered with complete closer)

Item	Description	List Add \$
FC	Full plastic closer body cover, 8600	12.00
FMC	Full metal closer body cover (Handed), used w/8900	12.00
FMC	Full metal closer body cover (Handed), used w/8600	20.00
BYP	Concealed switch to bypass hold open function	77.00
TRANSF	120 VAC to 24 VAC transformer (installed separately)	88.00
EXP	Exposed wiring preparation	38.00
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.	
	per order, setup charge (Net)	152.00
	per closer, list add	49.00
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" x 3" colorchip samples required. For details, see Finishes Cross Reference , page viii.	
	per order, non-refundable development/setup charge (Net)	365.00
	per closer, list add	49.00

NOTES:

- Specify body and arm designation, voltage, hand (when required), and finish when ordering.
- EMF/EMR powered from 120 VAC power source requires optional "external" 120 VAC to 24 VAC transformer (TRANSF).
- MF Series unit must be ordered 24 V when used as a companion to an EMR Series unit.

Accessories

Item	Series	Applicable Description	List \$
COV	8600	Slim plastic closer body cover	26.00
FC	8900/8600	Full plastic closer body cover	33.00
FMC	8900/8600	Full metal closer body cover (specify hand)	41.00
SN1	8900	(4) each 1/4-20 sex nuts for 1-3/4" door	12.00
SN3	TS93	(4) each 10-32 sex nuts for 1-3/4" door	12.00
SNB1	8600	(4) each 1/4-20 sex nuts and machine screws for 1-3/4" door	12.00
SD2	EMR	Replacement detector module	658.00
RFR	All	Radio frequency receiver for wireless release of hold open 272	426.00
HHRFT1	All	Hand held transmitter for wireless release of hold open	212.00
TRANSF	All	120 VAC to 24 VAC Transformer (External)	88.00
SCRPKEMRDET	EMR	Standoff for SD-2 Detector Replacement (EMR)	10.00

1800 Series
Ordering Guide

Ordering Code							Finish	
							PNT	Special Sprayed Finish (must specify)
							696	Gold
							695	Dark Duranodic Bronze
							693	Black
							691	Dull Bronze
							690	Statuary Bronze
							689	Aluminum
							600	Primed

1800 SD Series (with Detector)

Body	Arm	Mounting	Painted Finish \$
Electromagnetic Holder/Closing Device with Integral Smoke Detector – 24 VAC/DC and 120 VAC			
1856	HT SD	Frame mounted slide track (pull side)	3339.00
1816	HJ SD	Frame mounted top jamb (push side)	3339.00
Electromagnetic Swing Free/Closing Device with Integral Smoke Detector – 24 VAC/DC and 120 VAC			
1856	SFT SD	Frame mounted slide track (pull side)	3407.00
1816	SFJ SD	Frame mounted top jamb (push side)	3407.00

1800 Series (No Detector)

Body	Arm	Mounting	Painted Finish \$
Electromagnetic Holder/Closing Device – 24VAC/DC and 120VAC			
1856	HT	Frame mounted slide track (pull side)	1687.00
1816	HJ	Frame mounted top jamb (push side)	1687.00
Electromagnetic Swing Free/Closing Device – 24VAC/DC and 120VAC			
1856	SFT	Frame mounted slide track (pull side)	1756.00
1816	SFJ	Frame mounted top jamb (push side)	1756.00

NOTES:

- Specify body, arm, hand, and finish for all units.
- Specify if less than 2" frame face for (T) track mounted units. Specify **<2"** (no additional charge).
- Specify **DROP** for top jamb drop applications (no additional charge if noted at time of order).
- 1800 Series can be used as a companion to the 1800 SD Series, bypass 120 VAC transformer when making wiring connections or order less transformer for deduct.

Options

(List Price 'add' when ordered with complete closer)

Item	Description	List Add/Deduct \$
LTRANSF	1800 Less 120 VAC transformer (deduct)	Deduct 29.00
<2"	T mount <2" frame face	N/C
DROP	Top jamb drop applications (configure at factory)	N/C
BYP	Concealed switch to bypass hold open function	77.00
EXP	Exposed wiring preparation	38.00
AR	Complete arm for top jamb 0" –4" reveal	Deduct 3.00
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.	
	per order, setup charge (Net)	152.00
	per closer, list add	49.00
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" x 3" color chip samples required. For details, see Finishes Cross Reference , page viii.	
	per order, non-refundable development/setup charge (Net)	365.00
	per closer, list add	49.00


Accessories

Item	Applicable Description	List \$
SN1	(4) each 1/4-20 sex nuts for 1-3/4" door	12.00
SNB1	(4) each 1/4-20 sex nuts and machine screws for 1-3/4" door	12.00
EXPKIT	Exposed wiring bracket	48.00
SFKIT	Swing free kit	65.00
SOL1800	1800 replacement solenoid 24 VAC/DC	446.00
SD2	Replacement detector module	658.00
RFR	Radio frequency receiver for wireless release of hold open	426.00
HHRFT1	Hand held transmitter for wireless release of hold open	212.00
CAMDRIVE	Replacement Hold Open Cam/Cam Drive	31.00
TRANSF	120 VAC to 24 VAC Transformer	88.00

EM SERIES

Ordering Guide

Series		Options (Packaged Separately)			Finish	
EM		2-5/8" Catch Plate –	CP LONG		696	– Satin Brass Painted
		2" Catch Plate –	CP SHORT		695	– Dark Duranodic Bronze Powder Coated
		8-3/8" to 12" Adjustable Extension –	ER 12		689	– Aluminum Powder Coated
		6-3/8" to 8" Adjustable Extension –	ER 7			
		2" Extension –	ER 2.0			
		1-1/2" Extension –	ER 1.5			
EM	504	24120			689	
Single Floor –	501	24120	Dual Voltage 24 VDC, 120 VAC			
Double Floor –	502	Electrical Specification				
Semi-Flush, Long Catch –	504					
Semi-Flush, Short Catch –	505					
Surface –	508					
Completely Flush –	509					
Application						



NOTES:

- All combinations of features and options are not available for all models.
- Please refer to EM Series product brochure for details.

Body	Mounting	689/695 Finish \$	696 Finish \$
Electromagnetic Floor Mounted Holder – 24 VDC, 24 VAC, or 120 VAC			
EM 501-24120	Floor mount, single unit	1024.00	1088.00
EM 502-24120	Floor mount, double unit	1273.00	1342.00
Electromagnetic Wall Mounted Holder – 24 VDC, 24 VAC, or 120 VAC			
EM 504-24120	Semi-flush mount, (recessed) long catch plate	553.00	616.00
EM 505-24120	Semi-flush mount, (recessed) short catch plate	553.00	616.00
EM 508-24120	Surface mount	586.00	650.00
EM 509-24120*	Completely flush mount	586.00	650.00

* The EM509 is shipped with a 630 faceplate when ordered in 689 finish.

Options

Item	Description	689 Finish \$
ER1.5	1-1/2" extension rod	92.00
ER2.0	2" extension rod	103.00
ER7	6-3/8" – 8" adjustable extension rod	114.00
ER12	8-3/8" – 12" adjustable extension rod	126.00

Accessories

Item	Description	689/695 Finish \$	696 Finish \$
CPSHORT	2" projection catch plate (door portion)	131.00	152.00
CPLONG	2-5/8" projection catch plate (door portion)	149.00	171.00
EMDPPK**	Door plate pack, (plate, bracket and fasteners)	50.00	—
EMSCRPK**	Universal fastener pack for all EM models	36.00	—
EMSURFPK**	Surface mount box and fastener pack for EM 509	116.00	—
EMFACEPLTPK**	Brackets and fastener pack for all EM face plates	33.00	—

** Available in 689 finish only.

Concealed Door Closers

Product Guide (1 of 2)


CONCEALED DOOR CLOSERS	CONCEALED IN THE FLOOR	CONCEALED IN THE FRAME	CONCEALED IN THE DOOR
Grade 1 Heavy-Duty Sized (Power) per Application	BTS80	—	—
Grade 1 Heavy-Duty Sized (Power) per Application Hold Open	BTS80 EMB	—	—
Grade 1 Commercial Adjustable (Power) Size	BTS75V	ITS96	ITS96
Commercial Sized (Power) per Application	—	RTS88	—

Concealed Door Closers

Product Guide (2 of 2)

<div><div></div>Yes</div> <div><div></div>No</div>	A156.4 Grade 1	A156.4 Grade 3	UL10 C UBC7-2	Advanced Cam & Roller Design	Plated Finishes	Standard Painted Finishes	Custom Painted Finishes	Adjustable Power	Fixed Power
BTS75V	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>
BTS80	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>
BTS80 EMB	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>
ITS96	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>
RTS88	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>

Ordering Guide

[illegible]

- All combinations of features and options are not available for all models.
- Please refer to BTS80 Series product brochure for details.
- When replacing standard package hardware with optional hardware, adjust list price accordingly.

Package	Description	Painted Finish \$	Plated Finish \$
Center Hung, Double Acting, Aluminum Door and Frame (Non-Handed)			
BTS80A	Complete package BTS80-4, 74010, 7410, 7422, 8062	—	2187.00
BTS80/A LFP	Complete package, less floor plate	—	Deduct \$153
Center Hung, Double Acting, Wood or Steel Door and Frame (Non-Handed)			
BTS80B	Complete package BTS80-4, 74010, 7410, 7421, 8062	—	2143.00
BTS80/B LFP	Complete package, less floor plate	—	Deduct \$153
1-1/2" Offset, Single Acting, Wood, Steel or Aluminum Door and Frame (Specify Hand)			
BTS80C	Complete package BTS80-4, 74010, 7410, 15323, 15120	—	2663.00
BTS80C LFP	Complete package, less floor plate	—	Deduct \$153
1-1/2" Offset, Single Acting, 20 Minute Rated Fire Door and Frame (Specify Hand)			
BTS80CE	Complete package BTS80 F-5, 74010, 7410, 15323, 15122	2748.00	2748.00
BTS80CE LFP	Complete package, less floor plate		Deduct \$153
1-1/2" Offset, Single Acting, 3 Hour Rated Fire Door and Frame (Specify Hand)			
BTS80CF	Complete package BTS80 F-5, 74010, 7410, 15323, 15133	2790.00	3224.00
BTS80CF LFP	Complete package, less floor plate		Deduct \$153
3/4" Offset, Single Acting, Wood, Steel or Aluminum Door and Frame (Specify Hand)			
BTS80D	Complete package BTS80-4, 74010, 7410, 75323, 75120	—	2264.00
BTS80D LFP	Complete package, less floor plate	—	Deduct \$153
3/4" Offset, Single Acting, 20 Minute Rated Fire Door and Frame (Specify Hand)			
BTS80E	Complete Package BTS80 F-5, 74010, 7410, 75323, 75122	2330.00	2330.00
BTS80E LFP	Complete package, less floor plate		Deduct \$153
3/4" Offset, Single Acting, 3 Hour Rated Fire Door and Frame (Specify Hand)			
BTS80F	Complete package BTS80 F-5, 74010, 7410, 75323, 75133	2388.00	2704.00
BTS80F LFP	Complete package, less floor plate		Deduct \$153
Center Hung, Single Acting, Aluminum Door and Frame (Specify Hand)			
BTS80G	Complete package BTS80-4, 80010, 7410, 7422, 8062	—	2187.00
BTS80G LFP	Complete package, less floor plate	—	Deduct \$153
Center Hung, Single Acting, Wood or Steel Door and Frame (Specify Hand)			
BTS80H	Complete package BTS80-4, 80010, 7410, 7421, 8062	—	2143.00
BTS80H LFP	Complete package, less floor plate	—	Deduct \$153

NOTE: See BTS80 Accessories for intermediate pivots and individual component list prices.

Package	Description	Painted Finish \$	Plated Finish \$
Independent Hung, on Hinges, etc. (Non-Handed)			
BTS80I	Complete package BTS80-4, 74003, 7410, 7451N-A**	2145.00	2312.00
BTS80I LFP	Complete package, less floor plate	Deduct \$153	
Independent Hung, 3 Hour Rated Steel, 1-1/2 hour Rated Wood Fire Doors Hung on Hinges, etc. (Specify Hand)			
BTS80IF	Complete package BTS80 F-5, 74003, 7410, 7451N	2181.00	2503.00
BTS80IF LFP	Complete package, less floor plate	Deduct \$153	
3/4" Offset, Single Acting, Wood or Steel Lead Lined Door and Frame, for 1-3/4" thick door (Specify Hand)			
BTS80L	Complete package BTS80-4, 74010, 7410, 75343, 75140	—	2860.00
BTS80L LFP	Complete package, less floor plate	—	Deduct \$153
3/4" Offset, Single Acting, Lead Lined 20 Minute Rated Fire Door and Frame, for 1-3/4" thick door (Specify Hand)			
BTS80LE	Complete package BTS80 F-5, 74010, 7410, 75343, 75142	2929.00	2929.00
BTS80LE LFP	Complete package, less floor plate	Deduct \$153	
3/4" Offset, Single Acting, Lead Lined 3 Hour Rated Fire Door and Frame, for 1-3/4" thick door (Specify Hand)			
BTS80LF	Complete package BTS80 F-5, 74010, 7410, 75343, 75143	3001.00	3227.00
BTS80LF LFP	Complete package, less floor plate	Deduct \$153	
Independent Hung, on Pocket Pivots (Non-Handed)			
BTS80P	Complete package (priced w/ 3 pivots) BTS80-4, 74003, 7410, 7451N-A, 75520	3988.00	4521.00
BTS80P LFP	Complete package, less floor plate (priced w/ 3 pivots)	Deduct \$153	
Independent Hung, 3 Hour Rated Steel, 1-1/2 Hour Rated Wood Fire Doors Hung on Pocket Pivots (Specify Hand)			
BTS80PF	Complete package (priced w/ 3 pivots) BTS80 F-5, 74003, 7410, 7451N, 75523	4149.00	4839.00
BTS80PF LFP	Complete package, less floor plate (priced w/ 3 pivots)	Deduct \$153	

* Floor closer is painted black only. Cement case is galvanized steel.
 Spindle is available in zinc plated finish only.
 Center hung bottom arms are available in zinc plated finish only (7421/7422).
 Floor plate is only available in plated finishes.

** Bottom arm for painted finish would be 7451N.
 See BTS80 Accessories for intermediate pivots. See BTS Accessories for individual component list prices.
 See **Options** for Less **Cement Box**.

Options

(List Price 'add' when ordered with complete closer)

Item	Description	Painted Add \$	Plated Add \$
3	ANSI size 3, light opening force, non-fire rated doors (previously BFE)	N/C	—
6	ANSI size 6, spring for up to 4'0" exterior or 4'6" interior non-fire rated doors (previously Sz 3)	N/C	—
AMS	All metal screws	N/C	—
AMSAWS	All metal screws, all wood screws	16.00	22.00
W1	Half wood screws	9.00	10.00
W2	All wood screws	11.00	13.00
74003, 74005, 74007, 74010	5/16", 1/2", 5/8", or 3/4" clearance spindle	N/C	—
74012, 74015, 74020	13/16", 7/8", or 1-1/8" clearance spindle	35.00	—
74025, 74030, 74035	1-5/16", 1-1/2", or 1-11/16" clearance spindle	35.00	—
74040, 74045, 74050	1-7/8", 2-1/16", or 2-5/16" clearance spindle	35.00	—
TP80	▲ Terrazo pan for BTS 80, 80 F, 80 EMB — 3/4" offset (handed)	—	743.00
TP80CH	▲ Terrazo pan for BTS 80, 80 F, 80 EMB — Center hung or 1-1/2" offset	—	677.00
SC2	Sealing compound	104.00	—
LBX	Less cement box	Deduct 24.00	—
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.		
	per order, setup charge (Net)	148.00	—
	per closer, list add	91.00	—
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" x 3" colorchip samples required. For details, see Finishes Cross Reference , page viii.		
	per order, non-refundable development/ setup charge (Net)	356.00	—
	per closer, list add	91.00	—

Spindle Inserts for Center Hung Single Acting Packages

Item	Description	Painted Add \$	Plated Add \$
80003, 80005, 80010	5/16", 1/2" or 3/4" clearance spindle (specify hand)	N/C	—
80015, 80020, 80025, 80030	7/8", 1-1/8", 1-5/16" or 1-1/2" clearance spindle (specify hand)	35.00	—

▲ Terrazo pans are available stainless steel only.

Accessories

Pivots


Item	Description	Painted Finish \$	Plated Finish \$
3/4" Offset Hung Intermediate Pivots**			
75220	Full mortise standard intermediate pivot	408.00	408.00
75222	Full mortise intermediate pivot — 20 minute rated fire door	435.00	435.00
75233	Full mortise intermediate pivot — 3 hour rated fire door	457.00	882.00
75240	Full mortise intermediate pivot — 1-3/4" lead lined doors	611.00	611.00
75242	Full mortise intermediate pivot — 20 minute rated, 1-3/4" lead-lined doors	645.00	645.00
75243	Full mortise intermediate pivot — 3 hour rated, 1-3/4" lead-lined doors	662.00	1235.00
1-1/2" Offset Hung Intermediate Pivots**			
15220	Full mortise standard intermediate pivot	611.00	611.00
15222	Full mortise intermediate pivot — 20 minute rated fire door	662.00	662.00
15233	Full mortise intermediate pivot — 3 hour rated fire door	679.00	1187.00
Power Transfer Pivots			
75200	Through-wire 3/4" offset intermediate pivot — 8 wire**	758.00	758.00
E80622	Through-wire center hung top pivot (2 wire)	826.00	826.00
E80624	Through-wire center hung top pivot (4 wire)	826.00	826.00

** All intermediate pivots are handed.

NOTES:

- Only packages with an "E" or "F" designation in the package description are available in painted finishes.
- Specify package designation, hand (when required), finish, and options or accessories when ordering.
- Complete package prices are indicated in bold.
- When ordering a package "less components," deduct the list price for the component removed.
- Cover plate not available in painted finish. Cover plate will be plated to match when ordering with painted finishes.
- All packages furnished with all machine screws standard (AMS).
- Lead-lined packages shown are for 1-3/4" thick doors. For lead-lined doors from 2" up to 3" thick, add \$107.00 list to the package price. Example, specify: BTS80L-3 for a 3" thick door.
- Lead-lined packages are designed for doors with lead in center of door thickness.
- Package price for P or PF packages includes 3 pocket pivots.

Ordering Guide

265

Package	Description	Painted Finish \$	Plated Finish \$
1-1/2" Offset, Single Acting, Wood, Steel or Aluminum Door and Frame (Specify Hand)			
BTS80 EMBC	Complete package 80 EMB-5, 74010, 7410, 15323, 15120	—	5117.00
BTS80 EMBC LFP	Complete package, less floor plate	—	Deduct \$153
1-1/2" Offset, Single Acting, 20 Minute Rated Fire Door and Frame (Specify Hand)			
BTS80 EMBCE	Complete package 80 EMB-5, 74010, 7410, 15323, 15122	5170.00	5170.00
BTS80 EMBCE LFP	Complete package, less floor plate	Deduct \$153	
1-1/2" Offset, Single Acting, 3 Hour Rated Fire Door and Frame (Specify Hand)			
BTS80 EMBCF	Complete package 80 EMB-5, 74010, 7410, 15323, 15133	5210.00	5643.00
BTS80 EMBCF LFP	Complete package, less floor plate	Deduct \$153	
3/4" Offset, Single Acting, Wood, Steel or Aluminum Door and Frame (Specify Hand)			
BTS80 EMBD	Complete package 80 EMB-5, 74010, 7410, 75323, 75120	—	4719.00
BTS80 EMBD LFP	Complete package, less floor plate	—	Deduct \$153
3/4" Offset, Single Acting, 20 Minute Rated Fire Door and Frame (Specify Hand)			
BTS80 EMBE	Complete package 80 EMB-5, 74010, 7410, 75323, 75122	4750.00	4750.00
BTS80 EMBE LFP	Complete package, less floor plate	Deduct \$153	
3/4" Offset, Single Acting, 3 Hour Rated Fire Door and Frame (Specify Hand)			
BTS80 EMBF	Complete package 80 EMB-5, 74010, 7410, 75323, 75133	4809.00	5076.00
BTS80 EMBF LFP	Complete package, less floor plate	Deduct \$153	
Center Hung, Single Acting, Aluminum Door and Frame (Specify Hand)			
BTS80 EMBG	Complete package 80 EMB-5, 80010, 7410, 7422, 8062	—	4638.00
BTS80 EMBG LFP	Complete package, less floor plate	—	Deduct \$153
Center Hung, Single Acting, Wood or Steel Door and Frame (Specify Hand)			
BTS80 EMBH	Complete package 80 EMB-5, 80010, 7410, 7421, 8062	—	4596.00
BTS80 EMBH LFP	Complete package, less floor plate	—	Deduct \$153
Independent Hung, on Hinges, etc. (Specify Hand)			
BTS80 EMBI	Complete package 80 EMB-5, 74003, 7410, 7451N-A	4601.00	4765.00
BTS80 EMBI LFP	Complete package, less floor plate	Deduct \$153	
Independent Hung, 3 Hour Rated Steel, 1-1/2 Hour Rated Wood Fire Door Hung on Hinges, etc. (Specify Hand)			
BTS80 EMBIF	Complete package 80 EMB-5, 74003, 7410, 7451N**	4601.00	4922.00
BTS80 EMBIF LFP	Complete package, less floor plate	Deduct \$153	

NOTE: See BTS80 EMB Accessories for intermediate pivots. See BTS Accessories for individual component list prices.

Package	Description	Painted Finish \$	Plated Finish \$
3/4" Offset, Single Acting, Lead Lined, Wood, or Steel Door and Frame, for 1-3/4" thick door (Specify Hand)			
BTS80 EMBL	Complete package 80 EMB-5, 74010, 7410, 75343, 75140	—	5313.00
BTS80 EMBL LFP	Complete package, less floor plate	—	Deduct \$153
3/4" Offset, Single Acting, Lead Lined 20 Minute Rated Fire Door and Frame, for 1-3/4" thick door (Specify Hand)			
BTS80 EMBL-E	Complete package 80 EMB-5, 74010, 7410, 75343, 75142	5345.00	5345.00
BTS80 EMBLE LFP	Complete package, less floor plate		Deduct \$153
3/4" Offset, Single Acting, Lead Lined 3 Hour Rated Fire Door and Frame, for 1-3/4" thick door (Specify Hand)			
BTS80 EMBL-F	Complete package 80 EMB-5, 74010, 7410, 75343, 75143	5418.00	5644.00
BTS80 EMBLF LFP	Complete package, less floor plate		Deduct \$153

* Floor closer is painted black only. Cement case is galvanized steel.
 Spindle is available in zinc plated finish only.
 Center hung bottom arms are available in zinc plated finish only (7421/7422).
 Floor plate is only available in plated finishes.

** Bottom arm for painted finish would be 7451N.
 See BTS80 EMB Accessories for intermediate pivots. See BTS Accessories for individual component list prices.
 See Options for Less Cement Box.

Options

(List Price 'add' when ordered with complete closer)

Item	Description	Painted Add \$	Plated Add \$
AMS	All metal screws	N/C	—
AMSAWS	All metal screws, all wood screws	16.00	22.00
W1	Half wood screws	9.00	10.00
W2	All wood screws	10.00	13.00
74003, 74005, 74007, 74010	5/16", 1/2", 5/8", or 3/4" clearance spindle	N/C	—
74012, 74015, 74020	13/16", 7/8", or 1-1/8" clearance spindle	35.00	—
74025, 74030, 74035	1-5/16", 1-1/2", or 1-11/16" clearance spindle	35.00	—
74040, 74045, 74050	1-7/8", 2-1/16", or 2-5/16" clearance spindle	35.00	—
TP80	▲ Terrazo pan for BTS 80, 80 F, 80 EMB - 3/4" offset (handed)	—	743.00
TP80 CH	▲ Terrazo pan for BTS 80, 80 F, 80 EMB - Center hung or 1-1/2" offset	—	677.00
SC2	Sealing compound	104.00	—
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.		
	per order, setup charge (Net)	148.00	—
	per closer, list add	91.00	—
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" × 3" colorchip samples required. For details, see Finishes Cross Reference , page viii.		
	per order, non-refundable development/ setup charge (Net)	356.00	—
	per closer, list add	91.00	—

Spindle Inserts for Center Hung Single Acting Packages

Item	Description	Painted Add \$	Plated Add \$
80003, 80005, 80010	5/16", 1/2" or 3/4" clearance spindle	N/C	—
	(specify hand)		
80015, 80020, 80025, 80030	7/8", 1-1/8", 1-5/16" or 1-1/2" clearance spindle	35.00	—
	(specify hand)		

▲ Terrazo pans are available stainless steel only.

Accessories

Pivots

Item	Description	Painted Finish \$	Plated Finish \$
3/4" Offset Hung Intermediate Pivots**			
75220	Full mortise standard intermediate pivot	408.00	408.00
75222	Full mortise intermediate pivot — 20 minute rated fire door	435.00	435.00
75233	Full mortise intermediate pivot — 3 hour rated fire door	457.00	882.00
75240	Full mortise intermediate pivot — 1-3/4" lead-lined doors	611.00	611.00
75242	Full mortise intermediate pivot — 20 minute rated, 1-3/4" lead-lined doors	645.00	645.00
1-1/2" Offset Hung Intermediate Pivots**			
15220	Full mortise standard intermediate pivot	611.00	611.00
15222	Full mortise intermediate pivot — 20 minute rated fire door	662.00	662.00
15233	Full mortise intermediate pivot — 3 hour rated fire door	679.00	1187.00
Power Transfer Pivots			
75200	Through-wire 3/4" offset intermediate pivot — 8 wire**	758.00	758.00
E80622	Through-wire center hung top pivot (2 wire)	826.00	826.00
E80624	Through-wire center hung top pivot (4 wire)	826.00	826.00

** All intermediate pivots are handed.

Miscellaneous

Item	Description	List \$
TP80	▲ Terrazo pan for BTS 80, 80 F, 80 EMB — 3/4" offset (Handed)	743.00
TP80CH	Terrazo pan for BTS 80, 80 F, 80 EMB — Center hung or 1-1/2" offset	677.00
SC2	Sealing compound	104.00

▲ Terrazo pans are available stainless steel only.

NOTES:

- Only packages with an "E" or "F" designation in the package description are available in painted finishes.
- Specify package designation, hand (when required), finish, and options or accessories when ordering.
- Complete package prices are indicated in bold.
- When ordering a package "less components," deduct the list price for the component removed.
- Cover plate not available in painted finish. Cover plate will be plated to match when ordering with painted finishes.
- All packages furnished with all machine screws standard (AMS).
- Lead-lined packages shown are for 1-3/4" thick doors. For lead-lined doors from 2" up to 3" thick, add \$107.00 list to the package price. Example, specify: BTS80/L-3 for a 3" door.

Ordering Guide

271

Package	Description	Painted Finish \$	Plated Finish \$
Center Hung, Double Acting, Aluminum Door and Frame (Non-Handed)			
BTS75VA	Complete package BTS75V NHO, 74010, 7510, 7422, 8062	—	2056.00
BTS75VA LFP	Complete package, less floor plate	—	Deduct \$153
Center Hung, Double Acting, Wood or Steel Door and Frame (Non-handed)			
BTS75VB	Complete Package BTS75V NHO, 74010, 7510, 7421, 8062	—	2013.00
BTS75VB LFP	Complete package, less floor plate	—	Deduct \$153
1-1/2" Offset, Single Acting, Wood, Steel, or Aluminum Door and Frame (Specify Hand)			
BTS75VC	Complete package BTS75V NHO, 74010, 7510, 15323, 15120	—	2533.00
BTS75VC LFP	Complete package, less floor plate	—	Deduct \$153
1-1/2" Offset, Single Acting, 20 Minute Rated Fire Door and Frame (Specify Hand)			
BTS75VCE	Complete package BTS75V NHO, 74010, 7510, 15323, 15122	2582.00	2582.00
BTS75VCE LFP	Complete package, less floor plate	Deduct \$153	
1-1/2" Offset, Single Acting, 3 Hour Rated Fire Door and Frame (Specify Hand)			
BTS75VCF	Complete package BTS75V NHO, 74010, 7510, 15323, 15133	2625.00	3057.00
BTS75VCF LFP	Complete package, less floor plate	Deduct \$153	
3/4" Offset, Single Acting, Wood, Steel, or Aluminum Door and Frame (Specify Hand)			
BTS75VD	Complete Package BTS75V NHO, 74010, 7510, 75323, 75120	—	2132.00
BTS75VD LFP	Complete package, less floor plate	—	Deduct \$153
3/4" Offset, Single Acting, 20 Minute Rated Fire Door and Frame (Specify Hand)			
BTS75VE	Complete package BTS75V NHO, 74010, 7510, 75323, 75122	2164.00	2164.00
BTS75VE LFP	Complete package, less floor plate	Deduct \$153	
3/4" Offset, Single Acting, 3 Hour Rated Fire Door and Frame (Specify Hand)			
BTS75VF	Complete package BTS75V NHO, 74010, 7510, 75323, 75133	2223.00	2492.00
BTS75VF LFP	Complete package, less floor plate	Deduct \$153	
Center Hung, Single Acting, Aluminum Door and Frame (Specify Hand)			
BTS75VG	Complete package BTS75V NHO, 80010, 7510, 7422, 8062	—	2055.00
BTS75VG LFP	Complete package, less floor plate	—	Deduct \$153
Center Hung, Single Acting, Wood or Steel Door and Frame (Specify Hand)			
BTS75VH	Complete package BTS75V NHO, 80010, 7510, 7421, 8062	—	2013.00
BTS75VH LFP	Complete package, less floor plate	—	Deduct \$153

NOTES:

- See BTS75V Accessories for intermediate pivots. See BTS Accessories for individual component list prices.

Package	Description	Painted Finish \$	Plated Finish \$
Independent Hung, on Hinges, etc. (Non-Handed)			
BTS75VI	Complete package BTS75V NHO, 74003, 7510, 7451N-A**	2014.00	2181.00
BTS75VI LFP	Complete package, less floor plate	Deduct \$153	
Independent Hung, 3 Hour Rated Steel and 1-1/2 Hour Rated Wood Fire Doors Hung on Hinges, etc. (Non-Handed)			
BTS75VIF	Complete package BTS75V NHO, 74003, 7510, 7451N	2014.00	2336.00
BTS75VIF LFP	Complete package, less floor plate	Deduct \$153	
Independent Hung, on Pocket Pivots (Non-Handed)			
BTS 75VP	Complete package (priced w/ 3 pivots) BTS75V NHO, 74003, 7510, 7451N-A, 75520	3853.00	4391.00
BTS75VP LFP	Complete package, less floor plate	Deduct \$153	
Independent Hung, 3 Hour Rated Steel and 1-1/2 Hour Rated Wood Fire Doors Hung on Pocket Pivots (Specify Hand)			
BTS75VPF	Complete package (priced w/ 3 pivots) BTS75V NHO, 74003, 7510, 7451N, 75523	3951.00	4672.00
BTS75VPF LFP	Complete package, less floor plate	Deduct \$153	

* Floor closer is painted black only. Cement case is galvanized steel.
 Spindle is available in zinc plated finish only.
 Center hung bottom arms are available in zinc plated finish only (7421/7422).
 Floor plate is only available in plated finishes.

** Bottom arm for painted finish would be 7451N.
 See BTS Accessories for individual component list prices.
 See Options for Less Cement Box.

Options

(List Price 'add' when ordered with complete closer)

Item	Description	Painted Add \$	Plated Add \$
90	90° hold open	83.00	—
105	105° hold open	83.00	—
BF, BF 90	Barrier free for non-fire doors only	N/C	—
AMS	All metal screws	N/C	—
AMSAWS	All metal screws, all wood screws	16.00	22.00
W1	Half wood screws	9.00	10.00
W2	All wood screws	7.00	10.00
74003, 74005, 74007, 74010	5/16", 1/2", 5/8", or 3/4" clearance spindle	N/C	—
74012, 74015, 74020	13/16", 7/8", or 1-1/8" clearance spindle	35.00	—
74025, 74030, 74035	1-5/16", 1-1/2", or 1-11/16" clearance spindle	35.00	—
74040, 74045, 74050	1-7/8", 2-1/16", or 2-5/16" clearance spindle	35.00	—
TP75	▲ Terrazo pan for BTS 75V — 3/4" offset (Handed)	—	709.00
TP75SCH	▲ Terrazo pan for BTS 75V — Center hung or 1-1/2" offset	—	644.00
SC2	Sealing compound	104.00	—
LBX	Less cement box	Deduct 24.00	—
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.		
	per order, setup charge (Net)	148.00	—
	per closer, list add	91.00	—
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" x 3" colorchip samples required. For details, see Finishes Cross Reference , page viii.		
	per order, non-refundable development/ setup charge (Net)	356.00	—
	per closer, list add	91.00	—

▲ Terrazo pans are available stainless steel only.

Spindle Inserts for Center Hung Single Acting Packages

Item	Description	Painted Add \$	Plated Add \$
80003, 80005, 80010	5/16", 1/2", or 3/4" clearance spindle (specify hand)	N/C	—
80015, 80020, 80025, 80030	7/8", 1-1/8", 1-5/16", or 1-1/2" clearance spindle (specify hand)	35.00	—

Accessories

Pivots

Item	Description	Painted Finish \$	Plated Finish \$
3/4" Offset Hung Intermediate Pivots**			
75220	Full mortise standard intermediate pivot	408.00	408.00
75222	Full mortise intermediate pivot — 20 minute rated fire door	435.00	435.00
75233	Full mortise intermediate pivot — 3 hour rated fire door	457.00	882.00
1-1/2" Offset Hung Intermediate Pivots**			
15220	Full mortise standard intermediate pivot	611.00	611.00
15222	Full mortise intermediate pivot — 20 minute rated fire door	662.00	662.00
15233	Full mortise intermediate pivot — 3 hour rated fire door	679.00	1187.00
Power Transfer Pivots			
75200	Through-wire 3/4" offset intermediate pivot — 8 wire**	758.00	758.00
E80622	Through-wire center hung top pivot (2 wire)	826.00	826.00
E80624	Through-wire center hung top pivot (4 wire)	826.00	826.00

** All intermediate pivots are handed.


NOTES:

- Only packages with an "E" or "F" designation in the package description are available in painted finishes.
- Specify package designation, hand (when required), finish, and options or accessories when ordering.
- Complete package prices are indicated in bold.
- When ordering a package "less components," deduct the list price of the removed component.
- Cover plate not available in painted finish. Cover plate will be plated to match when ordering with painted finishes.
- All packages furnished with all machine screws standard (AMS).
- Package price for P or PF packages includes 3 pocket pivots.
- When BTS75D Package is ordered through Select Service, the BF closer is supplied as the default, unless specified otherwise.

ITS96 Series

Ordering Guide

Application		Spring Size		Hold Open		Mounting Kit Options		Painted Finish	
Inverted (closer in frame) —	INV	Size 1-3 —	13	HO	— Hold Open	BRKTMD	Steel Frame Mounting Kit —	PNT	— Special Sprayed Finish (must specify)
Standard —		Size 2-5 —	25	NHO	— Non-Hold Open	BRKTWD	Wood Frame Mount Kit —	696	— Gold
								695	— Dark Duranodic Bronze
								693	— Black
								691	— Dull Bronze
								690	— Statuary Bronze
								689	— Aluminum
								600	— Primed
								605	— Bright Brass
								606	— Satin Brass
								611	— Bright Bronze
								612	— Satin Bronze
								613	— Oxidized Satin Oil Rubbed Bronze
								618	— Bright Nickel
								619	— Satin Nickel
								625	— Bright Chrome
								626	— Satin Chrome



NOTES:

- All combinations of features and options are not available for all models.
- Please refer to ITS96 Series product brochure for details.

Body	Mounting	Painted Finish \$	Plated Finish \$
Non-Hold Open			
ITS9613	Concealed in door (size 1–3)	668.00	830.00
ITS9625	Concealed in door (size 2–5)	797.00	994.00
Hold Open			
ITS9613 HO	Concealed in door w/hold open (size 1–3)	759.00	921.00
ITS9625 HO	Concealed in door w/hold open (size 2–5)	890.00	1082.00

Options

(List Price 'add' when ordered with complete closer)


Item	Description	Painted Add \$	Plated Add \$
INV	Inverted ITS96 (closer in header)	26.00	49.00
BRKT ITS WOOD	Wood frame mounting kit	43.00	—
BRKT ITS METAL	Steel frame mounting kit	43.00	—
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.		
	per order, setup charge (Net)	148.00	—
	per closer, list add	48.00	—
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" x 3" color chip samples required. For details, see Finishes Cross Reference , page viii.		
	per order, non-refundable development/setup charge (Net)	356.00	—
	per closer, list add	48.00	—

NOTES:

- Standard configuration is painted arm with track channel to match (shown in bold); closer and closer mounting plate are one finish only.
- Plated finish price includes arm plated and track sprayed with complementary finish.
- Minimum door thickness for ITS9625 is 2" when concealed in the door.
For 1-3/4" thick doors, install ITS9625 in the header (i.e. ITS9625 INV).

RTS88 Series

Ordering Guide



Adds or Deducts

LBA	— Less Bottom Arm
LTA	— Less Top Arm
LBP	— Less Bottom Pivot
5MM	— W/ 5mm Extended Spindle
LMC	— Less Mounting Channel
8563	— Cover Plate for Aluminum Frame Application

Fastener Packs

All Metal Screws —
All Wood Screws —

AMSAWS

W1

W2

AMS

Accessories

8836S — Closer Arm for 7/8" Top Rail Glass Shoe

8820J — Conversion Bracket for Jackson OHC

8521E — 1-5/16" Spindle Extension

Hold Open

Non-Hold Open —

NHO

Hold Open —

HO

All Wood Screws —

All Metal Screws —

Series

RTS

RTS	03	105	NHO	Sz3	AMS		626	
------------	-----------	------------	------------	------------	------------	--	------------	--

CH Side, Aluminum —	01	105	— 105° Cushion	Sz2	— Light Opening Force	600	— Primed
CH Side, Aluminum —	02	90	— 90° Cushion	Sz3	— Standard Closing Force	689	— Aluminum
CH Side, Steel —	03	Cushion		Sz4	— Strongest Closing Force	690	— Statuary Bronze
CH Side, Wood Door, Steel Frame —	04			BFE	— Light Opening Force for Exterior Doors	691	— Dull Bronze
CH Side, Wood Door, Aluminum Frame —	05		— CH Side, Wood	BFI	— Lightest Opening Force for Interior	693	— Black
	06					695	— Dark Duranodic Bronze
	07		— CH End, Aluminum			696	— Gold
	08		— CH End, Aluminum			PNT	— Special Sprayed Finish (must specify)
	09		— CH End, Aluminum				
	10		— CH End, Aluminum				
	11		— CH End, Aluminum				
	12		— CH End, Aluminum				
	13		— CH End, Aluminum				
	14		— CH End, Aluminum				
	15		— CH End, Aluminum				
	16		— CH End, Aluminum				
	17		— CH End, Aluminum				
	18		— CH End, Aluminum				
	19		— CH End, Aluminum				
	20		— CH End, Aluminum				
	21		— CH End, Aluminum				
	22		— CH End, Aluminum				
	25		— Hinge Hung, Aluminum				
	26		— 3/4" Offset, Aluminum				
	27		— Hinge or 3/4" Offset, Steel				
	28		— Hinge or 3/4" Offset, Wood Door, Steel Frame				
	29		— Hinge or 3/4" Offset, Wood				
	30		— Hinge, Wood Door, Aluminum Frame				
	31		— 3/4" Offset, Wood Door, Aluminum Frame				

Spring Size

Painted

Bright Brass —	605
Satin Brass —	606
Bright Bronze —	611
Satin Bronze —	612
Oxidized Satin Oil Rubbed —	613
Bright Nickel —	618
Satin Nickel —	619
Bright Chrome —	625
Satin Chrome —	626

Finish

Plated

Package

NOTES:

- All combinations of features and options are not available for all models.
- Please refer to RTS88 Series product brochure for details.

Package	Description	Painted Finish \$	Plated Finish \$
Center Hung Side Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)			
RTS01	Complete package RTS88, 8831, 8572	857.00	—
RTS01 × 8563	Complete package, including 8563 frame cover plate	954.00	—
Center Hung Side Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)			
RTS02	Complete package RTS88, 8831, 8570	892.00	—
RTS02 × 8563	Complete package, including 8563 frame cover plate	989.00	—
Center Hung Side Load, Double or Single Acting, Steel Door and Frame (Non-Handed)			
RTS03	Complete package RTS88, 8831, 7471K, 7421, 8575, 8532**	1237.00	1375.00
RTS03 LMC	Complete package, less mounting channel	1154.00	1293.00
Center Hung Side Load, Double or Single Acting, Wood Door and Steel Frame (Non-Handed)			
RTS04	Complete package RTS88, 8832, 7471K, 7421, 8575, 8532**, W1	1353.00	1493.00
RTS04 LMC	Complete package, less mounting channel	1272.00	1411.00
Center Hung Side Load, Double or Single Acting, Wood Door and Frame (Non-Handed)			
RTS05	Complete package RTS88, 8832, 7471K, 7421, 8561, W2	1265.00	1411.00
Center Hung Side Load, Double or Single Acting, Wood Door and Aluminum Frame (Non-Handed)			
RTS06	Complete package RTS88, 8832, 7471K, 7421, W1	1163.00	1304.00
RTS06 × 8563	Complete package, including 8563 frame cover plate	1258.00	1401.00
Center Hung End Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)			
RTS07	Complete package RTS88, 8835, 8857	1030.00	—
RTS07 × 8563	Complete package, including 8563 frame cover plate	1128.00	—
Center Hung End Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)			
RTS08	Complete package RTS88, 8835, 8853	874.00	—
RTS08 × 8563	Complete package, including 8563 frame cover plate	971.00	—
Center Hung End Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)			
RTS09	Complete package RTS88, 8835, 8855	874.00	—
RTS09 × 8563	Complete package, including 8563 frame cover plate	971.00	—
Center Hung End Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)			
RTS10	Complete package RTS88, 8835, 8852	874.00	—
RTS10 × 8563	Complete package, including 8563 frame cover plate	971.00	—

NOTES:

- See RTS88 Accessories for individual component list prices.

Package	Description	Painted Finish \$	Plated Finish \$
Center Hung End Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)			
RTS11	Complete package RTS88, 8836, 8857	874.00	—
RTS11 × 8563	Complete package, including 8563 frame cover plate	971.00	—
Center Hung End Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)			
RTS12	Complete package RTS88, 8836, 8853	874.00	—
RTS12 × 8563	Complete package, including 8563 frame cover plate	971.00	—
Center Hung End Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)			
RTS13	Complete package RTS88, 8836, 8855	874.00	—
RTS13 × 8563	Complete package, including 8563 frame cover plate	971.00	—
Center Hung End Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)			
RTS14	Complete package RTS88, 8836, 8852	874.00	—
RTS14 × 8563	Complete package, including 8563 frame cover plate	971.00	—
Center Hung End Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)			
RTS15	Complete package RTS88, 8838, 8857	874.00	—
RTS15 × 8563	Complete package, including 8563 frame cover plate	971.00	—
Center Hung End Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)			
RTS16	Complete package RTS88, 8838, 8853	874.00	—
RTS16 × 8563	Complete package, including 8563 frame cover plate	971.00	—
Center Hung End Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)			
RTS17	Complete package RTS88, 8838, 8855	874.00	—
RTS17 × 8563	Complete package, including 8563 frame cover plate	971.00	—
Center Hung End Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)			
RTS18	Complete package RTS88, 8838, 8852	874.00	—
RTS18 × 8563	Complete package, including 8563 frame cover plate	971.00	—
Center Hung End Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)			
RTS19	Complete package RTS88, 8837, 8857	874.00	—
RTS19 × 8563	Complete package, including 8563 frame cover plate	971.00	—
Center Hung End Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)			
RTS20	Complete package RTS88, 8837, 8853	874.00	—
RTS20 × 8563	Complete package, including 8563 frame cover plate	971.00	—

NOTE: See RTS88 Accessories for individual component list prices.

Package	Description	Painted Finish \$	Plated Finish \$
Center Hung End Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)			
RTS21	Complete package RTS88, 8837, 8855	874.00	—
RTS21 × 8563	Complete package, including 8563 frame cover plate	971.00	—
Center Hung End Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)			
RTS22	Complete package RTS88, 8837, 8852	874.00	—
RTS22 × 8563	Complete package, including 8563 frame cover plate	971.00	—
Hinge Hung, Single Acting, Aluminum Door and Frame (Non-Handed)			
RTS25	Complete package RTS88, 8812	874.00	—
RTS25 × 8563	Complete package, including 8563 frame cover plate	971.00	—
3/4" Offset Pivot Hung, Single Acting, Aluminum Door and Frame (Non-Handed)			
RTS26	Complete package RTS88, 8812	874.00	—
RTS26 × 8563	Complete package, including 8563 frame cover plate	971.00	—
Hinge or 3/4" Offset Pivot Hung, Single Acting, Steel Door and Frame (Non-Handed)			
RTS27	Complete package RTS88, 8812, 8575, 8532**	1030.00	1171.00
RTS27 LMC	Complete package, less mounting channel	949.00	1089.00
Hinge or 3/4" offset Pivot Hung, Single Acting, Wood Door and Steel Frame (Non-Handed)			
RTS28	Complete package RTS88, 8812, 8575, 8532**, W1	1032.00	1175.00
RTS28 LMC	Complete package, less mounting channel	953.00	1095.00
Hinge or 3/4" Offset Pivot Hung, Single Acting, Wood Door and Frame (Non-Handed)			
RTS29	Complete package RTS88, 8812, 8561, W2	949.00	1096.00
Hinge Hung, Single Acting, Wood Door and Aluminum Frame (Non-Handed)			
RTS30	Complete package RTS88, 8812, W1	845.00	1096.00
RTS30 × 8563	Complete package, including 8563 frame cover plate	941.00	—
3/4" Offset Pivot Hung, Single Acting, Wood Door and Aluminum Frame (Non-Handed)			
RTS31	Complete package RTS88, 8812, W1	845.00	—
RTS31 × 8563	Complete package, including 8563 frame cover plate	941.00	—

NOTES:

- See RTS88 Accessories for individual component list prices.
- RTS closer body is always painted aluminum.
- Bottom arm and closer arm are always zinc plated finish.
Frame mounting channel is always unfinished.
8563 cover plate is available painted only.

** No. 8532 steel header mounting channel is specifically designed to install the RTS closer into open-throat steel header sections.
Typical practice would be to install the mounting channel in the header prior to shipment to the job site.

Options

(List Price 'add' when ordered with complete closer)

Item	Description	Painted Add \$	Plated Add \$
AMS	All metal screws	N/C	—
AMSAWS	All metal screws, all wood screws	16.00	22.00
W1	Half wood screws	9.00	10.00
W2	All wood screws	11.00	13.00
105° NHO Sz 3, 4, BFI, BFE	Closer with 105° bumper without hold open	N/C	—
105° HO Sz 3, 4, BFI, BFE	Closer with 105° bumper and 105° hold open	N/C	—
90° NHO Sz 2, 3, or 4	Closer with 90° bumper without hold open	N/C	—
90° HO Sz 2, 3 or 4	Closer with 90° bumper and 90° hold open	N/C	—
5 mm EXT	3/16" (5 mm) extended spindle (integral part of pinion)	N/C	—
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.		
	per order, setup charge (Net)	148.00	—
	per closer, list add	91.00	—
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" x 3" color chip samples required. For details, see Finishes Cross Reference , page viii.		
	per order, non-refundable development/ setup charge (Net)	356.00	—
	per closer, list add	91.00	—

NOTES:


- Specify package designation, hand (when required), finish, and options or accessories when ordering.
- RTS packages furnished standard with 105° NHO, size 3 closer.
- Complete package prices are indicated in bold.
- When ordering a package "less components," deduct the list price of the component removed.
- Auxiliary limiting stop required for all RTS88 installations, especially those doors experiencing unusual conditions, e.g. excessive wind pressure or abuse.

Accessories

Item	Description	List \$
8836S	Closer arm, 7/8" top rail glass door shoe (zinc plated finish only)	271.00
8511	Slide arm, (8812) cover/applied stop (specify hand and finish)	369.00
8521E	Add-on 1-5/16" spindle extension (finish not required)	86.00
8532	Steel header closer mounting channel (finish not required)	85.00
8820J	Conversion bracket kit to replace Jackson OH closer with RTS88 (Finish not required)	26.00

LM Series, Heavy-Duty

Ordering Guide



Series		Hand		Fastener Packs		Spindle Extensions		Deducts	
Center Pivot	CP	Specify for Right Handed Units	RH	All Metal Screws	AMSAWS	50mm	50 mm Extended Spindle	LCP	Less Cover Plate
Offset Pivot	OP	Specify for Left Handed Units	LH	All Wood Screws	W1	45mm	45 mm Extended Spindle	LA	Less Arm
				1/2 Wood Screws	W2	40mm	40 mm Extended Spindle	LBP	Less Bottom Pivot
				All Wood Screws	AMS	35mm	35 mm Extended Spindle	LTP	Less Top Pivot
				All Metal Screws		30mm	30 mm Extended Spindle		
						25mm	25 mm Extended Spindle		
						20mm	20 mm Extended Spindle		
						15mm	15 mm Extended Spindle		
						10mm	10 mm Extended Spindle		
						5mm	5 mm Extended Spindle		
OP	440	RH	AMS			626			
Up to 440 lb, CH Aluminum	A440		Intermediate Pivot for 3/4" Offset	75220	605	Bright Brass			
Up to 440 lb, CH or 3/4" Offset	440		20 min Intermediate Pivot for 3/4" Offset	75222	606	Satin Brass			
Up to 440 lb, 20 min Fire Door, 3/4" Offset	440E		3 h Intermediate Pivot for 3/4" Offset	75233	611	Bright Bronze			
Up to 440 lb, Up to 3 h Fire Door, 3/4" Offset	440F		Intermediate Pivot for Lead Lined 3/4" Offset (see note*)	75240	612	Satin Bronze			
Up to 350 lb, Jamb Mount, 3/4" Offset	J350		20 min Intermediate Pivot for Lead Lined 3/4" Offset (see note*)	75242	613	Oxidized Satin Oil Rubbed Bronze			
Up to 440 lb, Lead Lined 3/4" Offset (see note*)	L440		3 h Intermediate Pivot for Lead Lined 3/4" Offset (see note*)	75243	618	Bright Nickel			
Up to 440 lb, 20 min Fire Door, Lead Lined 3/4" Offset (see note*)	L440E		Intermediate Pivot for 1-1/2" Offset	15220	619	Satin Nickel			
Up to 440 lb, 3 h Fire Door, Lead Lined 3/4" Offset (see note*)	L440F		20 min Intermediate Pivot for 1-1/2" Offset	15222	625	Bright Chrome			
Up to 200 lb, 1-1/2" Offset	15200		3 h Intermediate Pivot for 3/4" Offset	15233	626	Satin Chrome			
Up to 200 lb, 20 min Fire Door, 1-1/2" Offset	15200E		Through Wire Intermediate Pivot for 3/4" Offset	75200	600	Primed			
Up to 200 lb, 3 h Fire Door, 1-1/2" Offset	15200F		Through Wire CH Top Pivot (2 wire)	E80622	689	Aluminum			
			Through Wire CH Top Pivot (4 wire)	E80624	690	Statuary Bronze			
					691	Dull Bronze			
					693	Black			
					695	Dark Duranodic Bronze			
					696	Gold			
					PNT	Special Sprayed Finish (must specify)			
Package		Pivot Accessories		Finish					
				Plated					
				Painted					

* "L" Package Door Thickness Note:

The standard door thickness is 1-3/4", and is the default unless otherwise specified.

Other alternative sizes are

-2
-2-1/4
-2-1/2
-3

Examples: L-E-2-1/2....75242-2-1/2

Example above 20 min. lead lined package for 2-1/2" thick door.

NOTES:

- All combinations of features and options are not available for all models.
- Please refer to LM Heavy-Duty Series product brochure for details.

Packages for Doors Weighing up to 440 lb

Center Hung Packages

Package	Description	Painted Finish \$	Plated Finish \$
Double or Single Acting, Aluminum Door and Frame (Non-handed)			
CPA440	Complete package 7471K, 7422, 8062	525.00	525.00
Double or Single Acting, Wood or Steel Door and Frame (Non-handed)			
CP440	Complete package 7471K, 7421, 8062	481.00	481.00

NOTE: Bottom arms are available in zinc plated finish only.

3/4" Offset Packages

Package	Description	Painted Finish \$	Plated Finish \$
Single Acting, Wood, Steel, or Aluminum Door and Frame (Specify Hand)			
OP440	Complete package 7471K, 75323, 75120	602.00	602.00
Single Acting, 20 Minute Rated Fire Door and Frame (Specify Hand)			
OP440E	Complete package 7471K, 75323, 75122	630.00	630.00
Single Acting, 3 Hour Rated Fire Door and Frame (Specify Hand)			
OP440F	Complete package 7471K, 75323, 75133	692.00	963.00
Single Acting, Wood or Steel Door and Frame (Specify Hand)			
OPJ350	Complete package 75320, 75120	825.00	825.00
Single Acting, Lead-Lined Door and Frame, 1-3/4" Thick Door (Specify Hand)			
OPL440	Complete package 7471K, 75343, 75140	1201.00	1201.00
Single Acting, Lead-Lined, 20 Minute Rated Fire Door and Frame, 1-3/4" Thick Door (Specify Hand)			
OPL440E	Complete package 7471K, 75343, 75142	1235.00	1235.00
Single Acting, Lead-Lined, 3 Hour Rated Fire Door and Frame, 1-3/4" Thick Door (Specify Hand)			
OPL440F	Complete package 7471K, 75343, 75143	1303.00	1239.00

NOTE: See LM Heavy Duty Accessories for intermediate pivots. See LM Accessories for individual component list prices.

1-1/2" Offset Packages

Package	Description	Painted Finish \$	Plated Finish \$
Single Acting, Wood, Steel, or Aluminum Door and Frame (Specify Hand)			
OP15200	Complete package 7471K, 15323, 15120	1001.00	1001.00
Single Acting, 20 Minute Rated Fire Door and Frame (Specify Hand)			
OP15200E	Complete package 7471K, 15323, 15122	1053.00	1053.00
Single Acting, 3 Hour Rated Fire Door and Frame (Specify Hand)			
OP15200F	Complete package 7471K, 15323, 15133	1096.00	1528.00

NOTE: See LM Heavy Duty Accessories for intermediate pivots. See LM Accessories for individual component list prices.

Options

(List Price 'add' when ordered with complete closer)

Item	Description	Painted Finish \$	Plated Finish \$
AMS	All metal screws	N/C	—
AMSAWS	All wood screws, all metal screws	16.00	22.00
W1	Half wood screws	9.00	10.00
W2	All wood screws	11.00	12.00
EXT	Extended spindles available in 5 mm increments from 5 mm–45 mm in height (specify height)	60.00	—

Accessories

(Center Hung Pivot)

Item	Description	Painted Finish \$	Plated Finish \$
HD8062	Heavy-duty complete top pivot	594.00	615.00
E80622	Through-wire center hung top pivot (2 wire) fire door	826.00	826.00
E80624	Through-wire center hung top pivot (4 wire)	826.00	826.00

3/4" Offset Hung Intermediate Pivots**

Item	Description	Painted Finish \$	Plated Finish \$
75220	Full mortise standard intermediate pivot	408.00	408.00
75222	Full mortise intermediate pivot — 20 minute rated fire door	435.00	435.00
75233	Full mortise intermediate pivot — 3 hour rated fire door	457.00	882.00
75240	Full mortise intermediate pivot — 1-3/4" lead-lined doors	611.00	611.00
75242	Full mortise intermediate pivot — 20 minute rated 1-3/4" lead-lined doors	645.00	645.00
75243	Full mortise intermediate pivot — 3 hour rated 1-3/4" lead-lined doors	662.00	1235.00
75200	Through-wire 3/4" offset intermediate pivot — 8 wire**	758.00	758.00

** All intermediate pivots are handed.

1/2" Offset Hung Intermediate Pivots**

Item	Description	Painted Finish \$	Plated Finish \$
15220	Full mortise standard intermediate pivot	611.00	611.00
15222	Full mortise intermediate pivot — 20 minute rated fire door	662.00	662.00
15233	Full mortise intermediate pivot — 3 hour rated fire door	679.00	1187.00


** All intermediate pivots are handed.


NOTES:

- Specify package designation, hand (when required), finish, and options or accessories when ordering.
- Complete package prices are indicated in bold.
- When ordering a package "less components," deduct the list price of the component removed.
- Lead-lined packages shown are for 1-3/4" thick non-fire rated doors. For lead-lined doors up to 3" thick, add \$107.00 list to the package price. Example: OPL800 - 2-1/2. Others available are 2", 2-1/4", and 3".
- Consult factory for quotes on lead-lined, fire-rated packages for various door thicknesses.
- All pivots furnished with all machine screws standard (AMS).

LM Series, Extra Heavy-Duty

Ordering Guide



																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

* "L" Package Door Thickness Note:

The standard door thickness is 1-3/4", and is the default unless otherwise specified.

Other alternative sizes are

-2
-2-1/4
-2-1/2
-3

Examples: L-E-2-1/2.....75242-2-1/2

Example above 20 min. lead lined package for 2-1/2" thick door.

NOTES:

- All combinations of features and options are not available for all models.
- Please refer to LM Heavy-Duty Series product brochure for details.

Packages for Doors Weighing 440 lb. to 1,000 lb.

Center Hung Packages

Package	Description	Painted Finish \$	Plated Finish \$
Double or Single Acting, Wood or Steel Door and Frame (Non-handed)			
CP660	Complete package 7471HD/74005, 7421, 8062	1166.00	1166.00
Double or Single Acting, Wood or Steel Door and Frame (Non-handed)			
CP1000	Complete package 7471HD/74005, 7421, HD8062	1584.00	1584.00

3/4" Offset Packages

Package	Description	Painted Finish \$	Plated Finish \$
Single Acting, Wood, Steel, or Aluminum Door and Frame (Specify Hand)			
OPH750	Complete package 7471HD/74005, 75323, 75120	1289.00	1289.00
Single Acting, 20 Minute Rated Fire Door and Frame (Specify Hand)			
OPH750E	Complete package 7471HD/74005, 75323, 75122	1318.00	1318.00
Single Acting, 3 Hour Rated Fire Door and Frame (Specify Hand)			
OPH750F	Complete package 7471HD/74005, 75323, 75133	1378.00	1647.00
Single Acting, Lead-Lined Door and Frame, 1-3/4" Thick Door (Specify Hand)			
OPL800	Complete package 7471HD/74005, 75343, 75140	1886.00	1886.00
Single Acting, Lead-Lined, 20 Minute Rated Fire Door and Frame, 1-3/4" Thick Door (Specify Hand)			
OPL800E	Complete package 7471HD/74005, 75343, 75142	1918.00	1918.00
Single Acting, Lead-Lined, 3 Hour Rated Fire Door and Frame, 1-3/4" Thick Door (Specify Hand)			
OPL800F	Complete package 7471HD/74005, 75343, 75143	1988.00	2217.00

1-1/2" Offset Packages

Package	Description	Painted Finish \$	Plated Finish \$
Single Acting, Wood, Steel, or Aluminum Door and Frame (Specify Hand)			
OP15500	Complete package 7471HD/74005, 15323, 15120	1687.00	1687.00
Single Acting, 20 Minute Rated Fire Door and Frame (Specify Hand)			
OP15500E	Complete package 7471HD/74005, 15323, 15122	1739.00	1739.00
Single Acting, 3 Hour Rated Fire Door and Frame (Specify Hand)			
OP15500F	Complete package 7471HD/74005, 15323, 15133	1781.00	2214.00

NOTES:

- See LM Extra-Heavy Duty Accessories for intermediate pivots. See LM Accessories for individual component list prices.
- Center hung bottom arms are available in zinc plated finish only.
- 7471HD floor bearings not available in painted finish. 7471HD is plated to match when ordering with painted finishes.
- See LM Extra Heavy-Duty Accessories for intermediate pivots. See LM Accessories for individual component list prices.

Options

(List Price 'add' when ordered with complete set)

Item	Description	Painted Add \$	Plated Add \$
AMS	All metal screws	N/C	—
AMSAWS	All metal screws, all wood screws	16.00	22.00
W1	Half wood screws	9.00	10.00
W2	All wood screws	11.00	13.00
74003	9/16" clearance spindle (when used w/7471HD)	N/C	—
74007	7/8" clearance spindle (when used w/7471HD)	N/C	—
74010	1" clearance spindle (when used w/7471HD)	N/C	—
74012	1-1/16" clearance spindle (when used w/7471HD)	35.00	—
74015	1-1/8" clearance spindle (when used w/7471HD)	35.00	—
74020	1-3/8" clearance spindle (when used w/7471HD)	35.00	—
74025	1-9/16" clearance spindle (when used w/7471HD)	35.00	—
74030	1-3/4" clearance spindle (when used w/7471HD)	35.00	—

Accessories

(Center Hung Pivot)

Item	Description	Painted Finish \$	Plated Finish \$
HD8062	Heavy-duty complete top pivot	594.00	615.00
E80622	Through-wire center hung top pivot (2 wire) fire door	826.00	826.00
E80624	Through-wire center hung top pivot (4 wire)	826.00	826.00

3/4" Offset Hung Intermediate Pivots**

Item	Description	Painted Finish \$	Plated Finish \$
75220	Full mortise standard intermediate pivot	408.00	408.00
75222	Full mortise intermediate pivot — 20 minute rated fire door	435.00	435.00
75233	Full mortise intermediate pivot — 3 hour rated fire door	457.00	882.00
75240	Full mortise intermediate pivot — 1-3/4" lead lined doors	611.00	611.00
75242	Full mortise intermediate pivot — 20 minute rated 1-3/4" lead-lined doors	645.00	645.00
75243	Full mortise intermediate pivot — 3 hour rated 1-3/4" lead-lined doors	662.00	1235.00
75200	Through-wire 3/4" offset intermediate pivot — 8 wire**	758.00	758.00

** All intermediate pivots are handed.

1-1/2" Offset Hung Intermediate Pivots**

Item	Description	Painted Finish \$	Plated Finish \$
15220	Full mortise standard intermediate pivot	611.00	605.00
15222	Full mortise intermediate pivot — 20 minute rated fire door	662.00	662.00
15233	Full mortise intermediate pivot — 3 hour rated fire door	679.00	1187.00

** All intermediate pivots are handed.

90° Pocket Pivots

Item	Description	Painted Finish \$	Plated Finish \$
75520	Standard pocket pivot	613.00	741.00
75523	3 hour rated pocket pivot	647.00	781.00

NOTES:

- Specify package designation, hand (when required), finish, and options or accessories when ordering.
- Complete package prices are indicated in bold.
- When ordering a package "less components," deduct the list price of the component removed.
- Lead-lined packages shown are for 1-3/4" thick non-fire rated doors. For lead-lined doors up to 3" thick, add \$107.00 list to the package price. Example: OPL800 - 2-1/2. Others available are 2", 2-1/4", and 3".
- Consult factory for quotes on lead-lined, fire-rated packages for various door thicknesses.
- All pivots furnished with all machine screws standard (AMS).

293

700 Series

Standard Duty Surface

Item	Description	Painted Finish \$	Plated Finish \$
701S	Stop only	174.00	343.00
702S	Stop only	174.00	343.00
703S	Stop only	174.00	343.00
701F	Friction stop	174.00	343.00
702F	Friction stop	174.00	343.00
703F	Friction stop	174.00	343.00
701H	Stop/hold	174.00	343.00
702H	Stop/hold	174.00	343.00
703H	Stop/hold	174.00	343.00

Standard Duty Concealed

Item	Description	Painted Finish \$	Plated Finish \$
711S	Stop only	169.00	307.00
712S	Stop only	169.00	307.00
713S	Stop only	169.00	307.00
711F	Friction stop	169.00	307.00
712F	Friction stop	169.00	307.00
713F	Friction stop	169.00	307.00
711H	Stop/hold	169.00	307.00
712H	Stop/hold	169.00	307.00
713H	Stop/hold	169.00	307.00

900 Series

Heavy Duty Surface

Item	Description	Painted Finish \$	Plated Finish \$
901S	Stop only	344.00	586.00
902S	Stop only	344.00	586.00
903S	Stop only	344.00	586.00
901H	Stop/hold	344.00	586.00
902H	Stop/hold	344.00	586.00
903H	Stop/hold	344.00	586.00

Heavy Duty Concealed

Item	Description	Painted Finish \$	Plated Finish \$
911S	Stop only	422.00	547.00
912S	Stop only	422.00	547.00
913S	Stop only	422.00	547.00
911H	Stop/hold	422.00	547.00
912H	Stop/hold	422.00	547.00
913H	Stop/hold	422.00	547.00

Options

(List Price 'add')

Item	Description	Painted Finish \$	Plated Finish \$
7090	Pull side mounting bracket (900/700)	74.00	148.00
900RTSCH	Push side mounting bracket for use with RTS center hung closer. Provides mount for surface applied stop mount plate to prevent screws from damaging RTS closer body.	74.00	148.00
902RTSOFF	Push side mounting bracket for 902 stop/holder, used with offset pivots when RTS closer is installed in the header.	74.00	148.00
903RTSOFF	Push side mounting bracket for 903 stop/holder, used with offset pivots and an RTS closer installed in the header.	74.00	148.00
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.		
	per order, setup charge (Net)	148.00	—
	per closer, list add	48.00	—
Designer Color	Designer painted color matched to supplied samples. Three (3) Color each 2" x 3" colorchip samples required. For details, see Finishes Cross Reference , page viii.		
	per order, non-refundable development/setup charge (Net)	357.00	—
	per closer, list add	48.00	—

NOTE: Standard screw pack includes wood and machine screws for the soffit bracket, and sex nuts for the door, as required.

Pull Finishes Cross Reference





	DORMA GMBH Finish #	Closest BHMA Equivalent
Anodized Aluminum Parts		
Clear	101	628
Similar to Stainless Steel	107	670
Dark Bronze	108	710
Black	109	711
Aluminum Color	114	718
Brass		
Polished Brass without Lacquer	503	—
Satin Brass without Lacquer	599	728
Steel or Stainless Steel		
Satin Stainless Steel	700	630
Polished Stainless Steel	701	629
Bronze		
Satin Bronze without Lacquer	600	612
Polished Bronze without Lacquer	601	611
Custom Finish*	999	—

*All Custom Finishes will incur a \$200 net setup fee per purchase order, per color.

TG 138 Ladder Pulls Ordering Guide

Screwpack Options									
		Function		Door Thickness				Keying Options Field	
Locking — L		Non-Locking — NL		134 — Wood Door Screw Pack		SNUT — Sex Nut, up to 3-5/16"			
						BLIND — 1-3/4" wood door, not through door			
						B2B80 — Back-to-back up to 3-5/16" thick door			
						B2B44 — Back-to-back 1-3/4" wood			
TG 138	NL	B2B	134	49	B2B12	700	C6	XXXX	
Model	Back-To-Back — B2B	49" Length — 49			Satin Stainless — 700	T — Temporary SFIC			
	Single Sided — SNG	60" Length — 60			Custom Polished finish — 701	J — SFIC (Less Core)			
	Pull Type	72" Length — 72			Custom Paint or Powder — 999	C — 7-Pin SFIC (With Core)			
		84" Length — 84			Finish	C6 — 6-Pin SFIC (With Core)			
		XX" (Specify) Length — Custom				L — Less Cylinder			
		(L) Length				D — Conventional Cylinder			
						R — Schlage LFIC (Less Core)			
						THB — Thumbturn Single Pull Handle			
						Cylinder Type			

TG 138 Locking and Non-Locking Ladder Pulls

Locking Ladder Pull Configurations Single and Back-To-Back Locking and Non-Locking Pulls					Standard Finish \$	Custom Finish \$	
Model	Ref. #	U/M	No. Of Fixing Posts	Description	700	701	999
Back-to-Back Locking Ladder Pull with T Small Format Interchangeable Core (SFIC) Cylinder, BA Core MKD (KD)					3	SO	SO
	926.933	Set	3F	L B2B STD 84" 700	2090.00	2698.00	—
	926.932	Set	3F	L B2B STD 72" 700	2037.00	2627.00	—
	926.936	Set	3F	L B2B STD 60" 700	1989.00	2564.00	—
	926.930	Set	2F	L B2B STD 49" 700	1909.00	2461.00	—
Single Sided Locking Ladder Pull with T Cylinder (SFIC), BA Core MKD (KD), or Thumb-Turn (TT)							
	926.934	Ea.	2F	L SNG STD 49" CYL 700	1088.00	1396.00	—
	926.935	Ea.	2F	L SNG STD 49" TT 700	1088.00	1396.00	—
		NOTE: Cylinder or Thumb-Turn are Top Mounted					
Back-to-Back Non-Locking Ladder Pull					3	SO	SO
	926.923	2 Ea.	3F	NL B2B STD 84" 700	886.00	1152.00	1170.00
	926.922	2 Ea.	3F	NL B2B STD 72" 700	838.00	1086.00	1122.00
	926.924	2 Ea.	3F	NL B2B STD 60" 700	785.00	1020.00	1070.00
	926.920	2 Ea.	2F	NL B2B STD 49" 700	706.00	916.00	991.00
	NOTE: Specify 2 Ea. for a back-to-back set,						
Single Sided Non-Locking Ladder Pull							
	926.923	Ea.	3F	NL SNG STD 84" 700	514.00	669.00	686.00
	926.922	Ea.	3F	NL SNG STD 72" 700	487.00	630.00	656.00
	926.924	Ea.	3F	NL SNG STD 60" 700	456.00	593.00	627.00
	926.920	Ea.	2F	NL SNG STD 49" 700	410.00	530.00	579.00
	NOTE: Customer must specify Fixing Pack and adjust List Price accordingly for Non-Locking Single Ladder Pulls and all door panel thicknesses greater than 1/2".						







NOTES:

- Default fastener pack addresses 3/8"–3/4" thick glass, except locking ladder pulls, 3/8"–5/8". 3/4" glass for locking pulls requires special 926.911 locking assembly at List \$212.
- Default cylinder for TG 138 L pulls uses SFIC C Cylinder BA Core.
- Other cylinder and keying options available, see **Cylinder Types, Keying Options & Keyways**.
- 999 Finish is Custom Paint and Powder only, not available on locking pulls.

SO Special Fabricated/Finish or Special Order; lead time up to 9 weeks.

3 Standard or Non-Standard Fabricated; lead time up to 3 business days.

TG 138 Locking and Non-Locking Ladder Pulls Accessories

Mounting	Ref. #	Description	Door Thickness	List \$
	926.937	Strike, Dustproof, Standard 1-1/8" (29 mm)		55.00
	926.890	Locking Post Mounting Pack, Back-to-back, (Non-Locking Post Fasteners not included)	1-3/4" (44 mm)	289.00
	926.909	Mounting Pack, Back-to-back Non-Locking Post	1-3/8" (34 mm) – 1-3/4" (44 mm)	77.00
	926.910	Mounting Pack, SNG Blind, 3 each in pack (Will not project through door)	min. 1-3/4" (44 mm)	38.00
	926.908	Mounting Pack, Single Non-Locking x Sex Nut	3/4" (19 mm) – 3-1/8" (80 mm)	81.00
	926.939	Washer Pack	—	22.00

NOTE: Default cylinder for Locking Ladder pulls uses SFIC T cylinder with temporary construction core in 626 Satin. Other cylinder and keying options available, see next page.

 Special Fabricated/Finish or Special Order; lead time up to 9 weeks.

TG 138 Cylinder Types, Keying Options, and Keyways

Cylinder	Option	Description	Deduct \$
L		Lock less cylinder and cylinder ring	Deduct 75.00
Interchangeable Core Cylinders			
C		SFIC — Housing with combined SFIC construction core installed at the factory; BA (default), BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, D100 keyway — ⓧ Keys sold separately	N/C
	MKD	Master keyed, Keyed Different (Keyed different to a random combination) or Keyed Alike; BA Core with 1 control key and 2 change keys; Up to 20 days additional lead time for Keyed Alike.	N/C
T		SFIC — Housing with keyed temporary SFIC construction core (Core may be returned for a full refund) — ⓧ Keys sold separately	Deduct 5.00
J		SFIC — Housing with disposable plastic SFIC plug	Deduct 45.00
R		Schlage LFIC - Housing less core	Deduct 37.00
Conventional Cylinders (non-interchangeable core)			
D		Conventional cylinder	Deduct 45.00
	KD	Keyed differently to a random combination; SC keyway with 2 keys (default)	Deduct 45.00
	KA2	Keyed alike in pairs to a random combination; SC keyway with 2 keys	Deduct 45.00
	NSK	Keyed alike (or Keyed to Order - KTO) sets of 3 or more; SC keyway with 2 keys	Deduct 33.00
	1-Bit SC	Operated by 1-bit key (sold separately); SC, SE keyway with 2 key blanks	Deduct 45.00
	0-Bit D-100	Operated by 0-bit key (sold separately); D100 keyway — ⓧ Keys sold separately	Deduct 45.00
	0-Bit	Operated by a key blank; AA, CA, CB, CC, CD, CE, RA, RB, GA, SF, WA, YA, YG keyways with 2 keys	Deduct 33.00
	MKD	Master keyed; SC, SE, or D100 keyway — ⓧ Keys sold separately	Deduct 29.00
	CMK	Construction master keyed single cylinder locks — ⓧ Keys sold separately	Deduct 27.00

Ladder Pulls will be supplied with SFIC C cylinder, Option BA MKD (KD).

ⓧ Denotes keys must be ordered separately.

Cut Keys Ordered Separately

Part #	Description	List \$
45101	SFIC Cut Key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	10.00
45401	SFIC Cut Key — Change key, master key, or control key; SKC keyways — D100 etc.	16.00
45404	CONV/LFIC Cut Key — 1-Bit key for operating 1-bit cylinders — SC, SE keyways	8.00

NOTES:

- Distribution of DORMA SKC keys (listed as D100) is restricted. Call customer service for dormakaba SKC policies.
- See Keys and Key Blanks section for complete list.

TG 9387 Ladder Pulls

Ordering Guide





				Door Thickness		SNG Mounting Type	
				134	— Wood Door Screw Pack	ROSE	— Screw-on-Rose
						BLIND	— Concealed
<u>S-TG 9387</u>		<u>SNG</u>		<u>134</u>		<u>18</u>	
<u>BLIND</u>		<u>700</u>					
<u>S-TG 9387</u>		Single Sided — <u>SNG</u>		12" Length — <u>12</u>		DORMA 700/ BHMA 630 — <u>700</u>	
Model		Back-To-Back — <u>B2B</u>		18" Length — <u>18</u>		Finish	
		Pull Type		36" Length — <u>36</u>			
				42" Length — <u>42</u>			
				60" Length — <u>60</u>			
				(L) Length			

Stock TG 9387 Standard Size Non-Locking Ladder Pulls, with Straight Fixing Posts


Stock Pull Handles for Commercial Doors						Finish \$
Model	Ref. #	U/M	No. Of Fixing Posts	Description		700
Back-to-Back 1-1/4" (32 mm) Diameter						3
	B2B.905.370	Set	3F	L = 60"	CTC = 37-1/2"	350.00
	B2B.905.371	Set	2F	L = 42"	CTC = 26-1/4"	240.00
	B2B.905.372	Set	2F	L = 36"	CTC = 22-1/2"	220.00
	B2B.905.373	Set	2F	L = 18"	CTC = 11-1/4"	176.00
	B2B.905.374	Set	2F	L = 12"	CTC = 7-1/2"	164.00
Single Sided 1-1/4" (32 mm) Diameter						3
	SNG.905.370	Ea.	3F	L = 60"	CTC = 37-1/2"	180.00
	SNG.905.371	Ea.	2F	L = 42"	CTC = 26-1/4"	123.00
	SNG.905.372	Ea.	2F	L = 36"	CTC = 22-1/2"	111.00
	SNG.905.373	Ea.	2F	L = 18"	CTC = 11-1/4"	90.00
	SNG.905.374	Ea.	2F	L = 12"	CTC = 7-1/2"	85.00
						List \$
POWDER	All Custom powder coated orders will include a net charge per purchase order.					286.00

NOTES:

- Prefix Ref. # with (SNG) single or (B2B) back-to-back. Specify part number, pull height, door material, and door thickness.
- For single pull on wood door, specify roses or blind fasteners.
- Inserts and mounting hardware included in stock pull TG 9387, list price as shown.
- Mounting hardware also available as multi-pack service packs and priced separately following pulls.

Model Accessories	Ref. #	U/M	Description	List \$
	905.390	Set	Service inserts, reduces post thread from 8 mm–6 mm, used for every mounting post. Bulk pack of 6. Used as service item.	11.00
	905.388	Set	Service mounting pack with finished mounting ROSE used for SNG WOOD mount 1-3/8"–2" (40 mm–51 mm). Bulk pack of 6. Used as service item.	48.00
	905.386	Set	Service mounting pack used for BACK-TO-BACK WOOD mount 1-3/8"–2" (40 mm–51 mm). Bulk pack of 6. Used as service item.	25.00
	905.389	Set	Service mounting pack with BLIND (concealed) fasteners. Used for SNG WOOD mount ≥ 1-3/8" (40 mm). Bulk pack of 6. Used as service item.	25.00

øG	1-1/4" (32)				
øS	1" (25)				
H	3-3/8" (85)				
3 fixings required	60" (1,524)				
(CTC) Center-to-Center	37-1/2" (953)	26-1/4" (667)	22-1/2" (571)	11-1/4" (286)	7-1/2" (191)
L (Length)	60" (1,524)	42" (1,067)	36" (914)	18" (457)	12" (305)



TG 9387 Custom Size Non-Locking Ladder Pulls, with Straight Fixing Posts


Pull Handles for Commercial Doors					Standard Finish \$		Custom Finish \$
Model	Ref. #	U/M	No. Of Fixing Posts	Description	700	701	999
Back-to-Back 1-1/4" (32 mm) Diameter					(S0)	(S0)	(S0)
	905.568	Ea.	3F	L = 94-1/2" through 110-3/16"	1552.00	1707.00	2119.00
	905.567	Ea.	3F	L = 74-13/16" through 94-7/16"	1343.00	1476.00	1910.00
	905.566	Ea.	2F	L = 59-1/16" through 74-3/4"	1135.00	1246.00	1703.00
	905.565	Ea.	2F	L = 43-5/16" through 59"	926.00	1019.00	1352.00
	905.564	Ea.	2F	L = 27-9/16" through 43-1/4"	715.00	788.00	1142.00
	905.563	Ea.	2F	L = 11-13/16" through 27-1/2"	506.00	556.00	933.00
Single Sided 1-1/4" (32 mm) Diameter					(S0)	(S0)	(S0)
	905.368	Ea.	3F	L = 94-1/2" through 110-3/16"	919.00	1010.00	1202.00
	905.367	Ea.	3F	L = 74-13/16" through 94-7/16"	806.00	886.00	1088.00
	905.366	Ea.	2F	L = 59-1/16" through 74-3/4"	691.00	759.00	974.00
	905.365	Ea.	2F	L = 43-5/16" through 59"	577.00	636.00	791.00
	905.364	Ea.	2F	L = 27-9/16" through 43-1/4"	464.00	511.00	677.00
	905.363	Ea.	2F	L = 11-13/16" through 27-1/2"	349.00	383.00	563.00
Back-to-Back 1" (25 mm) Diameter					(S0)	(S0)	(S0)
	905.527	Ea.	3F	L = 94-1/2" through 110-3/16"	1352.00	1486.00	1919.00
	905.526	Ea.	3F	L = 74-13/16" through 94-7/16"	1202.00	1323.00	1770.00
	905.525	Ea.	3F	L = 59-1/16" through 74-3/4"	1054.00	1158.00	1622.00
	905.524	Ea.	2F	L = 43-5/16" through 59"	903.00	995.00	1328.00
	905.523	Ea.	2F	L = 27-9/16" through 43-1/4"	755.00	830.00	1181.00
	905.522	Ea.	2F	L = 11-13/16" through 27-1/2"	606.00	668.00	1031.00
Single Sided 1" (25 mm) Diameter					(S0)	(S0)	(S0)
	905.327	Ea.	3F	L = 94-1/2" through 110-3/16"	877.00	965.00	1160.00
	905.326	Ea.	3F	L = 74-13/16" through 94-7/16"	781.00	859.00	1066.00
	905.325	Ea.	3F	L = 59-1/16" through 74-3/4"	687.00	755.00	971.00
	905.324	Ea.	2F	L = 43-5/16" through 59"	592.00	652.00	806.00
	905.323	Ea.	2F	L = 27-9/16" through 43-1/4"	496.00	547.00	709.00
	905.322	Ea.	2F	L = 11-13/16" through 27-1/2"	399.00	440.00	612.00
							Net Add \$
POWDER All Custom powder coated orders will include a net charge per purchase order.							286.00

NOTE: Specify door thickness to acquire appropriate mounting screwpack.

øG	1" (25)	1-1/4" (32)
øS	11/16" (18)	1" (25)
H	2-15/16" (75)	3-3/8" (85)
3 fixings required	59-1/16" (1,500)	59-1/16" (1,500)





NOTES:

- When required, 3rd fixing post is centered on L dimension unless otherwise requested. Center distance can be specifically tailored to your requirements.
- Specify door thickness and desired screwpack.
- Top and bottom post location is preset at factory unless specified custom by customer.



(S0) Special Fabricated/Finish or Special Order; lead time up to 5 weeks.

MANET Non-Locking Ladder Pulls, with straight fixing posts and MANET clamping disks





Pull Handles for Commercial Doors, Back-to-Back (B2B) or Single Sided					Standard Finish \$	Custom Finish \$
Model	Ref. #	U/M	No. Of Fixing Posts	Description	700	999
Back-to-Back					①	⑤0
	821.276	Ea.	4F	20-1/2" (520 mm) Center-to-Center Length 69-5/16" (1760 mm)	864.00	1653.00
	821.273	Ea.	3F	20-1/2" (520 mm) Center-to-Center Length 48-13/16" (1240 mm)	719.00	1521.00
	821.270	Ea.	2F	20-1/2" (520 mm) Center-to-Center Length 28-3/8" (720 mm)	576.00	1024.00
	821.267	Ea.	2F	5-7/8" (150 mm) Center-to-Center Length 13-3/4" (350 mm)	421.00	845.00
					Net Add \$	
POWDER All Custom powder coated orders will include a net charge per purchase order.					286.00	

NOTES:

- Specify door thickness and either wood or glass door material.
- Specify Ref. # 829.991 for 1-3/4" (44 mm) wood door fasteners, no additional charge.

① Non-Fabricated item, ships in 1 business day.

⑤0 Special Fabricated/Finish or Special Order; lead time up to 5 weeks.


Pull Handles for Commercial Doors					Standard Finish \$	Custom Finish \$
Model	Ref. #	U/M	No. Of Fixing Posts	Description	700	999
Single Sided					(S0)	(S0)
	821.243	Ea.	4F	20-1/2" (520 mm) Center-to-Center Length 69-5/16" (1760 mm)	676.00	959.00
	821.242	Ea.	3F	20-1/2" (520 mm) Center-to-Center Length 48-13/16" (1240 mm)	549.00	833.00
	821.241	Ea.	2F	20-1/2" (520 mm) Center-to-Center Length 28-3/8" (720 mm)	382.00	594.00
	821.240	Ea.	2F	5-7/8" (150 mm) Center-to-Center Length 13-3/4" (350 mm)	312.00	526.00
					Net Add \$	
POWDER All Custom powder coated orders will include a net charge per purchase order.					286.00	

NOTES:

- Specify door thickness and either wood or glass door material.
- Specify Ref. # 829.991 for 1-3/4" (44 mm) wood door fasteners, no additional charge.

(S0) Special Fabricated/Finish or Special Order; lead time up to 5 weeks.

TG 9335 Decorative Pulls, Straight Pull with Mitered Corners/Posts






Pull Handles for Commercial Doors					Standard Finish \$		Custom Finish \$
Model	Ref. #	U/M	No. Of Fixing Posts	Description	700	701	999
Back-to-Back 1-1/4" (32 mm) Diameter					(SO)	(SO)	(SO)
	905.545	Ea.	3F	CTC = 94-1/2" through 110-3/16"	1425.00	1566.00	1992.00
	905.544	Ea.	3F	CTC = 74-13/16" through 94-7/16"	1226.00	1347.00	1794.00
	905.543	Ea.	3F	CTC = 59-1/16" through 74-3/4"	1028.00	1130.00	1597.00
	905.542	Ea.	2F	CTC = 43-5/16" through 59"	829.00	911.00	1256.00
	905.541	Ea.	2F	CTC = 27-9/16" through 43-1/4"	629.00	692.00	1056.00
	905.540	Ea.	2F	CTC = 7-7/8" through 27-1/2"	430.00	473.00	857.00
Single Sided 1-1/4" (32 mm) Diameter					(SO)	(SO)	(SO)
	905.345	Ea.	3F	CTC = 94-1/2" through 110-3/16"	856.00	941.00	1139.00
	905.344	Ea.	3F	CTC = 74-13/16" through 94-7/16"	747.00	820.00	1030.00
	905.343	Ea.	3F	CTC = 59-1/16" through 74-3/4"	637.00	701.00	921.00
	905.342	Ea.	2F	CTC = 43-5/16" through 59"	527.00	579.00	740.00
	905.341	Ea.	2F	CTC = 27-9/16" through 43-1/4"	419.00	461.00	630.00
	905.340	Ea.	2F	CTC = 7-7/8" through 27-1/2"	311.00	342.00	525.00
Back-to-Back 1" (25 mm) Diameter					(SO)	(SO)	(SO)
	905.506	Ea.	3F	CTC = 94-1/2" through 110-3/16"	1799.00	1978.00	2369.00
	905.505	Ea.	3F	CTC = 74-13/16" through 94-7/16"	1591.00	1752.00	2160.00
	905.504	Ea.	3F	CTC = 59-1/16" through 74-3/4"	1387.00	1526.00	1955.00
	905.503	Ea.	2F	CTC = 43-5/16" through 59"	1181.00	1298.00	1607.00
	905.502	Ea.	2F	CTC = 27-9/16" through 43-1/4"	974.00	1073.00	1401.00
	905.501	Ea.	2F	CTC = 8-1/4" through 27-1/2"	769.00	845.00	1195.00
Single Sided 1" (25 mm) Diameter					(SO)	(SO)	(SO)
	905.306	Ea.	3F	CTC = 94-1/2" through 110-3/16"	1056.00	1160.00	1340.00
	905.305	Ea.	3F	CTC = 74-13/16" through 94-7/16"	941.00	1035.00	1225.00
	905.304	Ea.	3F	CTC = 59-1/16" through 74-3/4"	827.00	909.00	1110.00
	905.303	Ea.	2F	CTC = 43-5/16" through 59"	711.00	781.00	923.00
	905.302	Ea.	2F	CTC = 27-9/16" through 43-1/4"	595.00	655.00	809.00
	905.301	Ea.	2F	CTC = 8-1/4" through 27-1/2"	481.00	528.00	694.00
							Net Add \$
POWDER All Custom powder coated orders will include a net charge per purchase order.					286.00		

NOTES:

- When required, 3rd fixing post is centered on **CTC** dimension unless otherwise requested.
- CTC=Center to center of mounting posts.
- Specify door thickness and desired screwpack. See following page for options.




(SO) Special Fabricated/Finish or Special Order; lead time up to 5 weeks.

TG Decorative Pulls

Pull Handles for Commercial Doors				Standard Finish \$		Custom Finish \$	
Model	Ref. #	U/M	Description	700	701	999	
TG 9830 Bowed Pull, 13-3/4" (349 mm) Center-to-Center				(SO)	(SO)	(SO)	
	905.530	Set	Back-to-Back	850.00	936.00	1135.00	
	905.330	Ea.	Single Sided	523.00	575.00	735.00	
TG 9304 Curved Pull, Radius Standoff, 1-1/4" (32 mm) Diameter, 13-3/4" (349 mm) Center-to-Center				(SO)	(SO)	(SO)	
	905.569	Set	Back-to-Back	430.00	473.00	714.00	
	905.369	Ea.	Single Sided	282.00	310.00	494.00	
			Ø	1-1/4" (32 mm)			
			R	1-3/4" (44 mm)			
			R1	6-7/8" (175 mm)			
			B	8-11/16" (220 mm)			
			H	3-3/8" (85 mm)			
			CTC	13-3/4" (350 mm)			
TG 9306 Curved Pull, Sharp/Straight Standoff, 1-9/16" (40 mm) Diameter, 13-3/4" (349 mm) Center-to-Center				(SO)	(SO)	(SO)	
	905.611	Set	Back-to-Back	953.00	1048.00	1237.00	
	905.411	Ea.	Single Sided	572.00	628.00	785.00	
			ØGØS	1-9/16" (40 mm)			
			R	6-7/8" (175 mm)			
			B	8-3/16" (205 mm)			
			H	3-15/16" (100 mm)			
			M	1" (24 mm)			
NOTE: Specify door thickness and desired screwpack.							
Fixings for TG Handles to Glass Doors 1-3/8" (35 mm)–3-15/16" (100 mm) Thick				700/701	999		
				(SO)	(SO)		
	905.901	Ea.	Back-to-Back – M6	37.00	39.00		
	905.903	Ea.	Back-to-Back – M8	37.00	39.00		
	905.907	Ea.	Single Sided – M6	62.00	68.00		
	905.906	Ea.	Single Sided – M8	62.00	68.00		
Rose Options for TG Pulls							
	905.971	Ea.	1-9/16" (40 mm) Rose – M6	17.00	20.00		
	905.972	Ea.	1-3/4" (44 mm) Rose – M8	17.00	20.00		
				Net Add \$			
POWDER				All Custom powder coated orders will include a net charge per purchase order.			
				286.00			

(SO) Special Fabricated/Finish or Special Order; lead time up to 5 weeks.





ARCOS and BEYOND Decorative Pulls

Pulls for Commercial Doors					Standard Finish \$	Custom Finish \$
Model	Ref. #	U/M	No. Of Fixing Posts	Description	114	999
ARCOS 15-11/16" (398 mm) Length					(SO)	(SO)
	826.500	Set	2F	13-3/4" (350 mm) Center-to-Center	486.00	769.00
ARCOS 32-1/16" (824 mm) Length					(SO)	(SO)
	826.510	Set	2F	29-1/2" (750 mm) Center-to-Center	572.00	1139.00
					107	999
BEYOND, Specify Door Thickness					(SO)	(SO)
	830.300	Set	2F	17-3/4" (450 mm) Center-to-Center 3/8" (10 mm) or 1/2" (12 mm)	1159.00	1444.00
	830.305	Set	2F	23-5/8" (600 mm) Center-to-Center 3/8" (10 mm) or 1/2" (12 mm)	1344.00	1628.00
	830.310	Set	2F	35-7/16" (900 mm) Center-to-Center 3/8" (10 mm) or 1/2" (12 mm)	1604.00	2172.00
						Net Add \$
POWDER All Custom powder coated orders will include a net charge per purchase order.						286.00

NOTE: Specify door thickness and either wood or glass door material.

(SO) Special Fabricated/Finish or Special Order; lead time up to 5 weeks.

Solid and Tubular Pull Handles for Commercial doors

				Finishes \$						
Model	Ref. #	U/M	Description	101	108	109	503/599	600/601	700	701
Solid and Tubular, Back-to-Back, 10" and 12" (Center-to-Center) Handles				(1)	(1)	(SO)	(SO)	(SO)	(1)	(SO)
	926.001	Set	10" (254 mm) Solid	85.00	89.00	89.00	—	358.00	190.00	190.00
	926.601	Set	10" (254 mm) Tubular	—	—	—	152.00	—	102.00	102.00
	926.004	Set	12" (305 mm) Solid	89.00	95.00	95.00	257.00	642.00	209.00	209.00
	926.604	Set	12" (305 mm) Tubular	—	—	—	161.00	—	106.00	106.00
Solid and Tubular, Single Sided, 10" and 12" (Center-to-Center) Handles				(SO)	(SO)	(SO)	(SO)	(SO)	(SO)	(SO)
	926.012	Ea.	10" (254 mm) Solid	50.00	60.00	60.00	—	—	—	—
	926.612	Ea.	10" (254 mm) Tubular	—	—	—	—	—	64.00	64.00
	926.016	Ea.	12" (305 mm) Solid	66.00	70.00	70.00	—	—	—	—
	926.616	Ea.	12" (305 mm) Tubular	—	—	—	—	—	70.00	70.00
Solid and Tubular, Back-to-Back Offset, 10" and 12" (Center-to-Center) Handles				(SO)	(SO)	(SO)	(SO)	(SO)	(SO)	(SO)
	926.622	Set	10" (254 mm) Tubular	—	—	—	—	—	126.00	126.00
	926.009	Set	12" (305 mm) Solid	102.00	111.00	111.00	—	—	—	—
	926.609	Set	12" (305 mm) Tubular	—	—	—	206.00	—	138.00	138.00
Solid and Tubular, Back-to-Back, 10" and 12" (Center-to-Center) x 27-3/4" Handles				(SO)	(SO)	(SO)	(SO)	(SO)	(SO)	(SO)
	926.002	Set	10" x 27-3/4" (254 x 705 mm) Solid	117.00	129.00	129.00	—	—	—	—
	926.602	Set	10" x 27-3/4" (254 x 705 mm) Tubular	—	—	—	—	—	163.00	163.00
	926.005	Set	12" x 27-3/4" (305 x 705 mm) Solid	111.00	124.00	124.00	—	—	353.00	353.00
	926.605	Set	12" x 27-3/4" (305 x 705 mm) Tubular	—	—	—	220.00	—	174.00	174.00

NOTES:

- Tubular handles include a 1-1/4" (32 mm) washer.
- Specify door thickness and either wood or glass door material.
- Call Customer Service for wood door thickness 1-3/8"–2-1/2" fastener information and ordering guidance.

(1) Non-Fabricated item, 2-day lead time.

(SO) Special Fabricated/Finish or Special Order; lead time up to 5 weeks.



Door
Hardware



Electronic
Access & Data



Mechanical
Key Systems



Lodging
Systems



Entrance
Systems



Safe
Locks



Service

Our Sustainability Commitment

We are committed to fostering a sustainable development along our entire value chain in line with our economic, environmental and social responsibilities toward current and future generations.

PL35 03-23

dormakaba USA
6161 E. 75th Street
Indianapolis, IN 46250

T: 1 888 539 7226

dormakaba.us



dormakaba.